



INTERN RAPPORT.

Telex 72 987 aspro r

DATO: 18.06.84	RAPPORT NR: 1519	KARTBLAD 1833 III 1833 IV	Antall sider — " — bilag
----------------	------------------	------------------------------	-----------------------------

SAKSBEARBEIDER FINN HANSEN

RAPPORT VEDRØRENDE:

LOW FREQUENCY ELECTROMAGNETIC AND MAGNETIC VERTICAL FIELD MEASUREMENTS IN THE BIDJOVAGGE CONSESSION AND GULF JOINT VENTURE AREA WINTER 1984.

RESYMÉ:

The survey was conducted in order to locate and detail a selection of HEM anomalies outlined by NGU surveyed summer 1980 and 1981. (Sander system, Reports no. NGU 1783/1833). Data reprocessed by Dighem Ltd. Report no. 1381.

Eighteen localities were considered priority target areas for follow up work, of which 12 are inside The Bidjovagge Consession/Gulf Joint Venture Area.

This is area 54, 55, 56, 57, 58, 61 and 63 and are enclosed in this report. Areas 59, 62, 64, 65 and 14 proved negative and have not been paid further attention.

The areas are presented in such a way that the reader is able to do his/hers own interpretation without having to work with the raw data. A listing of data is available on request.

Areas 66, 67, 68, 69, 29 and 37 are inside The Superior Oil Joint Venture Area and reported on in a similar way in report no. 1520.

Instrumentation :

- LFEM. Apex MaxMin II 1777/222 Hz
- MAGN., McPhar M 700 Vert. field comp.
- MAGN. BASE McPhar M 700/Rustrak chartrecorder
- DATA REC./PLOT, APPLE II


**FORDELING
OSLO:**

KIRKENES:



ANDRE:

KOMMENTAR:

This is a preliminary statusreport of June -84 displaying the geophysical data as surveyed and plotted from the areas listed above.



LOCATION MAP
1:400,000




OMR. 54 1777 HZ 100M COIL SEP,
 ELEMENT MARKOR
 RH —◆—
 IH —■—



OMR. 54 EM - MAG KAUTOKEINO	SCALE	OBS.	03-84
	1:5000	DRAW.	05-84
TRAC.		05-84	
CHK.			
MAP NO.		MAP SHEET	

1/5 SULFIDMALM



OMR. 54 1777/222HZ 100M COIL SEP, PROFILE 30DN.

ELEMENT	MARKOR	MIN. VERD	MAX. VERD	OFFSET	SKALA
RH	◆	-3.0	1.0	500.0	10.0
IH	□	-1.0	2.0	500.0	10.0
RL	▲	0.0	3.0	-500.0	10.0
IL	■	-2.0	0.0	-500.0	10.0

X - SKALERING 100.0
 X - OFFSET 1100.0
 X = 0 - 3000 DELER
 Y = +/- 1000 DELER


OMR. 54
 EM - MAG
 KAUTOKEINO

SCALE 1:2500	OBS.	03-84
	DRAW.	05-84
	TRAC.	05-84
	CHK.	

1/8 SULFIDMALM

MAP NO.

MAP SHEET



OMR, 54 1777/222HZ 100M COIL SEP, PROFILE 200N.

ELEMENT	MARKOR	MIN.VERDI	MAX.VERDI	OFFSET	SKALA
RH	◄—►	-30.0	11.0	500.0	10.0
IH	◻—◻	-10.0	5.0	500.0	10.0
RL	▲—▲	-18.0	8.0	-500.0	10.0
IL	✕—✕	-14.0	2.0	-500.0	10.0

X - SKALERING 100.0
 X - OFFSET 1100.0
 X = 0 - 3400 DELER
 Y = +/- 1000 DELER

OMR. 54
 EM - MAG
 KAUTOKEINO

1/3 SULFIDMALM


SCALE	OBS.	03-84
1:2500	DRAW.	05-84
	TRAC.	05-84
	CHK.	

MAP NO.

MAP SHEET

FIG	RE2	IM2	RE1→RE3	IM1-IM3	h/A	h	α
1777	40		1		0,1	10	⊥
1777		12		1	0,25	25	75°
222	25		1		0,1	10	⊥
222		16		0	0,15	15	⊥

utgående 46°E
 fall ⊥ - 75°E
 dybde 10-25m
 kvalitet middels
 vidde tyngre




þrestag til BH SY-1
 profil 100N / 500E
 fall 45°
 rekur gírd W
 Samseynd lengd 70m

OMR. 54 1777/222HZ 100M COIL SEP, PROFILE 100N.

ELEMENT	MARKOR	MIN. VERDI	MAX. VERDI	OFFSET	SKALA
RH	◆	-40.0	13.0	500.0	10.0
IH	□	-12.0	4.0	500.0	10.0
RL	▲	-25.0	9.0	-500.0	10.0
IL	■	-18.0	2.0	-500.0	10.0

X - SKALERING 100.0
 X - OFFSET 300.0
 X = 0 - 3400 DELER
 Y = +/- 1000 DELER

OMR. 54 EM - MAG KAUTOKEINO	SCALE	OBS.	03-84
	1:2500	DRAW.	05-84
		TRAC.	05-84
		CHK.	
$\frac{1}{8}$ SULFIDMALM		MAP NO.	
		MAP SHEET	



OMR, 54 1777/222HZ 100M COIL SEP, PROFILE DONS.

ELEMENT	MARKOR	MIN.VERDI	MAX.VERDI	OFFSET	SKALA
RH	◆	-16.0	6.0	500.0	10.0
IH	■	-6.0	5.0	500.0	10.0
RL	▲	-3.0	5.0	-500.0	10.0
IL	⊠	-7.0	1.0	-500.0	10.0

X - SKALERING 100.0
 X - OFFSET 300.0
 X = 0 - 3400 DELER
 Y = +/- 1000 DELER


OMR. 54
 EM - MAG
 KAUTOKEINO

SCALE 1:2500	OBS.	03 - 84
	DRAW.	05 - 84
	TRAC.	05 - 84
	CHK.	

1/8 SULFIDMALM

MAP NO.

MAP SHEET




OMR. 54 1777/222HZ 100M COIL SEP, PROFILE 100S.

ELEMENT	MARKØR	MIN. VERDI	MAX. VERDI	OFFSET	SKALA
RH	◆—◆	-3.0	4.0	500.0	10.0
IH	■—■	-3.0	4.0	500.0	10.0
RL	▲—▲	0.0	4.0	-500.0	10.0
IL	⊠—⊠	-3.0	0.0	-500.0	10.0

X - SKALERING 100.0
 X - OFFSET 300.0
 X = 0 - 3400 DELER
 Y = +/- 1000 DELER

OMR. 54 EM - MAG KAUTOKEINO	SCALE	OBS.	03-84
	1:2500	DRAW.	05-84
		TRAC.	05-84
		CHK.	
1/8 SULFIDMALM		MAP NO.	
		MAP SHEET	




OMR. 54 1777/222HZ 100M COIL SEP, PROFILE 200S.

ELEMENT	MARKOR	MIN.VERDI	MAX.VERDI	OFFSET	SKALA
RH	◄—►	-2.0	2.0	500.0	10.0
IH	◻—◻	-2.0	3.0	500.0	10.0
RL	◄—►	-1.0	3.0	-500.0	10.0
IL	◻—◻	-2.0	0.0	-500.0	10.0


X - SKALERING 100.0
 X - OFFSET 100.0
 X = 0 - 3400 DELER
 Y = +/- 1000 DELER

OMR. 54 EM - MAG KAUTOKEINO	SCALE	OBS.	03 - 84
	1:2500	DRAW.	05 - 84
		TRAC.	05 - 84
		CHK.	
1/3 SULFIDMALM		MAP NO.	
		MAP SHEET	



OMR, 55 1777 HZ 50M COIL SEP.
 ELEMENT MARKOR
 RH \diamond — \diamond
 IH \square — \square

OMR. 55 EM - MAG KAUTOKEINO	SCALE	OBS.	03 - 84
	1:5000	DRAW.	05 - 84
TRAC.		05 - 84	
CHK.			
$\frac{1}{5}$ SULFIDMALM	MAP NO.		
	MAP SHEET		




OMR.55 1777/222HZ 50M COIL SEP, PROFILE 55200NS5.

ELEMENT	MARKOR	MIN.VERDI	MAX.VERDI	OFFSET	SKALA
RH	◆	-40.0	23.0	500.0	10.0
IH	□	-6.0	4.0	500.0	10.0
RL	▲	-30.0	17.0	-500.0	10.0
IL	⊠	-11.0	3.0	-500.0	10.0

X - SKALERING 50.0
 X - OFFSET 350.0
 X = 0 - 3400 DELER
 Y = +/- 1000 DELER

OMR. 55 EM - MAG KAUTOKEINO	SCALE	OBS.	03-84
	1:2500	DRAW.	05-84
TRAC.		05-84	
CHK.			
1/5 SULFIDMALM	MAP NO.		
	MAP SHEET		




OMR. 55 1777/222HZ 50M COIL SEP, PROFILE 55200NS5.

ELEMENT	MARKOR	MIN. VERDI	MAX. VERDI	OFFSET	SKALA
RH	◆—◆	-40.0	23.0	500.0	10.0
IH	□—□	-8.0	4.0	500.0	10.0
RL	▲—▲	-30.0	17.0	-500.0	10.0
IL	⊠—⊠	-11.0	3.0	-500.0	10.0

X - SKALERING 50.0
 X - OFFSET -3050.0
 X = 0 - 3400 DELER
 Y = +/- 1000 DELER

OMR. 55 EM - MAG KAUTOKEINO	SCALE	OBS.	03-84
	1:2500	DRAW.	05-84
TRAC.		05-84	
CHK.			
1/3 SULFIDMALM	MAP NO.		
	MAP SHEET		




OMR.55 1777/222HZ 50M COIL SEP,PROFILE 5500NSS5 .

ELEMENT	MARKOR	MIN.VERDI	MAX.VERDI	OFFSET	SKALA
RH	◆	-50.0	25.0	500.0	10.0
IH	□	-0.0	5.0	500.0	10.0
RL	▲	-45.0	25.0	-500.0	10.0
IL	⊠	-14.0	2.0	-500.0	10.0

X - SKALERING 50.0
 X - OFFSET 200.-500
 X = 0 - 3400 DELER
 Y = +/- 1000 DELER

OMR. 55 EM -MAG KAUTOKEINO	SCALE	OBS.	03-84
	1:2500	DRAW.	05-84
TRAC.		05-84	
CHK.			
1/3 SULFIDMALM	MAP NO.		
	MAP SHEET		




OMR.55 1777/222HZ 50M COIL SEP, PROFILE 5500NSS5 .

ELEMENT	MARKOR	MIN.VERDI	MAX.VERDI	OFFSET	SKALA
RH	◆—◆	-50.0	25.0	500.0	10.0
IH	□—□	-0.0	5.0	500.0	10.0
RL	▲—▲	-45.0	25.0	-500.0	10.0
IL	⊠—⊠	-14.0	2.0	-500.0	10.0

X - SKALERING 50.0
 X - OFFSET -3113.-500
 X = 0 - 3400 DELER
 Y = +/- 1000 DELER

OMR. 55 EM - MAG KAUTOKEINO	SCALE	OBS.	03 - 84
	1:2500	DRAW.	05 - 84
TRAC.		05 - 84	
CHK.			
1/5 SULFIDMALM	MAP NO.		
	MAP SHEET		


600W - 400W - 100W - 0 - 200E



OMR. 56 1777 HZ 100M COIL SEP.
 ELEMENT MARKOR
 RH 
 IH 




OMR. 56 EM KAUTOKEINO	SCALE	OBS.	03-84
	1:5000	DRAW.	05-84
		TRAC.	05-84
		CHK.	
$\frac{1}{4}$ SULFIDMALM	MAP NO.		
	MAP SHEET		



OMR. 56 MAG. VERT.FIELD IN GAMMA M700 .



OMR. 56 MAG KAUTOKEINO	SCALE	OBS.	03-84
	1:5000	DRAW.	05-84
TRAC.		05-84	
CHK.			
$\frac{1}{5}$ SULFIDMALM	MAP NO.		
	MAP SHEET		



OMR, 56 1777/222HZ 100M COIL SEP, PROFILE 200N .

ELEMENT	MARKOR	MIN.VERDI	MAX.VERDI	OFFSET	SKALA
RH	◆—◆	-20.0	18.0	500.0	10.0
IH	□—□	-2.0	3.0	500.0	10.0
RL	▲—▲	-25.0	19.0	-500.0	10.0
IL	⊠—⊠	-4.0	0.0	-500.0	10.0


X - SKALERING 100.0
 X - OFFSET 200.0
 X = 0 - 3400 DELER
 Y = +/- 1000 DELER

OMR. 56
 EM - MAG
 KAUTOKEINO

$\frac{1}{8}$ SULFIDMALM

SCALE 1:2500	OBS.	03-84
	DRAW.	05-84
	TRAC.	05-84
	CHK.	

MAP NO.	
MAP SHEET	



OMR, 56 1777/222HZ 100M COIL SEP, PROFILE 150N

ELEMENT	MARKOR	MIN.VERDI	MAX.VERDI	OFFSET	SKALA
RH	◆	-20.0	15.0	500.0	10.0
IH	□	-1.0	3.0	500.0	10.0
RL	▲	-17.0	14.0	-500.0	10.0
IL	⊠	-4.0	0.0	-500.0	10.0


X - SKALERING 100.0
 X - OFFSET -200.0
 X = 0 - 3400 DELER
 Y = +/- 1000 DELER

OMR. 56
 EM - MAG
 KAUTOKEINO

SCALE	OBS.	03-84
1:2500	DRAW.	05-84
	TRAC.	05-84
	CHK.	

1/8 SULFIDMALM

MAP NO.	
MAP SHEET	



OMR, 56 1777/222HZ 100M COIL SEP, PROFILE 100N.

ELEMENT	MARKOR	MIN.VERDI	MAX.VERDI	OFFSET	SKALA
RH	◆—◆	-19.0	13.0	500.0	10.0
IH	□—□	-1.0	3.0	500.0	10.0
RL	▲—▲	-15.0	14.0	-500.0	10.0
IL	×—×	-5.0	0.0	-500.0	10.0

X - SKALERING 100.0
 X - OFFSET 200.0
 X = 0 - 3400 DELER
 Y = +/- 1000 DELER


OMR. 56
 EM - MAG
 KAUTOKEINO

SCALE	OBS.	03-84
1:2500	DRAW.	05-84
	TRAC.	05-84
	CHK.	

1/5 SULFIDMALM

MAP NO.

MAP SHEET




OMR. 56 1777/222HZ 100M COIL SEP , PROFILE 00NS.

ELEMENT	MARKØR	MIN.VERDI	MAX.VERDI	OFFSET	SKALA
RH	◆	-20.0	15.0	500.0	10.0
IH	□	-3.0	3.0	500.0	10.0
RL	▲	-19.0	18.0	-500.0	10.0
IL	⊠	-7.0	0.0	-500.0	10.0

X - SKALERING 100.0
 X - OFFSET 900.0
 X = 0 - 3400 DELER
 Y = +/- 1000 DELER

OMR. 56 EM -MAG KAUTOKEINO	SCALE	OBS.	03 - 84
	1:2500	DRAW.	05 - 84
		TRAC.	05 - 84
	CHK.		
1/8 SULFIDMALM		MAP NO.	
		MAP SHEET	



OMR, 56 1777/222HZ 100M COIL SEP, PROFILE 100S.

ELEMENT	MARKOR	MIN.VERDI	MAX.VERDI	OFFSET	SKALA
RH	◆	-27.0	13.0	500.0	10.0
IH	□	-4.0	2.0	500.0	10.0
RL	▲	-25.0	14.0	-500.0	10.0
IL	⊠	-8.0	0.0	-500.0	10.0

X - SKALERING 100.0
 X - OFFSET 600.0
 X = 0 - 3400 DELER
 Y = +/- 1000 DELER


OMR. 56
 EM - MAG
 KAUTOKEINO

SCALE 1:2500	OBS.	03-84
	DRAW.	05-84
	TRAC.	05-84
	CHK.	

$\frac{1}{8}$ SULFIDMALM

MAP NO.

MAP SHEET




OMR. 56 1777/222HZ 100M COIL SEP, PROFILE 2005 .

ELEMENT	MARKOR	MIN.VERDI	MAX.VERDI	OFFSET	SKALA
RH	◆	-25.0	35.0	500.0	10.0
IH	□	-2.0	6.0	500.0	10.0
RL	▲	-25.0	30.0	-500.0	10.0
IL	■	-4.0	0.0	-500.0	10.0

X - SKALERING 100.0
 X - OFFSET 1000.0
 X = 0 - 3400 DELER
 Y = +/- 1000 DELER

OMR. 56 EM - MAG KAUTOKEINO	SCALE	OBS.	03-84
	1:2500	DRAW.	05-84
		TRAC.	05-84
		CHK.	
1/8 SULFIDMALM		MAP NO.	
		MAP SHEET	



OMR, 56 1777/222HZ 100M COIL SEP, PROFILE 300S.

ELEMENT	MARKOR	MIN.VERDI	MAX.VERDI	OFFSET	SKALA
RH	◆	-25.0	25.0	500.0	10.0
IH	□	-2.0	6.0	500.0	10.0
RL	▲	-23.0	25.0	-500.0	10.0
IL	■	-5.0	1.0	-500.0	10.0

X - SKALERING 100.0
 X - OFFSET 600.0
 X = 0 - 3400 DELER
 Y = +/- 1000 DELER


OMR. 56
 EM - MAG
 KAUTOKEINO

SCALE 1:2500	OBS.	03-84
	DRAW.	05-84
	TRAC.	05-84
	CHK.	

1/8 SULFIDMALM

MAP NO.


MAP SHEET



OMR. 57 1777 HZ 50M COIL SEP,
 ELEMENT MARKOR
 RH \bullet — \bullet
 IH \square — \square



OMR 57. EM-MAG. KAUTOKEINO.	SCALE	OBS.	03-84
	1:5000	DRAW.	05-84
		TRAC.	05-84
		CHK.	
1/8 SULFIDMALM		MAP NO.	
		MAP SHEET	




OMR. 57 1777/222HZ 50M COIL SEP, PROFILE 200N.

ELEMENT	MARKOR	MIN.VERDI	MAX.VERDI	OFFSET	SKALA
RH	◆—◆	-35.0	13.0	500.0	10.0
IH	□—□	-8.0	4.0	500.0	10.0
RL	▲—▲	-30.0	13.0	-500.0	10.0
IL	×—×	-7.0	1.0	-500.0	10.0

X - SKALERING 50.0
 X - OFFSET 350.0
 X = 0 - 3400 DELER
 Y = +/- 1000 DELER

OMR. 57 EM - MAG. KAUTOKEINO	SCALE	OBS.	03 - 84
	1:2500	DRAW.	05 - 84
TRAC.		05 - 84	
CHK.			
1/8 SULFIDMALM	MAP NO.		
	MAP SHEET		




OMR, 57 1777/222HZ 50M COIL SEP, PROFILE 150N .

ELEMENT	MARKOR	MIN. VERDI	MAX. VERDI	OFFSET	SKALA
RH	◆—◆	-25.0	12.0	500.0	10.0
IH	□—□	-7.0	4.0	500.0	10.0
RL	▲—▲	-19.0	12.0	-500.0	10.0
IL	×—×	-9.0	1.0	-500.0	10.0

X - SKALERING 50.0
 X - OFFSET 350.0
 X = 0 - 3400 DELER
 Y = +/- 1000 DELER

OMR. 57 EM - MAG. KAUTOKEINO	SCALE	OBS.	03-84
	1:2500	DRAW.	05-84
TRAC.		05-84	
CHK.			
1/5 SULFIDMALM	MAP NO.		
	MAP SHEET		




OMR, 57 1777/222HZ 50M COIL SEP, PROFILE 100N .

ELEMENT	MARKOR	MIN.VERDI	MAX.VERDI	OFFSET	SKALA
RH	◆	-35.0	11.0	500.0	10.0
IH	□	-5.0	4.0	500.0	10.0
RL	▲	-25.0	10.0	-500.0	10.0
IL	⊠	-9.0	1.0	-500.0	10.0

X - SKALERING 50.0
 X - OFFSET 450.0
 X = 0 - 3400 DELER
 Y = +/- 1000 DELER

OMR. 57 EM - MAG KAUTOKEINO	SCALE	OBS.	03-84
	1:2500	DRAW.	05-84
TRAC.		05-84	
CHK.			
1/8 SULFIDMALM	MAP NO.		
	MAP SHEET		



OMR.57 1777/222HZ 50M COIL SEP, PROFILE5700NSS5.

ELEMENT	MARKOR	MIN.VERDI	MAX.VERDI	OFFSET	SKALA
RH	◆—◆	-35.0	17.0	500.0	10.0
IH	□—□	-16.0	7.0	500.0	10.0
RL	▲—▲	-23.0	16.0	-500.0	10.0
IL	⊠—⊠	-13.0	2.0	-500.0	10.0

X - SKALERING 50.0
 X - OFFSET 150.0
 X = 0 - 3400 DELER
 Y = +/- 1000 DELER


OMR. 57
 EM - MAG
 KAUTOKEINO

SCALE	OBS.	03 - 84
1:2500	DRAW.	05 - 84
	TRAC.	05 - 84
	CHK.	

1/8 SULFIDMALM

MAP NO.

MAP SHEET



OMR. 57 1777/222HZ 50M COIL SEP. PROFILE 100S .

ELEMENT	MARKØR	MIN. VERDI	MAX. VERDI	OFFSET	SKALA
RH	◆—◆	-33.0	12.0	500.0	10.0
IH	□—□	-13.0	8.0	500.0	10.0
RL	▲—▲	-20.0	11.0	-500.0	10.0
IL	×—×	-14.0	1.0	-500.0	10.0


X - SKALERING 50.0
 X - OFFSET 150.0
 X = 0 - 3400 DELER
 Y = +/- 1000 DELER

OMR. 57
 EM - MAG
 KAUTOKEINO

1/8 SULFIDMALM


SCALE 1:2500	OBS.	03-84
	DRAW.	05-84
	TRAC.	05-84
	CHK.	

MAP NO.	
MAP SHEET	



OMR. 57 1777 HZ 100M COIL SEP.
 ELEMENT MARKOR
 RH \longleftrightarrow
 IH $\square \text{---} \square$

OMR. 57 EM - MAG KAUTOKEINO	SCALE	OBS.	03-84
	1:5000	DRAW.	05-84
TRAC.		05-84	
CHK.			
$\frac{1}{4}$ SULFIDMALM	MAP NO.		
	MAP SHEET		



OMR, 57 1777/222HZ 100M COIL SEP, PROFILE OONS.

ELEMENT	MARKOR	MIN.VERDI	MAX.VERDI	OFFSET	SKALA
RH	◆—◆	-40.0	30.0	500.0	10.0
IH	□—□	-17.0	6.0	500.0	10.0
RL	▲—▲	-25.0	26.0	-500.0	10.0
IL	×—×	-15.0	2.0	-500.0	10.0

X - SKALERING 100.0
 K - OFFSET 0.0
 X = 0 - 3400 DELER
 Y = +/- 1000 DELER


OMR. 57
 EM - MAG
 KAUTOKEINO

SCALE 1:2500	OBS.	03-84
	DRAW.	05-84
	TRAC.	05-84
	CHK.	

$\frac{1}{8}$ SULFIDMALM

MAP NO.

MAP SHEET



OMR, 57 1777/222HZ 100M COIL SEP, PROFILE 100S.

ELEMENT	MARKOR	MIN.VERDI	MAX.VERDI	OFFSET	SKALA
RH	◆	-37.0	18.0	500.0	10.0
IH	□	-15.0	8.0	500.0	10.0
RL	▲	-25.0	15.0	-500.0	10.0
IL	⊠	-18.0	2.0	-500.0	10.0

X - SKALERING 100.0
 X - OFFSET 100.0
 X = 0 - 3400 DELER
 Y = +/- 1000 DELER


OMR. 57
 EM - MAG
 KAUTOKEINO

SCALE 1:2500	OBS.	03-84
	DRAW.	05-84
	TRAC.	05-84
	CHK.	

$\frac{1}{8}$ SULFIDMALM

MAP NO.

MAP SHEET



OMR, 58 1777
 ELEMENT MARKOR
 RH 
 IH 

HZ 100M COIL SEP.


OMR. 58
 EM - MAG
 KAUTOKEINO

SCALE 1:5000	OBS.	03-84
	DRAW.	05-84
	TRAC.	05-84
	CHK.	

$\frac{1}{5}$ SULFIDMALM

MAP NO.

MAP SHEET



OMR, 58 1777/222HZ 100M COIL SEP, PROFILE OONS.

ELEMENT	MARKOR	MIN.VERDI	MAX.VERDI	OFFSET	SKALA
RH	◆—◆	-36.0	16.0	500.0	10.0
IH	□—□	-11.0	5.0	500.0	10.0
RL	▲—▲	-35.0	19.0	-500.0	10.0
IL	×—×	-16.0	5.0	-500.0	10.0

X - SKALERING 100.0
 X - OFFSET -200.0
 X = 0 - 3400 DELER
 Y = +/- 1000 DELER


OMR. 58
 EM - MAG
 KAUTOKEINO

SCALE 1:2500	OBS.	03-84
	DRAW.	05-84
	TRAC.	05-84
	CHK.	

1/8 SULFIDMALM

MAP NO.

MAP SHEET




OMR. 58 1777/222HZ 100M COIL SEP. PROFILE 100S.

ELEMENT	MARKØR	MIN.VERDI	MAX.VERDI	OFFSET	SKALA
RH	◆—◆	-45.0	33.0	500.0	10.0
IH	□—□	-11.0	11.0	500.0	10.0
RL	▲—▲	-38.0	31.0	-500.0	10.0
IL	×—×	-17.0	5.0	-500.0	10.0

X - SKALERING 100.0
 X - OFFSET 0.0
 X = 0 - 3400 DELER
 Y = +/- 1000 DELER

OMR. 58 EM - MAG KAUTOKEINO	SCALE	OBS.	03-84
	1:2500	DRAW.	05-84
TRAC.		05-84	
CHK.			
1/3 SULFIDMALM	MAP NO.		
	MAP SHEET		


400W - 200W - 0 - 200E 400W - 200W - 0 - 200E



OMR, 61 1777 HZ 50M COIL SEP.
 ELEMENT MARKOR
 RH \blacktriangle
 IH \square



OMR. 61 EM - MAG KAUTOKEINO	SCALE	OBS.	03-84
	1:5000	DRAW.	05-84
TRAC.		05-84	
CHK.			
$\frac{A}{S}$ SULFIDMALM	MAP NO.		
	MAP SHEET		




OMR.61 1777/222HZ 50M COIL SEP, PROFILE DONS.

ELEMENT	MARKOR	MIN.VERDI	MAX.VERDI	OFFSET	SKALA
RH	◄—►	-6.0	4.0	500.0	10.0
IH	◻—◻	-6.0	6.0	500.0	10.0
RL	▲—▲	-4.0	2.0	-500.0	10.0
IL	✕—✕	-5.0	0.0	-500.0	10.0

X - SKALERING 50.0
 X - OFFSET 1150.0
 X = 0 - 3400 DELER
 Y = +/- 1000 DELER

OMR. 61 EM - MAG KAUTOKEINO	SCALE	OBS.	03-84
	1:2500	DRAW.	05-84
TRAC.		05-84	
CHK.			
1/8 SULFIDMALM	MAP NO.		
	MAP SHEET		




OMR.61 1777/222HZ 50M COIL SEP.PROFILE 100S.

ELEMENT	MARKOR	MIN.VERDI	MAX.VERDI	OFFSET	SKALA
RH	◆	-45.0	18.0	500.0	10.0
IH	□	-10.0	7.0	500.0	10.0
RL	▲	-40.0	18.0	-500.0	10.0
IL	×	-9.0	1.0	-500.0	10.0

X - SKALERING 50.0
 X - OFFSET 450.0
 K = 0 - 3400 DELER
 Y = +/- 1000 DELER

OMR. 61 EM - MAG KAUTOKEINO	SCALE	OBS.	03-84
	1:2500	DRAW.	05-84
TRAC.		05-84	
CHK.			
1/5 SULFIDMALM	MAP NO.		
	MAP SHEET		



OMR. 61 1777/222HZ 50M COIL SEP. PROFILE 200S.

ELEMENT	MARKOR	MIN. VERDI	MAX. VERDI	OFFSET	SKALA
RH	◆—◆	-36.0	19.0	500.0	10.0
IH	□—□	-6.0	5.0	500.0	10.0
RL	▲—▲	-27.0	15.0	-500.0	10.0
IL	×—×	-6.0	4.0	-500.0	10.0


X - SKALERING 50.0
 X - OFFSET 950.0
 X = 0 - 3400 DELER
 Y = +/- 1000 DELER

OMR. 61
 EM - MAG
 KAUTOKEINO

SCALE 1:2500	OBS.	03-84
	DRAW.	05-84
	TRAC.	05-84
	CHK.	

$\frac{1}{8}$ SULFIDMALM

MAP NO.	
MAP SHEET	



OMR.61 1777/222HZ 50M COIL SEP.PROFILE 300S .

ELEMENT	MARKOR	MIN.VERDI	MAX.VERDI	OFFSET	SKALA
RH	◆—◆	-22.0	10.0	500.0	10.0
IH	□—□	-5.0	4.0	500.0	10.0
RL	▲—▲	-14.0	9.0	-500.0	10.0
IL	⊠—⊠	-6.0	1.0	-500.0	10.0

X - SKALERING 50.0
 X - OFFSET 950.0
 X = 0 - 3400 DELER
 Y = +/- 1000 DELER


OMR. 61
 EM - MAG
 KAUTOKEINO

SCALE 1:2500	OBS.	03-84
	DRAW.	05-84
	TRAC.	05-84
	CHK.	

$\frac{1}{8}$ SULFIDMALM

MAP NO.

MAP SHEET



OMR.61 1777/222HZ 50M COIL SEP.PROFILE 400S.

ELEMENT	MARKOR	MIN.VERDI	MAX.VERDI	OFFSET	SKALA
RH	◄—►	-30.0	14.0	500.0	10.0
IH	◻—◻	-7.0	6.0	500.0	10.0
RL	▲—▲	-20.0	11.0	-500.0	10.0
IL	✕—✕	-11.0	4.0	-500.0	10.0


X - SKALERING 50.0
 X - OFFSET 950.0
 X = 0 - 3400 DELER
 Y = +/- 1000 DELER

OMR. 61
 EM - MAG
 KAUTOKEINO

SCALE 1:2500	OBS.	03-84
	DRAW.	05-84
	TRAC.	05-84
	CHK.	

$\frac{1}{8}$ SULFIDMALM

MAP NO.
MAP SHEET



OMR, 61 1777/222HZ 50M COIL SEP, PROFILE 225W.

ELEMENT	MARKÖR	MIN.VERDI	MAX.VERDI	OFFSET	SKALA
RH	◆—◆	-35.0	11.0	500.0	10.0
IH	◻—◻	-5.0	3.0	500.0	10.0
RL	▲—▲	-25.0	13.0	-500.0	10.0
IL	⊠—⊠	-9.0	0.0	-500.0	10.0

X - SKALERING 50.0
 X - OFFSET 2050.0
 X = 0 - 3400 DELER
 Y = +/- 1000 DELER



OMR. 61
 EM
 KAUTOKEINO

SCALE 1:2500	OBS.	03-84
	DRAW.	05-84
	TRAC.	05-84
	CHK.	

$\frac{1}{5}$ SULFIDMALM

MAP NO.


MAP SHEET



OMR. 63 1777 HZ 100M COIL SEP,
 ELEMENT MARKOR
 RH ●—●
 IH □—□

OMR. 63 EM - MAG KAUTOKEINO	SCALE	OBS.	04-84
	1:5000	DRAW.	05-84
TRAC.		05-84	
CHK.			
1/8 SULFIDMALM	MAP NO.		
	MAP SHEET		





OMR.63 1777/222HZ 100M COIL SEP.PROFILE 100N.

ELEMENT	MARKOR	MIN.VERDI	MAX.VERDI	OFFSET	SKALA
RH	◆	-7.0	5.0	500.0	10.0
IH	◻	-13.0	8.0	500.0	10.0
RL	▲	0.0	5.0	-500.0	10.0
IL	■	-4.0	1.0	-500.0	10.0


X - SKALERING 100.0
 X - OFFSET 500.0
 X = 0 - 3100 DELER
 Y = +/- 1000 DELER

OMR. 63
 EM - MAG
 KAUTOKEINO

SCALE 1:2500	OBS.	04-84
	DRAW.	05-84
	TRAC.	05-84
	CHK.	

$\frac{1}{8}$ SULFIDMALM

MAP NO.	
MAP SHEET	



OMR.63 1777/222HZ 100M COIL SEP,PROFILE OONS.

ELEMENT	MARKOR	MIN.VERDI	MAX.VERDI	OFFSET	SKALA
RH	◆—◆	-11.0	6.0	500.0	10.0
IH	□—□	-11.0	5.0	500.0	10.0
RL	▲—▲	-2.0	6.0	-500.0	10.0
IL	■—■	-5.0	0.0	-500.0	10.0


X - SKALERING 100.0
 X - OFFSET 600.0
 X = 0 - 3400 DELER
 Y = +/- 1000 DELER

OMR. 63
 EM - MAG
 KAUTOKEINO

SCALE	OBS.	04-84
1:2500	DRAW.	05-84
	TRAC.	05-84
	CHK.	

1/8 SULFIDMALM

MAP NO.	
MAP SHEET	




OMR.63 1777/222HZ 100M COIL SEP,PROFILE 100S.

ELEMENT	MARKOR	MIN.VERDI	MAX.VERDI	OFFSET	SKALA
RH	◆	-10.0	0.0	500.0	10.0
IH	□	-13.0	5.0	500.0	10.0
RL	▲	0.0	0.0	-500.0	10.0
IL	■	-5.0	0.0	-500.0	10.0

X - SKALERING 100.0
 X - OFFSET 000.0
 X = 0 - 3400 DELER
 Y = +/- 1000 DELER

OMR. 63 EM - MAG KAUTOKEINO	SCALE	OBS.	04-84
	1:2500	DRAW.	05-84
		TRAC.	05-84
		CHK.	
1/3 SULFIDMALM		MAP NO.	
		MAP SHEET	



Borlull 63-1
 200S/105E 55°E jord ca 20m
 lengde ca 60m


R _{oc}	I _{ms}	R _p -R ₁	I _{ms} -I _{ms}	h/a	α	h
-22		1		0.2	90°	20
	-13		1	0.2	80°	20
-22		1		0.1	90°	10
	-13		1	0.2	80°	20

OMR.63 1777/222HZ 100M COIL SEP, PROFILE 200S.

ELEMENT	MARKOR	MIN. VERDI	MAX. VERDI	OFFSET	SKALA
RH	◆	-22.0	8.0	500.0	10.0
IH	□	-13.0	8.0	500.0	10.0
RL	▲	-5.0	8.0	-500.0	10.0
IL	■	-11.0	1.0	-500.0	10.0

X - SKALERING 100.0
 X - OFFSET 800.0
 X = 0 - 3400 DELER
 Y = +/- 1000 DELER

OMR. 63 EM - MAG KAUTOKEINO	SCALE	OBS.	04-84
	1:2500	DRAW.	05-84
		TRAC.	05-84
	CHK.		
1/3 SULFIDMALM		MAP NO.	
		MAP SHEET	



OMR, 63 1777/222HZ 100M COIL SEP. PROFILE 300S.

ELEMENT	MARKOR	MIN. VERDI	MAX. VERDI	OFFSET	SKALA
RH	◄—►	-2.0	3.0	500.0	10.0
IH	■—■	-1.0	3.0	500.0	10.0
RL	▲—▲	0.0	5.0	-500.0	10.0
IL	⊠—⊠	-3.0	0.0	-500.0	10.0

X - SKALERING 100.0
 X - OFFSET 900.0
 X = 0 - 3400 DELER
 Y = +/- 1000 DELER

OMR. 63
 EM - MAG
 KAUTOKEINO

SCALE	OBS.	04-84
1:2500	DRAW.	05-84
	TRAC.	05-84
	CHK.	

$\frac{1}{3}$ SULFIDMALM

MAP NO.
MAP SHEET