



Bergvesenet

Postboks 3021, 7002 Trondheim

Rapportarkivet

Bergvesenet rapport nr BV 326	Intern Journal nr	Internt arkiv nr	Rapport lokalisering Trondheim	Gradering Fortrolig
Kommer fra ..arkiv Østlandske	Ekstern rapport nr	Oversendt fra	Fortrolig pga Utmål	Fortrolig fra dato:
Tittel Charged potential measurements and geological mapping in the Otta - Åsoren area 1973.				
Forfatter Pekka Lappilainen Kusti Rönkö		Dato 1/3 1974	Bedrift Soumen Malmi OY Otta Malm A/S	
Kommune Sel	Fylke Oppland	Bergdistrikt Østlandske	1: 50 000 kartblad 17184	1: 250 000 kartblad Lillehammer
Fagområde Geofysikk	Dokument type Rapport		Forekomster Åsoren	
Råstofftype Malm/metall	Emneord Cu			
Sammendrag Utført for Otta Malm A/S, som årsrapport for 1973				

OTTA = MALM A/S

årsrapport 1973

bilag II BV 326

CHARGED POTENTIAL MEASUREMENTS AND

GEOLOGICAL MAPPING IN OTTA-AASOREN

AREA 1973

Otaniemi 1974-03-01

Kyösti Rönkkö

Pekka Lappalainen

SUOMEN MALMI OY



CHARGED POTENTIAL MEASUREMENTS AND GEOLOGICAL MAPPING IN OTTA-AASOREN AREA 1973

1. GENERAL

Suomen Malmi Oy carried out charged potential (misc-a-la-masse or "CP") measurements and preliminary structural geological mapping in Otta-Aasoren area.

The aim of the CP-measurements was to clear up the strike and connections of three ore horizons (zones A,B,C). In order to follow the zones low-frequency electric current was fed into each horizon from the drill holes. In each cases the electric potential values were measured on the surface and in drill holes. The measurements included about 9.1 profile kilometers over the ground surface and about 2730 m drill hole profiles.

The CP-results are presented as contour maps at scale 1 : 2000 (drill holes 1 : 1000) and as interpretation map at scale 1 : 5000 (appendix 1). The geological observations are presented in the appendices 5 - 6.

2. RESULTS OF CP-MEASUREMENTS

The interpretation of CP-results is shown in appendices 1, 7 - 19. The basic idea lies in the following fact: the higher (or more positive) is the potential measured, the better electrical contact exist between the measurement point and the point of active current grounding (ore grounding). The measured potential reaches its highest value on the outcrop on the surface and will reduce when moving away from the grounding and the outcrop. In drill hole measurements the highest potential will be reached in places where the hole is intersecting the grounded ore. In the places where the

hole is intersecting other conductors which are not in galvanic contact to the grounded ore, the potential values are on the lower level and potential differences are very small.

According to the CP-measurements the mineralized zones A, B and C are continuing over the measuring area. The zones are striking to NNE in the northern part and curving to SE in the southern part (appendix 1). The dip is steeping from south to north (70° - 90°) E.

In each horizon (A, B, C) there exist from one to three pipe like mineral enrichments which are gently plunging to NNE (to the direction of the lineation, app. 5 - 6). The plunge in the southern part is about 40° - 50° NNE and in the northern part about 20° - 30° NNE. The strike of the zones and the outcrops of the grounded mineralizations are marked on the interpretation map (appendix 1).

From the drill hole measurement profiles the connections of different zones can be seen (appendices 7 - 19). It is remarkable to see that the zone A is divided into two different lenses which are also passing the hole 7 at the depths $h \sim 100$ m, 115 m. Even to the east of the zone A there exists a conductive zone (DH 7, $h \sim 53$ m, app. 10).

According to the potential maximum values ($A \sim +7,5$ mV, $B \sim +36,5$ mV, $C \sim +410$ mV) the zone A seems to be the most promising and the zone C the weakest one.

3. STRUCTURAL GEOLOGICAL MAPPING

On the area covering maps sheet Åsårliä BV 089-5-4 and sheet Veggums-kampen BW 088-5-2 has been done preliminary structural geological mapping. By mapping was taken notice of only some structural features. The measurements were made observing following tectonic elements: the dip and the strike of schistosity, lineation and the drag-fold axes. The results of measurements are given on the map

appendices 5, 6. In the southern part of the ore deposit of Aasoren the strike of schistosity is about S - N and the dip 60° - 70° eastwards and the strike of the lineation is about SW - NE and plunges 40° - 50° to the northeast. In the northern part the strike of schistosity is about S - N and the dip varies 80° W to 80° E and the strike of lineation is about S - N and plunges 15° - 30° northwards. The structural geological mapping which was made, is to be considered preliminary. Quite strong movements and folding seems to be associated with the formation of ore.

4. RECOMMENDATIONS FOR FUTURE WORK

The outcrops in the southern part of the measuring area should be checked by drilling (zones A, C). It is also possible that the zones are continuing to the east in the southern part of the area. That could be checked by CP-method and also the possible continuity to the north or north-west in the northern part. Systematic electromagnetic (VLF or slingram) and magnetic measurements over the whole area would also be recommendable in order to find out mineralized zones.

In order to clear up the structure of the ore and the general tectonic features of the whole area the more detailed geological observations should be carried out, and also the geochemical sampling which is associated with the geological mapping would be useful.

Otaniemi 1974-02-28

Kyösti Rönkkö *Pekka Lappalainen*
Kyösti Rönkkö Pekka Lappalainen

LIST OF APPENDICES


1. Interpretation of charged potential results
- 2 - 4 Charged potential maps, zones A, B, C
- 5 - 6 Geological maps, structural observations
- 7 - 10 Charged potential profiles, zone A
- 11 - 15 " " " , zone B
- 16 - 19 " " " , zone C

LEGEND:

—— OUTCROP


Ⓐ Ⓑ Ⓒ ZONE

----- STRIKE OF HORIZON




SUOMEN MALMI OY	1:5000	MEAS	TK	2.74
		MADE	PL	2.74
INTERPRETATION OF CHARGED POTENTIAL RESULTS				
OTTA, AASOREN				

Current 0.5 A



SUOMEN MALMI OY	1-2000	<table border="1"> <tr> <td>meori</td> <td>TK</td> <td>873</td> </tr> <tr> <td>chore</td> <td>SH</td> <td>4073</td> </tr> <tr> <td>conty</td> <td>PL</td> <td>4073</td> </tr> </table>	meori	TK	873	chore	SH	4073	conty	PL	4073
meori	TK	873									
chore	SH	4073									
conty	PL	4073									
Charged potential map		Linse A									
OTTA		AAS-6-71									




Current source in hole Bh 9, h ~ 45 m (zone B)


Potential reference at point k 4.830 L10.457

Contours -500, -400, -300, -200, -150, -100, -75,
-50, -30, -20, -10, 0, +10, +20 mV

Current 0,5 A



SUOMEN MALMI OY	1:2000	mod: TK 873
		dra: SM 1073
		corr: PL 1073
Charged potential map		Linse B3
OTTA		AAS-6-71



SUOMEN MALMI OY	1-2000	mit. piirt. terk.	TK SM PL	873 1073 1073
Charged potential map			Linse C	
OTTA			AAS-6-71	

X 422400
Y 54400

Y 57600
X 422400



X 420000
Y 54400

X 420000
Y 57600

Legend


- strike and dip foliation
- strike and vertical dip of foliation
- lineation
- drag fold (minor fold) axes

SUOMEN MALMI OY	1:5000	Meas	K R	1973
Geological map		Draw	A S	1973
Structural observations				
VEGGUMSKAMPEN	BW 088-5-2			

Y 52400
X 424000

Y 57600
X 424800

APP. 6




X 422400
Y 54400

X 422400
Y 57600

Legend


- strike and dip foliation
- strike and vertical dip of foliation
- lineation
- drag fold (minor fold) axes

SUOMEN MALMI OY	15000	Meos K R 1973
Geological map		Draw AS 1973
Structural observations		
ÄSÄRLIA	BW 089-5-4	



CURRENT SOURCE IN HOLE BH 2, h~22.5m (ZONE A)
 POTENTIAL REFERENCE AT POINT K 4.830 L 10.457
 CONTOURS -150, -100, -75, -50, -30, -20, -15, -10, -5, 0, +5 mV
 CURRENT 0.5 A

SUOMEN MALMI OY	1:1000	meas.	TK	1973
		draw.	SM	1974
CHARGED POTENTIAL PROFILE				
OTTA BH 6				




CURRENT SOURCE IN HOLE BH 2, ~h 22.5 m (ZONE A)

POTENTIAL REFERENCE AT POINT K 4.830 L 10.457

CONTOURS -150, -100, -75, -50, -30, -20, -15, -10, -5, 0, +5 mV


CURRENT 0.5 A

SUOMEN MALMI OY	1:1000	meas.	TK	1973
		draw.	SM	1974
CHARGED POTENTIAL PROFILES				
OTTA BH 8.10				



CURRENT SOURCE IN HOLE BH 2, $h \sim 22.5$ m (ZONE A)
 POTENTIAL REFERENCE AT POINT K 4830 L 10,457
 CONTOURS -150, -100, -75, -50, -30, -20, -15, -10, -5, 0, +5 mV
 CURRENT 0.5 A

SUOMEN MALMI OY	1:1000	meas.	TK	1973
		draw.	SM	1974
CHARGED POTENTIAL PROFILE				
OTTA	BH 7			




CURRENT SOURCE IN HOLE BH 9, h ~ 45 m (ZONE B)

POTENTIAL REFERENCE AT POINT K 4.830 L 10.457

CONTOURS -200, -150, -100, -75, -50, -30, -20, -10, 0, +10, +20, +30 mV

CURRENT 0.5 A

SUOMEN MALMI OY	1:1000	meas.	T K	1973
		draw.	SM	1974
CHARGED POTENTIAL PROFILE				
OTTA	BH 6			




CURRENT SOURCE IN HOLE BH9, h~45m (ZONE B)

POTENTIAL REFERENCE AT POINT K 4,830 L 10,457

CONTOURS -200, -150, -100, -75, -50, -30, -20, -10, 0,
+10, +20, +30 mV


CURRENT 0.5 A

SUOMEN MALMI OY	1:1000	meas	TK	1973
		draw.	SM	1974
CHARGED POTENTIAL PROFILES				
OTTA BH 3.4				



CURRENT SOURCE IN HOLE BH 9, h ~ 45 m (ZONE B)
POTENTIAL REFERENCE AT POINT K 4.830 L 10.457
CONTOURS -200, -150, -100, -75, -50, -30, -20, -10, 0, +10, +20, +30 mV
CURRENT 0.5 A

SUOMEN MALMI OY	1:1000	meas.	TK	1973
		draw.	SM	1974
CHARGED POTENTIAL PROFILE				
OTTA BH 7				




CURRENT SOURCE IN HOLE BH 6, h ~ 135m (ZONE C)
 POTENTIAL REFERENCE AT POINT K 4,830 L 10,457
 CONTOURS -400, -300, -200, -100, 0, +100, +200, +300, +400 mV
 CURRENT 0.5 A

SUOMEN MALMI OY	1:1000	meas.	T K	1973
		draw	S M	1974
CHARGED POTENTIAL PROFILE				
OTTA	BH 9			

BH 10

BH 8




CURRENT SOURCE IN HOLE BH 6, h~135m (ZONE C)

POTENTIAL REFERENCE AT POINT K 4.830 L 10.457

CONTOURS -400, -300, -200, -100, 0, +100, +200, +300, +400 mV

CURRENT 0.5 A

SUOMEN MALMI OY	1:1000	meas.	TK	1973
		draw.	SM	1974
CHARGED POTENTIAL PROFILES				
OTTA BH 8. 10				



CURRENT SOURCE IN HOLE BH 9, h~135m (ZONE C)
 POTENTIAL REFERENCE AT POINT K 4,830 L 10,457
 CONTOURS -400, -300, -200, -100, 0, +100, +200, +300, +400, mV
 CURRENT 0,5 A

SUOMEN MALMI OY	1:1000	meas	T K	1973
		draw	S M	1974
CHARGED POTENTIAL PROFILE				
OTTA	BH 7			