



Bergvesenet

Postboks 3021, 7002 Trondheim

Rapportarkivet

Bergvesenet rapport nr BV 3358	Intern Journal nr	Internt arkiv nr Boks nr 18	Rapport lokalisering Nordland	Gradering
Kommer fra ..arkiv	Ekstern rapport nr BNN	Oversendt fra	Fortrolig pga	Fortrolig fra dato:
Tittel Malmberegning, -bh 969.				
Forfatter		Dato 19	Bedrift Bergverkselskapet Nord-Norge A/S	
Kommune Rana	Fylke Nordland	Bergdistrikt Nordlandske	1: 50 000 kartblad	1: 250 000 kartblad
Fagområde	Dokument type	Forekomster		
Råstofftype	Emneord			
Sammendrag				

MALMBEREGNING I

Kontroll

Lokalitet:

Björman!

Borehall:

Boredato

Koordinater

Retning

Helling/stigning

Høyde

Dybde	Längde (m)	Analyser							
		% Pb	% Cu	% Zn	% S				
986, 13.50-14.50		0.57	0.18	1.56	} överfört på malmberegning.				
15.40-16.40		0.11	0.13	0.42					
967, 12.70-13.70		0.01	0.05	0.07					
968, 10.00-11.40		1.63	0.50	5.68					
11.40-12.40		0.01	0.04	0.05					
970, 8.00-8.95		0.01	0.04	0.17					
8.95-9.70		1.64	0.13	9.00					
15.80-16.80		0.01	0.02	0.10					
16.80-17.70		0.69	0.11	1.72					

MALMBEREGNING I

Lokalitet: Profil 44 420

Borehull: 967

Boredato : Feb -83

Koordinater : X: 925.417,8 Y: 44.115,7

Retning : opp

Helling/stigning : +90°

Høyde : -84,3

Dybde	Lengde (m)	Analyser							
		% Pb	% Cu	% Zn	% S				
10,50 - 11,50	1,00	0,01	0,03	0,03					
11,50 - 12,70	1,20	1,40	0,56	4,62					
12,70 - 13,70	1,00	0,01	0,05	0,07					
11,50 - 12,70	1,20	1,40	0,56	4,62					

5/5-83

Grete Burman

MALMBEREGNING | *Bearman*

Lokalitet: Profil 44.420

Borehall: BNN 966

Boredato : Feb-83

Koordinater: X: 925.421,8 Y: 44.418,1

Retning opp.

Rolling / signing : $+90^\circ$

Høyde - 84.7

Dyade	Lengde (m)	Analyser							
		% Pb	% Cu	% Zn	% S				
12.20-13.20 m	1.00	0.01	0.06	0.04					
13.20-14.20 "	1.00	2.09	0.29	6.62					
14.20-15.20 "	1.00	0.01	0.03	0.94					
13.20-14.20	1.00	2.09	0.29	6.62					

20/4-83

Alan Burman

MALMBEREGNING I

Lokalitet: Profil 44.420

Borehull: 968

Boredato : Feb-83

Koordinater : X: 925,414,3 Y: 44.412,9

Retning : opp

Helling/stigning : + 90°

Høyde : - 88,6

Dybde	Lengde (m)	Analyser							
		% Pb	% Cu	% Zn	% S				
9,00 - 10,00	1,00	0,05	0,02	0,08					
10,00 - 11,40	1,40	1,63	0,50	5,68					
11,40 - 12,40	1,00	0,01	0,04	0,05					
10,00 - 11,40	1,40	1,63	0,50	5,68					

5/5-83

Jølleen Furman

MALMBEREGNING I

Burman.

Lokalitet: Profil 44.420

Borehull: BNN 965

Boredato: Feb-83

Koordinater: X: 925.427,7 Y: 44.421,1

Retning: opp.

Helling/stigning: + 90°

Høyde: - 85,6

Dybde	Lengde (m)	Analyser					
		% Pb	% Cu	% Zn	% S		
7.80 - 8.90 "	1.10	0.02	0.04	0.07			
8.90 - 9.80 "	0.90	3.18	0.33	10.70			
9.80 - 10.80 "	1.00	0.03	0.07	0.06			
14.30 - 15.30 "	1.00	0.01	0.07	0.04			
15.30 - 16.30 "	1.00	0.31	0.18	0.90			
16.30 - 17.00 "	0.70	1.35	0.37	4.14			
17.00 - 18.00 "	1.00	0.02	0.13	0.05			
8.90 - 9.80	0.90	3.18	0.33	10.70			
16.30 - 17.00	0.70	1.35	0.37	4.14			

20/4-83

Alan Burman

MALMBEREGNING I

Lokalitet: Profil 44.220

Borehull: BNN-964

Boredato : Feb-83
 Koordinator : X: 925.414,0 Y: 44.225,4
 Retning : N.
 Helling/slipping : - 30°
 Høyde : - 63,7

Dybde	Lengde (m)	Analyser							
		% Pb	% Cu	% Zn	% S				
7.50-8.50 m	1.00	0.09	0.10	0.26					
8.50-9.00 "	0.50	2.78	0.17	5.80					
9.00-10.00 "	1.00	0.04	0.07	0.52					
28.50-29.50 "	1.00	0.01	0.01	0.04					
29.50-30.50 "	1.00	0.66	0.07	5.98					
30.50-31.60 "	1.10	0.01	0.03	0.07					
8.50 - 9.00	0.50	2.78	0.17	5.80					
29.50 - 30.50	1.00	0.66	0.07	5.98					

20/4-83

Allan Surman

MALMBEREGNING I

Burman

Lokalitet: Profil 44.220

Borehull: BNIV - 962

Boredato: Feb - 83

Koordinater: X: 925.412,1 Y: 44.224,0

Retning: N.

Helling / dipping: - 80°

Høyde: - 63,8

Dybde	Lengde [m]	Analyser						
		% Pb	% Cu	% Zn	% S	mg Pb	mg Cu	mg Zn
3.90 - 4.90 m	1.00	0.03	0.19	0.16				
4.90 - 6.00 m	1.10	3.06	0.30	6.34				
6.00 - 7.00 m	1.00	2.64	0.19	8.86				
7.00 - 8.00 m	1.00	1.04	0.33	5.12				
8.00 - 8.70 m	0.70	0.69	0.15	3.94		0.483	0.105	2.758
8.70 - 9.70 m	1.00	0.02	0.06	0.48				
18.00 - 19.00 m	1.00	0.01	0.07	0.10				
19.00 - 20.00 m	1.00	0.36	0.50	2.82				
20.00 - 21.00 m	1.00	0.43	0.54	5.32				
21.00 - 21.60 m	0.60	0.08	0.07	0.42				
4.90 - 8.70	3.80	1.90	0.24	6.07				
19.00 - 21.00	2.00	0.40	0.52	4.07				

20/4 - 83

Arne Burman

MALMBEREGNING I

Lokalitet: Profil 44.220

Borehull: BNN-961

Boredato : Feb-83

Koordinator : X: 925.407,9 Y: 44.223,7

Retning : Ned.

Helling/stigning : - 90°

Høyde : - 63,9

Dybde	Lengde (m)	Analyser						
		% Pb	% Cu	% Zn	% S	mg Pb	mg Cu	mg Zn
3.60-4.60 m	1.00	0.20	0.26	0.56				
4.60-5.60	1.00	0.22	0.17	0.80				
5.60-6.60	1.00	0.34	0.20	0.64				
6.60-7.60	1.00	2.27	0.12	9.10				
7.60-8.60	1.00	1.49	0.31	3.22				
8.60-9.30	0.70	1.17	0.37	3.68		0,819	0,259	2,576
9.30-10.30	1.00	0.04	0.37	2.00				
14.00-15.00	1.00	0.01	0.02	0.05				
15.00-16.00	1.00	1.31	0.23	3.84				
16.00-17.00	1.00	1.77	0.82	5.76				
17.00-18.00	1.00	0.37	0.47	5.56				
18.00-19.30	1.30	2.56	0.82	3.38		3,328	1,066	4,394
6.60-10.30	3.70	1.25	0.29	4.57				
15.00-19.30	4.30	1.58	0.60	4.55				

15/4-83

Stellan Gunnar

MALMBEREGNING I

Lokalitet: Profil 44.200

Borehull: BNN-960

Boredato: Feb -83

Koordinater: X: 925.414,1 Y: 44.199,2

Retning: N

Helling/stigning: - 71°

Høyde: - 63,5

Dybde	Lengde (m)	Analyser						
		% Pb	% Cu	% Zn	% S	mg Pb	mg Cu	mg Zn
7.00 - 7.90 m								
7.90 - 8.90								
4.00 - 5.00 m	1.00	0.02	0.01	0.03				
5.00 - 6.00	1.00	0.32	0.19	0.96				
6.00 - 7.00	1.00	1.38	0.50	5.20				
7.00 - 7.90	0.90	1.55	0.84	10.18		1.395	0.756	9.162
7.90 - 8.90	1.00	0.03	0.07	0.15				
5.00 - 7.90	2.90	1.07	0.50	5.28				

15/4-83

Arvid Therman

MALMBEREGNING I

Lokalitet: Profil 44.200

Borehull: 959

Boredato : Feb-83

Koordinater : X: 925,415,3 Y: 44,199,5

Retning : N

Helling/signing: -60°

Høyde : - 63,2

Dybde	Lengde (m)	Analyser			
		% Pb	% Cu	% Zn	% S
5.00 - 6.00	1.00	0.08	0.12	0.24	
6.00 - 7.10	1.10	0.83	0.25	3.88	
6.00 - 7.10	1.10	0.83	0.25	3.88	

14/4-83

Allen Sherman

MALMBEREGNING I

Lokalitet: Profil 44.200

Borethull: BNN-958

Boredato: Feb-83
 Koordinate: X: 925.412,2 Y: 44.199,0
 Retning: Ned.
 Helling: ~~stigning~~ - 90°
 Høyde: - 63,5

Dybde	Lengde cm	Analyser						
		% Pb	% Cu	% Zn	% S	mg. Pb.	mg. Cu.	mg. Zn.
7,50 - 8,75 m	1,25	1,55	0,31	4,48		1,938	0,388	5,60
8,75 - 10,00 m	1,25	1,79	0,13	8,00		2,238	0,163	10,00

7,50 - 10,00	2,50	1,67	0,22	6,24
--------------	------	------	------	------

15/4-88

Gullan Furman

MALMBEREGNING I

Lokalitet: Profil

Borehull: 957

Boredato : Feb-83

Koordinater : X: 925,415,3 Y: 44.199,5

Retning : N.

Helling/stigning: -35°

Høyde : -63,2

Dybde	Lengde (m)	Analyser			
		% Pb	% Cu	% Zn	% S
6,30 - 7,30	1,00	0,15	0,30	0,40	
7,30 - 8,70	1,40	0,84	0,26	3,80	
7,30 - 8,70	1,40	0,84	0,26	3,80	

14/4-83

Stellan Gunnar

MALMBEREGNING I

Lokalitet: Profil 44120

Borehull: BNN-955

Boredato: Feb-83

Koordinater: X: 925 409.7 Y: 44120

Retning: 022

Helling/stigning: +90°

Høyde: -38.0

Dybde	Lengde (m)	Analyser						
		% Pb	% Cu	% Zn	% S	mg Pb	mg Cu	mg Zn
0.00 - 1.00 m	1.00	0.03	0.37	0.82				
1.00 - 2.00 "	1.00	0.20	0.13	0.56				
2.00 - 3.00 "	1.00	1.00	0.29	3.94				
3.00 - 4.00 "	1.00	0.90	0.64	3.00				
4.00 - 5.00 "	1.00	0.16	0.26	0.66				
5.00 - 6.00 "	1.00	1.82	0.37	6.50				
6.00 - 7.00 "	1.00	0.82	0.42	1.32				
7.00 - 8.00 "	1.00	0.63	0.33	4.46				
8.00 - 9.00 "	1.00	0.52	0.21	2.12				
9.00 - 10.00 "	1.00	1.50	0.36	4.90				
10.00 - 11.00 "	1.00	0.93	0.46	3.12				
11.00 - 12.00 "	1.00	0.75	0.20	4.48				
12.00 - 13.00 "	1.00	0.41	0.40	7.12				
13.00 - 14.00 "	1.00	0.36	0.45	1.64				
14.00 - 14.80 "	0.80	0.32	0.34	4.48	0.256	0.272	3.584	
2.00 - 14.80	12.80	0.79	0.36	3.66				
0.00 - 14.80	14.80	0.70	0.35	3.26				

18/4-83

Allan Brown

MALMBEREGNING I

Lokalitet: Profle 44.120

Borehull: BNN-954

Boredato : Feb-83

Koordinater : X: 925.408,3 Y: 44.120

Retning : S.

~~Stigning~~/stigning : + 70°

Høyde : - 78.0

Dybde	Lengde (m)	Analyser						
		% Pb	% Cu	% Zn	% S			
0.00 - 1.00 m		0.09	0.35	1.26				
1.00 - 2.00 m		0.22	0.48	2.70				
2.00 - 3.00 m		0.31	0.88	3.94				
3.00 - 4.00 m		0.38	0.62	2.16				
4.00 - 5.00 m		0.44	0.44	4.06				
5.00 - 6.00 m		1.11	0.20	4.30				
6.00 - 7.00 m		0.77	0.94	2.48				
7.00 - 8.00 m		0.42	0.35	1.52				
8.00 - 9.00 m		0.03	0.03	0.08				
9.00 - 10.00 m		0.84	0.29	1.80				
10.00 - 11.00 m		0.03	0.01	0.03				
11.00 - 12.00 m		0.29	0.20	0.72				
12.00 - 13.00 m		0.45	0.15	1.14				
13.00 - 14.00 m		1.25	0.40	6.54				
14.00 - 15.00 m		0.96	0.20	4.96				
15.00 - 16.00 m		0.61	0.24	2.06				
16.00 - 17.00 m		1.86	0.16	10.16				
17.00 - 18.00 m		1.62	0.60	14.30				
18.00 - 19.00 m		1.74	0.36	12.10				
19.00 - 20.00 m		0.26	0.13	0.08				
0.00 - 19.00	19.00	0.71	0.36	4.02				

2/4-83

Stellan Furman

MALMBEREGNING I

Lokalitet: Potte: 44120

Borehull: 3 NN - 953

Boredato : Feb-83.

Koordinater : X: 925406,5 Y: 44.120

Retning : S.

Helling/stigning : +40°

Høyde : -79,5

Dybde	Lengde (m)	Analyser						
		% Pb	% Cu	% Zn	% S	mg Pb	mg Cu	mg Zn
0,00 - 1,00 m	1,00	0,17	0,62	2,14				
1,00 - 2,00 .	1,00	0,08	0,14	0,60				
2,00 - 3,00 .	1,00	0,30	0,21	2,72				
3,00 - 4,00 .	1,00	0,84	0,08	7,34				
4,00 - 5,00 .	1,00	0,87	0,27	6,06				
5,00 - 6,00 .	1,00	0,20	0,72	3,40				
6,00 - 7,00 .	1,00	0,54	0,21	4,40				
7,00 - 8,00 .	1,00	0,07	0,39	2,00				
8,00 - 9,00 .	1,00	1,16	0,35	3,80				
9,00 - 10,00 .	1,00	0,63	0,20	3,14				
10,00 - 11,00 .	1,00	0,49	0,35	2,70				
11,00 - 12,00 .	1,00	0,79	0,25	4,90				
12,00 - 13,00 .	1,00	0,23	0,11	0,78				
13,00 - 14,10 .	1,10	1,33	0,50	4,42		1,463	0,55	4,862
0,00 - 14,10	14,10	0,56	0,32	3,46				

8/4 - 83

Stellan Furman

MALMBEREGNING I

Lokalitet: Profil 44100

Borehull: 952.-BNN

Boredato: Mars - 83

Koordinater: X: 925.386,1 Y: 44.099,7

Retning: N.

Helling/stigning: + 35°

Høyde: -80,7

Dybde	Lengde (m)	Analyser						
		% Pb	% Cu	% Zn	% S	m% Pb	m% Cu	m% Zn
0,00 - 1,00 m	1,00	1,40	0,46	2,34				
1,00 - 2,00 "	1,00	0,86	0,42	3,30				
2,00 - 3,00 "	1,00	0,37	0,21	1,24				
3,00 - 4,00 "	1,00	0,50	0,28	3,44				
4,00 - 5,00 "	1,00	0,85	0,30	5,80				
5,00 - 6,00 "	1,00	0,14	1,04	4,32				
6,00 - 7,00 "	1,00	0,60	0,98	5,76				
7,00 - 8,00 "	1,00	1,13	0,44	5,94				
8,00 - 9,00 "	1,00	0,30	0,70	7,80				
9,00 - 10,00 "	1,00	0,55	0,80	5,54				
10,00 - 11,00 "	1,00	1,17	1,72	1,64				
11,00 - 12,00 "	1,00	1,47	0,44	5,24				
12,00 - 13,00 "	1,00	0,73	0,64	2,14				
13,00 - 14,20 "	1,20	0,73	0,90	5,68		0,864	1,08	6,816
14,20 - 15,20 "	1,00	0,12	0,26	1,34				
15,80 - 16,80 "	1,00	0,07	0,03	0,15				
16,80 - 18,00 "	1,20	2,98	0,50	5,06		3,576	0,672	6,072
18,00 - 19,00 "	1,00	0,60	0,36	4,20				
19,00 - 20,50 "	1,50	0,21	0,58	1,32				
20,50 - 21,50 "	1,00	0,14	0,08	0,26				
25,80 - 26,80 "	1,00	0,09	0,12	0,22				
26,80 - 27,80 "	1,00	5,34	0,08	16,40				
27,80 - 28,80 "	1,00	0,61	0,30	3,72				
28,80 - 29,50 "	0,70	0,78	0,18	4,74		0,546	0,126	3,318
0,00 - 19,00	19,00	0,80	0,55	4,31				
26,80 - 29,50	2,70	2,41	0,19	8,68				
0,00 - 29,50	29,50	0,77	0,41	3,63				

ARK.
NR.

C-119

17/3 - 83

Stellan Lennan

MALMBEREGNING I

Lokalitet: Profil 44100

Borchull: 951.-BNN

Boredato: Feb-83

Koordinater: X: 925.386,0 Y: 44100,7

Retning: opp

Helling/stigning: +90°

Høyde: -79,6

Dybde	Lengde (m)	Analyser						
		% Pb	% Cu	% Zn	% S			
0.00 - 1.00 m	1.00	0.54	0.28	1.84				
1.00 - 2.00 "	1.00	1.21	0.40	2.04				
2.00 - 3.00 "	1.00	0.77	0.40	2.24				
3.00 - 4.00 "	1.00	0.66	0.21	1.42				
4.00 - 5.00 "	1.00	0.78	0.10	2.50				
5.00 - 6.00 "	1.00	0.20	0.06	0.60				
6.00 - 6.80 "	0.80	0.40	0.07	0.92				
0.00 - 5.00	5.00	0.79	0.36	2.01				

17/3-83

Helleiur Gunnarsson

ARK.
NR.

C-119

MALMBEREGNING I

Lokalitet: Profil 44.100

Borehull: 950.-BNN

Boredato: Feb-83

Koordinater: X: 925.384,3 Y: 44.101,1

Retning: S.

Helling/stigning: +55°

Høyde: 179,7

Dybde	Lengde (m)	Analyser							ARK.N.
		% Pb	% Cu	% Zn	% S	mg Pb	mg Cu	mg Zn	
0,00 - 1,50 m	1,50	0,80	0,56	4,92		1,20	0,84	7,38	C-118
1,50 - 2,50 "	1,00	0,85	0,29	3,02		0,85	0,29	3,02	"
2,50 - 3,50 "	1,00	0,54	0,27	1,86		0,54	0,27	1,86	"
3,50 - 4,40 "	0,90	0,39	0,19	1,10		0,351	0,171	0,99	"
4,40 - 5,70 "	1,30	1,80	0,72	3,68		2,34	0,936	4,784	C-119
5,70 - 6,70 "	1,00	0,97	0,23	2,00		0,97	0,23	2,00	"
6,70 - 7,40 "	0,70	0,76	0,19	3,22		0,532	0,133	2,254	"
7,40 - 8,30 "	0,90	0,05	0,02	0,07		0,045	0,018	0,063	"
0,00 - 2,50	2,50	0,82	0,45	4,16					
0,00 - 5,70	5,70	0,93	0,44	3,16					
0,00 - 8,30	8,30	0,82	0,35	2,69					

14/3-83

Alan Thurman

MALMBEREGNING I

Lokalitet: Profil 44.080
Borethull: 949 - BNN

Boredato : 7-6-83
Koordinator : X 925.399 Y: 44.079.0
Retning : N.
Helling/stigning : + 55°
Høyde : - 79.5

Oxide	Lengde (m)	Analyser						
		% Pb	% Cu	% Zn	% S	mg Pb	mg Cu	mg Zn
0.00 - 1.00 "	1.0	0.16	0.56	4.00				
1.00 - 2.00 "	1.0	0.66	0.46	2.28				
2.00 - 2.90 "	0.90	0.61	0.42	2.26		0.549	0.378	2.034
2.90 - 3.60 "	0.70	0.05	0.07	0.25		0.035	0.049	0.175
3.60 - 5.00 "	1.40	0.29	0.36	4.84		0.406	0.504	6.776
5.00 - 6.00 "	1.0	0.34	0.44	6.10				
6.00 - 7.00 "	1.0	0.06	0.54	5.36				
7.00 - 8.00 "	1.0	0.52	0.32	3.28				
8.00 - 9.00 "	1.0	0.34	0.27	1.94				
9.00 - 10.00 "	1.0	0.57	0.26	2.32				
10.00 - 11.00 "	1.0	0.57	0.02	2.76				
11.00 - 12.00 "	1.0	0.90	0.41	5.70				
12.00 - 13.00 "	1.0	0.26	0.42	2.24				
13.00 - 14.00 "	1.0	0.43	1.00	0.40				
14.00 - 14.90 "	0.90	0.24	0.09	1.16				
14.90 - 15.90 "	1.0	0.02	0.02	0.03				
18.30 - 19.30 "	1.0	0.03	0.04	0.07				
19.30 - 20.30 "	1.0	1.22	0.19	3.80				
20.30 - 21.70 "	1.40	0.46	0.13	1.06				
21.70 - 22.70 "	1.0	0.07	0.15	0.20				
33.90 - 34.90 "	1.0	0.06	0.03	0.14				
34.90 - 36.00 "	1.10	1.20	0.14	2.84				
36.00 - 37.00 "	1.0	0.17	0.04	0.36				
37.00 - 38.00 "	1.0	0.28	0.10	0.84				
38.00 - 39.00 "	1.0	0.35	0.13	1.36				
39.00 - 40.00 "	1.0	0.33	0.29	3.16				
40.00 - 40.60 "	0.60	0.13	0.21	0.64				
40.60 - 41.60 "	1.0	0.18	0.14	0.44				
0.00 - 8.00	8.00	0.34	0.41	3.75				
0.00 - 12.00	12.00	0.43	0.35	3.56				

4/8-83 Allan Furman

MALMBEREGNING I

Lokalitet: Profil 44.080

Borehull: 948 fath.

Boredato : Feb-83

Koordinater : X: 925.386, Y: 44.079

Retning : N.

Helling/stigning : +46°

Høyde : -80,4

Dybde	Lengde (m)	Analyser						
		% Pb	% Cu	% Zn	% S	mg Pb	mg Cu	mg Zn
30,50 - 31,60	1,10	0,35	0,33	0,68		0,385	0,363	0,748
31,60 - 32,70	1,10	0,46	0,46	1,54		0,526	0,506	1,694
32,70 - 33,80	1,10	1,43	0,30	6,90		1,573	0,33	7,59
33,80 - 34,90	1,10	0,41	0,28	1,40		0,451	0,308	1,54
34,90 - 35,90	1,00	1,82	0,25	4,54				
35,90 - 36,90	1,00	0,84	0,28	2,74				
36,90 - 37,90	1,00	0,36	0,31	3,94				
37,90 - 38,90	1,00	2,24	0,26	13,68				
38,90 - 39,90	1,00	0,98	0,54	5,88				
39,90 - 40,90	1,00	0,08	0,42	0,40				
0,20 - 5,50	5,30	0,69	0,44	2,49				
7,55 - 13,40	5,85	1,03	0,23	4,95				
0,20 - 13,40	13,20	0,77	0,30	3,36				
18,90 - 28,90	10,00	1,06	0,43	5,69				
32,70 - 39,90	7,20	1,15	0,32	5,54				

21/2-83

Julian Burman

MALMBEREGNING I

Lokalitet: Profil 44.080

Borehull: 948

Boredato : Feb-83.

Koordinater :

Retning : N

Helling/stigning : +46°

Høyde :

Dybde	Lengde (m)	Analyser						
		% Pb	% Cu	% Zn	% S	mg Pb	mg Cu	mg Zn
0,20 - 1,10	0,90	0,19	0,22	1,36		0,171	0,198	1,224
1,10 - 2,20	1,10	0,50	0,23	2,82		0,55	0,253	3,102
2,20 - 2,80	0,60	2,02	0,68	3,54		1,212	0,408	2,124
2,80 - 3,50	0,70	0,73	0,21	2,44		0,511	0,147	1,708
3,50 - 4,50	1,00	0,59	0,42	2,14		0,59	0,42	2,14
4,50 - 5,50	1,00	0,63	1,00	3,42		0,63	1,00	3,42
5,50 - 6,50	1,00	0,20	0,16	0,96		0,20	0,16	0,96
6,50 - 7,55	1,05	0,28	0,14	1,20		0,294	0,147	1,26
7,55 - 8,20	0,65	0,40	0,45	4,78		0,26	0,293	3,107
8,20 - 9,10	0,90	0,40	0,18	1,50		0,36	0,162	1,35
9,10 - 10,00	0,90	1,34	0,21	2,96		1,206	0,189	2,664
10,00 - 11,00	1,00	1,80	0,18	11,64		1,80	0,18	11,64
11,00 - 12,00	1,00	0,34	0,34	2,20		0,34	0,34	2,20
12,00 - 13,40	1,40	1,47	0,15	5,70		2,058	0,21	7,98
13,40 - 14,40	1,00	0,04	0,06	0,09				
17,90 - 18,90	1,00	0,06	0,03	0,12				
18,90 - 20,00	1,10	0,37	0,20	2,56		0,407	0,22	2,816
20,00 - 20,80	0,80	0,80	0,37	11,04		0,64	0,296	8,832
20,80 - 21,80	1,00	0,15	0,03	0,24		0,15	0,03	0,24
21,80 - 22,60	0,80	0,23	0,14	0,58		0,184	0,112	0,464
22,60 - 23,60	1,00	0,92	0,40	4,64		0,92	0,40	4,64
23,60 - 24,60	1,00	1,17	0,66	5,42		1,17	0,66	5,42
24,60 - 25,60	1,00	1,21	0,36	6,06		1,21	0,36	6,06
25,60 - 26,60	1,00	2,23	0,42	8,10		2,23	0,42	8,10
26,60 - 27,60	1,00	0,72	1,36	5,40		0,72	1,36	5,40
27,60 - 28,90	1,30	2,28	0,36	11,52		2,964	0,468	14,976
28,90 - 30,50	1,60	0,19	0,20	0,80		0,304	0,32	1,28

MALMBEREGNING I

Lokalitet: Profil 44.080

Borehull: 947

Boredato : Feb -83

Koordinater : X: 925.382,3 Y: 44.080,0

Retning : OPP

Helling/stigning : + 90°

Høyde : - 79,2.

Dybde	Lengde (m)	Analyser						
		% Pb	% Cu	% Zn	% S	mg Pb	mg Cu	mg Zn
0.00 - 1.00	1.00	1.37	0.32	3.54				
1.00 - 2.00	1.00	0.82	0.34	2.38				
2.00 - 3.00	1.00	0.36	0.30	1.28				
3.00 - 4.40	1.40	0.73	0.44	2.10		1.022	0.616	2.94
4.40 - 5.70	1.30	0.09	0.02	0.20				
5.70 - 6.70	1.00	0.78	0.45	3.22				
6.70 - 7.30	0.60	0.65	0.30	3.84		0.39	0.18	2.304
7.30 - 8.00	0.70	0.42	0.12	0.09				
8.00 - 9.00	1.00	0.34	0.08	0.54				
9.00 - 10.00	1.00	0.57	0.43	2.04				
10.00 - 11.00	1.00	0.64	0.34	2.00				
11.00 - 12.00	1.00	0.91	0.52	3.78				
12.00 - 13.00	1.00	0.25	0.86	6.86				
13.00 - 14.00	1.00	0.35	0.27	0.30				
0.00 - 4.40	4.40	0.81	0.36	2.30				
5.70 - 7.30	1.60	0.73	0.39	3.45				
9.00 - 13.00	4.00	0.59	0.54	3.67				

24/2-83

Allen Burman

MALMBEREGNING I

Lokalitet: Profil 44.060

Borehull: 946

Boredato : Feb - 83

Koordinater : X: 925.381,5 Y: 44.059,9

Retning : opp

Helling/stigning : +90°

Høyde : -79,2

Dybde	Lengde (m)	Analyser					
		% Pb	% Cu	% Zn	% S		
0.00 - 1.00	1.00	1.24	0.34	3.70			
1.00 - 2.00	1.00	0.57	0.25	1.66			
2.00 - 3.00	1.00	0.64	0.22	2.14			
3.00 - 4.00	1.00	0.31	0.17	0.94			
4.00 - 5.00	1.00	0.54	0.36	1.42			
5.00 - 6.00	1.00	0.96	0.16	5.66			
6.00 - 7.00	1.00	0.39	0.18	1.90			
7.00 - 7.60	0.60	0.27	0.24	1.26			
7.60 - 8.30	0.70	0.12	0.06	0.21			
0.00 - 1.00	1.00	1.24	0.34	3.70			
0.00 - 6.00	6.00	0.71	0.25	2.59			

28/2 - 83

Alan Johnson

MALMBEREGNING I

Lokalitet: Profil 44.020

Borehull: 945

Boredato : Feb-83

Koordinater : X: 928.383,8 Y: 44.022,5

Retning : N.

Helling/stigning : +60°

Høyde : -79,1

Dybde	Lengde (m)	Analyser						
		% Pb	% Cu	% Zn	% S	mg Pb	mg Cu	mg Zn
0.00 - 1.00	1.00	1.27	0.30	5.50				
1.00 - 2.00	1.00	0.76	0.37	2.38				
2.00 - 3.00	1.00	0.82	0.54	2.58				
3.00 - 4.00	1.00	0.51	0.40	1.70				
4.00 - 5.00	1.00	0.71	0.26	1.76				
5.00 - 6.00	1.00	0.24	0.90	0.86				
6.00 - 7.00	1.00	0.54	1.34	2.18				
7.00 - 8.00	1.00	0.27	0.42	2.06				
8.00 - 9.30	1.30	1.40	0.33	4.66		1.82	0.429	6.058
9.30 - 10.30	1.00	0.08	0.02	0.12				
0.00 - 3.00	3.00	0.95	0.40	3.49				
6.00 - 9.30	3.30	0.80	0.66	3.12				
0.00 - 9.30	9.30	0.75	0.53	2.70				

24/2-83

Julian Brunner

MALMBEREGNING I

Lokalitet: Profil 44.020

Borehull: 944

Boredato : Feb -83

Koordinater : X: 985.380,0 Y: 44.022,5

Retning : S.

Helling/stigning : + 85°

Høyde : -79,2.

Dybde	Lengde (m)	Analyser						
		% Pb	% Cu	% Zn	% S	mg Pb	mg Cu	mg Zn
0,00 - 1,00	1,00	0,74	0,31	2,48				
1,00 - 2,00	1,00	0,71	0,31	2,24				
2,00 - 3,00	1,00	0,42	0,26	1,48				
3,00 - 4,00	1,00	0,63	0,24	1,86				
4,00 - 5,00	1,00	0,84	0,28	1,74				
5,00 - 6,00	1,00	0,32	0,30	0,68				
6,00 - 7,00	1,00	0,15	0,32	2,36				
7,00 - 8,30	1,30	0,83	0,35	1,88		1,079	0,455	2,444
8,30 - 9,20	0,90	0,03	0,02	0,11				
0,00 - 8,30	8,30	0,59	0,30	1,84				

24/2-83

Alan Burnson

MALMBEREGNING I

Lokalitet: Profil 44.000

Borehull: 943

Boredato : Feb.-83

Koordinater : X: 925.390,2 Y: 43.999.5

Retning : N.

Helling/stigning : +50°

Høyde : -78,9

Dybde	Lengde (m)	Analyser						
		% Pb	% Cu	% Zn	% S	mg Pb	mg Cu	mg Zn
0,00 - 1,00	1,00	0,49	0,60	1,74				
1,00 - 2,00	1,00	0,66	0,34	2,18				
2,00 - 3,00	1,00	0,87	0,45	1,64				
3,00 - 4,00	1,00	0,73	0,58	2,90				
4,00 - 5,00	1,00	0,85	0,54	3,32				
5,00 - 6,00	1,00	1,47	0,47	4,86				
6,00 - 7,00	1,00	0,36	0,29	2,70				
7,00 - 8,00	1,00	0,08	0,11	2,32				
8,00 - 9,40	1,40	0,02	0,19	1,06		0,028	0,266	1,484
9,40 - 10,60	1,20	0,86	0,25	2,98		1,032	0,30	3,576
10,60 - 11,80	1,20	0,69	0,80	2,76		0,828	0,96	3,312
11,80 - 12,80	1,00	0,04	0,02	0,05				
0,00 - 11,80	11,80	0,63	0,42	2,26				

25/2-83

Stellan Burman

MALMBEREGNING I

Lokalitet: Profil 44.000

Borehull: 942

Boredato : Feb -83

Koordinater : X: 925.390,2 Y: 43.999,5

Retning : N.

Helling/stigning : +70°

Høyde : -78,9

Dybde	Lengde (m)	Analyser						
		% Pb	% Cu	% Zn	% S	mg Pb	mg Cu	mg Zn
0,00 - 0,70	0,70	0,36	0,30	0,90		0,252	0,21	0,63
0,70 - 1,70	1,00	0,30	0,41	2,00				
1,70 - 2,70	1,00	1,05	0,41	2,70				
2,70 - 3,70	1,00	0,41	0,68	2,40				
3,70 - 4,70	1,00	0,09	0,34	2,12				
4,70 - 5,70	1,00	0,22	0,21	0,80				
5,70 - 6,70	1,00	0,15	0,12	1,20				
6,70 - 7,70	1,00	0,02	0,02	0,03				
7,70 - 8,70	1,00	1,93	0,78	4,80				
8,70 - 9,90	1,20	0,69	0,43	2,24		0,828	0,516	2,688
9,90 - 10,90	1,00	0,09	0,04	0,15				
0,00 - 3,70	3,70	0,54	0,49	2,09				
7,70 - 9,90	2,20	1,25	0,59	3,40				

26/2-83

Alan Furman

MALMBEREGNING I

Lokalitet: Profil 44.000

Borehull: 941

Boredato : Feb-83

Koordinater : X: 925,385,3 Y: 43,998,5

Retning : S.

Helling/stigning : +80°

Høyde : -78,9

Dybde	Lengde (m)	Analyser					
		% Pb	% Cu	% Zn	% S		
0,00 - 1,00	1,00	0,71	0,50	3,42			
1,00 - 2,00	1,00	0,76	0,32	1,66			
2,00 - 3,00	1,00	0,42	0,16	1,50			
3,00 - 4,00	1,00	0,81	0,36	2,68			
4,00 - 5,00	1,00	0,32	0,16	1,52			
5,00 - 6,00	1,00	0,61	0,46	1,46			
6,00 - 7,00	1,00	1,51	0,37	2,80			
7,00 - 8,00	1,00	0,23	0,19	1,04			
8,00 - 9,30	1,30	0,43	0,09	0,68			
0,00 - 8,00	8,00	0,67	0,32	2,01			

26/2-83

Hellea Boman

MALMBEREGNING I

Lokalitet: Profu 43 250

Borehull: 940

Boredato : 26-83

Koordinater : X: 925,361,9 Y: 43.247,9

Retning : N

Helling/stigning : -45°

Høyde : -70,3

Dybde	Lengde (m)	Analyser						
		% Pb	% Cu	% Zn	% S	mg Pb	mg Cu	mg Zn
1.00 - 2.00	1.00	0.84	0.34	0.72				
2.00 - 3.00	1.00	1.51	0.31	2.42				
3.00 - 4.00	1.00	0.12	0.11	0.46				
6.80 - 7.80	1.00	0.04	0.07	0.15				
7.80 - 8.80	1.00	0.57	0.28	2.96				
8.80 - 9.30	0.50	0.03	0.02	0.07		0.015	0.01	0.035
9.30 - 10.30	1.00	0.29	0.36	3.38				
10.30 - 11.30	1.00	1.07	0.26	2.52				
11.30 - 12.30	1.00	0.04	0.21	0.14				
7.80 - 11.30	3.50	0.56	0.26	2.54				

21/2-83

Allen Burman

MALMBEREGNING I

Lokalitet: Profil 43.250

Borehull: 936

Boredato : Jan -83

Koordinater : X: 925.357,5 Y: 43.247,5

Retning : S.

Helling/Retning : - 24°

Høyde : - 70,0

Dybde	Lengde (m)	Analyser						
		% Pb	% Cu	% Zn	% S	mg Pb	mg Cu	mg Zn
13,15 - 14,15	1,00	0,11	0,04	0,28				
14,15 - 15,10	0,95	1,03	0,22	2,50				
15,10 - 16,30	1,20	0,16	0,15	0,34				
16,30 - 17,40	1,10	0,03	0,05	0,07				
20,60 - 21,60	1,00	0,03	0,10	0,11				
21,60 - 23,10	1,50	0,77	0,35	4,00		1,155	0,525	6,00
23,10 - 23,60	0,50	0,29	0,03	0,20		0,145	0,015	0,10
23,60 - 24,60	1,00	0,23	0,57	2,42		0,23	0,57	2,42
24,60 - 25,80	1,20	0,20	0,22	1,74		0,24	0,264	2,088
25,80 - 27,10	1,30	0,37	0,20	2,06		0,481	0,26	2,678
27,10 - 28,10	1,00	0,02	0,01	0,03				
48,10 - 44,10	1,00	0,25	0,11	1,50				
21,60 - 24,60	3,00	0,51	0,37	2,84				
21,60 - 27,10	5,50	0,41	0,30	2,42				

21/2-83

Arvid Burman

MALMBEREGNING I

Lokalitet: Profil 43.250

Borehull: 935

Boredato : Jan - 83

Koordinater : X: 925,357,4 Y: 43,247,7

Retning : S.

Helling/stigning : - 14°

Høyde : - 69,6

Dybde	Lengde (m)	Analyser						
		% Pb	% Cu	% Zn	% S			
39.00 - 40.20	1.20	0.02	0.03	0.03				
40.20 - 41.60	1.40	0.15	0.08	0.58				
41.60 - 42.60	1.00	0.02	0.01	0.03				
46.80 - 47.80	1.00	0.03	0.11	0.03				
47.80 - 48.30	0.50	0.32	0.16	1.16				
48.30 - 48.80	0.50	0.03	0.03	0.03				
48.80 - 50.00	1.20	0.25	0.86	1.40				
50.00 - 51.00	1.00	0.04	0.08	0.05				
52.00 - 52.90	0.90	0.02	0.01	0.02				
52.90 - 54.00	1.10	0.09	0.28	0.46				
54.00 - 55.00	1.00	0.14	0.17	0.58				
55.00 - 56.00	1.00	0.26	0.13	0.90				
56.00 - 57.00	1.00	0.33	0.16	1.20				
57.00 - 58.00	1.00	0.20	0.16	0.76				
58.00 - 59.00	1.00	0.22	0.23	1.30				
59.00 - 60.00	1.00	0.25	0.14	0.88				
60.00 - 61.00	1.00	0.62	0.38	1.72				
61.00 - 62.00	1.00	0.43	0.26	1.72				
62.00 - 63.00	1.00	0.41	0.30	1.90				
63.00 - 64.00	1.00	0.20	0.17	0.68				
64.00 - 65.00	1.00	0.63	0.22	1.82				
65.00 - 66.10	1.10	0.05	0.09	0.22				
66.10 - 67.00	0.90	0.03	0.05	0.04				
60.00 - 65.00	5.00	0.46	0.22	1.57				

9/2-83

Helge Burmann

MALMBEREGNING I

Lokalitet: Profil 43.250

Borehull: 934.

Boredato : Jan-83

Koordinater : X: 925.357,5 Y: 43.247,5

Retning : S

Helling/stigning : -32°

Høyde : -70,0

Dybde	Lengde (m)	Analyser						
		% Pb	% Cu	% Zn	% S	mg Pb	mg Cu	mg Zn
10,50 - 11,50	1,00	0,03	0,01	0,04				
11,50 - 12,40	0,90	0,31	0,38	1,68				
12,40 - 13,30	0,90	0,02	0,03	0,04				
13,30 - 14,40	1,10	0,03	0,04	0,07				
14,40 - 15,40	1,00	0,03	0,03	0,06				
15,40 - 16,10	0,70	0,41	1,30	1,36				
16,10 - 17,10	1,00	0,17	0,07	0,42				
17,10 - 18,00	0,90	0,33	0,22	1,14				
18,00 - 18,80	0,80	0,47	0,15	2,52		0,376	0,12	2,016
18,80 - 19,80	1,00	0,55	0,32	3,14				
19,80 - 20,80	1,00	0,19	0,23	0,88				
20,80 - 21,80	1,00	0,23	0,42	2,68				
21,80 - 22,80	1,00	0,02	0,34	0,15				
36,50 - 37,50	1,00	0,02	0,14	0,05				
37,50 - 38,50	1,00	0,31	0,30	1,86				
38,50 - 39,50	1,00	0,21	0,17	1,32				
39,50 - 40,50	1,00	0,09	0,06	0,48				
40,50 - 41,50	1,00	0,02	0,03	0,08				
18,00 - 21,80	3,80	0,35	0,29	2,29				

11/2-83

Skinn. Breiman

MALMBEREGNING I

Lokalitet: Profil 43250

Borehull: 933

Boredato : Jan - 83

Koordinater : X: 925,357,5 Y: 43.247,5

Retning : S.

Helling/stigning : - 20°

Høyde : - 70,0

Dybde	Lengde (m)	Analyser				mg Pb	mg Cu	mg Zn	mg Ag
		% Pb	% Cu	% Zn	% Ag				
17,80 - 18,80	1,00	0,04	0,03	0,07	1,0				
18,80 - 18,90	1,10	0,86	0,40	2,42	25,4				
19,90 - 20,90	1,00	0,03	0,23	0,08	4,7				
28,30 - 29,30	1,00	0,14	0,27	0,46	7,3				
29,30 - 30,30	1,00	0,13	0,28	0,76	6,3				
30,30 - 31,30	1,00	0,28	0,46	1,12	7,1				
31,30 - 32,30	1,00	0,26	1,12	3,54	7,7				
32,30 - 33,30	1,00	0,40	0,10	0,05	2,9				
42,50 - 43,50	1,00	0,03	0,05	0,09	1,0				
43,50 - 44,50	1,00	2,86	0,05	11,80	23,9				
44,50 - 45,50	1,00	3,44	0,05	17,90	27,1				
45,50 - 46,50	1,00	0,92	0,52	9,12	9,0				
46,50 - 47,60	1,10	0,54	0,38	10,44	6,0	0,594	0,418	11,484	6,6
47,60 - 48,60	1,00	0,08	0,08	0,26	1,0				
48,60 - 49,30	0,70	0,05	0,04	0,08	1,0				
49,30 - 50,20	0,90	0,98	0,29	2,96	18,0				
50,20 - 51,20	1,00	0,08	0,14	0,34	2,3				
51,70 - 52,70	1,00	0,13	0,14	0,36	9,3				
52,70 - 53,70	1,00	1,78	0,21	3,36	52,0				
53,70 - 54,70	1,00	1,32	0,28	2,06	44,0				
54,70 - 55,70	1,00	0,90	0,54	2,82	41,4				
55,70 - 56,60	0,90	0,92	0,28	1,38	33,3	0,828	0,252	1,242	29,97
56,60 - 57,60	1,00	0,04	0,04	0,04	2,1				
43,50 - 47,60	4,10	1,91	0,25	12,27	16,2				
52,70 - 56,60	3,90	1,24	0,33	2,43	43,0				

9/2 - 83

Allen Burman

MALMBEREGNING I

Lokalitet: *Profil 43140*

Borehull: *932*

Boredato : *7-83*

Koordinater : X: 925.376,4 Y: 43.128,8

Retning : *2V*

Helling/stigning : *-54*

Høyde : *-55,6*

Dybde	Lengde (m)	Analyser						
		% Pb	% Cu	% Zn	% S	mg Pb	mg Cu	mg Zn
<i>8,10 - 9,10</i>	<i>1,00</i>	<i>0,27</i>	<i>0,06</i>	<i>0,13</i>				
<i>9,10 - 9,40</i>	<i>0,30</i>	<i>1,41</i>	<i>0,40</i>	<i>2,30</i>		<i>0,423</i>	<i>0,12</i>	<i>0,69</i>
<i>9,40 - 10,10</i>	<i>0,70</i>	<i>0,03</i>	<i>0,02</i>	<i>0,04</i>		<i>0,021</i>	<i>0,014</i>	<i>0,028</i>
<i>10,10 - 11,10</i>	<i>1,00</i>	<i>1,21</i>	<i>0,30</i>	<i>3,82</i>				
<i>11,10 - 12,10</i>	<i>1,00</i>	<i>1,14</i>	<i>0,17</i>	<i>3,48</i>				
<i>12,10 - 13,00</i>	<i>0,90</i>	<i>0,25</i>	<i>0,28</i>	<i>3,06</i>		<i>0,225</i>	<i>0,252</i>	<i>2,754</i>
<i>13,00 - 13,30</i>	<i>0,30</i>	<i>0,03</i>	<i>0,02</i>	<i>0,12</i>		<i>0,009</i>	<i>0,006</i>	<i>0,036</i>
<i>13,30 - 14,20</i>	<i>0,90</i>	<i>0,83</i>	<i>0,16</i>	<i>3,19</i>		<i>0,747</i>	<i>0,144</i>	<i>2,871</i>
<i>14,20 - 14,70</i>	<i>0,50</i>	<i>0,21</i>	<i>0,06</i>	<i>0,08</i>				
<i>10,10 - 14,20</i>	<i>4,10</i>	<i>0,81</i>	<i>0,21</i>	<i>3,16</i>				

10/2-83

Alan Burman

MALMBEREGNING I

Lokalitet: Profil 43.140

Borehull: 931

Boredato : Jan -83

Koordinator : X: 925.369,8 Y: 43.132,8

Retning : S.

Helling/stigning : -14°

Høyde : - 55,5

Dybde	Lengde (m)	Analyser						
		% Pb	% Cu	% Zn	% S	mg Pb	mg Cu	mg Zn
84,50 - 85,30	0,80	0,02	0,04	0,04				
85,30 - 86,20	0,90	1,31	0,34	2,98		1,179	0,306	2,682
86,60 - 87,60	1,00	0,66	0,27	2,28				
87,60 - 88,60	1,00	0,43	0,27	1,50				
88,60 - 89,20	0,60	0,66	0,29	1,92		0,396	0,174	1,152
89,20 - 90,00	0,80	0,05	0,11	0,10				
90,00 - 90,50	0,50	0,05	0,39	1,00				
90,50 - 91,50	1,00	0,03	0,13	0,06				
85,30 - 89,20	3,90	4,54 0,68	0,26	1,95				

27/1-83

Stellan Gunnarsson

MALMBEREGNING I

Lokalitet: Profil 43.140

Borehull: 930.

Dec-82.
 Boredato : Jan-83
 Koordinator : X: 925.869,8 Y: 43.132,8
 Retning : S.
 Helling/stigning : -18°
 Høyde : -55,8

Dybde	Lengde (m)	Analyser						
		% Pb	% Cu	% Zn	% S	m% Pb	m% Cu	m% Zn
0,00 - 0,50	0,50	0,18	0,31	2,34				
35,40 - 36,40	1,00	0,03	0,02	0,10				
36,40 - 37,40	1,00	0,34	0,05	1,39				
37,40 - 38,40	1,00	0,95	0,15	3,80				
38,40 - 39,60	1,20	0,66	0,12	2,21		0,792	0,144	2,652
39,60 - 40,60	1,00	0,43	0,51	0,64				
40,60 - 41,60	1,00	2,07	0,57	1,80				
41,60 - 42,60	1,00	0,03	0,31	0,09				
62,30 - 63,30	1,00	0,01	0,02	0,03				
63,30 - 64,00	0,70	0,16	0,10	0,42				
64,00 - 65,00	1,00	0,28	0,11	0,55				
65,00 - 66,00	1,00	0,02	0,04	0,04				
66,00 - 67,00	1,00	0,01	0,08	0,07				
67,00 - 68,00	1,00	0,05	0,32	0,33				
68,00 - 69,00	1,00	0,12	0,26	0,70				
69,00 - 70,00	1,00	0,29	0,18	0,65				
70,00 - 71,20	1,20	0,46	0,40	1,99				
71,20 - 72,00	0,80	0,03	0,10	0,14				
73,00 - 73,80	0,80	0,01	0,01	0,03				
73,80 - 75,00	1,20	0,26	0,33	1,04				
75,00 - 76,00	1,00	0,41	0,17	0,79				
76,00 - 77,00	1,00	0,90	0,19	2,12				
77,00 - 78,00	1,00	0,10	0,07	0,25				
78,00 - 79,00	1,00	0,05	0,02	0,18				
79,00 - 80,00	1,00	0,13	0,48	0,59				
80,00 - 81,00	1,00	0,52	0,43	2,41				
81,00 - 82,00	1,00	0,03	0,05	0,09				
82,00 - 83,00	1,00	0,02	0,04	0,12				
83,00 - 84,00	1,00	0,14	0,01	0,29				
84,00 - 85,10	1,10	0,78	0,09	1,45				
85,10 - 86,00	0,90	0,03	0,03	0,04				
36,40 - 39,60	3,20	0,65	0,11	2,45				

27/-83 Allan Furman

MALMBEREGNING I

Lokalitet: Prof. 43.140

Borehull: 929

Dec - 82

Boredato : ~~Jan - 83~~

Koordinater : X: 925.369,8 Y: 43.132,8

Retning : S.

Helling/stigning : -25°

Høyde : -56,0

Dybde	Lengde (m)	Analyser							g/g Ag
		% Pb	% Cu	% Zn	% S	mg Pb	mg Cu	mg Zn	
28,10 - 29,10	1,00	0,03	0,03	0,16					
29,10 - 30,20	1,10	0,06	0,35	0,46					
30,20 - 31,30	1,10	0,21	0,28	0,56					
31,30 - 32,30	1,00	0,05	0,03	0,09					
36,70 - 37,80	1,10	0,20	0,05	0,58					
37,80 - 39,00	1,20	0,48	0,22	3,14		0,576	0,264	3,768	6,1
39,00 - 40,00	1,00	0,07	2,90	2,46					4,1
40,00 - 41,00	1,00	0,11	0,33	1,62					24,8
41,00 - 42,00	1,00	0,16	1,88	2,10					25,4
42,00 - 43,00	1,00	0,21	0,12	4,24					11,5
43,00 - 44,00	1,00	0,16	0,21	0,90					7,1
44,00 - 45,00	1,00	0,23	0,21	1,78					10,9
45,00 - 46,00	1,00	0,17	0,23	0,86					7,3
46,00 - 47,00	1,00	0,19	0,29	1,12					4,2
47,00 - 48,10	1,10	1,45	0,52	5,14		1,595	0,572	5,654	18,6
48,10 - 48,70	0,60	0,34	0,12	0,52		0,204	0,072	0,312	4,7
48,70 - 49,30	0,60	4,80	0,54	15,28		2,88	0,324	9,168	49,4
49,30 - 50,30	1,00	0,12	0,08	0,28					
65,70 - 66,70	1,00	0,02	0,05	0,06					
66,70 - 67,70	1,00	2,96	0,37	7,86					80,1
67,70 - 68,70	1,00	0,22	0,06	0,50					
37,80 - 43,00	5,20	0,22	1,06	2,73	g/g Ag 14,0				
48,00 - 49,30	3,30	1,50	0,36	4,93					
66,70 - 67,70	1,00	2,96	0,37	7,86	80,1				

26,1 - 83

Rune Furman

MALMBEREGNING I

Lokalitet: Profil 43.140

Borehull: 928

Dec-82.
 Boredato : ~~Jan-83~~
 Koordinator : X: 925.369,8 Y: 43.132,8
 Retning : S.
 Helling/stigning : - 35°
 Høyde : - 56,0

Dybde	Lengde (m)	Analyser						
		% Pb	% Cu	% Zn	% S	m% Pb	m% Cu	m% Zn
20,60 - 21,60	1,00	0,02	0,04	0,05				
21,60 - 22,60	1,00	0,06	0,27	1,58				
22,60 - 23,60	1,00	0,34	0,64	3,26				
23,60 - 24,40	0,80	0,72	0,16	1,04				
24,40 - 25,80	1,40	0,15	0,03	0,20				
25,80 - 26,80	1,00	0,21	0,29	2,12				
26,80 - 27,80	1,00	0,29	0,22	2,52				
27,80 - 28,80	1,00	0,08	0,23	2,92				
28,80 - 29,80	1,00	0,75	1,02	5,60				
29,80 - 30,80	1,00	0,14	0,23	1,62				
30,80 - 31,80	1,00	0,07	0,36	2,02				
31,80 - 32,60	0,80	0,15	0,30	2,06				
25,80 - 29,80	4,00	0,33	0,44	3,29				

251-83

Stellan Furman

MALMBEREGNING I

Lokalitet: Profil 43.140

Borehull: 927

Dec - 82
Boredato : Jan - 83
Koordinater : X: 925.377,5 Y: 43.129,3
Retning : N.
Helling/stigning : - 60°
Høyde : - 55,6

Dybde	Lengde (m)	Analyser			
		% Pb	% Cu	% Zn	% S
9,30 - 10,80	1,50	0,28	0,27	1,08	
24/1 - 83 <i>Arvid Burman</i>					

MALMBEREGNING I

Lokalitet: Profil: 43,140

Borehull: 926.

Dec - 82.

Boredato

Koordinator

Retning

Helling/signing : -43°

Høyde

7-1-10

$X: 925.380 \quad Y: 43.130$
 $N. 925.381,1 \quad 43.126,4$

: -43°

- 558

~~(Handwritten scribble)~~

Dybde	Lengde (m)	Analyser			
		% Pb	% Cu	% Zn	% S
10.00 - 10.70	0.70	0.26	0.21	0.73	
11.95 - 12.70	0.75	1.05	0.21	1.83	
24/1-83 <i>Shelan Burman</i>					

MALMBEREGNING I

Lokalitet: Prof. 44850

Borehull: 924

Boredato : Nov -82.

Koordinater : X: 925 410 Y: 44 846,6

Retning : S

Helling/stigning : - 2,7°

Høyde : - 99,4

Dybde	Lengde (m)	Analyser							m% Ag/C
		% Pb	% Cu	% Zn	% Ag	m% Pb	m% Cu	m% Zn	
108,70 - 109,40	0,70	0,02	0,59	2,12	4,2				
121,70 - 122,70	1,00	0,01	0,02	0,05	0,8				
122,70 - 124,00	1,30	1,38	0,08	3,77	21,6	1,794	0,104	4,901	28,08
124,00 - 125,00	1,00	1,86	0,14	6,76	35,2				
125,00 - 126,00	1,00	0,50	0,09	3,40	12,0				
126,00 - 127,00	1,00	0,03	0,06	0,08	2,8				
129,45 - 130,00	0,55	0,14	0,09	2,06	5,6				
136,00 - 137,00	1,00	1,05	0,20	2,35	25,2				
148,10 - 148,70	0,60	0,35	0,23	1,47	13,2				
^{Pegum.} 148,95 - 149,35	0,40	4,06	0,05	6,80	56,9				
152,50 - 153,55	1,45	0,66	0,29	1,76	19,8				
155,30 - 155,70	0,40	0,68	0,28	2,50	17,8				
122,70 - 126,00	3,30	1,26	0,10	4,56	22,8				

25 -82

Stellan Bernan

Lokalitet: 44.860

Boredato : 045-82
Koordinator : X: 925.410,6 Y: 44.846,6
Retning : S.
Helling/signing : -10°
Høyde : -100

Dybde	Lengde (m)	Analyser			
		% Pb	% Cu	% Zn	% S
0.00 - 1.00	1.00	0.34	0.21	0.98	
1.00 - 2.00	1.00	0.08	0.09	0.17	
2.00 - 3.30	1.30	0.09	0.26	0.82	
3.30 - 4.40	1.10	0.01	0.02	0.02	

2511-82

Susan Burman

MALMBEREGNING I

Lokalitet: Profil. 44,355

Borehull: 919

Boredato : okt-82
 Koordinator : X: 925.410,4 Y: 44.354.0
 Retning : N.
 Helling/stigning : +70°
 Høyde : -82,3

Dybde	Lengde (m)	Analyser						
		% Pb	% Cu	% Zn	% S	m% Pb	m% Cu	m% Zn
0,00 - 0,85	0,85	0,03	0,47	1,54				
0,85 - 1,15	0,30	0,02	0,07	0,08				
1,15 - 2,20	1,05	0,01	0,04	0,02				
5,70 - 6,70	1,00	0,01	0,04	0,02				
6,70 - 7,95	1,25	0,91	0,13	9,30		1,138	0,163	11,625
7,95 - 8,95	1,00	0,02	0,18	0,72		0,02	0,18	0,72
8,95 - 9,50	0,65	0,03	0,53	0,72		0,02	0,345	0,468
9,50 - 9,95	0,45	1,35	1,26	7,26		0,608	0,567	3,267
9,95 - 10,95	1,00	0,03	0,16	0,10				
10,95 - 11,85	0,90	0,01	0,02	0,02				
11,85 - 13,05	1,20	0,72	0,31	3,00				
13,05 - 14,05	1,00	0,02	0,02	0,07				
6,70 - 9,95	3,25	0,55	0,39	4,95				

3/2-83

Stellan Furman

MALMBEREGNING I

Lokalitet: Profil 44.060

Borehull: 916

Boredato : okt-82

Koordinater : X: 925.383,4 Y: 44.059,8

Retning : opp.

Helling/stigning : +90°

Høyde : -65,7

Dybde	Lengde (m)	Analyser							
		% Pb	% Cu	% Zn	% S				
0.00 - 1.00	1.00	0.67	0.43	6.88					
1.00 - 2.00	1.00	1.05	0.85	14.62					
2.00 - 3.00	1.00	1.29	0.45	8.60					
3.00 - 4.00	1.00	0.09	0.20	0.12					
0.00 - 3.00	3.00	1.00	0.58	10.03					

21/10-82

Arvid Furman

MALMBEREGNING I

Lokalitet: Profil 44.060

Borehull: 915

Boredato : okt - 82

Koordinater : X: 925.285,0 Y: 44.060,4

Retning : N.

Helling/stigning : -50°

Høyde : -69,9

Dybde	Lengde (m)	Analyser						
		% Pb	% Cu	% Zn	% S	mg Pb	mg Cu	mg Zn
0.00 - 1.00	1.00	0.20	0.19	0.84				
1.00 - 2.00	1.00	0.30	0.18	3.00				
2.00 - 3.00	1.00	0.20	0.28	2.68				
3.00 - 4.00	1.00	0.38	0.53	2.34				
4.00 - 5.00	1.00	0.41	0.71	2.02				
5.00 - 6.00	1.00	0.28	1.15	1.63				
6.00 - 7.00	1.00	0.14	0.30	0.90				
7.00 - 8.00	1.00	0.60	0.21	1.76				
8.00 - 9.00	1.00	0.99	0.62	3.68				
9.00 - 10.00	1.00	1.38	0.46	3.86				
10.00 - 11.00	1.00	1.34	0.29	7.42				
11.00 - 12.00	1.00	0.32	1.38	7.98				
12.00 - 12.70	0.70	0.52	0.45	2.97		0.364	0.315	2.079
8.00 - 12.70	4.70	0.93	0.65	5.32				
0.00 - 12.70	12.70	0.54	0.52	3.16				
21/10-82								
Stellan Burman								

MALMBEREGNING I

Lokalitet: Profil 44.100

Borehull: 914

Boredato : oket -82

Koordinater : x: 925,364 y: 44.103

Retning : Load.

Helling/~~signing~~ : -90°

Høyde : -71.0

Dybde	Lengde (m)	Analyser						
		% Pb	% Cu	% Zn	% S	mg Pb	mg Cu	mg Zn
0.70 - 1.70	1.00	0.16	0.04	0.04				
1.70 - 2.60	0.90	0.89	0.35	2.64		0.801	0.315	2.376
2.60 - 3.40	0.80	0.38	0.13	0.94		0.28	0.104	0.752
3.40 - 5.00	1.60	1.00	0.39	6.10		1.60	0.624	9.76
5.00 - 6.00	1.00	0.03	0.05	0.10				
6.00 - 7.10	1.10	0.46	0.26	1.38				
7.10 - 8.10	1.00	0.03	0.03	0.04				
1.70 - 6.00	4.30	0.62	0.24	3.00				
26/10-82								
Stellan Gunnarsson								

MALMBEREGNING I

Lokalitet: Profil 44.100

Borehull: 913

Boredato : 06-82
Koordinator : X: 925.362,5 Y: 44.103
Retning : S.
Helling/signering : - 20°
Høyde : - 69,5

Dybde	Lengde (m)	Analyser			
		% Pb	% Cu	% Zn	% S
4,50 - 5,50	1,00	0,03	0,07	0,44	
13,35 - 14,40	1,05	0,04	0,14	0,94	
14,40 - 14,70	0,30	0,24	0,41	1,50	
14,70 - 15,70	1,00	0,07	0,35	0,82	
20,00 - 21,00	1,00	0,25	0,11	0,40	
23,80 - 24,80	1,00	0,13	0,20	0,40	
24,80 - 25,80	1,00	0,39	0,41	1,66	
25,80 - 26,80	1,00	0,73	0,20	2,24	
31,00 - 32,00	1,00	0,07	0,24	0,74	
34,55 - 35,55	1,00	0,20	0,08	0,64	
35,55 - 36,50	0,95	1,23	0,06	3,70	
36,50 - 37,50	1,00	0,07	0,07	0,24	
45,00 - 46,00	1,00	0,03	0,27	0,62	

26,-83
Herman Burman

MALMBEREGNING I

Lokalitet: Profil: 44.500

Borehull: 911

Boredato : 064-82

Koordinater : X: 925.484,4 Y: 44.495,8

Retning : 2.

Helling/signing : -30°

Høyde : -61,2

[illegible]

MALMBEREGNING I

Lokalitet: Profil: 44.500

Borehull: 910

Boredato : 061-82

Koordinater : X: 925.484,1 Y: 44.495,9

Retning : 2

Helling/signing : - 60°

Høyde : -61,2

Dybde	Lengde (m)	Analyser						
		% Pb	% Cu	% Zn	% S	mg Pb	mg Cu	mg Zn
0,90 - 1,80	0,90	0,06	0,14	0,68				
1,80 - 2,70	0,90	0,04	0,03	0,07				
2,70 - 3,60	0,90	0,04	0,04	0,08				
3,60 - 4,50	0,90	0,29	0,48	3,52		0,261	0,432	3,168
4,50 - 5,10	0,60	1,80	0,53	5,30		1,08	0,318	3,18
5,10 - 6,10	1,00	0,13	0,06	0,21				
36,60 - 37,60	1,00	0,06	0,02	0,13				
37,60 - 38,05	0,45	0,47	0,12	1,35				
38,05 - 39,05	1,00	0,03	0,02	0,03				
3,60 - 5,10	1,50	0,89	0,50	4,23				

21/10-82

A. Allan

MALMBEREGNING I

Lokalitet: Profil 44.500

Borehull: 908

Boredato : ok4-82

Koordinater : X: 925.482,4 Y: 44.455,1

Retning : Løst.

Helling/signing: -90°

Høyde : - 61,4

Dybde	Lengde (m)	Analyser			
		% Pb	% Cu	% Zn	% S
0,00 - 0,20	0,20	0,07	0,05	0,16	
0,20 - 0,40	0,20	0,03	0,02	0,07	
0,40 - 1,65	1,25	0,04	0,05	0,13	
1,65 - 2,90	1,25	0,02	0,15	0,65	
2,90 - 3,40	0,50	0,01	0,01	0,03	
3,40 - 4,50	2,40	0,54	0,62	3,10	
4,50 - 5,50	1,00	0,08	0,05	0,17	
3,40 - 4,50	1,10	0,54	0,62	3,10	

21/10-82

Allen Gurnan

MALMBEREGNING I

Lokalitet: 44.280

Borehull: 906

Boredato : Sept-82
Koordinator : X: 925.480 Y: 44.284
Retning : Lodd.
Helling/~~stigning~~ : -90°
Høyde : -56,8

Dybde	Lengde (m)	Analyser			
		% Pb	% Cu	% Zn	% S
0.00 - 1.30	1.30	0.08	0.18	1.62	
1.30 - 2.60	1.30	0.02	0.18	1.14	
27.90 - 28.90	1.00	1.07	0.19	2.88	

25/11-82

Steen Burman

MALMBEREGNING I

Lokalitet: 44.280

Borehull: 905

Boredato : Sept-82
Koordinator : X: 92S.480 Y: 44.280
Retning : S.
Helling/~~stigning~~ : - 60°
Høyde : 56,8

Dybde	Lengde (m)	Analyser			
		% Pb	% Cu	% Zn	% S
28,00 - 29,20	1,20	0,07	0,02	0,17	
29,20 - 30,30	1,10	0,30	0,26	1,92	
30,30 - 31,00	0,70	0,03	0,03	0,14	
29,11-82 Gullan Burns					

28-02

Allen Burns

MALMBEREGNING I

Lokalitet: *Profil 44420*

Borehull: *904*

Boredato : *Sept-82*

Koordinater : *X: 925.428,5 Y: 44421,7*

Retning : *N*

Helling/etigning : *-5°*

Høyde : *-88,4*

Dybde	Lengde (m)	Analyser						
		% Pb	% Cu	% Zn	% S			
11.10 - 12.00	0.90	0.02	0.01	0.03				
12.00 - 13.00	1.00	0.11	0.25	0.44				
13.00 - 14.00	1.00	0.12	0.08	0.46				
14.00 - 15.00	1.00	0.38	0.21	1.56				
15.00 - 16.00	1.00	0.02	0.20	0.73				
16.00 - 17.00	1.00	0.02	0.17	3.08				
17.00 - 18.00	1.00	0.02	0.09	0.49				
18.00 - 19.00	1.00	0.02	0.06	0.16				
19.00 - 20.00	1.00	0.04	0.07	0.11				
20.00 - 21.00	1.00	0.02	0.01	0.06				
21.00 - 21.50	0.50	0.15	0.19	0.41				
16.00 - 17.00	1.00	0.02	0.17	3.08				
 4/10-82 Steven Burnson								

MALMBEREGNING I

Lokalitet: Profet 44.420

Borehull: 903

Boredato : Sept-82

Koordinater : X: 925.428,7 Y: 44.421,5

Retning : N.

Helling/stigning : ~ 15°

Høyde : ~ 88,5

Dybde	Lengde (m)	Analyser						
		% Pb	% Cu	% Zn	% S			
14,30 - 15,30	1,00	0,01	0,01	0,03				
15,30 - 16,30	1,00	0,10	0,11	1,84				
16,30 - 17,30	1,00	0,02	0,06	0,07				
17,30 - 18,30	1,00	0,29	0,40	1,44				
18,30 - 19,30	1,00	0,16	0,14	0,20				
19,30 - 20,30	1,00	0,12	0,51	0,84				
20,30 - 21,30	1,00	1,07	0,67	3,36				
21,30 - 22,40	1,10	0,47	0,44	3,00	0,517	0,484	3,30	
22,40 - 23,40	1,00	0,03	0,03	0,07				
20,30 - 22,40	2,10	0,76	0,55	3,17				

29/9-82

Stellan Furman

MALMBEREGNING I

Lokalitet: Profil 44.420

Borehull: 902

Boredato : Sept-82
Koordinater : X: 925.428,5 Y: 44421,4
Retning : N
Helling/stigning : -35°
Høyde : -87,4

Dybde	Lengde (m)	Analyser						
		% Pb	% Cu	% Zn	% S	mg Pb	mg Cu	mg Zn
0,00 - 1,00	1,00	0,04	0,04	0,13				
1,00 - 2,00	1,00	0,33	0,72	6,00				
2,00 - 3,00	1,00	0,48	0,70	11,52				
3,00 - 3,80	0,80	0,51	0,98	7,28		0,408	0,784	5,824
3,80 - 4,80	1,00	0,07	0,23	2,06				
4,80 - 5,80	1,00	0,04	0,12	1,92				
5,80 - 6,80	1,00	0,03	0,03	0,18				
6,80 - 7,60	0,80	0,36	0,17	2,72				
7,60 - 8,60	1,00	0,03	0,01	0,10				
1,00 - 4,80	3,80	0,34	0,64	6,69				
1,00 - 5,80	4,80	0,28	0,53	5,69				

29/9-82

Stellan Gunnarsson

MALMBEREGNING I

Lokalitet: *Profil 44340*

Borehull: *901*

Boredato : *Sept-82*

Koordinater : *X: 925.433,0 Y: 44.338,0*

Retning : *hodd*

Helling/stigning : *-90°*

Høyde : *-84,5*

Dybde	Lengde (m)	Analyser						
		% Pb	% Cu	% Zn	% S	<i>mg Pb</i>	<i>mg Cu</i>	<i>mg Zn</i>
<i>0,00 - 1,30</i>	<i>1,30</i>	<i>0,13</i>	<i>0,44</i>	<i>1,58</i>		<i>0,169</i>	<i>0,572</i>	<i>2,054</i>
<i>1,30 - 2,40</i>	<i>1,10</i>	<i>0,64</i>	<i>0,49</i>	<i>4,60</i>		<i>0,704</i>	<i>0,539</i>	<i>5,06</i>
<i>2,40 - 3,50</i>	<i>1,10</i>	<i>1,86</i>	<i>0,54</i>	<i>14,52</i>		<i>1,98</i>	<i>0,594</i>	<i>15,972</i>
<i>3,50 - 4,60</i>	<i>1,10</i>	<i>3,10</i>	<i>0,35</i>	<i>10,88</i>		<i>3,41</i>	<i>0,385</i>	<i>11,968</i>
<i>0,00 - 4,60</i>	<i>4,60</i>	<i>1,36</i>	<i>0,40</i>	<i>7,62</i>				

29/9-82

Stellan Burman

MALMBEREGNING I

Lokalitet: Profil 44.350

Borehull: 899

Boredato : Sep 4 - 82

Koordinater : X: 925.434,0 Y: 44.345,0

Retning : NØ 40°

Helling/stigning : - 55°

Høyde : - 84,7

Dybde	Lengde (m)	Analyser						
		% Pb	% Cu	% Zn	% S	mg Pb	mg Cu	mg Zn
0,00 - 1,00	1,00	0,03	0,69	1,94				
1,00 - 1,70	0,70	0,21	0,39	1,90		0,147	0,273	1,33
2,00 - 2,50	0,50	0,14	0,28	1,26		0,07	0,14	0,63
3,00 - 4,00	1,00	0,14	0,15	1,33				
4,00 - 5,00	1,00	1,93	0,35	7,96				
0,00 - 5,00	5,00	0,47	0,32	2,64				

29/9-82

Stellan Brunner

MALMBEREGNING I

Lokalitet: *Profile 44.350*

Borehull: *898*

Boredato :

Koordinater : *X: 925.431,5 Y: 44.349*

Retning : *N 25°*

Helling/stigning : *-60°*

Høyde : *-84,7*

Dybde	Lengde (m)	Analyser						
		% Pb	% Cu	% Zn	% S	<i>mg Pb</i>	<i>mg Cu</i>	<i>mg Zn</i>
<i>0,00 - 0,90</i>	<i>0,90</i>	<i>0,01</i>	<i>0,26</i>	<i>0,88</i>		<i>0,009</i>	<i>0,234</i>	<i>0,792</i>
<i>0,90 - 2,00</i>	<i>1,10</i>	<i>0,24</i>	<i>0,51</i>	<i>5,30</i>		<i>0,264</i>	<i>0,561</i>	<i>5,83</i>
<i>2,00 - 3,00</i>	<i>1,00</i>	<i>1,07</i>	<i>0,25</i>	<i>11,04</i>				
<i>3,00 - 4,00</i>	<i>1,00</i>	<i>1,16</i>	<i>0,80</i>	<i>15,36</i>				
<i>4,00 - 5,00</i>	<i>1,00</i>	<i>2,42</i>	<i>0,30</i>	<i>6,08</i>				
<i>5,00 - 5,50</i>	<i>0,50</i>	<i>0,04</i>	<i>0,10</i>	<i>0,20</i>				
<i>0,90 - 5,00</i>	<i>4,10</i>	<i>1,20</i>	<i>0,47</i>	<i>9,21</i>				
<i>0,00 - 5,00</i>	<i>5,00</i>	<i>0,98</i>	<i>0,43</i>	<i>7,82</i>				

28/9-82

Steen Børner

MALMBEREGNING I

Lokalitet: Profil 44 350

Borehull: 897

Boredato :

Koordinator : X: 925,428,5 Y: 44 353,5

Retning : NV 350°

Helling/stigning : - 60°

Høyde : - 85,0

Dybde	Lengde (m)	Analyser							
		% Pb	% Cu	% Zn	% S				
0.00 - 1.00	1.00	0.24	0.29	2.16					
1.00 - 2.00	1.00	0.33	0.33	2.80					
2.00 - 3.00	1.00	0.08	0.14	0.64					
3.00 - 4.00	1.00	0.14	0.08	0.50					
4.00 - 5.00	1.00	1.85	0.18	4.04					
0.00 - 5.00	5.00	0.53	0.20	2.03					

MALMBEREGNING I

Lokalitet: Profil 44,530

Borehull: 895

Boredato :

Koordinater : X: 925,427,7 Y: 44 530,6

Retning : 2

Helling/stigning : $+40^\circ$

Høyde : -95,6

Dybde	Lengde (m)	Analyser			
		% Pb	% Cu	% Zn	% S
0,00 - 1,00	1,00	0,21	0,28	0,58	
1,00 - 2,00	1,00	0,36	0,17	0,64	
2,00 - 3,00	1,00	0,32	0,24	1,24	
3,00 - 4,00	1,00	0,36	0,19	1,38	
4,00 - 5,00	1,00	0,09	0,27	4,04	
5,00 - 6,00	1,00	0,07	0,21	2,64	
6,00 - 7,00	1,00	0,01	0,17	0,18	
7,00 - 8,00	1,00	0,74	0,36	2,66	
8,00 - 9,30	1,30	0,56	0,10	0,74	
2,00 - 6,00	4,00	0,21	0,23	2,45	

28/9-82

Steinar Surma

MALMBEREGNING I

Lokalitet: Profil 44.530

Borehull: 894

Boredato : sept-82

Koordinater : X: 925.428,1 Y: 44.530,6

Retning : N.

Helling/stigning : +20°

Høyde : -96,5

Dybde	Lengde (m)	Analyser						
		% Pb	% Cu	% Zn	% S	mg Pb	mg Cu	mg Zn
0,00 - 0,95	0,95	0,04	0,03	0,08				
0,95 - 1,50	0,55	0,34	0,29	3,07		0,187	0,160	1,689
1,50 - 2,20	0,70	0,08	0,20	0,10		0,021	0,014	0,07
2,20 - 3,40	1,20	0,52	0,25	6,36		0,624	0,324	7,632
3,40 - 4,40	1,00	0,14	0,16	0,58				
4,40 - 5,40	1,00	0,04	0,29	0,19				
5,40 - 6,20	0,80	0,04	0,19	0,22				
6,55 - 7,80	1,25	0,06	0,24	0,51				
7,80 - 9,10	1,30	0,53	0,26	1,53				
9,70 - 10,70	1,00	0,01	0,15	0,84				
10,70 - 11,60	0,90	0,14	0,11	0,07				
11,60 - 12,60	1,00	0,52	0,18	1,22				
12,60 - 13,60	1,00	0,42	0,24	1,01		0,42	0,24	1,01
13,60 - 14,70	1,10	1,31	0,51	2,74		1,441	0,561	3,014
14,70 - 15,80	1,10	1,24	0,24	4,38		1,364	0,264	4,818
0,95 - 3,40	2,45	0,34	0,20	3,83				
12,60 - 15,80	3,20	1,01	0,38	2,76				

29/9-82

Stellan Gunnarsson

MALMBEREGNING I

Lokalitet: Profil 44.530

Borehull: 893

Boredato : Sept -82

Koordinater : X: 925.428.0 Y: 44.530.6

Retning : N

-Helling/stigning : + 30°

Høyde : -96.3

Dybde	Lengde (m)	Analyser				mg Pb	mg Cu	mg Zn
		% Pb	% Cu	% Zn	% S			
0.00 - 0.60	0.60	0.04	0.53	0.96				
0.60 - 1.70	1.10	0.27	0.34	2.54				
1.70 - 2.50	0.80	0.45	0.31	1.16				
2.50 - 3.40	0.90	0.20	0.39	1.66				
3.40 - 4.60	1.20	0.18	0.22	0.46				
4.60 - 5.80	1.20	0.01	0.16	0.60				
5.80 - 6.30	0.50	0.01	0.16	0.10				
9.00 - 10.00	1.00	0.01	0.07	0.17				
10.00 - 11.10	1.10	1.48	0.89	4.98	1.628	0.979	5.478	
12.20 - 13.40	1.20	1.01	0.16	3.70	1.212	0.192	4.44	
13.40 - 14.50	1.10	0.25	0.19	6.98	0.275	0.209	1.078	
14.50 - 15.60	1.10	1.00	0.28	3.47	1.10	0.308	3.817	
15.60 - 16.70	1.10	0.41	0.26	1.86				
16.70 - 17.80	1.10	0.27	0.20	0.65				
17.80 - 18.80	1.00	0.05	0.06	0.07				
21.70 - 22.70	1.00	0.14	0.14	0.33				
22.70 - 23.40	0.70	1.45	0.38	6.36				
23.40 - 24.20	0.80	0.28	0.22	0.58				
24.20 - 25.20	1.00	0.06	0.03	0.18				
10.00 - 15.60	5.60	0.75	0.30	2.65				
29/9-82								
Årman Borne								

MALMBEREGNING I

Lokalitet: Prof. 44.530

Borehull: 392

Boredato : Sept-82

Koordinater : x: 925.424,0 y: 44.531,5

Retning : \$

Helling/stigning : + 45°

Høyde : -98,0

Dybde	Lengde (m)	Analyser			
		% Pb	% Cu	% Zn	% S
0.00 - 1.00	1.00	0.13	0.21	0.48	
1.00 - 1.70	0.70	0.29	0.33	2.10	
29/9-82 Steen Bunnare					

MALMBEREGNING I

Lokalitet: Profil 44.530

Borehull: 891

Boredato :

Koordinater : X: 925 423,5 Y: 44.532,0

Retning : S.

Helling/stigning : + 20°

Høyde : -96,5

Dybde	Lengde (m)	Analyser						
		% Pb	% Cu	% Zn	% S	mg Pb	mg Cu	mg Zn
0,00 - 0,90	0,90	0,04	0,88	1,92		0,036	0,792	1,728
0,90 - 2,00	1,10	0,54	0,50	8,00		0,594	0,55	8,80
2,00 - 3,00	1,00	0,84	0,40	5,18		0,84	0,40	5,18
3,00 - 4,00	1,00	0,26	0,27	0,80				
4,00 - 5,00	1,00	0,23	0,20	0,70				
5,00 - 6,05	1,05	0,22	0,28	0,54				
8,30 - 9,60	1,30	0,06	0,29	0,60				
0,00 - 3,00	3,00	0,49	0,58	5,24				

27/9-82

Aleau Surman

MALMBEREGNING I

Lokalitet: Profil 44 530

Borehull: 890

Boredato :

Koordinater : X: 925.423,4 Y: 44.532,0

Retning : \$

Helling/stigning: $+12^\circ$

Høyde : -96.9

Dybde	Lengde (m)	Analyser						
		% Pb	% Cu	% Zn	% S	mg Pb	mg Cu	mg Zn
2,50 - 3,70	0,80	2,23	0,32	4,48		1,784	0,256	3,584
3,70 - 4,50	0,80	1,40	0,50	7,74		1,12	0,40	6,192
4,50 - 5,40	0,90	0,06	0,07	0,28		0,054	0,063	0,252
5,60 - 6,70	1,10	0,09	0,31	1,86		0,099	0,341	2,046
6,70 - 7,70	1,00	0,22	0,12	0,46				
12,10 - 13,10	1,00	0,13	0,05	0,58				
13,10 - 13,90	0,80	0,38	0,29	5,42				
2,90 - 6,70	3,80	0,80	0,28	3,18				

27/9-82

Steen Thunman

MALMBEREGNING I

Lokalitet: Profil 44.530

Borehull: 889

Boredato :

Koordinater : X: 925,423,2 Y: 44.532,0

Retning : \$

Helling/stigning : $\approx 2^\circ$

Høyde : -97,4

Dybde	Lengde (m)	Analyser			
		% Pb	% Cu	% Zn	% S
4,30 - 4,90	0,60	0,85	0,24	4,28	
7,40 - 8,40	1,00	0,96	0,21	5,82	
8,40 - 9,40	1,00	2,36	1,08	13,92	
9,40 - 10,40	1,00	4,70	0,74	16,64	
10,40 - 11,40	1,00	2,66	0,60	8,36	
7,40 - 11,40	4,00	2,67 2,67	0,66	11,19	

27/9-82
 Allan Furman

MALMBEREGNING I

Lokalitet: Profil 44 530

Borehull: 887

Boredato :

Koordinater : X: 925.423,2 Y: 44.531,9

Retning : S

Helling/stigning : - 7°

Høyde : - 97,8

Dybde	Lengde (m)	Analyser						
		% Pb	% Cu	% Zn	% S	m% Pb	m% Cu	m% Zn
7,80 - 9,10	1,30	0,01	0,01	0,02				
14,10 - 15,10	1,00	0,01	0,01	0,02				
15,10 - 16,10	1,00	1,05	0,22	3,94		1,05	0,22	3,94
16,10 - 17,20	1,10	0,83	0,20	5,70		0,913	0,22	6,27
17,20 - 18,30	1,10	1,81	0,21	6,06		1,991	0,231	6,666
18,30 - 19,30	1,00	0,59	0,22	2,22		0,59	0,22	2,22
19,30 - 20,30	1,00	0,92	0,34	4,86		0,92	0,34	4,86
15,10 - 20,30	5,20	1,05	0,24	4,61				

27/9-82

Gullan Burnan

MALMBEREGNING I

Lokalitet: Profile 44.530

Borehull: 886

Boredato :

Koordinater : $x: 925,425,6$ $y: 44532,1$

Retning : opp

Heating/cooling : $+90^{\circ}$

Høyde : - 94,6

Dybde	Lengde (m)	Analyser			
		% Pb	% Cu	% Zn	% S
0.00 - 1.00	1.00	0.25	0.22	1.14	
1.00 - 2.00	1.00	0.04	0.17	0.70	
2.00 - 3.00	1.00	0.02	0.05	0.52	
3.00 - 4.00	1.00	0.04	0.24	0.56	
4.00 - 5.00	1.00	0.09	0.18	0.74	
5.00 - 6.00	1.00	0.03	0.10	0.24	
6.00 - 7.00	1.00	0.01	0.04	0.10	
7.00 - 7.70	0.70	0.01	0.01	0.02	

22/9-82

Allen Zaman

MALMBEREGNING I

Lokalitet: *Profil 44.310.*

Borehull: *885*

Boredato : *Aug-82*

Koordinater : *X: 925.407 Y: 44.307*

Retning : *S*

Helling/stigning : *+ 77°*

Høyde : *- 82.0*

Dybde	Lengde (m)	Analyser						
		% Pb	% Cu	% Zn	% S	mg Pb	mg Cu	mg Zn
6.00 - 7.00	1.00	0.03	0.13	0.06				
7.00 - 8.00	1.00	0.92	0.27	3.22				
8.00 - 9.00	1.00	1.74	0.62	2.00				
9.00 - 9.60	0.60	0.71	1.02	2.00		0.426	0.612	1.20
9.60 - 10.10	0.50	3.78	0.47	20.28		1.89	0.235	10.14
10.10 - 11.25	1.15	0.10	0.19	0.26				
7.00 - 10.10	3.10	1.61	0.56	5.34				
 5/10-82 Steven Burnan								

MALMBEREGNING I

Lokalitet: *Profil 43.770*

Borehull: *881*

Boredato : *Aug-82*
 Koordinater : *X: 925.354,2 Y: 43.770*
 Retning : *N.*
 Helling/stigning : *+ 65°*
 Høyde : *- 77,8*

Dybde	Lengde (m)	Analyser						
		% Pb	% Cu	% Zn	% S	% Pb	% Cu	% Zn
0,00 - 1,00	1,00	1,02	0,24	2,27				
1,00 - 2,00	1,00	0,12	0,07	0,31				
2,00 - 2,95	0,95	0,05	0,06	0,08				
2,95 - 4,00	1,05	0,29	0,23	1,34				
4,00 - 5,10	1,10	0,11	0,08	0,23				
5,10 - 6,10	1,00	0,09	0,05	0,19				
10,50 - 11,50	1,00	0,01	0,04	0,06				
11,50 - 12,75	1,25	0,09	0,19	0,82				
12,75 - 14,00	1,25	0,79	0,33	4,81		0,988	0,413	6,013
14,00 - 15,50	1,50	0,56	0,30	3,34		0,84	0,45	5,01
15,50 - 15,90	0,40	0,27	0,50	1,09		0,108	0,20	0,436
15,90 - 17,00	1,10	0,01	0,02	0,04				
12,75 - 15,90	3,15	0,61	0,34	3,64				

30/8-82

Stellan Burman

MALMBEREGNING I

Lokalitet: Profil 43.840

Borehull: 880

Boredato : juli -82
Koordinator : X: 925.355,9 Y: 43.845,0
Retning : S.
Helling/stigning : + 36°
Høyde : - 76,1

Dybde	Lengde (m)	Analyser			
		% Pb	% Cu	% Zn	% S
0.00 - 0.40	0.40	1.58	0.17	4.35	
0.40 - 1.70	1.30	0.30	0.31	1.17	
1.70 - 3.00	1.30	0.07	0.12	0.31	
3.00 - 4.20	1.20	0.88	0.33	0.56	
9.90 - 11.60	1.70	0.54	0.26	1.15	
15.40 - 16.50	1.10	0.62	0.08	1.26	
16.50 - 17.70	1.20	0.02	0.04	0.10	

30/8-82

Heian Bunn

30/8-82

Alan Bean -

MALMBEREGNING I

Lokalitet: Profil 43.844

Borehull: 879

Boredato : Aug-82

Koordinater : X: 925.356,9 Y: 43.844,7

Retning : S.

Helling/stigning : +63°

Høyde : -75,1

Dybde	Lengde (m)	Analyser						
		% Pb	% Cu	% Zn	% S	mg Pb	mg Cu	mg Zn
0,00 - 0,50	0,50	1,15	0,65	3,10		0,575	0,325	1,55
0,50 - 1,15	0,65	0,16	0,28	0,65		0,104	0,182	0,423
1,15 - 2,15	1,00	0,54	0,44	4,19		0,54	0,44	4,19
5,50 - 6,60	1,10	0,34	0,20	1,34		0,374	0,22	1,474
6,60 - 7,70	1,10	0,94	0,31	3,08		1,034	0,341	3,388
0,00 - 2,15	2,15	0,57	0,44	2,87				
5,50 - 7,70	2,20	0,64	0,26	2,21				

21/10-82

Stellan Burman

MALMBEREGNING I

Lokalitet: Profil 43.840

Borehull: 878

Boredato : juli 82
Koordinater : N: 925,356,9 Y: 43.844,7
Retning : S
Helling/stigning : + 75°
Høyde : - 75,1

Dybde	Lengde (m)	Analyser						
		% Pb	% Cu	% Zn	% S	mg Pb	mg Cu	mg Zn
0,00 - 0,50	0,50	0,78	0,44	2,41		0,39	0,22	1,205
0,50 - 1,30	0,80	0,49	0,47	2,15		0,392	0,376	1,72
1,30 - 2,05	0,75	0,30	0,61	3,68		0,225	0,458	2,76
2,05 - 3,05	1,00	0,08	0,15	0,45				
4,65 - 5,65	1,00	0,04	0,10	0,29				
5,65 - 7,00	1,35	0,96	0,23	2,02		1,296	0,311	4,017
7,00 - 8,45	1,45	1,13	0,24	3,42		1,639	0,348	2,723
8,45 - 9,30	0,85	0,14	0,07	0,43				4,959
0,00 - 2,05	2,05	0,49	0,51	2,77				
5,65 - 8,45	2,80	1,05	0,24	2,75				

19/8-82

Anna Furus

MALMBEREGNING I

Lokalitet: Profil 43.820

Borehull: 877.

Boredato : Juli -82
Koordinater : X: 925.367,4 Y: 43.826,8
Retning : S
Helling/stigning : +50°
Høyde : -75,7

Dybde	Lengde (m)	Analyser						
		% Pb	% Cu	% Zn	% S	mg Pb	mg Cu	mg Zn
0.00 - 0.65	0.65	0.53	0.24	2.64		0.345	0.156	1.716
0.65 - 2.00	1.35	0.69	0.20	1.92		0.932	0.27	2.592
2.00 - 3.00	1.00	0.55	0.44	1.81		0.55	0.44	1.81
3.00 - 3.95	0.95	0.20	0.41	1.12		0.19	0.390	1.064
3.95 - 4.65	0.70	0.56	0.51	4.90		0.392	0.357	3.43
4.65 - 5.65	1.00	0.05	0.19	0.47				
8.90 - 9.90	1.00	0.21	0.20	0.69				
9.90 - 10.80	0.90	1.06	0.47	4.20		0.954	0.423	3.78
10.80 - 11.85	1.05	1.74	0.47	7.70		1.827	0.494	8.085
11.85 - 13.55	1.70	0.63	0.33	3.01		1.071	0.561	5.117
13.55 - 15.00	1.45	0.26	0.58	4.63		0.377	0.812	6.714
15.00 - 16.00	1.00	0.05	0.12	0.23				
0.00 - 4.65	4.65	0.52	0.35	2.28				
9.90 - 15.00	5.10	0.83	0.45	4.65				

19/8 -82

[Signature]

MALMBEREGNING I

Lokalitet: *Profil 43.830*

Borehull: *876*

Boredato : *7 juli -82*

Koordinater : *X: 925.367,4 Y: 43.836,5*

Retning : *S.*

Helling/stigning : *+ 72°*

Høyde : *- 75,7*

Dybde	Lengde (m)	Analyser						
		% Pb	% Cu	% Zn	% S	mg Pb	mg Cu	mg Zn
<i>0.00 - 0.60</i>	<i>0.60</i>	<i>0.61</i>	<i>0.23</i>	<i>2.45</i>				
<i>0.60 - 1.95</i>	<i>1.25</i>	<i>0.12</i>	<i>0.08</i>	<i>0.55</i>				
<i>1.85 - 1.95</i>	<i>0.10</i>	<i>1.92</i>	<i>0.73</i>	<i>8.20</i>				
<i>1.95 - 3.35</i>	<i>1.40</i>	<i>0.26</i>	<i>0.22</i>	<i>0.98</i>				
<i>3.35 - 3.90</i>	<i>0.55</i>	<i>0.98</i>	<i>0.51</i>	<i>5.80</i>				
<i>3.90 - 5.00</i>	<i>1.10</i>	<i>0.05</i>	<i>0.17</i>	<i>0.25</i>				
<i>6.00 - 7.30</i>	<i>1.30</i>	<i>0.03</i>	<i>0.08</i>	<i>0.09</i>				
<i>7.30 - 8.75</i>	<i>1.45</i>	<i>0.35</i>	<i>0.33</i>	<i>2.10</i>		<i>0.508</i>	<i>0.479</i>	<i>3.045</i>
<i>8.75 - 9.75</i>	<i>1.00</i>	<i>1.52</i>	<i>0.44</i>	<i>7.34</i>		<i>1.52</i>	<i>0.44</i>	<i>7.34</i>
<i>9.75 - 11.30</i>	<i>1.55</i>	<i>0.65</i>	<i>0.33</i>	<i>1.81</i>		<i>1.008</i>	<i>0.512</i>	<i>2.806</i>
<i>11.30 - 12.70</i>	<i>1.40</i>	<i>0.80</i>	<i>0.46</i>	<i>2.95</i>		<i>1.12</i>	<i>0.644</i>	<i>4.13</i>
<i>12.70 - 13.70</i>	<i>1.00</i>	<i>0.06</i>	<i>0.08</i>	<i>0.16</i>				
<i>7.30 - 12.70</i>	<i>5.40</i>	<i>0.77</i>	<i>0.38</i>	<i>3.21</i>				
<i>8.75 - 12.70</i>	<i>3.95</i>	<i>0.92</i>	<i>0.40</i>	<i>3.61</i>				

19/8 -82

Arne Furum

MALMBEREGNING I

Lokalitet: Profil. 43.714

Borehull: 875

Boredato : July - 82

Koordinater : X: 925,425,7 Y: 43,714

Retning : N.

Helling/stigning : $+45^\circ$

Høyde : - 81,0

Dybde	Lengde (m)	Analyser			
		% Pb	% Cu	% Zn	% S
1,35 - 2,25	0,90	0,46	0,08	0,43	
2,25 - 2,55	0,30	0,55	0,20	1,11	
2,55 - 3,55	1,00	0,21	0,05	0,04	
30/8-82 <i>[Signature]</i>					

MALMBEREGNING I

Lokalitet: Profil. 43.714

Borehull: 874

Boredato : Juli-82

Koordinater : X:925.4200 Y:43714

Retning : S

Helling/stigning : $+45^\circ$

Høyde : - 81,0

Dybde	Lengde (m)	Analyser			
		% Pb	% Cu	% Zn	% S
0,65 - 1,65	1,00	0,11	0,04	0,02	
1,65 - 1,80	0,15	1,29	0,24	6,50	
1,80 - 2,35	0,55	0,63	0,59	0,50	
2,35 - 3,35	1,00	0,12	0,10	0,12	

30/8-82

[Signature]

MALMBEREGNING I

Lokalitet: Profil. 43, 714

Borehull: 873

Boredato : Juli - 82

Koordinater : X: 925,420, Y: 43.714

Retning : S.

Helling/~~signing~~ : -45°

Høyde : - 85,0

Dybde	Lengde (m)	Analyser			
		% Pb	% Cu	% Zn	% S
0.00 - 0.40	0.40	1.24	0.20	1.87	
0.40 - 1.45	1.05	0.28	0.10	0.54	
1.45 - 1.90	0.45	0.68	0.21	2.33	
1.90 - 3.50	1.60	0.01	0.03	0.10	
3.50 - 3.80	0.30	3.61	0.63	10.54	
3.80 - 4.80	1.00	0.03	0.07	0.08	

30/8-82

[Signature]

MALMBEREGNING I

Lokalitet: 43.714

Borehull: 822

Boredato : juni - 82

Koordinater : X: 925.425,7 Y: 43.714

Retning : N.

Helling/stigning : - 45°

Høyde : - 85,0

Dybde	Lengde (m)	Analyser						
		% Pb	% Cu	% Zn	% S	% Pb	% Cu	% Zn
1,30 - 2,30	1,00	0,05	0,02	0,20				
2,30 - 2,70	0,40	1,91	0,63	7,30		0,764	0,252	2,92
2,70 - 3,25	0,55	0,08	0,51	0,81		0,044	0,281	0,446
3,25 - 3,80	0,55	0,08	0,30	0,88		0,044	0,165	0,484
3,80 - 5,10	1,30	0,66	0,31	6,50		0,858	0,403	8,45
5,10 - 6,10	1,00	0,09	0,11	0,37				
2,30 - 5,10	2,80	0,61	0,39	4,39				

30/8 - 82

Reidar Thuma

MALMBEREGNING I

Lokalitet: Profil 43.714

Borehull: 871

Boredato :

Koordinater : X: 925,428 Y: 48,714

Retning : w.

Helling/~~stigning~~ : -60°

Høyde : -85,3

Dybde	Lengde (m)	Analyser			
		% Pb	% Cu	% Zn	% S
1.55 - 2.55	1.00	0.01	0.02	0.05	
2.55 - 2.75	0.20	0.67	0.54	1.85	
2.75 - 3.75	1.00	0.09	0.08	0.23	
4.50 - 5.50	1.00	0.01	0.05	0.06	
5.50 - 5.60	0.10	0.97	0.10	3.26	

26/10-82

Stellan Brunner

MALMBEREGNING I

Lokalitet: *Profil 42,330*

Borehull: *870*

Boredato : *26/8 - 82*

Koordinater : *X: 925.408,5 Y: 42.331*

Retning : *N.*

Helling/stigning : *-80°*

Høyde : *+5,7*

Dybde	Lengde (m)	Analyser						
		% Pb	% Cu	% Zn	% S	mg Pb	mg Cu	mg Zn
0,00 - 1,05	1,05	2,55	0,12	10,20		2,678	0,126	10,71
1,05 - 2,25	1,20	0,43	0,19	1,45		0,516	0,228	1,74
2,25 - 3,80	1,55	0,98	0,49	4,57		1,519	0,76	7,084
3,80 - 4,80	1,00	0,39	0,26	3,41		0,39	0,26	3,41
4,80 - 5,90	1,10	0,09	0,06	0,48		0,099	0,066	0,528
5,90 - 6,15	0,25	0,06	0,89	5,14		0,015	0,223	1,285
6,15 - 6,80	0,65	0,03	0,06	0,17				
6,80 - 7,30	0,50	0,03	0,10	0,23				
7,30 - 8,30	1,00	0,03	0,03	0,06				
31,85 - 32,85	1,00	0,03	0,03	0,06				
32,85 - 33,45	0,60	1,53	0,54	6,90				
33,45 - 34,45	1,00	0,08	0,12	0,24				
0,00 - 4,80	4,80	1,06	0,29	4,78				
0,00 - 6,15	6,15	0,85	0,27	4,03				
35,75 - 36,75	1,00	0,11	0,06	0,33				
36,75 - 36,95	0,20	0,19	0,94	7,00				
36,95 - 38,00	1,05	0,04	0,12	0,30				

26/8 - 82

[Signature]

MALMBEREGNING I

Lokalitet: Profil. 42.330

Borehull: 869

Boredato : 82

Koordinator : X:925.407 Y:42.381

Retning : N.

Helling/signing: -530

Høyde : + 6,0

Dybde	Lengde (m)	Analyser			
		% Pb	% Cu	% Zn	% S
0.00 - 0.90	0.90	0.01	0.01	0.03	
0.90 - 1.90	1.00	0.36	0.19	1.11	
1.90 - 2.90	1.00	0.30	0.22	0.93	
2.90 - 3.80	0.90	0.11	0.03	0.33	
3.80 - 4.60	0.80	0.60	0.38	2.40	
6.20 - 6.55	0.35	0.27	0.24	5.39	
6.55 - 6.80	0.25	0.26	0.12	0.58	
6.80 - 6.90	0.10	0.08	0.65	6.40	
6.90 - 7.90	1.00	0.04	0.02	0.11	

26/8 -82

Julian Barina

$$26 \mid 8 - 82$$

Julian Berna

MALMBEREGNING I

Lokalitet: Profil. 42.330

Borehull: 868

Boredato : min - 82

Koordinater : X: 925,407 Y: 42,331

Retning : 2

Helling/~~stigning~~ : -30°

Høyde : + 6,0

Dybde	Lengde (m)	Analyser			
		% Pb	% Cu	% Zn	% S
0,00 - 0,80	0,80	0,03	0,01	0,10	
0,80 - 2,00	1,20	1,13	0,40	2,05	
2,00 - 3,00	1,00	0,18	0,06	0,45	
3,00 - 3,60	0,60	0,07	0,05	0,24	
3,60 - 4,10	0,50	0,18	0,42	0,69	
4,10 - 4,95	0,85	0,09	0,08	0,31	
4,95 - 5,90	0,95	0,25	0,24	1,24	
5,90 - 7,00	1,10	0,04	0,02	0,14	
0,80 - 2,00	1,20	1,13	0,40	2,05	

26/8-82

Juan Turma

MALMBEREGNING 1

Lokalitet: Profil 42.330

Borehull: 867

Boredato :

Koordinater : X: 925.403 Y: 42.331

Retning : N.

Helling/stigning : Horisontalt.

Høyde : +7.5

Dybde	Lengde (m)	Analyser						
		% Pb	% Cu	% Zn	% S	mg Pb	mg Cu	mg Zn
1.85 - 2.85	1.00	0.08	0.04	0.37				
2.85 - 4.00	1.15	0.69	0.25	3.32		0.794	0.288	3.818
4.00 - 5.00	1.00	0.64	0.21	2.74				
5.00 - 6.00	1.00	1.21	0.45	3.72				
6.00 - 7.05	1.05	0.22	0.12	0.32				
7.05 - 7.35	0.30	0.46	0.37	2.87				
7.35 - 8.35	1.00	0.08	0.04	0.24				
2.85 - 6.00	3.15	0.84	0.30	3.26				

24/10-82

Helena Burman

MALMBEREGNING I

Lokalitet: *Profil 42.330*

Borehull: *866*

Boredato :

Koordinater : *X: 925.407 Y: 42.331*

Retning : *N.*

Helling/stigning : *+ 23°*

Høyde : *+ 8,3*

Dybde	Lengde (m)	Analyser						
		% Pb	% Cu	% Zn	% S	mg Pb	mg Cu	mg Zn
<i>0.00 - 1.00</i>	<i>1.00</i>	<i>0.94</i>	<i>0.72</i>	<i>7.36</i>		<i>0.94</i>	<i>0.72</i>	<i>7.36</i>
<i>1.00 - 2.40</i>	<i>1.40</i>	<i>0.97</i>	<i>0.40</i>	<i>2.43</i>		<i>1.358</i>	<i>0.56</i>	<i>3.402</i>
<i>2.40 - 3.25</i>	<i>0.85</i>	<i>2.71</i>	<i>0.34</i>	<i>9.40</i>		<i>2.304</i>	<i>0.289</i>	<i>7.99</i>
<i>3.25 - 4.40</i>	<i>1.15</i>	<i>0.70</i>	<i>0.25</i>	<i>1.39</i>		<i>0.805</i>	<i>0.288</i>	<i>1.599</i>
<i>4.40 - 5.40</i>	<i>1.00</i>	<i>0.78</i>	<i>0.48</i>	<i>10.70</i>		<i>0.78</i>	<i>0.48</i>	<i>10.70</i>
<i>5.40 - 6.40</i>	<i>1.00</i>	<i>0.18</i>	<i>1.14</i>	<i>5.10</i>		<i>0.18</i>	<i>1.14</i>	<i>5.10</i>
<i>6.40 - 7.00</i>	<i>0.60</i>	<i>0.09</i>	<i>0.11</i>	<i>0.73</i>				
<i>7.00 - 8.00</i>	<i>1.00</i>	<i>0.14</i>	<i>0.53</i>	<i>1.48</i>				
<i>8.00 - 9.00</i>	<i>1.00</i>	<i>0.08</i>	<i>0.73</i>	<i>2.42</i>				
<i>9.00 - 10.60</i>	<i>1.60</i>	<i>0.12</i>	<i>0.03</i>	<i>0.11</i>				
<i>0.00 - 6.40</i>	<i>6.40</i>	<i>0.99</i>	<i>0.54</i>	<i>5.65</i>				

26/10-82

Arne Furman

MALMBEREGNING I

Lokalitet: Profil 42.330

Borehull: 865

Boredato : juni -82
 Koordnater : X: 925.4044 Y: 42.333,2
 Retning : NØ
 Helling/stigning : + 39°
 Høyde : + 8,5

Dybde	Lengde (m)	Analyser						
		% Pb	% Cu	% Zn	% S	mg Pb	mg Cu	mg Zn
0,00 - 2,10	2,10	0,62	0,22	2,29		1,302	0,462	4,809
2,10 - 4,75	2,65	0,07	0,05	0,78		0,186	0,133	2,067
5,00 - 5,90	0,90	0,39	0,20	4,28		0,351	0,18	3,852
5,90 - 8,50	2,60	0,12	0,63	5,18		0,312	1,638	13,468
0,00 - 8,50	8,50	0,14	0,13	2,85				
5,00 - 8,50	3,80	0,19	0,52	4,95				

STB 8/2-82

MALMBEREGNING I

Lokalitet: Profil 42.330

Borehull: ~~861~~ A. 864.

Boredato : 7 juni - 82

Koordinater : X: 925.404,2 Y: 42.333,3

Retning : NØ

Helling/stigning : + 39°

Høyde : + 9,5

Dybde	Lengde (m)	Analyser						
		% Pb	% Cu	% Zn	% S	<u>mg Pb</u>	<u>mg Cu</u>	<u>mg Zn</u>
0,00 - 0,70	0,70	0,02	0,09	0,13		0,014	0,063	0,091
0,70 - 2,10	1,40	0,20	0,64	4,14		0,28	0,896	5,796
2,10 - 4,50	2,40	0,10	1,10	6,16		0,24	2,64	14,784
4,50 - 5,65	1,15	0,20	0,22	2,68		0,23	0,253	3,082
5,65 - 8,65	3,00	0,46	0,43	4,76		1,32	1,29	14,28
8,65 - 11,65	3,00	0,18	0,38	2,55		0,54	1,14	7,65
0,00 - 8,65	8,65	0,24	0,59	4,40		2,084	5,142	38,033
0,00 - 11,65	11,65	0,23	0,54	3,92		2,624	6,282	45,683

STB 8/7-82

MALMBEREGNING I

Lokalitet: Profil 42.330

Borehull: 863

Boredato : June-82

Koordinater : X: 925,404 Y: 42,3332

Retning : ☒

~~Helling~~/stigning : $+50^\circ$

Høyde : + 8,5

Dybde	Lengde (m)	Analyser			
		% Pb	% Cu	% Zn	% S
0.00 - 0.20	0.20	0.83	0.07	0.31	
0.20 - 0.40	0.20	1.27	0.42	4.44	
0.40 - 1.55	1.15	0.05	0.04	0.61	
1.55 - 1.70	0.15	0.31	0.26	12.00	
1.70 - 2.70	1.00	0.03	0.03	0.21	
2.70 - 3.65	0.95	0.03	0.01	0.03	
3.65 - 3.85	0.20	0.42	0.25	2.10	
3.85 - 4.60	0.75	0.21	0.12	0.63	

26/8-82

Alan B.

261-82

Allen B.

MALMBEREGNING I

Lokalitet: Profil 42.330

Borehull: 862

Boredato : Juni - 82
Koordinater : X: 925,403 Y: 42.333,2
Retning : NØ
Helling/stigning : + 39°
Høyde : + 8,5

Dybde	Lengde (m)	Analyser						
		% Pb	% Cu	% Zn	% S	mg Pb	mg Cu	mg Zn
0,00 - 1,50	1,50	0,50	0,18	3,32		0,75	0,27	4,98
1,50 - 2,30	0,80	0,03	0,01	0,10		0,024	0,008	0,08
2,30 - 3,70	1,40	0,10	0,52	3,13		0,14	0,728	4,382
3,70 - 5,10	1,40	0,13	0,31	4,67		0,182	0,434	6,538
5,10 - 6,90	1,80	0,39	0,51	3,02		0,702	0,918	5,436
6,90 - 7,95	1,05	0,20	0,71	3,91		0,21	0,746	4,106
7,95 - 9,05	1,10	0,01	0,08	0,07		0,011	0,088	0,077
9,05 - 9,45	0,40	0,23	0,28	3,67		0,092	0,112	1,468
0,00 - 7,95	7,95	0,25	0,39	3,21				

STB 8/2-82

MALMBEREGNING I

Lokalitet: Profil 42 360

Borehull: 861

Boredato : Juni -82
 Koordinater : X: 925,406 Y: 42.360
 Retning : N.
 Helling/stigning : - 76°
 Høyde : + 6,5

Dybde	Lengde (m)	Analyser						
		% Pb	% Cu	% Zn	% S	mg Pb	mg Cu	mg Zn
0,00 - 0,40	0,40	0,24	0,24	0,60		0,096	0,096	0,24
0,40 - 1,25	0,85	1,60	0,97	6,41		1,36	0,825	5,449
1,25 - 1,90	0,65	0,39	0,26	2,18		0,254	0,169	1,417
1,90 - 2,15	0,25	0,06	0,06	0,19				
2,15 - 3,00	0,85	0,27	0,12	1,17				
3,00 - 4,00	1,00	0,60	0,13	1,18				
4,00 - 5,65	1,65	0,22	0,13	0,81				
5,65 - 6,15	0,50	0,03	0,37	5,46				
6,15 - 7,35	1,20	0,03	0,04	0,09				
7,35 - 8,05	0,70	0,01	0,02	0,02				
8,05 - 8,40	0,35	0,22	0,43	6,72				
8,40 - 8,60	0,20	0,01	0,04	0,19				
8,60 - 9,75	1,15	0,17	0,44	2,75				
9,75 - 10,00	0,25	0,03	0,07	0,45				
0,00 - 1,90	1,90	0,90	0,57	3,74				

STB 127-82

MALMBEREGNING I

Lokalitet: Profil 42.360

Borehull: 860

Boredato : Juni -82

Koordinater : X: 925.404,6 Y: 42,360

Retning : S

Helling/stigning : -75°

Høyde : +6.5

Dybde	Lengde (m)	Analyser						
		% Pb	% Cu	% Zn	% S	mg Pb	mg Cu	mg Zn
0,00 - 1,20	1,20	0,29	0,36	3,37		0,348	0,432	4,044
1,20 - 2,55	1,35	3,33	0,66	10,48		4,496	0,891	14,148
2,55 - 3,20	0,65	0,45	0,27	1,41		0,293	0,176	0,917
3,20 - 3,70	0,50	1,85	0,15	8,20		0,925	0,075	4,10
3,70 - 4,75	1,05	0,79	0,33	2,80		0,83	0,347	2,94
4,75 - 5,80	1,05	0,63	0,23	3,12		0,662	0,242	3,276
5,80 - 6,60	0,80	0,03	0,27	0,07		0,024	0,216	0,056
6,60 - 7,10	0,50	0,03	0,40	0,33		0,015	0,20	0,165
7,10 - 8,00	0,90	3,58	0,28	9,36		3,222	0,252	8,424
8,00 - 8,75	0,75	0,56	0,26	2,26		0,42	0,195	1,695
8,75 - 9,10	0,35	0,55	0,33	3,85		0,193	0,116	1,348
9,10 - 9,65	0,55	0,44	0,20	1,75		0,242	0,11	0,963
9,65 - 10,65	1,00	0,23	0,14	0,62		0,23	0,14	0,62
37,40 - 38,40	1,00	0,02	0,02	0,06				
38,40 - 39,00	0,60	0,24	0,27	0,41		0,144	0,162	0,246
39,00 - 39,55	0,55	1,78	0,30	8,48		0,979	0,165	4,664
39,55 - 41,00	1,45	0,54	0,23	2,47		0,783	0,334	3,582
41,00 - 42,00	1,00	0,03	0,01	0,05				
0,00 - 9,16	9,16	1,26	0,35	4,52	X			
39,00 - 41,00	2,00	0,88	0,25	4,12				

STB 06.07 -82

MALMBEREGNING I

Lokalitet: Profil 42.360

Borehull: 859.

Boredato : Juni - 82
Koordinater : X: 925, 404,8 Y: 42,360
Retning : S.
Helling/signering : -75°
Høyde : + 6,5

Dybde	Lengde (m)	Analyser				mg Pb	mg Cu	mg Zn
		% Pb	% Cu	% Zn	% S			
0,00 - 0,45	0,45	0,28	0,08	0,56		0,126	0,036	0,252
0,45 - 1,45	1,00	1,55	0,74	8,90		1,55	0,74	8,90
1,45 - 2,75	1,30	1,74	0,37	6,34		2,262	0,481	8,242
2,75 - 4,00	1,25	0,50	0,46	3,63		0,625	0,575	4,538
4,00 - 5,40	1,40	0,52	0,19	2,29		0,728	0,266	3,206
5,40 - 6,40	1,00	0,05	0,74	2,49		0,05	0,74	2,49
6,40 - 7,40	1,00	1,21	0,40	7,00		1,21	0,40	7,00
7,40 - 8,50	1,10	0,34	0,29	1,71				
8,50 - 9,95	1,45	0,40	0,17	1,77				
9,95 - 11,00	1,05	0,05	0,06	0,20				
33,00 - 34,45	1,45	0,09	0,05	0,43				
34,45 - 35,40	1,05	0,29	0,53	2,75		0,305	0,557	2,888
35,40 - 36,40	1,00	0,08	0,07	0,34		0,08	0,07	0,34
36,40 - 36,60	0,20	0,02	0,02	0,06		0,004	0,004	0,012
36,60 - 38,05	1,45	0,57	0,34	4,56		0,827	0,493	6,612
38,05 - 39,05	1,00	0,09	0,08	0,22				
0,00 - 7,40	7,40	0,89	0,48	4,68	✓			
34,45 - 38,05	3,6	0,34	0,31	2,74	✗			

STR 9/2-82

MALMBEREGNING I

Lokalitet: Profil 44.280

Borehull: 858.

Boredato : mai-82

Koordinater : X: 925.326,5 Y: 44.275.

Retning : S.

Helling/~~signing~~ : -50°

Høyde : - 72,0

Dybde	Lengde (m)	Analyser			
		% Pb	% Cu	% Zn	% S
12,40 - 13.05	0,65	0,05	0,09	2,91	
27,90 - 29.00	1,16	0,33	0,16	1,73	
STB 06.07-82.					

MALMBEREGNING I

Lokalitet: Profil 44.012.

Borehull: 857.

Boredato : May-82.

Koordinater : X: 925,372,7 Y: 44,012

Retning : Lodd.

Helling/~~signing~~ : -90°

Høyde : - 68,7.

Dybde	Lengde (m)	Analyser			
		% Pb	% Cu	% Zn	% S
6.05 - 6.95	0.90	1.32	0.43	3.27	
6.95 - 8.50	1.55	0.15	0.20	0.55	
8.50 - 9.95	1.45	0.43	0.36	1.23	
9.95 - 11.00	1.05	0.04	0.04	0.18	
12.00 - 13.05	1.05	0.02	0.03	0.10	
13.05 - 14.35	1.30	0.26	0.73	3.46	
14.35 - 15.40	1.05	0.06	0.13	0.44	
15.40 - 16.60	1.20	0.84	0.44	3.60	
16.60 - 17.60	1.00	0.03	0.08	0.06	
STB 06.07-82					

MALMBEREGNING I

Lokalitet: Profil y: 44.012

Borehull: 6NN-857

Boredato :

Koordinater : x 925.372,7 y: 44.012

Retning :

Helling/signing: -90°

Høyde : -68,7 m

Dybde	Lengde (m)	Analyser						
		% Pb	% Cu	% Zn	% S	m.% Pb	m.% Cu	m.% Zn
0,00 - 1,85	1,85	1,19	0,56	4,30				
1,85 - 2,90	1,05	1,16	1,18	5,43				
2,90 - 3,95	1,05	0,74	0,17	5,74				
3,95 - 5,00	1,05	0,30	0,23	1,12				
5,00 - 6,05	1,05	0,38	0,18	0,98				
6,05 - 6,95	0,90	1,32	0,43	3,27				
6,95 - 8,50	1,55	0,15	0,20	0,55				
8,50 - 9,95	1,45	0,43	0,36	1,23				
9,95 - 11,00	1,05	0,04	0,04	0,18				
12,00 - 13,05	1,05	0,02	0,03	0,10				
13,05 - 14,35	1,30	0,26	0,73	3,46				
14,35 - 15,40	1,05	0,06	0,13	0,44				
15,40 - 16,60	1,20	0,84	0,44	3,60				
16,60 - 17,60	1,00	0,03	0,08	0,06				
0,00 - 3,95	3,95	1,06	0,62	4,98		4,197	2,454	19,68
0,00 - 6,95	6,95	0,88	0,47	3,57		6,099	3,272	24,83
0,00 - 9,95	9,95	0,64	0,41	2,76		6,332	4,104	27,47
13,05 - 16,60	3,55	0,40	0,45	2,61		1,409	1,614	9,28

A.K. 3.6.1982.

MALMBEREGNING I

Lokalitet: Prof: 1 y: 44.012

Borehull: **BNN-856**

Boredato **File:**

Koordinater : X: 925.366,3 Y: 44.011,8

Retning :

Helling/~~signing~~ : -90°

Høyde : -69,2 m

Dybde	Lengde (m)	Analyser						
		% Pb	% Cu	% Zn	% S	m.% Pb	m.% Cu	m.% Zn
0,00 - 0,70	0,70	0,73	0,26	1,60				
0,70 - 2,15	1,45	1,10	0,35	7,68				
2,15 - 3,00	0,85	0,57	0,42	1,61				
3,00 - 4,45	1,45	0,88	0,39	2,98				
8,00 - 9,00	1,00	0,05	0,24	0,13				
12,00 - 13,25	1,25	0,02	0,04	0,10				
13,25 - 13,85	0,60	0,15	0,27	0,98				
13,85 - 15,00	1,15	0,02	0,04	0,04				
0,00 - 2,15	2,15	0,98	0,32	5,70		2,106	0,690	12,26
0,00 - 4,45	4,45	0,87	0,36	4,03		3,866	1,613	17,95
A.K. 3.6.1982.								

MALMBEREGNING I

Lokalitet: Profil y: 44.012

Borehull: **BNN-855**

Boredato :

Koordinater : X: 925.363,7 Y: 44.011,8

Retning : \$

Helling/signing : - 14⁰

Høyde : -66,7 m

Dybde	Lengde (m)	Analyser					
		% Pb	% Cu	% Zn	% S		
25,00 - 26,25	1,25	0,02	0,07	0,28			
26,25 - 26,55	0,30	0,05	0,06	0,70			
26,55 - 27,50	0,95	0,10	0,06	0,27			
53,00 - 54,00	1,00	0,02	0,08	0,29			
54,00 - 54,90	0,90	0,04	0,05	0,32			
61,00 - 62,10	0,30	0,18	0,13	1,00			
A.K. 3.6.1982.							

MALMBEREGNING I

Lokalitet: Profil Y: 43.585

Borehull: BNN-854

Boredato : mai 1982.

Koordinater : X: 925.422,6 Y: 43.585

Retning : N

Helling/stigning : -83°

Høyde : -245,4 m.

Dybde	Lengde (m)	Analyser						
		% Pb	% Cu	% Zn	% S	m.% Pb	m.% Cu	m.% Zn
4,70 - 5,80	1,10	0,03	0,03	0,08				
5,80 - 6,90	1,10	0,34	0,17	1,55				
6,90 - 8,00	1,10	0,02	0,01	0,05				
13,00 - 14,00	1,00	0,22	0,12	0,04				
14,00 - 15,15	1,15	0,05	0,40	1,15				
15,15 - 15,85	0,70	0,15	0,51	3,11				
15,85 - 16,75	0,90	0,46	0,66	17,16				
16,75 - 17,50	0,75	0,03	0,03	0,33				
30,65 - 31,80	1,15	0,13	0,07	0,06				
31,80 - 33,40	1,60	0,16	0,33	3,53				
33,40 - 34,80	1,40	0,05	0,04	0,08				
34,80 - 36,05	1,25	0,01	0,02	0,03				
36,05 - 37,90	1,85	0,15	0,34	5,76				
37,90 - 38,80	0,90	0,08	0,07	0,21				
14,00 - 16,75	2,75	0,21	0,51	6,89		0,577	1,411	18,94
14,00 - 17,50	3,50	0,17	0,41	5,48		0,599	1,433	19,19
13,00 - 17,50	4,50	0,18	0,35	4,27		0,819	1,553	19,23
31,80 - 37,90	6,10	0,10	0,20	2,70		0,616	1,238	16,45

A.V. 3.6.1982.

MALMBEREGNING I

Lokalitet: Profil Y: 43.585

Borehull: **BNN-853**

Boredato : april 1982

Koordinater : X: 925.422,6 Y: 43.585,0

Retning : N

Helling/signing: -47°

Høyde :- 45,4 m

Dybde	Lengde (m)	Analyser			
		% Pb	% Cu	% Zn	% S
7,45-7,75	0,30	2,13	1,52	6,10	
42,50-43,80	1,30	0,16	0,10	0,56	
A.K. 3.6.1982.					

MALMBEREGNING I

Lokalitet: Profil y: 43.585

Borehull: 13 NN-852

Boredato : april 1982

Koordinater : X: 925,422,5 Y: 43.585,0

Retning : N

Helling/~~stigning~~: -56°

Høyde : -45,4 m.

Dybde	Lengde (m)	Analyser			
		% Pb	% Cu	% Zn	% S
5,25 - 6,70	1,45	0,01	0,02	0,03	
6,70 - 7,55	0,85	0,64	0,60	1,91	
7,55 - 8,90	1,35	0,06	0,03	0,16	
14,20 - 15,30	1,10	0,46	0,30	1,31	
15,30 - 16,75	1,45	0,04	0,02	0,06	

A.K. 3.6.1982.

A.K. 3.6.1982.

MALMBEREGNING I

Lokalitet: Profil y: 43.585

Borehull: BNN - 851

Boredato : april 1982
Koordinater : X: 925.422,4 Y: 43.585,0
Retning : N
Helling/stigning : -75°
Høyde : -45,4 m.

Dybde	Lengde (m)	Analyser						
		% Pb	% Cu	% Zn	% S	m.% Pb	m.% Cu	m.% Zn
14,10 - 15,30	1,20	0,11	0,75	1,10				
15,30 - 16,75	1,45	0,29	0,42	1,37				
16,75 - 17,35	0,60	1,58	1,26	7,24				
17,35 - 18,60	1,25	0,10	0,08	0,25				
36,60 - 38,35	1,75	0,04	0,13	0,10				
14,10 - 17,35	3,25	0,46	0,70	2,35		1,500	2,265	7,651

A.K. 3.6.1982.

MALMBEREGNING 1

Lokalitet: Profil y: 43.585

Borehull: BNN-850

Boredato : april 1982

Koordinater : X: 925.422,7 Y: 43.585,0

Retning : N

Heating/cooling : -64°

Høyde : - 45,4 m.

Dybde	Lengde (m)	Analyser			
		% Pb	% Cu	% Zn	% S
6,25 - 7,05	0,80	0,77	0,38	3,09	
7,05 - 8,05	1,00	0,11	0,14	0,42	
14,25 - 15,50	1,25	0,25	0,34	0,66	

A.K. 35.1982.

A.K. 3.5.1982.

MALMBEREGNING I

Lokalitet: Prof:1 y: 43.585

Borehull: **BNN-849**

Boredato : april 1982

Koordinater : X: 925.422,4 Y: 43.585

Retning : N

Helling/~~stigning~~: - 70°

Høyde : -45,4 m

Dybde	Lengde (m)	Analyser			
		% Pb	% Cu	% Zn	% S
5,90 - 7,10	1,20	0,07	0,50	3,31	
14,40 - 15,05	0,65	0,49	0,90	1,77	
15,05 - 15,65	0,60	0,08	0,21	0,49	
15,65 - 16,65	1,00	0,44	0,36	1,59	
16,65 - 17,55	0,90	2,44	1,50	4,94	
14,40 - 17,55	3,15	0,95	0,77	2,37	

A.K. 4.6.1982

MALMBEREGNING I

Lokalitet: Profil y

Borehull: BNN 848

Boredato : april 1982

Koordinater : X 925.422,4 Y: 43.585,0

Retning : \$

Helling/~~stigning~~ : - 80'

Høyde : -45,4 m

Dybde	Lengde (m)	Analyser						
		% Pb	% Cu	% Zn	% S			
5,00 - 6,15	1,15	1,33	0,15	0,34				
6,15 - 7,30	1,15	1,57	0,80	5,31				
13,50 - 15,30	1,80	0,68	0,34	2,07				
16,10 - 17,25	1,15	1,38	0,40	3,91				
17,25 - 18,05	0,80	0,37	0,29	1,58				
5,00 - 7,30	2,30	1,45	0,47	2,83				
13,50 - 17,25	3,75	0,75	0,29	2,19	2,811	1,072	8,223	
13,50 - 18,05	4,55	0,68	0,29	2,09	3,107		9,487	
A.V. 7.5.82.								

A.V. 7.5.82.

MALMBEREGNING I

Lokalitet: Profil y

Borehull: BNN-847

Boredato : mar 1982

Koordinater : X: 925.422,4 Y: 43.585,0

Retning : 1000

Helling/stigning : - 90°

Høyde : -45,4 m

Dybde	Lengde (m)	% Pb	% Cu	% Zn	% S			
5,70 - 6,90 3,10 - 4,30	1,20	1,13	0,32	2,39				
12,60 - 13,95	1,35	0,15	0,18	0,35				
13,95 - 15,40	1,45	0,99	0,35	3,75				
15,40 - 16,40	1,00	2,66	0,37	5,40				
16,40 - 17,50	1,10	0,09	0,04	0,17				
17,50 - 17,90	0,40	4,06	0,42	11,20				
32,90 - 33,90	1,00	0,06	0,56	3,94	✓			
33,90 - 34,40	0,50	0,09	0,23	0,44				
34,40 - 36,30	1,70	0,05	0,03	0,19				
36,30 - 36,80	0,50	0,59	0,22	1,73				
36,80 - 37,65	0,85	0,26	0,14	0,18				
37,65 - 38,20	0,55	1,70	0,21	4,41				
38,20 - 39,40	1,20	0,10	0,09	0,37				
13,95 - 17,90	3,95	1,47	0,28	3,93		5,819	1,090	15,504
36,30 - 38,20	1,90	0,76	0,18	1,81		1,451 0,935	0,345	3,444

A.K. 6.-7. 5.82

MALMBEREGNING I

Lokalitet: Profil y

Borehull: BNN-846

Boredato : mars 1982

Koordinater : X: 925.464,5 Y: 44.460

Retning : N

Helling/stigning : +72°

Høyde : -88,6 m

Dybde	Lengde (m)	Analyser						
		% Pb	% Cu	% Zn	% S			
6,00 - 6,75	0,75	0,95	0,20	1,80				
6,75 - 7,95	1,20	0,14	0,13	0,27				
7,95 - 9,15	1,20	0,16	0,26	0,68				
12,30 - 13,15	0,85	0,83	0,25	1,77				
13,15 - 14,70	1,55	0,18	0,13	0,19				
14,70 - 15,70	1,00	0,10	0,02	0,05				
15,70 - 16,95	1,25	0,05	0,22	0,75				
16,95 - 18,20	1,25	0,15	0,17	1,31				
18,20 - 19,45	1,25	0,04	0,21	1,06				
19,45 - 20,45	1,00	0,05	0,29	1,36				
20,45 - 21,95	1,50	0,06	0,02	0,12				
21,95 - 23,00	1,05	0,12	0,14	0,63				
23,00 - 24,00	1,00	0,36	0,16	1,01				
24,00 - 25,00	1,00	0,07	0,15	1,17				
27,20 - 27,80	0,60	0,04	0,16	0,60				
27,80 - 28,70	0,90	0,46	0,24	15,04				
28,70 - 29,15	0,45	0,08	0,07	0,98				
34,90 - 36,00	1,10	0,14	0,07	0,53				
36,00 - 37,10	1,10	0,30	0,08	0,96				
37,10 - 38,20	1,10	0,06	0,04	0,26				
38,20 - 39,05	0,85	0,24	0,05	0,65				
16,95 - 20,45	3,50	0,08	0,22	1,24		0,288	0,765	4,323
15,70 - 20,45	4,75	0,07	0,22	1,11		0,351	1,040	5,260
21,95 - 25,00	3,05	0,88	0,15	0,94				
27,20 - 29,15	1,95	0,23	0,18	7,35		0,45	0,344	14,337
34,90 - 39,05	4,15	0,18	0,06	0,60				

A.K. 6.7.5.82.

MALMBEREGNING 1

Lokalitet: Profil y

Borehull: BNN-845

Boredato : mars 1982

Koordinater : X: 925. 442,0 Y: 44. 505

Retning : \$

Helling/stigning : +45°

Høyde : - 89,3 m

Dybde	Lengde (m)	Analyser					
		% Pb	% Cu	% Zn	% S		
0,00 - 1,50	1,50	0,97	0,32	3,92			
1,50 - 2,40	0,90	1,37	0,48	4,50			
2,40 - 3,40	1,00	0,07	0,11	0,37			
13,00 - 14,00	1,00	0,11	0,03	0,25			
0,00 - 2,40	2,40	1,12	0,38	4,14			

A.K. S.S. 82.

MALMBEREGNING I

Lokalitet: Profil y 44.505
Borehull: BNN-844

Boredato : Mars '82
Koordinater : X: 925.447,6 Y: 44.505
Retning : N
Helling/stigning : 45°
Høyde : -89,5 m

Dybde	Lengde (m)	Analyser						
		% Pb	% Cu	% Zn	% S			
0.00 - 1.50 m	1.50 m	0.37	0.25	1.46				
1.50 - 3.00	1.50	0.95	0.30	2.40				
3.00 - 4.00	1.00	0.53	0.25	1.02				
4.00 - 4.80	0.80	0.11	0.09	0.47				
4.80 - 5.20	0.40	0.19	0.17	0.44				
5.20 - 5.95	0.75	0.62	0.40	1.94				
5.95 - 6.30	0.35	0.26	0.34	0.47				
6.30 - 7.30	1.00	1.13	0.33	1.90				
20.40 - 21.40	1.00	0.01	0.02	0.10				
21.40 - 22.60	1.20	0.01	0.15	0.07				
22.60 - 23.60	1.00	0.03	0.02	0.10				
0,00 - 3,00	3,00	0,66	0,27	1,93				
0,00 - 4,00	4,00	0,63	0,27	1,70				
5,20 - 7,30	2,10	0,80	0,36	1,68				

A.K. 27.4.82.

22/4-82
O. Andersen

MALMBEREGNING I

Lokalitet: Profil Y 44.285

Borehull: BNN 843

Boredato : mars 1982
Koordinater : X: 925.469,0. Y: 44.285,6
Retning : vest
Helling/stigning : +30°
Høyde : -52,1 m

[illegible]

MALMBEREGNING I

Lokalitet: Profil Y 44.285

Borehull: BNN 842

Boredato : mars 1982
 Koordnater : X: 925. 467,0. Y: 44.285,6
 Retning :
 Helling/stigning : -90°
 Høyde : -54,8 m.

Dybde	Lengde (m)	Analyser						
		% Pb	% Cu	% Zn	% S	m.% Pb	m.% Cu	m.% Zn
0,00 - 1,00	1,00	0,07	0,17	0,69				
1,00 - 2,00	1,00	0,13	0,12	0,95				
2,00 - 3,00	1,00	0,27	0,30	3,25				
3,00 - 4,00	1,00	0,16	0,36	0,89				
4,00 - 5,00	1,00	0,02	0,20	1,27				
5,00 - 6,00	1,00	0,35	0,14	2,71				
6,00 - 7,00	1,00	0,06	0,20	0,54				
7,00 - 8,00	1,00	0,34	0,20	2,12				
8,00 - 9,00	1,00	0,12	0,36	1,67				
9,00 - 10,00	1,00	0,02	0,07	0,30				
2,00 - 9,00	7,00	0,19	0,25	1,78		1,32	1,76	12,45
0,00 - 9,00	9,00	0,17	0,23	1,57				

A.H. 22.4.82.

MALMBEREGNING I

Lokalitet: Profil 44.285 Y

Borehull: BNN 841

Boredato : mars 1982

Koordinater : X: 925.467,5 Y: 44.286,6

Retning :

~~Helling~~/stigning : $+90^\circ$

Høyde : - 49,3

Dybde	Lengde (m)	Analyser						
		% Pb	% Cu	% Zn	% S			
3,20 - 4,20	1,00	0,31	0,10	0,92				
4,20 - 5,20	1,00	0,68	0,10	1,70				
5,20 - 6,50	1,30	0,84	0,19	2,02				
6,50 - 7,50	1,00	0,04	0,06	0,14				
3,20 - 6,50	3,30	0,63	0,14	1,59				

A.V. 22.4.82.

MALMBEREGNING I

Lokalitet: Profil 44. 505 Y

Borehull: BNN 840

Boredato : mars 1982

Koordinater : X 925.447,6. Y: 44.505,0

Retning : N

Helling/stigning : +35°

Høyde : -90,5 m

Dybde	Lengde (m)	Analyser						
		% Pb	% Cu	% Zn	% S	m.% Pb	m.% Cu	m.% Zn
6,70 - 7,70	1,00	0,03	0,04	0,09				
7,70 - 8,70	1,00	0,30	0,24	0,84				
8,70 - 9,70	1,00	0,45	0,32	1,85				
9,70 - 10,70	1,00	0,62	0,25	1,86				
10,70 - 11,70	1,00	0,04	0,04	0,13				
16,80 - 17,60	0,80	0,08	0,18	6,19				
17,60 - 18,20	0,60	-	-	-	persm.			
18,20 - 19,60	1,40	3,75	0,32	3,25				
19,60 - 21,00	1,40	0,28	0,12	0,59				
21,00 - 22,40	1,40	0,04	0,03	0,12				
22,40 - 23,60	1,20	0,10	0,16	0,85				
23,60 - 24,80	1,20	0,03	0,04	0,16				
24,80 - 26,00	1,20	0,05	0,18	2,60				
26,00 - 27,00	1,00	0,04	0,23	0,83				
27,00 - 28,00	1,00	0,03	0,14	0,32				
40,00 - 41,00	1,00	0,10	0,05	0,23				
41,00 - 42,00	1,00	0,67	0,41	2,51				
42,00 - 43,00	1,00	1,13	0,48	1,52				
43,00 - 44,00	1,00	0,92	0,22	2,81				
44,00 - 45,00	1,00	0,24	0,39	1,10				
45,00 - 46,00	1,00	0,30	0,27	1,55				
46,00 - 47,00	1,00	0,79	0,11	5,51				
47,00 - 48,00	1,00	0,02	0,21	0,74				
48,00 - 49,00	1,00	0,02	0,16	0,30				
49,00 - 50,00	1,00	0,10	0,23	0,76				
50,00 - 51,00	1,00	0,06	0,10	0,52				
51,00 - 52,00	1,00	0,02	0,10	0,11				
52,00 - 53,00	1,00	0,01	0,01	0,07				
16,80 - 19,60	2,80	1,90	0,21	3,39		5,314	0,592	9,532
41,00 - 47,00	6,00	0,59	0,31	2,50				

A.K. 22.4.82.

MALMBEREGNING I

Lokalitet: Profil 44.505 Y

Borehull: **BNN 838**

Boredato : *mar* 1982

Koordinater : X: 925.447,6. Y: 44.505,0

Retning : N

~~Helling~~/stigning : $+15^\circ$

Høyde : -91,0 m

Dybde	Lengde (m)	Analyser			
		% Pb	% Cu	% Zn	% S
0,00 - 1,00	1,00	1,02	0,64	3,06	
1,00 - 2,00	1,00	0,08	0,04	0,14	

A.K. 22.4.82.

MALMBEREGNING I

Lokalitet: Profil y 44.505

Borehull: BNN-837

Boredato :

Koordinater : X: 925.447,6 Y: 44.505,0

Retning : N

Helling/stigning : horisontalt

Høyde : -91,5 m

Dybde	Lengde (m)	Analyser						
		% Pb	% Cu	% Zn	% S	m% Pb	m.% Cu	m.% Zn
0.00 - 1.50 m	1.50	0.90	0.52	3.42				
1.50 - 2.50 "	1.-	0.04	0.05	0.16				
7.00 - 7.90 -	0.90	0.04	0.03	0.18				
7.90 - 9.00 -	1.10	0.49	0.28	1.93				
9.00 - 10.00 -	1.-	0.39	0.10	1.94				
10.00 - 11.00 -	1.-	0.88	0.21	3.31				
11.00 - 12.45.	1.45	0.46	0.33	2.10				
12.45 - 13.45.	1.-	0.04	0.10	0.23				
10.00 - 12.45	2.45	0.87	0.28	2.59		2.127	0.689	6.355
7.90 - 12.45	4.55	0.67	0.24	2.29		3.056	1.097	10.418

A.V. 27.4.82.

27/4-82
O. Andersen

MALMBEREGNING I

Lokalitet: Mofjell Grube. Prof: 44.537

Borehull: BNN 836

Boredato : Febr. 82

Koordinater : X: 925.449,4. Y: 44.537,4

Retning : N

Helling/stigning : +44°

Høyde : -89,7 m

Dybde	Lengde (m)	Analyser					
		% Pb	% Cu	% Zn	% S		
1,00 - 3,00	1,20	0,35	0,54	5,59			
3,00 - 4,00	1,00	0,26	0,34	1,83			
4,00 - 5,00	1,00	0,10	0,28	1,69			
1,00 - 5,00	3,20	0,24	0,40	3,20			
0,00 - 5,00	5,00	0,15	0,26	2,05			

A.V. 22.4.82.

MALMBEREGNING I

Boredato : Febr. 1982
Koordinater : X: 925.448, 0. Y: 44.527, 4
Retning : N
Helling/stigning : +67°
Høyde : -89.4

Lokalitet: **Mofjell Grube** Profil 44.537

Borehull: 835

Dybde	Lengde (m)	Analyser						
		% Pb	% Cu	% Zn	% S	m. % Pb	m. % Cu	m. % Zn
0,00 - 1,00	1,00	0,08	0,12	0,33				
1,00 - 2,00	1,00	0,41	0,25	2,16				
2,00 - 3,20	1,20	0,24	0,56	3,86				
3,20 - 4,40	1,20	0,92	0,33	1,83				
4,40 - 5,60	1,20	0,50	0,26	1,42				
5,60 - 6,60	1,00	0,01	0,01	0,05				
12,00 - 13,00	1,00	0,23	0,12	0,60				
13,00 - 14,00	1,00	0,94	0,15	3,19				
14,00 - 15,00	1,00	0,08	0,07	0,22				
19,50 - 21,15	1,65	0,07	0,16	0,48				
1,00 - 3,20	2,20	0,32	0,42	3,09		0,698	0,922	6,792
0,00 - 3,20	3,20	0,24	0,33	2,23		0,778	1,042	7,122
0,00 - 5,60	5,60	0,44	0,31	1,97		2,482	1,750	11,022

A.V. 22.4.02.

Dybde	Lengde (m)	Analyser			
		% Pb	% Cu	% Zn	% S
0.00 - 1.45 m	1.45	0.27	0.55	2.92	
1.45 - 2.50 "	1.05	0.43	0.12	1.15	
2.50 - 3.60 "	1.10	0.06	0.07	0.84	
3.60 - 4.50 "	0.90	0.75	0.40	3.58	
4.50 - 5.50 "	1. -	0.07	0.04	0.30	

26/3-82
O.M.

MALMBEREGNING I

Lokalitet: Profil 44.460

Borehull: BNN-833

Boredato : Febr-82

Koordinater : X: 925.434 Y: 44.456

Retning : 50

Helling/stigning : $+72^\circ$

Høyde : - 88,3

Dybde	Lengde (m)	Analyser			
		% Pb	% Cu	% Zn	% S
0.20 - 1.40 m	1.20	0.03	0.52	1.97	
1.40 - 2.50 "	1.10	0.05	0.10	0.14	
2.50 - 3.50 "	1.-	0.12	0.09	0.05	
3.50 - 4.50 "	1.-	1.06	0.26	3.14	
4.50 - 5.50 "	1.-	0.08	0.26	0.62	
5.50 - 6.50 "	1.-	0.25	0.42	0.72	
6.50 - 7.50 "	1.-	0.11	0.34	2.68	
16.55 - 18.00 "	1.45	0.59	0.24	2.15	

25/3-82
OK

MALMBEREGNING I

Skall være flere analyser! Nei, ikke
funnet i Åga.

Boredato : Febr. '82
Koordinater : X: 935.434,4 Y: 44.456,5
Retning : N
Helling/stigning : +70°
Høyde : -88,3 m

Lokalitet: Profil Y 44.460
Borehull: BNN-832

Dybde	Lengde (m)	Analyser							
		% Pb	% Cu	% Zn	% S				
0.00 - 1.00 m	1.-	0.04	0.49	2.14					
1.00 - 1.90 "	0.90	0.11	0.36	4.19					
1.90 - 2.90 "	1.-	0.02	0.06	0.13					
19.90 - 21.00 -									
21.00 - 22.00 -									
22.00 - 23.00 -									
24.00 - 25.00									

proven larsy ikke finne.

A.K. 27.4.82.

25/3-82
OH

MALMBEREGNING I BURMAN!

Lokalitet: Profu 44.310

Borehull: BNN-831

Boredato : Feb-82

Koordinater : x: 825.403,5 y: 44.307,4

Retning : S.

Helling/stigning : $+65^\circ$

Høyde : -82,8

Dybde	Lengde (m)	Analyser			
		% Pb	% Cu	% Zn	% S
0.00 - 1.00 m	1. -	0.02	0.05	0.94	
1.00 - 1.85 "	0.85	0.02	0.05	0.93	
1.85 - 2.90 "	1.05	0.01	0.01	0.06	
6.00 - 7.00 .	1. -	0.10	0.04	0.15	
7.00 - 8.00 .	1. -	0.08	0.07	1.03	
8.00 - 8.50 .	0.50	0.33	0.16	1.46	
8.50 - 9.50 .	1. -	0.03	0.11	0.10	
14.10 - 15.10 .	1. -	0.08	0.18	0.31	
15.10 - 15.90 .	0.80	0.82	0.22	2.89	
15.90 - 16.90 .	1. -	0.37	0.18	1.18	

22/3-82
D.H.

MALMBEREGNING I

Burrman

Lokalitet: 44310

Borehull: BNN-830

Boredato : Feb-82

Koordinater : X: 925.403,5 Y: 44.303,4

Retning : S.

Helling/stigning : +80°

Høyde : -82,3

Dybde	Lengde (m)	Analyser						
		% Pb	% Cu	% Zn	% S	mg Pb	mg Cu	mg Zn
4.00 - 4.90 m	0.90	0.05	0.02	0.13				
4.90 - 6.00 "	1.10	0.43	0.30	11.48		0.473	0.33	12.628
6.00 - 6.90 "	0.90	0.74	0.34	5.20		0.666	0.306	4.68
6.90 - 7.80 "	0.90	0.05	0.07	0.33		0.045	0.063	0.297
7.80 - 9.00 "	1.20	0.42	0.50	2.86		0.504	0.60	3.432
9.00 - 9.80 "	0.80	0.63	0.47	0.89				
9.80 - 10.80 "	1. -	0.03	0.03	0.10				
10.80 - 12.10 "	1.30	0.23	0.11	0.55				
12.10 - 12.60 "	0.50	0.19	0.08	0.43				
12.60 - 14.00 "	1.40	0.12	0.08	0.42				
14.00 - 15.00 "	1. -	0.44	0.07	1.86		0.44	0.07	1.86
15.00 - 15.80 "	0.80	0.98	0.16	4.16		0.784	0.128	3.328
15.80 - 16.80 "	1. -	0.04	0.04	0.16				
21.40 - 22.80 "	1.40	0.31	0.09	1.13				
4.90 - 9.00	4.10	0.41	0.32	5.14				

19/3-82

Burrman

18/3-82

OM.

MALMBEREGNING I

Bunnell

Lokalitet: Profil. 43.650

Borehull: BNN-829

Boredato : Feb-82

Koordinater : X: 925.394,2 Y: 43.650,8

Retning : S

Helling/stigning : - 58°

Høyde : - 62,3

Dybde	Lengde (m)	Analyser						
		% Pb	% Cu	% Zn	% S	mg Pb	mg Cu	mg Zn
0.00 - 1.15 m	1.15	0.73	0.61	3.47				
1.15 - 2.30 "	1.15	0.45	0.54	2.63				
2.30 - 2.85 "	0.55	0.04	0.03	0.18				
19.00 - 20.00 "	1. -	0.11	0.05	0.12				
20.00 - 21.60 "	1.60	1.28	0.60	6.12		2,048	0,96	9,792
21.60 - 23.35 "	1.75	1.42	0.71	4.17		2,485	1,243	7,298
23.35 - 24.35 "	1. -	0.14	0.08	0.44				
0.00 - 2,30	2,30	0,59	0,58	3,05		2,048 0		
20.00 - 23,35	3,35	1,35	0,66	5,10				

19/3-82

[Signature]

18-3-82
OK.

Burman

Lokalitet: Profil 43.651,8

Borehull: *BNW-828*

Boredato : Feb-82

Koordinater : X: 925.394,2 Y: 43.651,8

Retning : S

Helling/signing: - 75

Høyde : - 62,3

19/3-82

Alan Furman

$$17/3 - 82$$

9

MALMBEREGNING I *Swoman*

Lokalitet: 43.650

Borehull: *BNN-826*

Boredato :

Koordinater : X: 925,409,5 Y: 43,652,8

Retning : N

Helling/stigning: - 25°

Høyde : - 61.5

Dybde	Lengde (m)	Analyser			
		% Pb	% Cu	% Zn	% S
6.00 - 7.30 m	1.30	0.02	0.01	0.05	
7.30 - 8.80 "	1.50	2.47	0.83	10.00	
8.80 - 9.80 "	1. -	0.03	0.01	0.04	

17/3 -82
CH

MALMBEREGNING I

Barman

Lokalitet: Profil 43.650

Borehull: BNN-825

Boredato : Feb-82

Koordinater : X: 825.409,5 Y: 43.652,8

Retning : N.

Helling/signering : 33°

Høyde : -61,6

Dybde	Lengde (m)	Analyser						
		% Pb	% Cu	% Zn	% S	mg Pb	mg Cu	mg Zn
0.00 - 1.30 m	1.30	2.60	0.48	1.37		3.38	0.624	1.781
1.30 - 2.30 .	1.-	2.74	0.38	7.88		2.74	0.38	7.88
2.30 - 3.30 .	1.-	6.55	0.12	15.36		6.55	0.12	15.36
3.30 - 4.10 .	0.80	3.49	0.23	7.48		2.792	0.184	5.984
4.10 - 5.10 .	1.-	0.11	0.05	0.27		0.11	0.05	0.27
5.10 - 5.80 .	0.70	0.02	0.02	0.06		0.014	0.014	0.042
5.80 - 6.80 .	1.-	0.98	0.78	4.40		0.98	0.78	4.40
6.80 - 7.30 .	0.50	3.88	0.94	12.04		1.94	0.47	6.02
7.30 - 8.30 .	1.-	0.24	0.10	0.60				
29.30 - 30.30 .	1.-	0.06	0.02	0.09				
30.30 - 30.45 .	0.15	0.65	0.56	3.34				
30.45 - 30.75 .	0.30	0.06	0.09	0.30				
30.75 - 31.10 .	0.35	0.93	0.72	0.15				
31.10 - 32.10 .	1.-	0.03	0.04	0.15				
34.50 - 35.40 .	0.90	0.03	0.05	0.12				
35.40 - 36.00 .	0.60	1.03	0.57	6.24				
36.00 - 37.00 .	1.03	0.03	0.04	0.11				
0.00 - 7.30	7.30	2.54	0.36	5.72				

19/3-82

Alan Barman

17/3-82
D.H.

MALMBEREGNING I *Burman*

Lokalitet: Profil 43.650

Borehull: *BNN-824*

Boredato :

Koordinater : X: 925.409,5 Y: 43.652,8

Retning : 11

Helling/signing: 1 SS

Høyde : - 61.6

[illegible]

MALMBEREGNING I *Buroman*

Lokalitet: Profil. 43.680

Borehull: BNN-823

Boredato :

Koordinater : X: 925.409,5 Y: 43.652,8

Retning : N

Helling/signing: - 45°

Høyde : - 61,6

Dybde	Lengde (m)	Analyser						
		% Pb	% Cu	% Zn	% S	mg Pb	mg Cu	mg Zn
4.80 - 5.80 m	1.-	0.04	0.07	0.06				
5.80 - 6.50 "	0.70	2.70	0.65	6.66				
6.50 - 7.50 "	1.-	0.07	0.03	0.19				
24.40 - 25.40 "	1.-	0.03	0.05	0.07				
25.40 - 26.20 "	0.80	0.89	0.42	6.90		0.712	0.336	5.52
26.20 - 27.00 "	0.80	0.11	0.42	7.66		0.088	0.336	6.128
27.00 - 28.00 "	1.-	0.11	0.89	2.59		0.11	0.89	2.59
28.00 - 28.80 "	0.80	0.02	1.13	3.35		0.016	0.904	2.68
28.80 - 29.80 "	1.-	0.01	0.05	0.11				
31.20 - 32.20 "	1.-	0.01	0.06	0.05				
32.20 - 33.20 "	1.-	0.01	0.77	2.39				
33.20 - 34.00 "	0.80	0.02	0.38	0.18				
34.00 - 35.00 "	1.-	0.01	0.12	0.07				
25.40 - 28.80	3.40	0.27	0.73	4.98				
19/3-82 Alan Turner								
17/3-82 OK								

MALMBEREGNING I *Burman*

Lokalitet: 43.755

Borehull: BNN-821

Boredato :

Koordinater : X: 925.419,9 Y: 43.752,7

Retning : S

Helling/stigning : + 64°

Høyde : -45.0

Dybde	Lengde (m)	Analyser			
		% Pb	% Cu	% Zn	% S
0.00 - 0.80 m	0.80	1.83	0.71	5.70	
0.80 - 1.80 "	1.0	0.03	0.07	0.08	
17/3 - 82 O.H.					

MALMBEREGNING i *Barthman*

Lokalitet: Profil 43.750

Borehull: BNN-820

Boredato : Feb-82

Koordinater : X: 925.423,7 Y: 43.754,1

Retning : S.

Helling/stigning : +60

Høyde : - 43,6

Dybde	Lengde (m)	Analyser			
		% Pb	% Cu	% Zn	% S
0.00 - 1.65 m	1.65	2.10	0.36	9.30	
1.65 - 2.65 "	1.-	0.26	0.14	0.17	

17/3-82
049.

MALMBEREGNING I *Bullman*

Lokalitet: Profil 43,750

Borehull: BNN-819

Boredato : Feb-82
Koordinator : X: 925.424,8 Y: 43754,2
Retning : S.
Helling/stigning : +80°
Høyde : - 43,5

Dybde	Lengde (m)	Analyser			
		% Pb	% Cu	% Zn	% S
0.00 - 1.00 m	1.-	1.81	0.27	8.50	
1.00 - 2.00 "	1.-	0.02	0.07	0.08	
2.00 - 3.00 "	1.-	1.31	0.24	4.70	
0.00 - 3.00	3.-	1.05	0.19	4.43	

17/5-82
OAA

MALMBEREGNING I

BURMAN

Lokalitet:

Borehull:

BNN-818

Boredato

: 7. aug - 82

Koordinater

: X: 925,425,8 Y: 43754

Retning

: N

Helling/stigning

: + 80°

Høyde

: - 43,4

Dybde	Lengde (m)	Analyser						
		% Pb	% Cu	% Zn	% S	mg Pb	mg Cu	mg Zn
0.00 - 0.45 m	0.45	0.12	0.03	1.34		0.054	0.014	0.626
0.45 - 1.50 "	1.05	3.65	0.36	13.60		3.833	0.378	14.28
1.50 - 2.60 "	1.10	1.93	0.21	4.34		2.123	0.231	4.774
2.60 - 3.60	1. -	0.14	0.25	0.33				
0.00 - 2.60	2.60	2.31	0.24	7.57				

8/2-82

Burman

1/2-82
O.H.

MALMBEREGNING I

Lokalitet: Profil 43.755

Borehull: BNN-817

Boredate : Jan - 82

Koordinator : x: 425,426,1 y: 43,7539

Nothing : N

Rolling friction : $+60^\circ$

:- 43.5

Dybde	Lengde (m)	Analyser						
		% Pb	% Gal	% Zn	% S	mg Pb	mg Cu	mg Zn
0.00 - 0.55 m	0.55	0.17	0.02	0.26		0.092	0.001	0.143
0.55 - 1.50 "	0.95	3.05	0.19	15.04		2.898	0.181	14.288
1.50 - 2.50 "	1.-	1.86	0.38	7.76		1.86	0.38	7.76
2.50 - 3.80 "	1.30	0.29	0.17	0.89		0.377	0.221	1.157
3.80 - 5.30 "	1.50	1.48	1.15	7.16		2.22	1.725	10.74
5.30 - 6.30 "	1.-	0.13	0.27	0.59				
0.0 - 5.30 5.30 1.41 0.48 6.43 1/2 - 82 J. L. Burnan 1/2 - 82 OMA								

Lokalitet: 43.755

Borehull: BNN-816

Boredato : Jan-82

Koordinater : X: 925.426,6 Y: 43.754,5

Retning : 2

Holding/signing : + 45°

Høyde : ~~155~~ 144 cm

Dybde	Lengde (m)	Analyser			
		% Pb	% Cu	% Zn	% S
0.00 - 1.00 m	1.-	0.17	0.50	0.54	
1.00 - 2.00 "	1.-	0.35	0.10	1.66	
2.00 - 3.00 -	1.-	1.22	0.20	4.70	
3.00 - 4.00 "	1.-	1.77	0.17	3.61	
4.00 - 5.00 "	1.-	1.02	0.25	2.37	
5.00 - 6.00 "	1.-	2.08	0.14	7.08	
6.00 - 7.00 "	1.-	0.47	0.35	2.28	
7.00 - 8.00 "	1.-	0.42	0.24	1.56	
8.00 - 9.00 "	1.-	0.25	0.13	0.74	
9.00 - 10.10.	1.10	0.35	0.19	1.19	
10.10 - 11.10	1.-	0.05	0.07	0.19	
0.00 - 7.00	7.00	1.01	0.24	3.18	
8/2-82 Allen Burman					
1/2-82 D.H.					

BORMAN

BNN-815

Boredato : 7m - 82
Koordinator : X: 925.426,6 Y: 43754,9
Retning : N
Helling/stigning : + 35°
Høyde : - 45,3

[illegible]

BURMAN

Borehull: BNN-814

Boredato : Jan - 82
Koordinater : X: 925.426,5 Y: 43754,8
Retning : N
Helling/stigning : + 29°
Høyde : - 45,6

Dybde	Lengde (m)	Analyser						
		% Pb	% Cu	% Zn	% S	mg Pb	mg Cu	mg Zn
0.00 - 1.00 m	1. -	0.49	0.23	3.64				
1.00 - 2.00 "	1. -	0.12	0.50	0.64				
2.00 - 3.00 "	1. -	0.12	0.22	1.30				
3.00 - 4.00 "	1. -	2.25	0.30	8.12				
4.00 - 5.00 "	1. -	2.10	0.32	4.53				
5.00 - 5.60 "	0.60	2.48	0.13	5.18	1.488	0.078	3.108	
5.60 - 6.60 "	1. -	0.14	0.08	0.45				
10.00 - 11.00 "	1. -	1.31	0.10	2.84				
11.00 - 12.00 "	1. -	0.63	0.13	1.65				
12.00 - 13.00 "	1. -	0.24	0.14	0.71				
13.00 - 14.00 "	1. -	0.15	0.17	0.62				
14.00 - 15.00 "	1. -	0.07	0.13	0.80				
0.00 - 5.60	5.60	1.17	0.29	3.81				
8/2-82 Steinar Furman								
28/-82 Off.								

MALMBEREGNING I

BORMAN!!

Lokalitet: Profil 43.755

Borehull:

BNW-813

Boredato : 7. juni 82

Koordinater : X: 925.426,5 Y: 43.754,8

Retning : N

Helling/stigning : + 23°

Høyde : - 46,3

Dybde	Lengde (m)	Analyser						
		% Pb	% Cu	% Zn	% S	mg Pb	mg Cu	mg Zn
0,00 - 1,00 m	1,-	1,48	0,29	3,44				
1,00 - 2,00 m	1,-	1,70	0,28	2,28				
2,00 - 3,00 m	1,-	0,83	0,35	2,36				
3,00 - 4,00 m	1,-	0,20	0,45	1,88				
4,00 - 5,00 m	1,-	0,92	0,97	5,28				
5,00 - 6,00 m	1,-	1,06	0,31	2,53				
6,00 - 7,00 m	1,-	0,72	0,18	1,80				
7,00 - 8,00 m	1,-	0,04	0,02	0,17				
8,00 - 9,40 m	1,40	0,38	0,16	1,07		0,532	0,224	1,498
9,40 - 10,40 m	1,00	0,03	0,03	0,07				
55,70 - 56,70 m	1,00	0,10	0,19	0,26				
56,70 - 57,40 m	0,70	3,80	0,37	2,00				
57,40 - 58,00 m	0,60	0,10	0,11	0,31				
58,00 - 59,00 m	1,-	0,11	0,30	0,58				
59,00 - 59,90 m	0,90	0,03	0,17	0,40				
59,90 - 61,50 m	1,60	0,08	0,38	3,91				
61,50 - 63,00 m	1,50	0,80	0,40	2,00				
63,00 - 64,00 m	1,00	0,26	0,18	1,49				
64,00 - 65,10 m	1,10	0,26	0,16	0,69				
65,10 - 65,40 m	0,30	0,08	0,14	1,82				
65,40 - 66,40 m	1,-	0,09	0,14	0,37				
66,40 - 67,40 m	1,-	0,05	0,04	0,16				
67,40 - 68,20 m	0,80	0,01	0,04	0,04				
68,20 - 68,50 m	0,30	0,01	0,26	8,72				
68,50 - 69,80 m	1,30	0,02	0,03	0,22				
69,80 - 70,25 m	0,45	0,01	0,20	2,30				
						27,-82	0,11	

MALMBEREGNING I

BURMAN

Lokalitet:

Borehull: BNN-813

Boredato :
Koordinater :
Retning :
Helling/stigning :
Høyde :

Dybde	Lengde (m)	Analyser						
		% Pb	% Cu	% Zn	% S	mg Pb	mg Cu	mg Zn
70.25 - 71.25 m	1. -	0.02	0.05	0.07				
71.25 - 72.25 "	1. -	0.01	0.02	0.03				
72.25 - 73.10 .	0.85	0.01	0.03	0.05				
73.10 - 73.75 .	0.65	0.03	0.01	0.02				
73.75 - 74.50 .	0.75	0.04	0.01	0.34				
74.50 - 75.00 .	0.50	0.02	0.09	0.55				
75.00 - 76.00 .	1. -	0.01	0.01	0.31				
80.40 - 81.40 .	1. -	0.01	0.01	0.29				
81.40 - 82.40 .	1. -	0.11	0.12	0.63				
82.40 - 83.40 .	1. -	0.03	0.04	0.10				
83.40 - 84.80 .	1.40	0.35	0.07	1.38		0.49	0.098	1.932
84.80 - 85.80 "	1. -	2.28	0.20	7.12		2.28	0.20	7.12
85.80 - 86.60 "	0.80	1.53	0.32	5.70		1.224	0.256	4.56
86.60 - 87.60 .	1. -	0.49	0.10	1.00		0.49	0.10	1.00
87.60 - 88.60 .	1. -	0.59	0.09	1.08				
88.60 - 89.60 .	1. -	0.32	0.13	0.94				
89.60 - 90.60 .	1. -	0.23	0.12	0.60				
90.60 - 91.60 .	1. -	0.19	0.17	0.41				
91.60 - 92.60 "	1. -	0.17	0.11	0.49				
92.60 - 93.60 .	1. -	0.43	0.11	1.00				
93.60 - 94.60 .	1. -	0.10	0.16	0.47				
94.60 - 95.50 .	0.90	0.13	0.10	0.34				
95.50 - 96.50	1. -	0.01	0.01	0.06				
0.00 - 5.00	5.00	1.03	0.47	3.05				
83.40 - 87.60	4.20	1.07	0.16	3.47	28/-82			
			8/-82					

Burman

BURMAN

Boredato : Jan-82
Koordinater : X: 925,4265 Y: 43,7548
Retning : N
Helling/stigning : +18°
Høyde : -46,3

Borehull: BNN-812

Dybde	Lengde (m)	Analyser			
		% Pb	% Cu	% Zn	% S
47.00 - 48.00 m	1.-	0.02	0.05	0.22	
48.00 - 49.00	1.-	1.66	0.41	2.66	
49.00 - 49.90 m	0.90	0.24	0.23	1.73	
49.90 - 51.00	1.10	0.02	0.02	0.12	
60.10 - 61.10	1.00	0.03	0.03	0.06	
61.10 - 62.05	0.95	0.10	0.33	1.89	
62.05 - 63.60	1.55	0.04	0.04	0.12	
63.60 - 64.30	0.70	0.12	0.49	7.20	
64.30 - 65.30	1.00	0.04	0.07	0.14	

26/1-82
O.H.

MALMBEREGNING I

BURMAN!!

Lokalitet:

Borehull: BNN-811

Boredato :

Koordinater : X: 925.430 + Y: 43.836,7

Retning : N,

Helling/stigning : + 40

Høyde : - 81,0

Dybde	Lengde (m)	Analyser						
		% Pb	% Cu	% Zn	% S			
0.00 - 1.60 m	1.60	0.06	0.07	0.34				
1.60 - 2.50	0.90	1.57	1.18	6.20				
2.50 - 3.50	1.-	0.07	0.05	0.33				
90.25 - 91.25	1.-	0.10	0.08	0.48				
91.25 - 91.65	0.40	0.56	0.29	0.97				
91.65 - 92.75	1.10	0.01	0.02	0.04				
92.75 - 93.00	0.25	0.08	0.78	0.20				
93.00 - 94.00	1.-	0.03	0.08	0.15				
94.00 - 95.35	1.35	0.02	0.08	0.13				
95.35 - 95.75	0.40	0.01	0.20	5.64				
95.75 - 96.30	0.55	0.09	0.83	0.36				
96.30 - 97.30	1.-	0.07	0.14	0.42				
97.30 - 98.30	1.-	0.16	0.19	0.32				
98.30 - 99.30	1.-	0.15	0.20	0.70				
99.30 - 100.30	1.-	0.03	0.14	0.12				
100.30 - 101.30	1.-	0.36	0.23	0.65				
101.30 - 102.30	1.-	0.13	0.20	0.50				
102.30 - 103.30	1.-	0.43	0.18	1.58				
103.30 - 104.30	1.-	0.76	0.18	2.34				
104.30 - 105.30	1.-	0.62	0.20	0.94				
105.30 - 106.30	1.-	0.20	0.10	0.49				
106.30 - 107.00	0.70	0.58	0.15	1.46				
107.00 - 108.00	1.-	0.04	0.01	0.10				
1, 60 - 2, 50	0, 90	1, 57	1, 18	6, 20				
95, 35 - 95, 75	0, 40	0, 01	0, 20	5, 64				
96, 30 - 102, 30	6, 00	0, 15	0, 18	0, 45	0, 90	1, 08	2, 70	
102, 30 - 104, 30	2, 00	0, 60	0, 18	1, 96	1, 20	2, 57	8, 2	
102, 30 - 107, 00	4, 70	0, 52	0, 16	1, 36	2, 426	0, 96	5, 92	

A.K.

MALMBEREGNING I

Lokalitet: Profil 43.900

Borehull: BNN-808

Boredato : Nov - 81

Koordinater : X: 925,434 Y: 43,900

Retning : N

Helling/signing: +46°

Høyde : -81

[illegible]

MALMBEREGNING I

Lokalitet: Profil 43.900

Borehull: BNN - 809.

Boredato : Nv-81

Koordinater : X: 925.434 Y: 43.900

Retning : N.

Helling/stigning : +52°

Høyde : -81

Dybde	Lengde (m)	Analyser							
		% Pb	% Cu	% Zn	% S				
62.45-63.45 m	1.-	0.02	0.07	0.05					
63.45-64.90 "	1.45	0.31	0.29	0.91					
64.90-65.30 "	0.40	0.16	0.72	2.01					
65.30-66.85 "	1.55	0.01	0.16	0.18					
66.85-68.40 "	1.55	0.01	0.01	0.04					
68.40-68.65 "	0.25	0.10	0.52	1.88					
68.65-70.10 "	1.45	0.15	0.22	0.54					
70.10-71.70 "	1.60	0.04	0.03	0.08					
71.70-73.30 "	1.60	0.04	0.04	0.15					
73.30-74.70 "	1.40	0.47	0.11	0.90					
74.70-75.25 "	0.55	0.81	0.34	3.40					
75.25-76.00	0.75	0.02	0.01	0.05					

14/12-81
O.H.

MALMBEREGNING I

Lokalitet: Profil 43.900

Borehull: BNN-807

Boredato : Nov - 81

Koordinater : X: 925.434, Y: 43.900

Retning : N

~~Helling~~/stigning : $\rightarrow 35^\circ$

Høyde : - 81

Dybde	Lengde (m)	Analyser				mg Pb	mg Cu	mg Zn
		% Pb	% Cu	% Zn	% S			
95.00 - 96.00	1,-	0.07	0.05	0.16				
96.00 - 97.30	1.30	1.10	0.24	3.29	1.43	0.312	4.277	
97.30 - 98.60	1.30	0.94	0.39	6.94	1.222	0.507	9.022	
98.60 - 100.00	1.40	0.08	0.03	0.18				
100.00 - 101.00	1,-	0.16	0.12	0.50				
101.00 - 102.00	1,-	0.08	0.02	0.17				
102.00 - 103.00	1,-	0.29	0.11	0.46				
103.00 - 104.00	1,-	0.49	0.17	1.05				
104.00 - 105.00	1,-	0.43	0.15	0.84				
105.00 - 106.00	1,-	0.02	0.02	0.10				
96.00 - 98.60	2.60	1.02	0.32	5.12				
17/12-81 918.								
14/12-81 O.H.								

MALMBEREGNING I

Burman

Lokalitet: Profil 43.900

Borehull: BNN-806

Boredato : 01-11-81

Koordinater : X: 925.434, Y: 43.900

Retning : N.

Helling/stigning : + 40°

Høyde : - 81.0

Dybde	Lengde (m)	Analyser						
		% Pb	% Cu	% Zn	% S	mg Pb	mg Cu	mg Zn
64.60 - 65.10 m	0.50	0.30	0.10	0.63				
65.70 - 67.00 "	1.30	0.77	0.16	1.47				
67.00 - 68.10 "	1.10	0.17	0.11	0.35				
68.00 - 69.30 "	1.30	0.35	0.13	0.73				
80.30 - 80.50 "	0.20	1.11	0.22	4.50				
81.00 - 81.80 "	0.80	0.49	0.70	2.34				
86.10 - 86.60 "	0.50	0.04	0.25	2.76				
89.50 - 90.00 "	0.50	0.12	0.35	1.34				
91.10 - 92.30 "	1.20	1.71	0.22	6.32		2.052	0.264	7.584
92.30 - 93.60 "	1.30	0.67	0.26	3.43		0.871	0.338	4.459
93.60 - 94.10 "	0.50	0.13	0.05	0.46				
91.10 - 93.60	2.50	1.17	0.24	4.82				

29/08/81 OJA

(22)

$$\begin{array}{r} 2 \\ 150.60 \\ \hline 97.5 \\ 90 \\ \hline 97.5 \end{array}$$

$$\begin{array}{r} 865 \\ 180.7 \\ \hline 1400 \\ \hline 126 \end{array}$$

MALMBEREGNING I

Lokalitet: Profil 43980
Borehull: BNN-805

Boredato : OKT-81
Koordinater X: 925.431 Y: 43980
Retning : N
Helling/stigning : +43°
Høyde : - 33.4

Dybde	Lengde (m)	Analyser						
		% Pb	% Cu	% Zn	% S	mg Pb	mg Cu	mg Zn
32.80 - 34.30 m	1.50	0.64	0.27	1.31				
35.60 - 37.00	1.40	0.73	0.18	1.43				
38.10 - 39.20	1.10	0.14	0.13	0.32				
64.00 - 65.00	1.-	1.06	0.19	2.75		1.06	0.19	2.75
65.00 - 66.30	1.30	1.64	0.18	3.61		2.132	0.239	3.913
68.20 - 69.20	1.-	1.24	0.34	3.02				
69.20 - 70.20	1.-	0.68	0.25	1.32				
74.00 - 75.00	1.-	0.55	0.14	1.19				
75.00 - 76.20	1.20	0.13	0.15	0.34				
76.20 - 77.40	1.20	0.08	0.06	0.18				
77.40 - 78.60	1.20	0.40	0.11	1.08				
82.10 - 83.00	0.90	0.22	0.29	0.87				
83.00 - 84.00	1.-	0.12	0.09	0.59				
84.00 - 85.00	1.-	0.10	0.07	0.21				
85.00 - 86.00	1.-	0.29	0.11	0.30				
86.00 - 87.00	1.-	0.14	0.12	0.25				
87.00 - 88.00	1.-	0.02	0.03	0.04				
88.00 - 89.00	1.-	0.14	0.15	0.52				
89.00 - 90.20	1.20	0.05	0.15	0.13				
90.20 - 91.50	1.30	1.51	0.45	5.40		1.963	0.585	7.02
91.50 - 92.75	1.25	1.27	0.18	3.42		1.588	0.225	4.275
92.75 - 94.00	1.25	0.12	0.06	0.35				
64 - 66.30	2.30	1.39	0.18	2.90				
68.20 - 69.20	1.00	1.24	0.34	3.02				
90.20 - 92.75	2.55	1.39	0.35	4.43				

20/10-81, O.H.

MALMBEREGNING I

Lokalitet: Profil 44070

Borehull: 3NN-804

Boredato : Sept -81
Koordinator : X: 925.433 y: 44.065,3
Retning : N
Helling/stigning : +48°
Høyde : ~~78,80~~ - 80,1

Dybde	Lengde (m)	Analyser			
		% Pb	% Cu	% Zn	% S
9.60 - 10.20 m	0.60	0.88	0.15	1.93	
17.50 - 18.50 "	1.-	0.27	0.25	0.76	
18.50 - 19.80 "	1.30	0.65	0.31	1.40	
46.70 - 47.70 "	1.-	0.28	0.14	0.69	
47.70 - 48.70 "	1.-	0.44	0.22	1.27	
48.70 - 49.70 "	1.-	0.47	0.16	1.08	
55.95 - 56.80 "	0.85	0.47	0.24	0.90	
56.80 - 57.70 "	0.90	0.05	0.04	0.10	
57.70 - 59.00 "	1.30	0.56	0.44	1.47	
59.00 - 60.00 "	1.-	0.27	0.38	0.66	
60.00 - 61.00 "	1.-	0.13	0.06	0.30	
61.00 - 62.00 "	1.-	0.24	0.08	0.64	
62.00 - 63.00 "	1.-	0.35	0.20	0.70	
63.00 - 64.00 "	1.-	0.54	0.32	1.91	10.7
64.00 - 65.00 "	1.-	0.67	0.43	2.27	18.4
65.00 - 66.00 "	1.-	1.63	0.73	7.80	16.3
66.00 - 67.00 "	1.-	1.61	0.36	6.36	29.1
67.00 - 68.00 "	1.-	2.56	0.22	10.10	21.8
68.00 - 69.00 "	1.-	0.51	0.27	2.46	19.7
69.00 - 70.00 "	1.-	0.87	0.54	3.01	6.5
70.00 - 71.00 "	1.-	1.94	0.33	6.26	12.4
71.00 - 72.00 "	1.-	0.68	0.31	1.94	26.0
63.00 - 72.00	9.00	1.23	0.39	4.68	16.2
65.00 - 71.00	6.00	1.52	0.41	6.00	19.3
15/10-81 Shuan Bunn 15/10-81, O.H.					

MALMBEREGNING I

Lokalitet: Profil 44.200

Borehull: BNN-803

Boredato : Sept - 81

Koordinater : X: 925,434 Y: 44,200

Retning : N

Helling/stigning : + 48°

Høyde : - 81.0

Dybde	Lengde (m)	Analyser						
		% Pb	% Cu	% Zn	% S	mg Pb	mg Cu	mg Zn
0.60 - 1.30 m	0.70	0.12	0.43	0.43				
6.90 - 8.50 "	1.60	0.03	0.11	0.20				
8.50 - 10.00 "	1.50	0.03	0.19	1.02				
10.00 - 11.50 "	1.50	0.03	0.18	1.18				
11.50 - 12.50 "	1.-	0.10	0.22	2.19				
12.50 - 13.60 "	1.10	0.02	0.18	1.78				
52.50 - 53.50 "	1.-	0.28	0.32	2.35		0.28	0.32	2.35
53.50 - 54.60 "	1.10	1.71	0.33	8.64		1.881	0.363	9.504
54.60 - 55.70 "	1.10	0.31	0.25	0.34		0.341	0.275	0.374
55.70 - 57.00 "	1.30	1.18	0.66	10.56		1.534	0.858	13.728
57.00 - 58.50 "	1.50	1.14	0.33	3.72		1.71	0.495	5.580
58.50 - 59.80 "	1.30	0.19	0.09	0.63				
59.80 - 60.80 "	1.-	0.16	0.14	0.38				
67.00 - 67.50 "	0.50	0.43	0.14	1.00				
68.00 - 68.20 .	0.20	1.11	0.16	2.52				
52.50 - 58.50	6.00	0.96	0.39	5.26				
					15/10-81			
					Johan Gunnarsson			
					% 0.81, 0.11.			

MALMBEREGNING I

Lokalitet: Profis 44.550

Borehull: 5/0/0-0 00

Boredato : 544-81

Koordinator :

Retning : \$

Helling/signing : - 25°

Høyde :

44,553

Dybde	Lengde (m)	Analyser			
		% Pb	% Cu	% Zn	% S
0.00 - 2.50 m	1.50	2.15	0.43	6.18	X
NB: På posen stod det 1.00 - 1.50 m, men den inde- holdt 1.50 m bjærne.					

1/10-81 O.H.

MALMBEREGNING I

Lokalitet: *Profil 44,580*

Borehull: *BNN-798*

Boredato : *Sept-81*

Koordinater :

y: 44553

Retning : *S*

Helling/stigning : *+ 23°*

Høyde :

Dybde	Lengde (m)	Analyser						
		% Pb	% Cu	% Zn	% S	mg Pb	mg Cu	mg Zn
<i>0.00 - 0.50 m</i>	<i>0.50</i>	<i>1.35</i>	<i>0.42</i>	<i>5.33</i>	<i>X</i>	<i>0.675</i>	<i>0.21</i>	<i>2.665</i>
<i>1.40 - 1.80 "</i>	<i>0.40</i>	<i>0.92</i>	<i>0.25</i>	<i>3.88</i>	<i>X</i>	<i>0.368</i>	<i>0.10</i>	<i>1.552</i>
<i>3.00 - 4.00 "</i>	<i>1.-</i>	<i>0.34</i>	<i>0.68</i>	<i>0.68</i>		<i>0.34</i>	<i>0.68</i>	<i>0.68</i>
<i>4.00 - 5.00 "</i>	<i>1.-</i>	<i>1.24</i>	<i>0.27</i>	<i>1.15</i>		<i>1.24</i>	<i>0.27</i>	<i>1.15</i>
<i>5.00 - 5.80 -</i>	<i>0.80</i>	<i>0.50</i>	<i>0.31</i>	<i>3.38</i>		<i>0.40</i>	<i>0.248</i>	<i>2.704</i>
<i>3.00 - 5.80</i>	<i>2.80</i>	<i>0.71</i>	<i>0.43</i>	<i>1.62</i>				

24/11-81

Alan Turner

1.10.81 O HA

MALMBEREGNING I

Lokalitet: *Profil. 44.550*

Borehull: *BNN-796*

Boredato : *Sept-81*

Koordinater : *x: 925.408 y: 44.553*

Retning : *N.*

Helling/stigning : *+ 25°*

Høyde : *-97.5*

Dybde	Lengde (m)	Analyser						
		% Pb	% Cu	% Zn	% S			
<i>0.00 - 1.00 m</i>	<i>1.-</i>	<i>1.86</i>	<i>0.55</i>	<i>6.46</i>	<i>x</i>			
<i>1.00 - 2.00 "</i>	<i>1.-</i>	<i>0.69</i>	<i>0.33</i>	<i>1.89</i>				
<i>2.00 - 3.00 "</i>	<i>1.-</i>	<i>0.69</i>	<i>0.28</i>	<i>1.46</i>				
<i>3.70 - 4.70 "</i>	<i>1.-</i>	<i>0.70</i>	<i>0.23</i>	<i>2.14</i>				
<i>4.70 - 5.70 "</i>	<i>1.-</i>	<i>0.45</i>	<i>0.24</i>	<i>0.92</i>				
<i>5.70 - 6.70 "</i>	<i>1.-</i>	<i>0.10</i>	<i>0.34</i>	<i>0.45</i>				
<i>6.70 - 7.70 "</i>	<i>1.-</i>	<i>0.05</i>	<i>0.14</i>	<i>0.16</i>				
<i>7.70 - 8.70 "</i>	<i>1.-</i>	<i>0.59</i>	<i>0.20</i>	<i>1.70</i>				
<i>8.70 - 9.70 "</i>	<i>1.-</i>	<i>0.05</i>	<i>0.31</i>	<i>1.31</i>				
<i>9.70 - 10.70 "</i>	<i>1.-</i>	<i>0.04</i>	<i>0.23</i>	<i>1.50</i>				
<i>0.00 - 4.70</i>	<i>4.70</i>	<i>0.84</i>	<i>0.30</i>	<i>2.84</i>				

15/10-81

Steen Lurman

1/10-81. BAA

MALMBEREGNING I

Burman

Lokalitet: Profil: 44.380

Borehull: BNN-792.

Boredato : Sept-81

Koordinater : X: 925,4645 Y: 44,380

Retning : N

Helling/stigning : +60°

Høyde : -61.0

Dybde	Lengde (m)	Analyser						
		% Pb	% Cu	% Zn	% S			
2.95 - 3.90 m	0.95	1.02	0.24	3.58				
5.80 - 7.00 "	1.20	0.60	0.21	1.76				
7.00 - 8.00 "	1.-	0.67	0.13	1.12				
8.00 - 9.00 "	1.-	0.51	0.27	1.27				
9.00 - 9.80 "	0.80	0.33	0.13	0.69				
2.95-3.90	0.95	1.02	0.24	3.58				
5.80-9.00	3.20	0.59	0.20	1.39				

15/10-81

Jean Burman

24/9-81. O.H.

MALMBEREGNING I

Bjerrum.

Lokalitet: Profil. 44.380

Borehull: BNN-791.

Boredato : Sept-81

Koordinater : X: 925.465 Y: 44.380

Retning : N.

Helling/stigning : -45°

Høyde : -61.0

Dybde	Lengde (m)	Analyser						
		% Pb	% Cu	% Zn	% S	mg Pb	mg Cu	mg Zn
3.80 - 5.00 m	1.20	0.12	0.27	1.19				
5.00 - 6.00 "	1.-	0.08	0.10	3.05				
6.00 - 6.50 "	0.50	0.03	0.23	7.54		0.015	0.115	3.77
6.50 - 7.50 "	1.-	1.78	0.23	10.94				
7.50 - 8.00 "	0.50	1.07	0.17	4.91		0.535	0.085	2.455
8.00 - 9.00 "	1.-	2.14	0.05	14.40				
9.00 - 10.00 "	1.-	2.80	0.27	13.00				
10.00 - 11.00 "	1.-	0.92	0.61	3.16				
11.00 - 12.00 "	1.-	1.24	0.25	3.29				
5.00 - 12.00	7.00	1.36	0.24	7.72				

28/9-81

Jens Bjerrum

24/9-81, O.H.

MALMBEREGNING I

Burman

Lokalitet: Profil 44.380

Borehull: BNN-790

Boredato : Sept-81

Koordinater : X: 925.465,2 Y: 44.380

Retning : N

Helling/stigning : +35°

Høyde : -62.0

Dybde	Lengde (m)	Analyser						
		% Pb	% Cu	% Zn	% S	mg Pb	mg Cu	mg Zn
0.00 - 1.00 m	1.-	0.09	0.23	1.40				
1.00 - 2.00 "	1.-	0.04	0.15	0.24				
2.00 - 3.00 "	1.-	0.03	0.08	0.33				
3.00 - 4.00 "	1.-	0.05	0.29	0.95				
4.70 - 6.00 "	1.30	0.63	0.63	6.70		0.819	0.819	8.71
6.00 - 7.00 "	1.-	0.26	0.37	1.92				
7.00 - 8.00 "	1.-	0.56	0.54	4.88				
8.00 - 9.00 "	1.-	0.28	0.38	3.22				
9.00 - 10.00 "	1.-	0.10	0.22	1.29				
10.00 - 11.00 "	1.-	0.03	0.01	0.40				
11.00 - 12.20 "	1.20	1.63	0.02	5.07		1.956	0.024	6.084
12.20 - 13.20 "	1.-	1.37	0.05	5.16				
13.20 - 14.20 "	1.-	0.93	0.06	3.75				
4.70 - 14.20	9.50	0.66	0.26	3.73				

28/9-81

Shirley Burman

27/9-81. O.H.

MALMBEREGNING I

Burman.

Lokalitet: Profil 44.380

Borehull: BNN-789.

Boredato : Sept -81

Koordinater : X: 925.465,2 Y: 44.380

Retning : N.

Helling/stigning : +20°

Høyde : -63.0

Dybde	Lengde (m)	Analyser						
		% Pb	% Cu	% Zn	% S	mg Pb	mg Cu	mg Zn
13.90 - 15.00 m	1.10	0.58	0.64	5.30		0.638	0.704	5.83
15.00 - 16.00 "	1. -	0.68	0.33	2.76				
16.00 - 17.00 "	1. -	0.34	0.33	1.78				
17.00 - 18.00 "	1. -	0.12	0.04	0.36				
18.00 - 19.00 "	1. -	0.03	0.02	0.12				
19.00 - 20.00 "	1. -	0.58	0.14	1.43				
21.00 - 21.00 "	1. -	0.48	0.20	1.25				
21.00 - 21.90 "	0.90	0.32	0.20	1.11				
13.90 - 17.00	3.10	0.53	0.44	3.35				

28/8-91

Burman

24/9-81

			%12	%6	%24
C-88	BNN - 788	0.75 - 1.20 m	0.03	0.32	0.23
"	"	1.20 - 1.70 "	0.03	0.04	0.05
"	"	1.70 - 1.95 "	0.04	0.30	0.72
"	"	1.95 - 2.75 "	0.01	0.04	0.09
"	"	2.75 - 3.90 "	0.01	0.23	1.05
"	"	3.90 - 5.10 "	0.41	0.33	2.61
"	"	5.10 - 6.00 "	0.01	0.13	0.20
"	"	6.00 - 6.45 "	0.01	0.09	0.15
"	"	6.45 - 7.20 "	0.01	0.10	0.30
"	"	7.20 - 8.20 "	0.01	0.02	0.04
"	"	16.25 - 17.25 "	0.01	0.01	0.05
C-89	"	17.25 - 18.00 "	0.01	0.06	0.13
"	"	18.00 - 19.00 "	0.01	0.06	0.19
"	"	19.00 - 20.00 "	0.01	0.14	0.15
"	"	20.00 - 21.00 "	0.01	0.26	0.21
"	"	21.00 - 22.00 "	0.01	0.11	0.12
"	"	22.00 - 22.80 "	0.01	0.18	0.19
"	"	22.80 - 23.80 "	0.02	0.05	0.09
"	"	23.80 - 24.45 "	0.02	0.05	0.10
"	"	24.45 - 25.45 "	0.02	0.20	0.21
"	"	25.45 - 26.15 "	0.02	0.07	0.18
"	"	26.15 - 27.15 "	0.03	0.01	0.05
"	"	28.15 - 29.15 "	0.02	0.01	0.04
"	"	29.15 - 30.00 "	0.01	0.31	0.22
"	"	30.00 - 31.05 "	0.03	0.13	0.87
"	"	31.05 - 32.05 "	0.01	0.01	0.08
"	"	67.35 - 68.35 "	0.01	0.01	0.06
"	"	68.35 - 69.15 "	0.04	0.37	0.23
"	"	69.15 - 70.15 "	0.01	0.03	0.04
"	BNN - 807	95.00 - 96.00 "	0.07	0.05	0.16

Lokalitet: Profil. 44.320

Boredato : Aug - Sept - 81
Koordinator : X: 925.429 Y: 44.320
Retning : N
Helling/stigning : +22°
Høyde : -82

Dybde	Lengde (m)	Analyser			
		% Pb	% Cu	% Zn	% S
29.15-30.00 m	0.85	0.01	0.31	0.22	
30.00-31.05 "	1.05	0.03	0.13	0.87	
31.05-32.05 "	1.00	0.01	0.01	0.08	
67.35-68.35 "	1.00	0.01	0.01	0.06	
68.35-69.15 "	0.80	0.04	0.37	0.23	
69.15-70.15 "	1.00	0.01	0.03	0.04	

14/12-81
O. H. Rindley

MALMBEREGNING I

Lokalitet: *Profil 44.320*

Borehull: *BWN-787*

Boredato : *Aug-81*

Koordinater : *X: 925 429 Y: 44.320*

Retning : *N*

Helling/stigning : *+ 2°*

Høyde : *-82*

Dybde	Lengde (m)	Analyser							
		% Pb	% Cu	% Zn	% S				
<i>0.00 - 1.70 m</i>	<i>1.70</i>	<i>0.66</i>	<i>0.48</i>	<i>2.38</i>					
<i>1.70 - 3.40 "</i>	<i>1.70</i>	<i>0.22</i>	<i>0.42</i>	<i>1.35</i>					
<i>3.40 - 5.10 "</i>	<i>1.70</i>	<i>0.40</i>	<i>0.21</i>	<i>1.15</i>					
<i>5.10 - 6.80 "</i>	<i>1.70</i>	<i>0.41</i>	<i>0.19</i>	<i>1.07</i>					
<i>19.55 - 22.00 "</i>	<i>2.45</i>	<i>0.02</i>	<i>0.11</i>	<i>0.20</i>					
<i>23.35 - 25.15 "</i>	<i>1.80</i>	<i>0.02</i>	<i>0.22</i>	<i>0.78</i>					
<i>27.15 - 29.00 "</i>	<i>1.85</i>	<i>0.03</i>	<i>0.45</i>	<i>0.29</i>					
<i>29.00 - 30.60 "</i>	<i>1.60</i>	<i>0.04</i>	<i>0.08</i>	<i>0.25</i>					
<i>30.60 - 33.40 "</i>	<i>2.80</i>	<i>0.02</i>	<i>0.94</i>	<i>0.68</i>					
<i>33.40 - 36.10 "</i>	<i>2.70</i>	<i>0.01</i>	<i>0.16</i>	<i>0.33</i>					
<i>36.10 - 38.00 "</i>	<i>1.90</i>	<i>0.02</i>	<i>0.12</i>	<i>0.33</i>					
<i>59.00 - 62.70 "</i>	<i>3.70</i>	<i>0.45</i>	<i>0.39</i>	<i>4.30</i>					
<i>59.00 - 62.70</i>	<i>3.70</i>	<i>0.45</i>	<i>0.39</i>	<i>4.30</i>					

14/9-81

Stellan Jernman

10/9-81, O.H.

MALMBEREGNING I

Lokalitet: *Prokt 44.320*

Borehull: *BNN -786*

Boredato : *Aug -81*

Koordinater : *X: 925 429, Y: 44.320*

Retning : *N*

Helling/stigning : *+ 35°*

Høyde : *-82.5*

Dybde	Lengde (m)	Analyser						
		% Pb	% Cu	% Zn	% S	<i>mg Pb</i>	<i>mg Cu</i>	<i>mg Zn</i>
0.00 - 1.00	1.-	0.12	0.26	1.09				
1.00 - 2.00	1.-	0.34	0.19	1.31				
2.00 - 3.00	1.-	0.43	0.29	1.52				
3.00 - 4.00	1.-	0.07	0.13	0.30				
4.00 - 5.00	1.-	0.02	0.10	0.15				
5.00 - 6.00	1.-	0.02	0.23	0.51				
6.00 - 6.50	0.50	0.01	0.15	0.21				
8.60 - 9.50	0.90	0.03	0.09	0.29				
20.50 - 21.50	1.-	0.02	0.03	0.17				
21.50 - 22.50	1.-	0.02	0.08	0.21				
22.50 - 23.80	1.30	0.36	0.19	1.06				
23.80 - 24.60	0.80	0.03	0.23	0.31				
36.60 - 37.80	1.20	0.02	0.03	0.04				
37.80 - 39.05	1.25	0.02	0.18	0.08				
39.05 - 40.00	0.95	0.31	0.22	0.81				
40.00 - 41.00	1.-	0.49	0.44	2.48				
41.00 - 42.00	1.-	0.08	0.17	0.39				
42.00 - 43.00	1.-	0.40	0.23	3.73		0.40	0.23	3.73
43.00 - 44.00	1.-	0.42	0.17	2.16		0.42	0.17	2.16
44.00 - 45.00	1.-	0.33	0.47	5.38		0.33	0.47	5.38
45.00 - 46.05	1.05	0.04	0.21	2.22		0.042	0.221	2.331
46.05 - 47.00	0.95	0.02	0.03	0.23				
48.00 - 49.00	0.40	0.05	0.32	0.94				
49.00 - 50.00	1.-	0.43	0.29	1.41				
50.00 - 51.00	1.-	1.51	0.17	7.74		1.51	0.17	7.74
51.00 - 52.00	1.-	1.04	0.59	3.71		1.04	0.59	3.71
52.00 - 53.00	1.-	0.15	0.41	1.53		0.15	0.41	1.53
53.00 - 54.00	1.-	0.67	0.36	3.58		0.67	0.36	3.58

7/9-81 O.H.

Lokalitet:

Borehull:

Borehull: BNN-786.

Boredato :

Koordinator :

Retning :

Helling/stigning :

Høyde :

Dybde	Lengde (m)	Analyser						
		% Pb	% Cu	% Zn	% S	mg Pb	mg Cu	mg Zn
54.00 - 55.00 m	1.-	0.90	0.16	3.38		0.90	0.16	3.38
55.00 - 56.00 "	1.-	1.29	0.50	3.36		1.29	0.50	3.36
56.00 - 57.15 "	1.15	1.90	0.49	3.90		2.185	0.564	4.485
42.00 - 46.05	4.05	0.29	0.27	3.36				
50.00 - 57.15	7.15	1.08	0.39	3.89				

14/9-81

Allen Burman

7/9-81, OHA.

MALMBEREGNING I

Burmam

Lokalitet: Profil 44.320

Borehull: BNN-F84

Boredato : 04-81

Koordinater : X: 925.429 Y: 44.320

Retning : N.

Helling/stigning : + 50°

Høyde : - 82

Dybde	Lengde (m)	Analyser							
		% Pb	% Cu	% Zn	% S				
0.00 - 0.50 m	0.50	0.47	0.21	2.24					
0.50 - 1.70 -	1.20	0.01	0.03	0.10					
1.70 - 3.00 -	1.30	0.01	0.12	0.16					
3.00 - 4.15 -	1.15	0.01	0.06	0.08					
4.15 - 5.35 -	1.20	0.02	0.02	0.04					
5.60 - 6.60 -	1. -	0.02	0.08	0.07					
6.60 - 7.50 -	0.90	0.02	0.06	0.50					
7.50 - 8.50 -	1. -	0.02	0.09	0.18					
27.60 - 28.60 -	1. -	0.09	0.01	0.09					
28.60 - 29.60 -	1. -	0.06	0.02	0.19					
29.60 - 30.60 -	1. -	0.35	0.20	1.25					
30.60 - 31.60 -	1. -	0.57	0.27	2.34					
31.60 - 32.60 -	1. -	0.37	0.29	1.43					
32.60 - 34.00 -	1.40	0.12	0.12	0.70					
34.00 - 35.00 -	1. -	0.03	0.02	0.08					

4/12-81
O.H.

MALMBEREGNING I *Burman!*

Borehull: *BNN-783*

Koordinater : $x: 925.434.5$ $y: 44.120$

Helling/stigning : $+ 35^\circ$

Høyde : - 79,5

[illegible]

MALMBEREGNING I

20/8-81.

Burman?

Lokalitet: Profil 44.120

Borehull: BNN -782

Boredato : Juni -81

Koordinater : X: 925,434,5 Y: 44,120

Retning : N

Helling/stigning : +42°

Høyde : -29,5

Dybde	Lengde (m)	Analyser						
		% Pb	% Cu	% Zn	% S	mg Pb	mg Cu	mg Zn
6.50 - 7.50 m	1.-	0.05	0.22	0.62				
7.50 - 8.75 "	1.25	0.36	0.29	1.47				
18.85 - 19.90 "	1.05	0.42	0.22	0.56				
19.90 - 21.00 "	1.10	0.52	0.19	1.26				
57.85 - 58.85 "	1.-	0.59	0.39	1.54				
58.85 - 59.85 "	1.-	0.22	0.23	1.00				
59.85 - 60.85 "	1.-	0.29	0.15	2.71				
60.85 - 61.85 "	1.-	0.29	0.27	1.52				
61.85 - 62.85 "	1.-	0.85	0.31	2.88				
62.85 - 63.85 "	1.-	0.08	0.09	0.47				
63.85 - 64.85 "	1.-	0.67	0.23	1.84				
64.85 - 65.85 "	1.-	0.46	0.18	2.55				
66.45 - 66.85 "	0.40	0.85	0.37	6.50				
68.30 - 69.00 "	0.70	0.40	0.20	1.56				
57.85 - 64.85	7,00	0,43	0,24	1,71				
59,85 - 64,85	5,00	0,44	0,21	1,88				
61,85 - 64,85	3,00	0,53	0,21	1,73				
64,85 - 66,85	2,00	0,40	0,16	2,58				
61,85 - 66,85	5,00	0,48	0,19	2,07				
59,85 - 66,85	7,00	0,43	0,20	2,08				

20/8-87

Burman

Koordinater : X: 925,429,5 Y: 44,320

Helling/stigning : +42°

Høyde : -82,3

Borehull: BNN-78/-99540

Dybde	Lengde (m)	Analyser			
		% Pb	% Cu	% Zn	% S
0.00 - 0.95 m	0.95	0.06	0.13	0.71	
17.50 - 17.80 "	0.30	0.05	0.04	2.72	
30.80 - 32.10 "	1.30	0.35	0.16	1.30	
32.10 - 33.40 "	1.30	0.55	0.28	1.30	
33.80 - 34.75 "	0.95	0.18	0.18	0.63	
44.85 - 45.70 "	0.85	0.52	0.24	2.72	
45.70 - 46.70 "	1.00	0.38	0.16	1.35	
44.85 - 46.70	1.85	0.44	0.20	2.00	

0.45

MALMBEREGNING I

Lokalitet: Profil 44.120

Borehull: 781 A

Boredato :

Koordinater : X: 925.434,5 Y: 44.120

Retning : N

Helling/stigning : +49°

Høyde : -79.3 m.o.h.

Dybde	Lengde (m)	Analyser					
		% Pb	% Cu	% Zn	% S	g/t Ag	g/t Au
0.50 - 1.50	1.00	0.04	0.11	0.63		3.8	<0.10
1.50 - 2.50	1.00	0.06	0.09	0.64		4.4	<0.10
2.50 - 3.50	1.00	0.27	0.22	0.89		12.7	0.50
3.50 - 4.50	1.00	0.79	0.29	1.56		21.4	0.80
4.50 - 5.50	1.00	0.19	0.19	1.71		10.9	0.25
5.50 - 6.50	1.00	0.06	0.14	0.27		6.8	0.65
15.80 - 17.00	1.20	0.25	0.20	0.63		15.5	0.70
17.00 - 18.00	1.00	0.02	0.05	0.09		2.6	<0.10
18.00 - 19.50	1.50	0.57	0.20	1.50		23.6	0.25
* 37.50 - 38.80	1.30	0.15	0.13	0.75		6.9	0.10
52.50 - 53.70	1.20	0.16	0.20	0.92		7.5	0.15
53.70 - 54.90	1.20	1.46	0.42	0.35		77.7	2.05
54.90 - 56.00	1.10	1.01	0.45	0.07		101.0	3.20
56.00 - 57.40	1.40	0.89	0.53	0.76		54.2	1.80
57.40 - 57.80	0.40	2.75	0.46	5.01		77.6	0.30
57.80 - 58.80	1.00	0.58	0.34	1.82		18.0	0.10
58.80 - 59.80	1.00	0.13	0.15	0.45		5.5	<0.10
59.80 - 61.00	1.20	0.16	0.07	0.54		3.8	<0.10
61.00 - 62.30	1.30	0.35	0.31	1.37		9.4	<0.10
62.30 - 63.00	0.70	0.65	0.36	2.70		11.8	0.15
63.00 - 64.20	1.20	0.82	0.34	3.60		12.7	0.10
64.20 - 65.50	1.30	1.25	0.64	8.88		16.7	0.20
75.00 - 76.30	1.30	0.16	0.03	0.52		6.0	<0.10
76.30 - 77.70	1.40	0.93	0.38	5.04		18.6	0.15
* 53.70 - 57.80	4.10	1.27	0.47	0.87		75.9	2.10
61.00 - 65.50	4.50	0.78	0.42	4.34		12.8	0.11
76.30 - 77.70	1.40	0.93	0.38	5.04		18.6	0.15

22.05.87 Stellan Burman Reanalysert på Ag/Au i 1987.

MALMBEREGNING I *Burman*

Lokalitet: *Profil 44.390*

Borehull: *BNN-780*

Boredato : *Jul-81*
 Koordnater : *X: 925.474,8 Y: 44.390*
 Retning : *N.*
 Helling/stigning : *+ 73.5°*
 Høyde : *- 60.0*

Dybde	Lengde (m)	Analyser						
		% Pb	% Cu	% Zn	% S	% Pb	% Cu	% Zn
<i>0.00 - 1.00 m</i>	<i>1. -</i>	<i>0.04</i>	<i>0.06</i>	<i>0.25</i>		<i>0.040</i>	<i>0.060</i>	<i>0.250</i>
<i>1.00 - 2.00 "</i>	<i>1. -</i>	<i>0.11</i>	<i>0.16</i>	<i>0.94</i>		<i>0.110</i>	<i>0.160</i>	<i>0.940</i>
<i>2.00 - 3.00 "</i>	<i>1. -</i>	<i>0.03</i>	<i>0.01</i>	<i>0.16</i>		<i>0.030</i>	<i>0.010</i>	<i>0.160</i>
<i>3.00 - 4.00 "</i>	<i>1. -</i>	<i>0.03</i>	<i>0.07</i>	<i>0.28</i>		<i>0.030</i>	<i>0.070</i>	<i>0.280</i>
<i>4.00 - 5.35 "</i>	<i>1.35</i>	<i>0.15</i>	<i>0.16</i>	<i>1.47</i>		<i>0.2025</i>	<i>0.216</i>	<i>1.9845</i>
<i>34.20 - 35.20 "</i>	<i>1. -</i>	<i>0.68</i>	<i>0.12</i>	<i>1.72</i>		<i>0.680</i>	<i>0.120</i>	<i>1.720</i>
<i>35.20 - 36.00</i>	<i>0.80</i>	<i>0.14</i>	<i>0.09</i>	<i>0.39</i>		<i>0.112</i>	<i>0.072</i>	<i>0.312</i>
<i>1.00 - 2.00</i>	<i>1.00</i>	<i>0.11</i>	<i>0.16</i>	<i>0.94</i>				
<i>4.00 - 5.35</i>	<i>1.35</i>	<i>0.15</i>	<i>0.16</i>	<i>1.47</i>				
<i>1.00 - 5.35</i>	<i>4.35</i>	<i>0.09</i>	<i>0.10</i>	<i>0.77</i>				
<i>34.20 - 35.20</i>	<i>1.00</i>	<i>0.68</i>	<i>0.12</i>	<i>1.72</i>				

11/8-81

Nils-A. Bang

O. H. de la...

MALMBEREGNING I

Børman

Lokalitet: Profie 44.390

Borehull: BNN-779

Boredato : juli - 81
 Koordinater : X: 925.474,2 Y: 44 390
 Retning : opp
 Helling/stigning : +90°
 Høyde : -60

Dybde	Lengde (m)	Analyser						
		% Pb	% Cu	% Zn	% S	% Pb	% Cu	% Zn
0.70 - 1.05 m	0.35	0.64	0.25	2.83		0.224	0.0875	0.4905
1.55 - 2.55 "	1. -	0.07	0.07	0.30		0.070	0.070	0.300
2.55 - 3.55 "	1. -	0.25	0.13	0.69		0.250	0.130	0.690
3.55 - 5.00 "	1.45	0.14	0.11	0.80		0.203	0.1595	1.160
5.00 - 6.00 "	1. -	0.23	0.13	0.64		0.230	0.130	0.640
0.70 - 1.05	0.35	0.64	0.25	2.83				
0.70 - 6.00	5.30	0.18	0.11	0.71				

11/8-81

Nils A. Børman

O. H. Hestby

MALMBEREGNING I

Norky-!

765

Lokalitet:

Borehull: BNN-765 og 777

Boredato : 81
 Koordinater : x: 925.437,8 y: 44.263,9
 Retning : N
 Helling/stigning :
 Høyde : -86,7

Dybde	Lengde (m)	Analyser						
		% Pb	% Cu	% Zn	% S			
BNN 765:								
1.30 - 2.30 m	1.-	0.03	0.02	0.06				
2.30 - 3.40 "	1.10	0.08	0.16	0.30				
3.40 - 4.20 "	0.80	0.06	0.47	1.18				
4.20 - 5.20 "	1.-	0.06	0.15	0.16				
5.20 - 6.05 "	0.85	0.11	0.45	0.95				
6.05 - 7.30 "	1.25	0.05	0.33	1.27				
Profile: 44.120					X: 925.434 Y: 44.120			
BNN-777:					N.			
3.20 - 4.50 m	1.30	0.07	0.11	0.28	+60°			
4.50 - 5.90 "	1.40	0.06	0.18	0.43	-79.1			
11.45 - 12.50 "	1.05	0.80	0.27	1.81	20.0 m			
30.10 - 31.40 "	1.30	0.68	0.25	1.63				

O.H.

MALMBEREGNING I

Burman

Lokalitet: Profil 44.270

Borehull: BNN-776

Boredato: juni -81

Koordinater: X: 925440 Y: 44.263,8

Retning: N.

Helling/stigning: 0° Horisontalt

Høyde: -85,8

Dybde	Lengde (m)	Analyser						
		% Pb	% Cu	% Zn	% S	m% Pb	m% Cu	m% Zn
0.00 - 1.00 m	1.-	0.05	0.11	0.52				
1.00 - 2.00 "	1.-	0.06	0.19	0.27				
2.00 - 3.00 "	1.-	0.03	0.22	0.12				
3.00 - 4.00 "	1.-	0.06	0.16	0.36				
4.00 - 5.00 "	1.-	0.03	0.32	0.19				
5.00 - 6.00 "	1.-	0.19	0.30	1.28		0.19	0.30	1.28
6.00 - 7.00 "	1.-	0.15	0.52	1.24		0.15	0.52	1.24
7.00 - 8.00 "	1.-	0.06	0.31	1.64		0.06	0.31	1.64
8.00 - 9.50 "	1.50	0.31	0.32	2.23		0.465	0.48	3.345
5.00 - 9.50	4.50	0.19	0.36	1.67				

2/2-81

Nils-A. Bang

O.A.

MALMBEREGNING I

Burman

Lokalitet: *Profil: 44.120*

Borehull: *BNN-775*

Boredato : *Jun-81*

Koordinater : *X: 925.434 Y: 44.120*

Retning : *N*

Helling/stigning : *+ 55°*

Høyde : *- 79.3*

Dybde	Lengde (m)	Analyser						
		% Pb	% Cu	% Zn	% S	m% Pb	m% Cu	m% Zn
<i>0.00 - 1.00 u</i>	<i>1. -</i>	<i>0.17</i>	<i>0.17</i>	<i>0.25</i>				
<i>1.00 - 2.00 u</i>	<i>1. -</i>	<i>0.06</i>	<i>0.10</i>	<i>0.18</i>				
<i>2.00 - 3.40 *</i>	<i>1.40</i>	<i>0.51</i>	<i>0.26</i>	<i>2.20</i>				
<i>3.95 - 5.00 *</i>	<i>1.05</i>	<i>0.03</i>	<i>0.09</i>	<i>0.12</i>				
<i>5.00 - 6.05 *</i>	<i>1.05</i>	<i>0.03</i>	<i>0.21</i>	<i>0.24</i>				
<i>29.30 - 30.50 *</i>	<i>1.20</i>	<i>0.01</i>	<i>0.23</i>	<i>0.39</i>				
<i>30.50 - 31.25 *</i>	<i>0.75</i>	<i>0.02</i>	<i>0.41</i>	<i>1.12</i>				
<i>48.40 - 49.70 *</i>	<i>1.30</i>	<i>0.41</i>	<i>0.28</i>	<i>1.07</i>				
<i>51.30 - 52.50 *</i>	<i>1.20</i>	<i>0.78</i>	<i>0.20</i>	<i>2.04</i>	<i>0.936</i>	<i>0.936</i>	<i>0.24</i>	<i>2.448</i>
<i>52.50 - 53.50 *</i>	<i>1. -</i>	<i>0.18</i>	<i>0.10</i>	<i>0.69</i>		<i>0.18</i>	<i>0.10</i>	<i>0.69</i>
<i>53.50 - 54.50 *</i>	<i>1. -</i>	<i>0.19</i>	<i>0.13</i>	<i>0.87</i>		<i>0.19</i>	<i>0.13</i>	<i>0.87</i>
<i>54.50 - 55.70 *</i>	<i>1.20</i>	<i>0.31</i>	<i>0.21</i>	<i>1.32</i>		<i>0.372</i>	<i>0.252</i>	<i>1.584</i>
<i>55.70 - 57.00 *</i>	<i>1.30</i>	<i>0.79</i>	<i>0.35</i>	<i>3.01</i>		<i>1.027</i>	<i>0.465</i>	<i>3.913</i>
<i>57.00 - 58.00 *</i>	<i>1. -</i>	<i>0.50</i>	<i>0.36</i>	<i>2.39</i>		<i>0.50</i>	<i>0.36</i>	<i>2.39</i>
<i>58.00 - 59.00 *</i>	<i>1. -</i>	<i>0.47</i>	<i>0.20</i>	<i>0.73</i>		<i>0.47</i>	<i>0.20</i>	<i>0.73</i>
<i>59.00 - 60.50 *</i>	<i>1.50</i>	<i>1.74</i>	<i>0.16</i>	<i>1.33</i>		<i>2.61</i>	<i>0.24</i>	<i>1.995</i>
<i>60.50 - 61.50 *</i>	<i>1. -</i>	<i>2.52</i>	<i>0.33</i>	<i>0.05</i>		<i>2.52</i>	<i>0.33</i>	<i>0.05</i>
<i>2.00 - 3.40</i>	<i>1.40</i>	<i>0.51</i>	<i>0.26</i>	<i>2.20</i>				
<i>51.30 - 61.50</i>	<i>10.20</i>					<i>0.86</i>	<i>0.23</i>	<i>1.44</i>
<i>55.70 - 61.50</i>	<i>5.80</i>					<i>1.23</i>	<i>0.27</i>	<i>1.56</i>
<i>54.50 - 58.00</i>	<i>3.50</i>	<i>0.54</i>	<i>0.30</i>	<i>2.25</i>				

2/7 - 81

Nils A. Bang

© H.

MALMBEREGNING I

Lokalitet: Profil 43.650

Borehull: 6 longyear 24"

Boredato : June - 81

Koordinater : x: 925,4048 y: 43.653,2

Retning : S.

Helling/signing : 65

Høyde : -623

Dybde	Lengde (m)	Analyser						
		% Pb	% Cu	% Zn	% S	m% Pb	m% Cu	m% Zn
21.15 - 23.15	2.00	1.12	0.26	2.39		2.24	0,52	4,78
23.15 - 25.15	2.00	0.86	0.29	2.08		1.72	0,58	4,16
25.15 - 27.50	2.35	1.17	0.27	3.33		2.75	0.63	2.64
21.15 - 27.50	6.35	1.06	0.27	2.64				
		3/2 - 81						
		Nils-A. Bang						

MALMBEREGNING I

Lokalitet: Profil 43.650

Borehull: 5 longyear 24'

Boredato : June-81

Koordinater : $x: 925,405,3$ $y: 43,653$

Retning : S.

Helling/signing : 839

Høyde : -62,3

Dybde	Lengde (m)	Analyser			
		% Pb	% Cu	% Zn	% S
5.50 - 6.70	1.20	0.53	0.49	1.24	
21.60 - 22.70	1.10	0.62	0.32	2.46	
3/7-81 Nils-A. Berg					

MALMBEREGNING I

Lokalitet: Profil 43.650

Borehull: 3 longyear 24"

Boredato : Mai - 81

Koordinater : X: 925,407,1 Y: 43.687

Retning : N

Helling/signing: 40

Høyde : -62,3

Dybde	Lengde (m)	Analyser					
		% Pb	% Cu	% Zn	% S		
4.65-6.45	1.80	0.68	0.28	1.26			
3/7-81 Nils A. Bang							

MALMBEREGNING I

Burman!

Lokalitet: Profil 43,650

Borehull: B NW -2 Langyear 24'

Boredato : Mai -81
Koordinater : x: 925.406,2 y: 43.653
Retning : N
Helling/stigning : -80°
Høyde : -62,3

Dybde	Lengde (m)	Analyser						
		% Pb	% Cu	% Zn	% S	m% Pb	m% Cu	m% Zn
5.35 - 6.70 m	1.35	0.84	1.55	5.00		1.134	2.093	6.75
6.70 - 7.00 "	1.30	0.45	0.91	1.80		0.585	1.183	2.34
21.55 - 22.50 "	0.95	0.73	1.97	4.66		0.694	1.872	4.427
22.50 - 23.60 "	1.10	0.53	0.58	5.44		0.583	0.638	5.98
5.35 - 7.00	1.65	0.65	1.24	3.43				
21.55 - 23.60	2.05	0.62	1.22	4.93				
15/9-81								
Shuan Burren								

MALMBEREGNING I

Lokalitet: Profil: 43.650

Borehull: BNN - 1 baryt 24"

Boredato :
Koordinater : X: 925.4057 Y: 43.653
Retning : N
Helling/stigning : 18°
Høyde : - 62.3

Dybde	Lengde (m)	Analyser						
		% Pb	% Cu	% Zn	% S	m% Pb	m% Cu	m% Zn
4.35 - 5.35 m	1.00	1.31	0.84	4.43		1.31	0.84	4.43
5.35 - 6.35 "	1.00	0.89	0.36	2.22		0.89	0.36	2.22
20.20 - 20.48 "	0.28	0.38	0.91	3.04		0.106	0.255	0.85
21.05 - 22.60	1.55	1.37	0.46	4.15		2.124	0.713	6.433
4.35 - 6.35	2.00	1.10	0.60	3.33				
20.20 - 22.60	2.40	0.93	0.40	3.03				

3/7 Nils A. Bengt

MALMBEREGNING I *Bermany!*

Lokalitet: 44.260

Borehull: BNN - 774

Boredato : Juni-81

Koordinater: $x = 925.440,9$ $y = 44.263,8$

Retning : N

Helling/stigning : 33°

Høyde : -84,2

[illegible]

MALMBEREGNING I

Lokalitet: 44.260

Borehull: BNN-773

Boredato: 31.7.81

Koordinater: $x=925,440,2$ $y=44.263,7$

Retning: N

Helling/stigning: 70

Høyde: -82,8

Dybde	Lengde (m)	Analyser						
		% Pb	% Cu	% Zn	% S	m% Pb	m% Cu	m% Zn
1.70 - 2.70 m	1.00	0.03	0.10	0.75		0.03	0.10	0.75
2.70 - 3.90 "	1.20	0.03	0.10	0.24		0.036	0.12	0.288
3.90 - 4.35 "	0.45	2.25	0.12	5.46		1.01	0.054	2.457
13.85 - 15.00 "	1.15	0.26	0.14	1.06				
15.00 - 16.00 "	1.00	0.23	0.23	1.00				
16.00 - 17.00 "	1.00	0.16	0.12	0.73				
40.60 - 41.60 "	1.00	0.31	0.10	0.53				
41.60 - 42.70 "	1.10	0.54	0.27	1.04				
42.70 - 44.00 "	1.30	0.26	0.03	0.05				
44.00 - 45.40 "	1.40	0.03	0.03	0.10				
45.40 - 46.20 "	0.80	1.00	0.17	3.64				
46.20 - 47.40 "	1.20	0.36	0.09	0.90				
1.70 - 4.35	2.65	0.41	0.10	1.32				
45.40 - 46.20	0.80	1.00	0.17	3.64				

31.7-81

Nik-A. Beng

MALMBEREGNING I

Lokalitet: 44.260

Borehull: 772

Boredato: 3. juni -81

Koordinater: X=425.440,7 Y=44263,7

Retning: N

Helling/stigning: +40

Høyde: -83.5

Dybde	Lengde (m)	Analyser					Ag	Pb	Cu	Zn	Hg
		% Pb	% Cu	% Zn	% Ag						
6.05 - 7.00	0.95	0.01	0.07	0.13	1.7						
7.00 - 7.90	0.90	0.01	0.09	0.09	2.4						
7.90 - 9.00	1.10	0.01	0.07	0.08	1.9						
9.00 - 10.30	1.30	0.01	0.18	0.13	4.0						
13.50 - 16.05	2.55	0.08	0.14	1.49	5.9						
34.90 - 36.00	1.10	0.02	0.04	0.16	1.1						
36.00 - 37.00	1.00	0.01	0.11	0.21	2.4						
37.00 - 38.00	1.00	0.01	0.16	0.29	4.3						
38.00 - 39.00	1.00	0.01	0.08	0.27	3.2						
39.00 - 40.00	1.00	<0.01	0.07	0.27	2.8						
40.00 - 41.00	1.00	0.01	0.16	0.56	4.5						
41.00 - 42.00	1.00	0.01	0.04	0.09	1.1						
42.00 - 43.00	1.00	0.01	0.17	0.19	4.9						
43.00 - 44.00	1.00	0.01	0.22	1.40	6.4	0.02	0.22	1.40	6.4		
44.00 - 44.70	0.70	0.04	0.16	1.97	7.2	0.028	0.112	1.379	5.04		
44.70 - 46.00	1.30	<0.01	0.02	0.10	1.9						
46.00 - 47.10	1.10	<0.01	<0.01	0.03	1.7						
47.10 - 48.00	0.90	0.01	0.23	0.88	7.7						
48.00 - 49.00	1.00	0.02	0.43	1.71	12.6						
49.00 - 50.00	1.00	0.08	0.20	1.45	7.4						
50.00 - 51.00	1.00	0.02	0.45	0.44	9.0						
51.00 - 52.00	1.00	0.01	0.30	0.12	7.5						
52.00 - 53.00	1.00	0.01	0.07	0.14	3.7						
53.00 - 54.00	1.00	0.01	0.15	0.36	6.7						
54.00 - 55.00	1.00	0.02	0.35	0.78	9.3						
55.00 - 55.40	1.40	0.01	0.05	0.26	3.1						
13.50 - 16.05	2.55	0.08	0.14	1.49	5.9						
43.00 - 44.70	1.70	0.15	0.20	1.63	6.7						
48.00 - 50.00	2.00	0.05	0.32	1.58	10.0						

22/6-81

Stellan Furman

MALMBEREGNING I

Lokalitet: 44.260

Borehull: 771

Boredato: Juni 81
Koordinater: $x = 925.440,3$ $y = 44.263,8$
Retning: N
Helling/stigning: $+ 60^\circ$
Høyde: $- 82,4$

Dybde	Lengde (m)	Analyser							g = kg/m ³
		% Pb	% Cu	% Zn	Ag 5%	mg Pb	mg Cu	mg Zn	
1.10 - 2.10	1.00	0.02	0.04	0.09					
2.10 - 3.10	1.00	0.02	0.05	0.13					
3.10 - 4.10	1.00	0.11	0.09	1.23		0.11	0.09	1.23	
4.10 - 5.40	1.30	0.03	0.12	0.36		0.039	0.156	0.468	
5.40 - 6.40	1.00	1.21	0.15	9.16		1.21	0.15	9.16	
6.40 - 7.40	1.00	1.71	0.11	8.12		1.71	0.11	8.12	
7.40 - 8.60	1.20	0.04	0.02	0.23					
8.60 - 8.45	0.35	4.05	0.04	5.04					
16.35 - 17.30	0.95	0.27	0.15	0.23					
18.90 - 19.30	0.40	0.22	0.20	0.40					
19.30 - 21.00	1.70	0.07	0.10	0.67					
21.00 - 22.00	1.00	0.08	0.17	2.36	5,3				
22.00 - 23.00	1.00	0.03	0.13	2.07	4,5				
23.00 - 24.10	1.10	0.11	0.36	0.42					
24.10 - 25.25	1.15	0.07	0.25	0.16					
31.50 - 32.50	1.00	0.07	0.07	0.17					
32.50 - 34.00	1.50	0.36	0.16	1.04	20.3				
34.00 - 35.20	1.20	0.15	0.35	0.91	12.3				
35.20 - 36.20	1.00	0.04	0.13	0.22					
36.20 - 37.40	1.20	0.25	0.14	0.80					
37.40 - 38.80	1.40	0.05	0.07	0.14					
39.00 - 40.00	1.00	0.97	0.44	3.66	24.8	0.970	0.440	3.66	24.8
40.00 - 41.30	1.30	1.12	0.36	10.18	20.5	1.456	0.468	13.234	26.65
41.30 - 42.50	1.20	0.07	0.06	0.21		0.084	0.072	0.252	
42.50 - 43.70	1.20	0.04	0.13	1.00		0.048	0.156	1.20	
43.70 - 45.00	1.30	0.05	0.48	1.32		0.065	0.624	1.716	
45.00 - 46.40	1.40	0.29	0.20	0.81		0.406	0.28	1.134	
46.40 - 47.20	1.20	1.26	0.30	2.56	24.0	1.512	0.36	9.072	28.8
47.20 - 48.10	0.40	0.05	0.14	0.18		0.045	0.126	0.162	10.02
48.15 - 49.00	0.85	0.59	0.28	2.91	19.0	0.502	0.238	2.474	16.15
49.00 - 50.00	1.00	1.46	0.08	6.46	32.5	1.46	0.08	6.46	32.5
50.00 - 51.00	1.00	0.71	0.11	5.30	18.2	0.71	0.11	5.30	18.2
51.00 - 52.00	1.00	0.48	0.11	3.91	25.3	0.98	0.11	3.91	25.3
52.00 - 53.00	1.00	1.36	0.24	2.02	31.5	1.36	0.24	2.02	31.5
53.00 - 53.70	0.70	0.96	0.29	2.72	17.9	0.87	0.26	2.90	12.5
3.10 - 7.40	4.30	0.71	0.12	4.41					
39.00 - 41.30	2.30	1.05	0.39	7.35	22.37				
46.40 - 53.70	7.30	0.99	0.20	4.29	24.0	22.6	-81.4		
39.00 - 53.70	14.70	0.70	0.24	3.57					

MALMBEREGNING I

Lokalitet: Profil 44.260

Borehull: 770

Boredato: Juni-81

Koordinater: x: 925.440,3 y: 44.263,8

Retning: N

Helling/stigning: +60°

Høyde: -82,9

Dybde	Lengde (m)	Analyser							
		% Pb	% Cu	% Zn	Ag %	mg Pb	mg Cu	mg Zn	mg Ag
12.75 - 13.75	1.00	0.05	0.13	0.36	4.0				
13.75 - 14.75	1.00	0.01	0.19	0.37	5.7				
15.80 - 16.50	0.70	0.01	0.14	0.18	2.9				
17.30 - 18.30	1.00	<0.01	0.12	0.16	3.3				
18.30 - 19.40	1.10	0.01	0.09	0.54	2.8				
22.55 - 23.55	1.00	<0.01	0.11	0.21	2.7				
23.55 - 24.55	1.00	<0.01	0.11	0.11	1.7				
24.55 - 25.50	0.95	<0.01	0.10	0.12	1.7				
26.40 - 28.00	1.60	0.17	0.31	0.42	13.0				
28.00 - 29.50	1.50	0.25	0.19	0.61	9.1				
29.50 - 30.60	1.10	0.06	0.07	0.18	3.3				
30.60 - 31.45	0.85	<0.01	0.02	0.05	1.0				
31.45 - 32.45	1.00	0.06	0.03	0.61	1.0				
32.45 - 33.45	1.00	0.03	0.06	0.46	1.3				
40.50 - 42.05	1.55	0.20	0.24	1.82	8.3				
42.05 - 43.45	1.40	0.20	0.09	0.64	6.1				
43.45 - 44.30	0.85	0.01	0.03	0.21	<1.0				
44.30 - 46.00	1.70	0.70	0.17	3.05	14.8	1.19	0.289	5.185	25.16
46.00 - 47.50	1.50	0.90	0.25	6.32	16.2	1.35	0.375	9.480	24.80
47.50 - 49.00	1.50	1.17	0.10	5.64	16.8	1.755	0.15	8.46	25.2
49.00 - 50.50	1.50	1.32	0.43	5.32	12.6	1.98	0.645	7.98	18.9
50.50 - 52.00	1.50	1.84	0.43	6.68	11.0	2.46	0.645	10.02	16.5
52.00 - 53.60	1.60	1.52	0.29	4.00	11.0	2.432	0.464	6.4	17.6
53.60 - 54.60	1.00	0.26	0.06	0.75	<1.0				
44.30 - 53.60	9.30	1.20	0.28	5.11	13.73				

24/6 1981

Nils A. Bang

MALMBEREGNING I

Lokalitet: 44.260

Borehull: 769

Boredato : Mai-81

Koordinater : $x=925.435,0$ $y=44261,0$

Retning :

Helling/stigning : Lodd

Høyde : -86.7

Dybde	Lengde (m)	Analyser						
		% Pb	% Cu	% Zn	% S	m% Pb	m% Cu	m% Zn
0.00 - 0.35	0.35	0.47	0.22	1.09		0.1645	0.077	0.3815
0.40 - 1.55	1.15	0.36	0.46	2.58		0.414	0.529	2.967
2.50 - 3.70	1.20	0.29	0.26	1.35		0.348	0.312	1.620
0.00 - 3.70	3.70	0.25	0.25	1.34				

24/6 1981
Nils-A. Bang

MALMBEREGNING I

Lokalitet: 44.260

Borehull: 768

Boredato : Mai - 81

Koordinater : $x = 925.440,7$ $y = 44.263,8$

Retning : N

Helling/~~stigning~~ : 15°

Høyde : -85.8

[illegible]

MALMBEREGNING I

Lokalitet: 44.260

Borehull: 767

Boredato : ~~file~~ -81

Koordinater : $x: 925.440,6$ $y: 44.263,8$

Retning : N

Helling/~~signing~~: -30°

Høyde : -863

Dybde	Lengde (m)	Analyser						
		% Pb	% Cu	% Zn	% S	m% Pb	m% Cu	m% Zn
0.00 - 0.60	0.60	0.03	0.27	3.57		0,018	0,162	2,142
0.60 - 1.60	1.00	0.02	0.09	0.27		0,020	0,090	0,270
1.60 - 2.20	0.60	0.18	0.49	3.01		0,106	0,294	1,806
2.20 - 2.60	0.40	0.03	0.10	1.10		0,019	0,040	0,440
2.60 - 3.60	1.00	0.12	0.53	1.47		0,120	0,530	1,470
3.60 - 4.45	1.35	0.72	0.41	3.76		0.972	0.554	5.076
4.45 - 5.80	0.85	0.06	0.10	0.28		0.051	0.085	0.238
5.80 - 7.00	1.20	2.01	0.52	9.10		2.412	0.624	11.04
7.00 - 8.35	1.35	0.75	0.44	8.08		1.013	0.594	10.908
8.35 - 9.35	1.00	0.14	0.14	0.70		0.110	0,140	0,700
3.60 - 8.35	4.75	0.936	0.390	5.739				
0,00 - 9,35	9,35	0,52	0,33	3,65				
		24/6	1981					
		Nils-A. Bang						

MALMBEREGNING I

Lokalitet: 44.260

Borehull: 766

Boredato : Mar - 81
Koordinater : $x = 925.440,3$ $y = 44.263,7$
Retning : N
Helling/signering : 50°
Høyde : $-86,7$

[illegible]

MALMBEREGNING I

Lokalitet: 44.260

Borehull: BNN-764

Boredato : Ma: 81

Koordinater : $x = 925.437,8$ $y = 44.261,4$

Retning :

Helling/stigning : Lodd

Høyde : -86,7

Dybde	Lengde (m)	% Pb	% Cu	% Zn	Analyser
0.00 - 0.65 m	0.65	0.06	0.30	0.50	
2.70 - 3.70 "	1.00	0.03	0.21	0.29	
3.70 - 4.70 "	1.00	0.03	0.32	0.76	
4.70 - 5.75 "	1.05	0.20	0.34	0.48	
0.00 - 4.70	4.70	0.02	0.15	0.29	V
					3/7 Nils A. Bang

MALMBEREGNING I

Lokalitet: 44.080

Borehull: BNN-763

Boredato : Mai-81

Koordinater : $x = 925,418,0$ $y = 44.082,9$

Retning : N

Rolling/stigning : 60°

Høyde : 78,9

Dybde	Lengde (m)	Analyser						
		% Pb	% Cu	% Zn	% S	m/o Pb	m/o Cu	m/o Zn
0.00-1.00	1.00	0.22	0.11	0.53		0.22	0.11	0.53
1.00-2.20	1.20	1.06	0.29	4.09		1.27	0.35	4.91
3.95-5.35	1.40	0.21	0.21	0.32				
8.00-9.00	1.00	1.10	0.28	2.67		1.10	0.28	2.67
9.00-10.00	1.00	0.32	0.23	1.02		0.32	0.23	1.02
10.00-11.00	1.00	0.36	0.26	1.02		0.36	0.26	1.02
11.00-11.70	0.70	0.04	0.02	0.03				
16.00-17.00	1.00	0.10	0.17	0.20				
17.00-18.00	1.00	0.31	0.20	1.07		0.31	0.20	1.07
18.00-19.00	1.00	0.83	0.14	1.97		0.83	0.14	1.97
19.00-20.00	1.00	0.14	0.09	0.45		0.14	0.09	0.45
20.00-20.90	0.90	0.29	0.22	1.12		0.261	0.198	1.008
21.25-22.25	1.00	0.21	0.14	1.01		0.210	0.140	1.010
0.00-2.20	2.20	0.67	0.21	2.47				
8.00-11.00	3.00	0.59	0.26	1.57				
17.00-20.90	3.90	0.40	0.16	1.15				
		2/2-81						
		Nils A. Bung						

MALMBEREGNING I

Lokalitet: 44.090

Borehull: 762

Boredato : Mei-81

Koordinater : $x=925.426,1$ $y=44092,8$

Retning :

Helling/stigning : Lodd

Høyde : - 82,9

Dybde	Lengde (m)	Analyser						
		% Pb	% Cu	% Zn	% S	% Pb	% Cu	% Zn
0.70-1.80	1.10	3.26	0.53	3.51		3.586	0.583	3.861
1.80-2.65	0.85	0.37	0.28	1.02		0.315	0.238	0.867
0.70-2.65	1.95	2.00	0.41	2.32				

24/6-1981

Mrs. A. Bang

MALMBEREGNING I

Lokalitet: 44.090

Borehull: 761

Boredato : Mar 81

Koordinater : $x = 925.424,5$, $y = 41040,3$

Retning :

Helling/stigning : Look at

Høyde : ~83,1

Dybde	Lengde (m)	Analyser			
		% Pb	% Cu	% Zn	% S
0.50-2.05	1.55	0.36	0.34	2.88	
24/6 1981 Nils A. Bøng					

MALMBEREGNING I

Lokalitet: 44.090

Borehull: 760

Boredato : Mar-81

Koordinater : $x = 925.434,0$ $y = 44.088,6$

Retning : S

Helling/stigning : 85

Høyde : - 83,5

[illegible]

MALMBEREGNING I

Lokalitet: 44090

Borehull: 758

Boredato : Mai 81

Koordinater : $x = 925.439,5$ $y = 44.088,9$

Retning : N

Helling/stigning : 45

Høyde : - 83,5

Dybde	Lengde (m)	Analyser						
		% Pb	% Cu	% Zn	% S	m% Pb	m% Cu	m% Zn
2.60 - 3.00	0.40	0.05	0.46	3.90		0.09	0.16	1.56
3.00 - 4.00	1.00	0.03	0.53	2.94		0.03	0.53	2.94
4.00 - 5.40	1.40	0.47	0.43	5.15		0.658	0.602	7.21
5.40 - 6.50	1.10	0.08	0.15	1.13		0.088	0.165	1.243
2.60 - 6.50	3.90	0.20	0.37	3.32				
24/6 1981 Nils-A. Bang								

MALMBEREGNING I

Lokalitet: 44090

Borehull: 757

Boredato : Mue 81

Koordinater : $x = 425.438,4$ $y = 44.088,9$

Retning :

Helling/stigning : Lodd

Høyde : - 83,5

[illegible]

MALMBEREGNING I

Lokalitet: 44.870

Borehull: 754

Boredato : April-81
Koordinater : $x=925.412,9$ $y=44.872,6$
Retning :
Helling/stigning : 90°
Høyde : -103.0

Dybde	Lengde (m)	Analyser							
		% Pb	% Cu	% Zn	% Ag m% Pb	m% Cu	m% Zn	mgr% Ag	
0.50 - 1.50	1.00	0.93	0.94	4.48	17.5	0.93	0.94	4.48	17.5
1.50 - 2.50	1.00	1.43	0.62	3.96	22.9	1.43	0.62	3.96	22.9
2.50 - 3.65	1.15	0.87	0.56	2.65	15.0	1.001	0.644	3.048	17.25
0.50 - 3.65	3.15	1.07	0.70	3.65	18.30				
24/6 1981 Nils-A. Bang									

REGNING I

Lokalitet:

Borehull: *BNN-753*

Boredato : *Nov-81*

Koordinator : *x: 925.417,4 y: 44.872,6*

Retning : *opp*

Helling/stigning : *+90°*

Høyde : *103,0*

Dybde	Lengde (m)	Analyser							
		% Pb	% Cu	% Zn	% S				
<i>0.00-1.00 m</i>	<i>1.-</i>	<i>0.19</i>	<i>0.09</i>	<i>0.94</i>					
<i>1.00-2.00</i>	<i>1.-</i>	<i>0.94</i>	<i>0.21</i>	<i>5.10</i>					
<i>2.00-3.00</i>	<i>1.-</i>	<i>0.28</i>	<i>0.14</i>	<i>1.53</i>					
<i>3.00-4.00</i>	<i>1.-</i>	<i>0.81</i>	<i>0.58</i>	<i>2.56</i>					
<i>4.00-5.00</i>	<i>1.-</i>	<i>0.58</i>	<i>0.32</i>	<i>1.70</i>					
<i>5.00-5.60</i>	<i>0.60</i>	<i>0.05</i>	<i>0.04</i>	<i>0.15</i>					
<i>1.00-5.00</i>	<i>4.00</i>	<i>0.65</i>	<i>0.31</i>	<i>2.72</i>					
<i>0.00-5.00</i>	<i>5.00</i>	<i>0.56</i>	<i>0.27</i>	<i>2.37</i>					

22/7-81

Steen Boman

O. H. Andersen

MALMBEREGNING I

Lokalitet:

Borehull: BNN-752

Boredato : Mar. - 81

Koordinater : $x: 925,422,4 \quad y: 44871,5$
 Retning :

Retning : opp

Holding/stigning : $+90^\circ$

Høyde : 1021

Dybde	Lengde (m)	Analyser			
		% Pb	% Cu	% Zn	% S
7.60-8.60 m	1. -	0.04	0.03	0.15	
8.60-9.90 "	1.30	0.03	0.03	0.16	

C. Anderson

MALMBEREGNING I

Lokalitet: Profil: 44.870

Borehull: BNN-751

Boredato : Max.-81

Koordinater : x: 925.428,1 y: 44.872,0

Retning : opp

Rolling/signing : $+90^\circ$

Høyde : 101,9

Dybde	Lengde (m)	Analyser			
		% Pb	% Cu	% Zn	% S
9.50 - 10.00 n	0.50	0.73	0.35	2.83	

Offense

MALMBEREGNING I

Lokalitet: *Profil 44.985*

Borehull: *748*

Boredato : *17.01.81*
 Koordinater : *X: 925,427,1 Y: 44,983,8*
 Retning : *N.*
 Helling/stigning : *+14°*
 Høyde : *-101,9*

Dybde	Lengde (m)	Analyser							
		% Pb	% Cu	% Zn	<i>g/kg Ag</i>	<i>mg Pb</i>	<i>mg Cu</i>	<i>mg Zn</i>	<i>mg As</i>
<i>76,95 - 78,00</i>	<i>1,05</i>	<i>1,25</i>	<i>0,11</i>	<i>3,98</i>	<i>59,3</i>	<i>1,313</i>	<i>0,116</i>	<i>4,179</i>	<i>62,27</i>
<i>79,65 - 80,60</i>	<i>0,95</i>	<i>1,32</i>	<i>0,28</i>	<i>4,46</i>	<i>45,5</i>	<i>1,254</i>	<i>0,266</i>	<i>4,237</i>	<i>43,23</i>
<i>88,10 - 88,80</i>	<i>0,70</i>	<i>1,03</i>	<i>0,91</i>	<i>4,98</i>	<i>31,2</i>	<i>0,721</i>	<i>0,637</i>	<i>3,486</i>	<i>21,84</i>
<i>89,70 - 90,90</i>	<i>1,20</i>	<i>1,17</i>	<i>0,10</i>	<i>5,95</i>	<i>24,5</i>	<i>1,404</i>	<i>0,120</i>	<i>7,140</i>	<i>29,4</i>
<i>90,90 - 92,10</i>	<i>1,20</i>	<i>0,67</i>	<i>0,14</i>	<i>2,90</i>	<i>15,8</i>	<i>0,804</i>	<i>0,168</i>	<i>3,48</i>	<i>18,96</i>
<i>92,10 - 93,35</i>	<i>1,25</i>	<i>0,72</i>	<i>0,21</i>	<i>1,90</i>	<i>16,9</i>	<i>0,900</i>	<i>0,263</i>	<i>2,375</i>	<i>21,13</i>
<i>93,80 - 94,15</i>	<i>0,35</i>	<i>1,24</i>	<i>0,17</i>	<i>3,22</i>	<i>28,0</i>	<i>0,434</i>	<i>0,06</i>	<i>1,127</i>	<i>9,8</i>
<i>95,40 - 96,20</i>	<i>0,80</i>	<i>0,51</i>	<i>0,12</i>	<i>1,45</i>	<i>14,8</i>				
<i>96,65 - 97,50</i>	<i>0,85</i>	<i>0,28</i>	<i>0,08</i>	<i>1,24</i>	<i>9,6</i>				
<i>101,90 - 102,80</i>	<i>0,90</i>	<i>0,38</i>	<i>0,04</i>	<i>1,27</i>	<i>10,4</i>				
<i>76,95 - 80,60</i>	<i>3,45</i>	<i>0,74</i>	<i>0,11</i>	<i>2,44</i>	<i>30,6</i>				
<i>88,10 - 92,10</i>	<i>4,00</i>	<i>0,73</i>	<i>0,23</i>	<i>3,53</i>	<i>17,6</i>				
<i>88,10 - 94,15</i>	<i>6,05</i>	<i>0,70</i>	<i>0,20</i>	<i>2,58</i>	<i>16,7</i>				

4/5 - 81

Stellan Furman

MALMBEREGNING I

Lokalitet: *Profil 44.985*

Borehull: 747

Boredato : 17.05.-81
Koordinater : x: 925.427,1 y: 44.983,8
Retning : N
Helling/stigning : +10°
Høyde : -101,6

Phinck

Dybde	Lengde (m)	Analyser				
		% Pb	% Cu	% Zn	Ag %	g/g Au
51.00 - 52.00	1.00	0.25	0.14	1.31	8.8	
53.00 - 54.00	1.00	0.11	0.22	1.03	8.8	
55.00 - 56.00	1.00	0.11	0.17	0.66	7.6	
57.00 - 58.00	1.00	0.16	0.20	0.88	10.4	
59.00 - 60.00	1.00	0.38	0.13	2.15	23.6	1.15
61.00 - 62.00	1.00	0.16	0.05	0.77	6.5	
63.00 - 64.00	1.00	0.70	0.14	2.00	21.0	0.25
65.00 - 66.00	1.00	0.32	0.11	1.08	9.9	
67.00 - 68.00	1.00	0.74	0.23	2.38	21.7	0.20
84.00 - 85.00	1.00	1.55	0.23	3.93	33.3	0.32
51.00 - 68.00	17.00	0.33	0.15	1.36		
84.00 - 85.00	1.00	1.55	0.23	3.93	33.3	

(Mineraliseringen omkring 84-85 m börjar vid 83-86 m)

Stellan Brunnar

MALMBEREGNING I

Lokalitet: Profil: 44.983.

Borehull: 746

Boredato : Feb-81

Koordinater : X: 925,427,1 Y: 44.983,8

Retning : N

Helling/stigning : + 21°

Høyde : -101,6

Dybde	Lengde (m)	Analyser			
		% Pb	% Cu	% Zn	% S
96,80 - 98,00	1,20	0,33	0,18	1,41	8,8
98,00 - 100,00	2,00	0,59	0,14	1,32	20,6
100,00 - 101,50	1,5	0,14	0,09	0,30	4,6
20/8 - 81 Stellan Furman					

MALMBEREGNING I

Lokalitet: Profil: 44.830

Borehull: 744

Boredato : Feb.-81

Koordinater : X: 925.468,5 Y: 44.830.

Retning : N

Helling/stigning : 0° (Horisontalt)

Høyde : - 103,0

Dybde	Lengde (m)	Analyser						
		% Pb	% Cu	% Zn	% S	mg Pb	mg Cu	mg Zn
0,00 - 1,50	1,50	0,13	0,11	0,30				
1,50 - 2,50	1,00	0,76	0,19	2,20		0,76	0,19	2,20
2,50 - 3,50	1,00	0,26	0,13	0,65		0,26	0,13	0,65
3,50 - 4,50	1,00	0,55	0,30	1,97		0,55	0,30	1,97
4,50 - 5,80	1,30	1,04	0,37	3,75		1,352	0,481	4,875
5,80 - 6,80	1,00	0,03	0,02	0,13				
1,50 - 5,80	4,30	0,68	0,26	2,25				

20/5-81

Stellan Gunnarsson

MALMBEREGNING I

Lokalitet: Profil: 44.830

Borehull: 743

Boredato : Feb-81

Koordinater : X: 925,468,5 Y: 44,830

Retning : N.

Helling/stigning : -20°

Høyde : -103,5

Dybde	Lengde (m)	Analyser						
		% Pb	% Cu	% Zn	% S	mg Pb	mg Cu	mg Zn
0.25 - 1.00	0.75	0.46	0.18	0.76				
1.00 - 1.50	0.50	0.03	0.08	0.14				
1.50 - 3.10	1.60	0.80	0.27	3.01		1.28	0.432	4.816
3.10 - 4.30	1.20	1.20	0.24	3.76		1.44	0.288	4.512
4.30 - 5.30	1.00	0.15	0.04	0.38				
1.50 - 4.30	2.80	0.97	0.26	3.33				
20/5-81 Stellan Burner								

MALMBEREGNING I

Lokalitet: Profil 44.830

Borehull: 742

Boredato : Feb -81
 Koordinater : X: 925.468,5 Y: 44.830
 Retning : N.
 Helling/stigning : -45°
 Høyde : -104,5

Dybde	Lengde (m)	Analyser						
		% Pb	% Cu	% Zn	% S	mg Pb	mg Cu	mg Zn
0,00 - 0,80	0,80	0,07	0,08	0,19				
0,80 - 2,00	1,20	1,60	0,18	5,05		1,92	0,216	6,06
2,00 - 3,35	1,35	0,45	0,54	1,42		0,608	0,729	1,917
3,35 - 4,35	1,00	0,16	0,10	0,42				
0,80 - 3,35	2,55	0,99	0,37	3,13				
 20/5 - 81 Stellan Boman								

MALMBEREGNING 1

Lokalitet: Profil: 44.830

Borehull: 741

Boredato : Feb-81

Koordinater : X: 925,466,8 Y: 44,830

Retning : Lodd.

Helling/signing: -90°

Høyde : - 104,0

Dybde	Lengde (m)	Analyser			
		% Pb	% Cu	% Zn	% S
0.00 - 1.15	1.15	0.04	0.04	0.15	
1.15 - 1.90	0.75	2.10	0.21	3.76	
1.90 - 2.90	1.00	0.01	0.01	0.13	
1.15 - 1.90	0.75	2.10	0.21	3.76	

20/5-81

Stellan Burman

MALMBEREGNING I

Lokalitet: *profil 43,760*

Borehull: 740

Boredato : Feb -81

Koordinater : $x: 925,424, y: 43,756$

Retning : N.

Helling/signing: - 58°

Høyde : - 48,3

Dybde	Lengde (m)	Analyser			
		% Pb	% Cu	% Zn	% S
10,70-11,70	1.00	0.06	0.07	0.33	
11,70-12,70	1.00	0.16	0.09	0.78	
12,70-14,40	1.70	1.88	0.37	4.53	
14,40-15,40	1.00	0.08	0.15	0.28	
12,70-14,40	1.70	1.88	0.37	4.53	
25/3-81 Stellan Gunnarsson					

MALMBEREGNING I

Lokalitet: *Profil. 44.760*

Borehull: *739.*

Boredato : *Feb.-81*

Koordinater : *X: 925.424 Y: 43.756*

Retning : *N.*

Helling/stigning : *-68°*

Høyde : *-48,3*

Dybde	Lengde (m)	Analyser						
		% Pb	% Cu	% Zn	% S	mg Pb	mg Cu	mg Zn
<i>6.80 - 7.80</i>	<i>1.00</i>	<i>0.02</i>	<i>0.01</i>	<i>0.04</i>				
<i>7.80 - 9.20</i>	<i>1.40</i>	<i>0.50</i>	<i>0.19</i>	<i>1.91</i>				
<i>9.20 - 9.80</i>	<i>0.60</i>	<i>0.07</i>	<i>0.09</i>	<i>0.34</i>				
<i>9.80 - 10.20</i>	<i>0.40</i>	<i>0.77</i>	<i>0.31</i>	<i>1.47</i>				
<i>10.20 - 10.60</i>	<i>0.40</i>	<i>0.21</i>	<i>0.12</i>	<i>0.42</i>				
<i>10.60 - 11.30</i>	<i>0.70</i>	<i>2.30</i>	<i>0.16</i>	<i>4.75</i>		<i>1.610</i>	<i>0.112</i>	<i>3.325</i>
<i>11.30 - 12.60</i>	<i>1.30</i>	<i>0.14</i>	<i>0.10</i>	<i>0.31</i>		<i>0.182</i>	<i>0.130</i>	<i>0.403</i>
<i>12.60 - 13.65</i>	<i>1.05</i>	<i>0.95</i>	<i>0.56</i>	<i>3.16</i>		<i>0.998</i>	<i>0.588</i>	<i>3.318</i>
<i>13.65 - 14.35</i>	<i>0.70</i>	<i>0.05</i>	<i>0.06</i>	<i>0.21</i>				
<i>14.35 - 14.60</i>	<i>0.25</i>	<i>0.57</i>	<i>0.29</i>	<i>1.40</i>				
<i>14.60 - 15.35</i>	<i>0.75</i>	<i>0.10</i>	<i>0.05</i>	<i>0.39</i>				
<i>15.35 - 15.80</i>	<i>0.45</i>	<i>0.97</i>	<i>0.58</i>	<i>3.43</i>				
<i>15.80 - 16.80</i>	<i>1.00</i>	<i>0.07</i>	<i>0.02</i>	<i>0.19</i>				
<i>10.60 - 13.65</i>	<i>3.05</i>	<i>0.91</i>	<i>0.27</i>	<i>2.31</i>				

25/3-81

Stellan Brerman

MALMBEREGNING I

Lokalitet: Profil 43.760

Borehull: 738.

Boredato : FCB - 81

Koordinater : **x 925.425,5 y: 43,756**

Retning : N.

Helling/signing : - 72°

Høyde : - 48

Dybde	Lengde (m)	Analyser						
		% Pb	% Cu	% Zn	% S	m _{Pb}	m _{Cu}	m _{Zn}
7.30 - 8.30	1.00	0.09	0.14	0.20				
8.30 - 10.05	1.75	0.81	0.23	2.50		1.418	0.403	4.375
10.05 - 10.65	0.60	0.20	0.15	0.65		0.120	0.090	0.390
10.65 - 11.55	0.90	1.60	0.42	5.85		1.440	0.378	5.265
11.55 - 12.10	0.55	0.15	0.03	0.65		0.083	0.017	0.358
12.10 - 13.00	0.90	0.47	0.27	2.32		0.423	0.243	2.088
13.00 - 14.30	1.30	0.04	0.04	0.13				
14.30 - 15.40	1.10	0.14	0.09	0.59				
15.40 - 17.30	1.90	0.18	0.06	0.44				
17.30 - 17.70	0.40	0.88	0.26	3.64				
17.70 - 18.30	0.60	0.04	0.03	0.18				
18.30 - 18.55	0.25	0.36	0.24	0.76				
18.55 - 19.55	1.00	0.03	0.06	0.10				
22.10 - 22.65	0.55	0.09	0.23	0.16				
32.20 - 33.20	1.00	0.05	0.09	0.10				
33.20 - 33.75	0.55	2.70	0.60	7.65				
33.75 - 33.90	0.15	0.18	0.11	0.42				
33.90 - 34.90	1.00	0.02	0.45	0.54				
34.90 - 35.75	0.85	0.17	0.45	2.05				
35.75 - 36.80	1.05	0.09	0.24	0.44				
36.80 - 37.80	1.00	0.01	0.04	0.04				
40.20 - 41.35	1.15	0.03	0.12	0.08				
8.30 - 11.55	3.25	0.92	0.27	3.09				
(8.30 - 13.00)	4.70	0.74	0.24	2.65				
35.75 - 32.20	2.55	0.66	0.46	2.57.				

11/3-81
Herman Furman

MALMBEREGNING I

Lokalitet: *Profil 43.760*

Borehull: *737*

Boredato : *7. nov - 81*

Koordinater : X: *925.425* Y: *43.756*

Retning : *S.*

Helling/stigning : *- 60°*

Høyde : *- 48*

Dybde	Lengde (m)	Analyser						
		% Pb	% Cu	% Zn	% S	m% Pb	m% Cu	m% Zn
<i>7.65 - 8.10</i>	<i>0.45</i>	<i>0.29</i>	<i>0.49</i>	<i>1.14</i>				
<i>8.10 - 9.35</i>	<i>1.25</i>	<i>0.03</i>	<i>0.06</i>	<i>0.27</i>				
<i>9.35 - 9.70</i>	<i>0.35</i>	<i>2.20</i>	<i>0.52</i>	<i>4.64</i>				
<i>19.45 - 20.65</i>	<i>1.00</i>	<i>0.13</i>	<i>0.14</i>	<i>0.76</i>				
<i>20.65 - 22.20</i>	<i>1.55</i>	<i>0.68</i>	<i>0.60</i>	<i>3.10</i>		<i>1.054</i>	<i>0.930</i>	<i>4.805</i>
<i>22.20 - 22.80</i>	<i>0.60</i>	<i>0.67</i>	<i>0.11</i>	<i>0.28</i>		<i>0.402</i>	<i>0.066</i>	<i>0.168</i>
<i>22.80 - 23.05</i>	<i>0.25</i>	<i>1.70</i>	<i>0.51</i>	<i>8.16</i>		<i>0.425</i>	<i>0.128</i>	<i>2.040</i>
<i>23.05 - 23.70</i>	<i>0.65</i>	<i>0.17</i>	<i>0.13</i>	<i>1.67</i>		<i>0.111</i>	<i>0.085</i>	<i>1.086</i>
<i>29.20 - 29.70</i>	<i>0.50</i>	<i>0.31</i>	<i>0.69</i>	<i>1.40</i>				
<i>34.60 - 35.70</i>	<i>1.10</i>	<i>0.02</i>	<i>0.14</i>	<i>0.14</i>				
<i>35.70 - 36.65</i>	<i>0.95</i>	<i>0.01</i>	<i>0.04</i>	<i>0.10</i>				
<i>36.65 - 37.95</i>	<i>1.30</i>	<i>0.65</i>	<i>0.18</i>	<i>1.90</i>				
<i>37.95 - 38.95</i>	<i>1.00</i>	<i>0.14</i>	<i>0.09</i>	<i>0.41</i>				
<i>41.75 - 42.70</i>	<i>0.95</i>	<i>0.01</i>	<i>0.02</i>	<i>0.06</i>				
<i>42.70 - 44.05</i>	<i>1.35</i>	<i>2.80</i>	<i>0.19</i>	<i>5.36</i>				
<i>44.05 - 44.60</i>	<i>0.55</i>	<i>0.19</i>	<i>0.09</i>	<i>0.16</i>				
<i>20.65 - 23.70</i>	<i>3.05</i>	<i>0.65</i>	<i>0.40</i>	<i>2.66</i>				
<i>42.70 - 44.05</i>	<i>1.35</i>	<i>2.80</i>	<i>0.19</i>	<i>5.36</i>				

11/3 - 81

Arne Furman

MALMBEREGNING I

Lokalitet: *Profil 44.430*

Borehull: *736*

Boredato : *7 aug - 81*

Koordinater : *X: 925 473,2 Y: 44.423*

Retning : *5*

Helling/stigning : *- 45°*

Høyde : *- 64.8*

Dybde	Lengde (m)	Analyser						
		% Pb	% Cu	% Zn	% S	mg Pb	mg Cu	mg Zn
<i>0.00 - 0.60</i>	<i>0.60</i>	<i>< 0.01</i>	<i>0.03</i>	<i>0.04</i>				
<i>0.60 - 1.80</i>	<i>1.20</i>	<i>0.04</i>	<i>0.13</i>	<i>0.53</i>				
<i>4.80 - 5.80</i>	<i>1.00</i>	<i>< 0.01</i>	<i>0.18</i>	<i>0.16</i>				
<i>5.80 - 7.00</i>	<i>1.20</i>	<i>0.12</i>	<i>0.72</i>	<i>1.63</i>		<i>0.144</i>	<i>0.864</i>	<i>1.956</i>
<i>7.00 - 7.60</i>	<i>0.60</i>	<i>0.66</i>	<i>0.36</i>	<i>3.59</i>		<i>0.396</i>	<i>0.216</i>	<i>2.154</i>
<i>7.60 - 8.60</i>	<i>1.00</i>	<i>0.01</i>	<i>0.17</i>	<i>0.06</i>				
<i>5.80 - 7.60</i>	<i>1.80</i>	<i>0.30</i>	<i>0.60</i>	<i>2.28</i>				

18/3 - 81

Arvid Herman

MALMBEREGNING I

Lokalitet: *Prof. 44.430*

Borehull: 735.

Boredato : 700-81

Koordinater : X: 925.473 Y: 44.427

Retning : 5

Helling/stigning : *Horizontal*

Høyde : - 63,4

Dybde	Lengde (m)	Analyser			
		% Pb	% Cu	% Zn	% S
0,60 - 1,65	0,25	0,01	0,01	0,07	
1,65 - 2,10	0,45	<0,01	0,17	0,03	
2,10 - 2,50	0,40	0,57	0,16	3,44	
2,50 - 3,00	0,50	0,01	0,07	0,14	
4,45 - 5,45	1,00	0,01	0,24	0,31	
5,45 - 6,00	0,55	<0,01	0,21	0,12	
6,00 - 7,00	1,00	0,01	0,43	0,18	
7,00 - 8,00	1,00	0,02	0,26	0,19	
18/3-81 Sharon Turner					

MALMBEREGNING I

Lokalitet: *Profil 44.730*

Borehull: 733

Boredato : 7. nov - 81
Koordinator : X: 925.476 Y: 44.427
Retning :
Helling/stigning :
Høyde : - 60.8

Dybde	Lengde (m)	Analyser			
		% Pb	% Cu	% Zn	% S
0.00 - 1.00	1.00	0.86	0.18	2.12	
1.00 - 2.00	1.00	0.31	0.10	0.78	
18/3-81 Stellan Krummer					

MALMBEREGNING I

Lokalitet: *Profil: 43.760*

Borehull: 732

Boredato : 701-81
Koordinater : X: 925.426 Y: 43.755
Retning : S.
Helling/signing : - 70°
Høyde : - 48

Dybde	Lengde (m)	Analyser						
		% Pb	% Cu	% Zn	% S	m% Pb	m% Cu	m% Zn
6.05 - 7.05	1.00	0.04	0.02	0.18				
7.05 - 7.90	0.85	0.48	0.34	1.59				
7.90 - 9.60	1.70	0.11	0.11	0.39				
9.60 - 10.10	0.50	2.30	0.42	6.15				
10.10 - 11.10	1.00	0.43	0.10	0.77				
17.05 - 17.70	0.65	0.85	0.81	1.65		0.553	0.527	1.073
17.70 - 18.95	1.25	0.05	0.06	0.13		0.063	0.075	0.163
18.95 - 20.00	1.05	0.28	0.93	2.31		0.294	0.977	2.426
20.00 - 20.50	0.50	0.52	0.73	0.53		0.260	0.365	0.265
20.50 - 21.90	1.40	2.00	0.49	4.35		2.800	0.686	6.090
21.90 - 22.90	1.00	0.38	0.03	0.26				
33.60 - 34.60	1.00	0.08	0.13	0.56				
34.60 - 35.60	1.00	0.07	0.30	2.20				
35.60 - 36.45	0.85	<0.01	0.16	0.34				
36.45 - 36.70	0.25	0.02	0.06	0.13				
37.65 - 39.50	1.85	<0.01	0.01	0.03				
39.50 - 40.50	1.00	0.94	0.22	3.89				
40.90 - 41.90	1.00	0.01	0.02	0.10				
17.05 - 21.90	4.85	0.82	0.54	2.06				
34.60 - 35.60	1.00	0.07	0.30	2.20	?	See historic logs		
39.50 - 40.50	1.00	0.94	0.22	3.89	?	- " -		
17/2 - 81 Stellan Gunnarsson								

MALMBEREGNING I

Lokalitet: *Prof. 43.760*

Borehull: *731*

Boredato : *Jan - 81*
 Koordinater : *X: 925.426 Y: 43755 ca.*
 Retning : *S.*
 Helling/stigning : *-80°*
 Høyde : *-42.0 m o.k.*

Dybde	Lengde (m)	Analyser						
		% Pb	% Cu	% Zn	% S	<i>~% Pb</i>	<i>~% Cu</i>	<i>~% Zn</i>
<i>0.40 - 0.65</i>	<i>0.25</i>	<i>0.82</i>	<i>0.27</i>	<i>2.08</i>				
<i>5.75 - 6.75</i>	<i>1.00</i>	<i>0.04</i>	<i>0.02</i>	<i>0.06</i>				
<i>6.75 - 7.30</i>	<i>0.55</i>	<i>0.35</i>	<i>0.48</i>	<i>4.79</i>		<i>0.193</i>	<i>0.264</i>	<i>0.435</i>
<i>7.30 - 7.80</i>	<i>0.50</i>	<i>0.03</i>	<i>0.02</i>	<i>0.04</i>		<i>0.015</i>	<i>0.010</i>	<i>0.020</i>
<i>7.80 - 9.60</i>	<i>1.80</i>	<i>1.26</i>	<i>0.28</i>	<i>3.23</i>		<i>2.268</i>	<i>0.504</i>	<i>5.814</i>
<i>9.60 - 10.10</i>	<i>0.50</i>	<i>1.75</i>	<i>0.41</i>	<i>8.56</i>		<i>0.875</i>	<i>0.205</i>	<i>4.180</i>
<i>10.10 - 10.50</i>	<i>0.40</i>	<i>2.25</i>	<i>0.47</i>	<i>4.90</i>		<i>0.900</i>	<i>0.188</i>	<i>1.960</i>
<i>10.50 - 11.50</i>	<i>1.00</i>	<i>0.05</i>	<i>0.05</i>	<i>0.13</i>				
<i>14.90 - 15.90</i>	<i>1.00</i>	<i>0.02</i>	<i>0.01</i>	<i>0.02</i>				
<i>15.90 - 16.50</i>	<i>0.60</i>	<i>0.66</i>	<i>0.79</i>	<i>1.49</i>		<i>0.396</i>	<i>0.474</i>	<i>0.894</i>
<i>16.50 - 16.70</i>	<i>0.20</i>	<i>0.64</i>	<i>0.37</i>	<i>1.53</i>		<i>0.128</i>	<i>0.074</i>	<i>0.306</i>
<i>16.70 - 17.00</i>	<i>0.30</i>	<i>0.23</i>	<i>0.52</i>	<i>1.20</i>		<i>0.069</i>	<i>0.156</i>	<i>0.360</i>
<i>17.00 - 18.00</i>	<i>1.00</i>	<i>0.50</i>	<i>0.70</i>	<i>2.56</i>		<i>0.500</i>	<i>0.700</i>	<i>2.560</i>
<i>18.00 - 18.20</i>	<i>0.20</i>	<i>0.91</i>	<i>0.31</i>	<i>0.15</i>		<i>0.082</i>	<i>0.062</i>	<i>0.030</i>
<i>18.20 - 18.40</i>	<i>0.20</i>	<i>0.25</i>	<i>0.22</i>	<i>1.12</i>		<i>0.050</i>	<i>0.044</i>	<i>0.224</i>
<i>18.40 - 18.55</i>	<i>0.15</i>	<i>2.00</i>	<i>0.28</i>	<i>0.01</i>		<i>0.300</i>	<i>0.042</i>	<i>0.001</i>
<i>18.55 - 18.80</i>	<i>0.25</i>	<i>0.73</i>	<i>0.10</i>	<i>0.08</i>		<i>0.183</i>	<i>0.025</i>	<i>0.020</i>
<i>18.80 - 20.55</i>	<i>1.75</i>	<i>1.30</i>	<i>0.59</i>	<i>4.04</i>		<i>2.275</i>	<i>1.033</i>	<i>7.070</i>
<i>20.55 - 21.55</i>	<i>1.00</i>	<i>0.47</i>	<i>0.04</i>	<i>0.77</i>				
<i>24.60 - 25.00</i>	<i>0.40</i>	<i>0.73</i>	<i>0.28</i>	<i>1.90</i>				
<i>31.95 - 32.95</i>	<i>1.00</i>	<i>0.04</i>	<i>0.03</i>	<i>0.07</i>				
<i>32.95 - 33.90</i>	<i>0.95</i>	<i>0.43</i>	<i>0.43</i>	<i>4.37</i>		<i>0.409</i>	<i>0.409</i>	<i>4.152</i>
<i>33.90 - 34.75</i>	<i>0.85</i>	<i>0.17</i>	<i>0.26</i>	<i>9.22</i>		<i>0.145</i>	<i>0.221</i>	<i>7.837</i>
<i>34.75 - 35.20</i>	<i>0.45</i>	<i>0.06</i>	<i>0.03</i>	<i>0.26</i>		<i>0.027</i>	<i>0.014</i>	<i>0.117</i>
<i>35.20 - 36.60</i>	<i>1.40</i>	<i>0.73</i>	<i>0.31</i>	<i>4.75</i>		<i>1.022</i>	<i>0.434</i>	<i>6.650</i>
<i>36.60 - 38.15</i>	<i>1.55</i>	<i>1.55</i>	<i>0.40</i>	<i>4.83</i>		<i>2.403</i>	<i>0.620</i>	<i>7.487</i>
<i>38.15 - 39.15</i>	<i>1.00</i>	<i>0.05</i>	<i>0.02</i>	<i>0.18</i>				
<i>6.75 - 10.50</i>	<i>3.75</i>	<i>1.13</i>	<i>0.31</i>	<i>3.31</i>				
<i>15.90 - 20.55</i>	<i>4.65</i>	<i>0.88</i>	<i>0.56</i>	<i>2.47</i>				
<i>32.95 - 38.15</i>	<i>5.20</i>	<i>0.77</i>	<i>0.33</i>	<i>5.05</i>				

16/2 - 80
William Berner

MALMBEREGNING 1

Lokalitet: Profil 44.570

Borehull: 730

Boredato : Dec-80

Koordinater : X: 925.474.8 Y: 44.570

Retning : opp.

Helling/stigning : $+ 90^\circ$

Høyde : -94.5

Dybde	Lengde (m)	Analyser						
		% Pb	% Cu	% Zn	% S	m% Pb	m% Cu	m% Zn
33.00 - 33.45	0.45	0.17	0.43	4.48		0.077	0.194	2.016
33.45 - 34.15	0.70	0.07	0.10	0.22		0.049	0.070	0.154
34.15 - 34.65	0.50	1.85	0.34	3.22		0.925	0.170	1.610
34.65 - 35.50	0.85	0.06	0.05	0.23				
33.00 - 34.65	1.65	0.64	0.26	2.29				

171-81

Aileen Berman

MALMBEREGNING I

Boredato : Dec-80

Koordinater : X: 925.475 Y: 44.570

Retning : N.

Helling/signing : + 77°

Høyde : -94.5

Lokalitet: Profil. 44.570

Borehull: 729

Dybde	Lengde (m)	Analyser							
		% Pb	% Cu	% Zn	Ag, g/t	mg Pb	mg Cu	mg Zn	
34.70 - 35.65	0.95	0.24	0.12	0.67	5.8	0.228	0.114	0.637	
35.65 - 36.65	1.00	1.60	0.15	7.28	27.7	1.600	0.150	7.280	27.700
36.65 - 37.20	0.55	0.06	0.25	1.23	5.0	0.033	0.138	0.677	2.950
37.20 - 38.40	1.20	1.01	0.05	7.70	18.5	1.212	0.060	9.240	22.200
38.40 - 39.00	0.60	0.27	0.13	1.06	7.1	0.162	0.078	0.636	4.260
39.00 - 40.00	1.00	0.03	0.08	0.27	2.6	0.103	0.108	0.27	
35.65 - 39.00	3.35	0.90	0.13	5.32	17.0				
34.70 - 40.00	5.30	0.62	0.12	3.54					
		12/1	-81						
		Aileen Bunn							

MALMBEREGNING I

Lokalitet: Profile. 44.570

Borehull: 728

Boredato : Dec-80

Koordinater : x: 925.480 y: 44.570

Retning : N.

Helling/stigning: + 72°

Høyde : - 94,5

Dybde	Lengde (m)	Analyser			
		% Pb	% Cu	% Zn	% S
40.00 - 40.50	0.50	0.25	0.03	0.48	
40.50 - 41.00	0.50	1.28	0.56	3.41	
41.00 - 42.00	1.00	0.06	0.01	0.06	
40.50 - 41.00	0.50	1.28	0.56	3.41	
12/1 - 81					
Juan Sumari					

MALMBEREGNING I

Lokalitet: *Profile: 43.760*

Borehull: 727

Boredato : 7-81
Koordinater : X: 925.426 Y: 43.755
Retning : 60dd.
Helling/signing : -90°
Høyde : -48

Dybde	Lengde (m)	Analyser			
		% Pb	% Cu	% Zn	% S
6.80 - 7.80	1.00	0.01	0.01	0.05	
7.80 - 8.85	1.05	0.24	0.37	1.78	
8.85 - 9.30	0.55	<0.01	0.05	0.11	
9.30 - 9.85	0.55	1.14	0.38	2.20	
9.85 - 10.85	1.00	0.12	0.08	0.08	
15.60 - 16.60	1.00	<0.01	<0.01	0.01	
16.60 - 17.10	0.50	0.97	0.33	2.27	
17.10 - 18.05	0.95	0.04	0.07	0.10	
18.05 - 19.00	0.95	0.40	0.31	0.99	
19.00 - 20.15	1.15	1.91	0.70	6.30	
20.15 - 21.00	0.85	0.11	0.04	0.20	
30.00 - 30.65	0.65	0.11	0.05	0.02	
30.65 - 31.70	1.05	0.49	0.37	1.20	
31.70 - 32.55	0.85	0.02	0.13	0.11	
32.55 - 33.50	0.95	0.57	0.46	4.80	
33.50 - 34.90	1.40	0.05	0.07	0.04	
34.90 - 35.05	0.15	2.65	0.30	8.00	
35.05 - 36.55	1.50	0.06	0.21	0.32	
36.55 - 37.00	0.45	0.36	0.74	3.29	
37.00 - 37.50	0.50	0.10	0.07	0.18	
37.50 - 38.10	0.60	1.56	0.20	4.60	
38.10 - 39.10	1.00	0.02	0.04	0.07	
16.60 - 20.15	3.55				
32.55 - 38.10	5.55				

19/2-81
 Allan Burman
 2.50
 1.91
 16/3-81
 578.

MALMBEREGNING I

Lokalitet: 44.680

Borehull: 726

Boredato : Des 80 .

Koordinater : X: 925.485,5 Y: 44.680

Retning : 2

Holding/stigning : + 82°

Høyde : - 94

Dybde	Lengde (m)	Analyser			
		% Pb	% Cu	% Zn	% S
27.40 - 28.15	0.75	0.03	0.03	0.06	0.1
28.15 - 29.35	1.20	0.61	0.51	4.78	19.4
29.35 - 30.35	1.00	0.06	0.09	0.24	2.9
28.15 - 29.35	1.20	0.61	0.51	4.78	19.4
5.12.80.					
H. Pantofalski					

MALMBEREGNING I

Lokalitet: 44.670

Borehull: 725

Boredato : Des 80.

Koordinater : x: 925,486 y: 44,680

Retning : 2.

Helling/stigning : + 67°

Høyde : - 94

Dybde	Lengde (m)	Analyser			
		% Pb	% Cu	% Zn	% S
33.05 - 34.05	1.00	0.03	0.02	0.05	0.6
34.05 - 35.45	1.40	1.65	0.28	5.40	29.1
35.45 - 36.45	1.00	0.06	0.04	0.20	0.9
34.05 - 35.45	1.40	1.65	0.28	5.40	29.1
5-12-80.					
H. Pantdal					

MALMBEREGNING I

Lokalitet: 44680

Borehull: 723

Boredato : Nov. 80.

Koordinater : x: 925,486 y: 44,680

Retning : N

Helling/stigning : + 75°

Høyde : - 94

Dybde	Lengde (m)	% Pb	% Cu	% Zn	Analyser
27.90 - 28.90	1.00	0.03	0.02	0.09	0.4
28.90 - 29.45	0.55	4.10	0.24	7.56	98.1
29.45 - 30.30	0.85	0.19	0.09	0.37	8.1
30.30 - 31.00	0.70	0.41	0.20	2.02	11.9
31.00 - 31.60	0.60	0.68	0.15	6.66	12.8
31.60 - 32.20	0.60	1.40	0.04	5.75	32.9
32.20 - 33.20	1.00	0.10	0.06	0.40	4.1
28.90 - 32.20	3.30	1.20	0.14	4.04	24.3
27.90 - 33.20	5.30	0.77	0.10	2.61	
5-12-80.					
H. Pasterdal					

MALMBEREGNING I

Lokalitet: Profil 44.980

Borehull: 722

Boredato : Des-80

Koordinater : X: 925.424 Y: 43.983

Retning : S.

Helling/stigning : - 70°

Høyde : - 66.5

Dybde	Lengde (m)	Analyser						
		% Pb	% Cu	% Zn	% S	mg Pb	mg Cu	mg Zn
0.00 - 1.85	1.85	1.18	0.19	4.54		2.183	0.352	8.399
1.85 - 2.45	0.60	0.35	0.23	1.50		0.210	0.138	0.900
2.45 - 3.60	1.15	0.36	0.23	2.65		0.414	0.263	3.048
3.60 - 3.95	0.35	2.30	0.61	1.69		0.805	0.214	0.592
3.95 - 4.80	0.85	1.00	0.23	2.03		0.850	0.196	1.726
4.80 - 5.80	1.00	0.29	0.12	0.79				
5.80 - 6.80	1.00	0.30	0.23	0.96				
6.80 - 7.80	1.00	0.01	0.01	0.01				
13.75 - 14.75	1.00	0.02	0.05	0.05				
14.75 - 15.50	0.75	0.54	0.34	3.03				
15.50 - 16.40	0.90	0.10	0.13	0.61				
16.40 - 16.80	0.40	0.04	0.25	0.75				
16.80 - 17.50	0.70	0.01	0.03	0.01				
17.50 - 18.50	1.00	0.01	0.07	0.07				
18.50 - 18.90	0.40	0.01	0.32	1.42		0.004	0.128	0.568
18.90 - 19.60	0.70	0.75	0.29	3.28		0.525	0.203	2.296
19.60 - 20.10	0.50	0.07	0.07	0.89		0.035	0.035	0.445
20.10 - 20.40	0.30	0.69	0.51	15.20		0.207	0.153	4.560
20.40 - 21.40	1.00	0.06	0.05	0.25				
0.00 - 4.80	4.80	0.93	0.24	3.05				
14.75 - 15.50	0.75	0.54	0.34	3.03				
18.50 - 20.40	1.90	0.41	0.27	4.14				
		15/12-80	Stellan Berman					

MALMBEREGNING I

Lokalitet: 43.980

Borehull: 721

Boredato : Nov. 80.

Koordinater : X: 925.425 Y: 44.983

Retning : S

Helling/stigning : - 85°

Høyde : - 66.5

Dybde	Lengde (m)	Analyser						
		% Pb	% Cu	% Zn	% S	m% Pb	m% Cu	m% Zn
0.00 - 0.50	0.50	0.34	0.13	1.11		0.17	0.06	0.55
0.50 - 2.00	1.50	0.95	0.28	3.96		1.42	0.42	5.94
2.00 - 3.60	1.60	1.50	0.37	4.30		2.40	0.59	6.88
3.60 - 4.15	0.55	0.61	0.25	1.29		0.33	0.14	0.71
4.15 - 4.60	0.45	0.24	0.11	1.14		0.11	0.05	0.61
4.60 - 5.10	0.50	0.29	0.25	1.30		0.14	0.12	0.65
5.10 - 6.95	1.05	0.23	0.24	0.57		0.24	0.25	0.60
6.95 - 7.95	1.00	0.02	0.06	0.06		0.02	0.06	0.06
12.45 - 13.45	1.00	0.03	0.02	0.12		0.03	0.02	0.12
13.45 - 13.80	0.35	0.08	0.44	0.66		0.03	0.15	0.23
13.80 - 14.05	0.25	1.88	0.23	16.32		0.47	0.06	4.08
14.05 - 14.60	0.55	0.06	0.29	0.63		0.03	0.16	0.35
14.60 - 16.00	1.40	0.18	0.21	1.78		0.25	0.29	2.49
16.00 - 17.50	1.50	0.02	0.13	0.74		0.03	0.20	1.11
17.50 - 19.20	1.70	0.07	0.13	0.88		0.12	0.22	1.50
19.20 - 19.75	0.55	0.21	0.36	2.32		0.12	0.20	1.28
19.75 - 19.90	0.15	0.31	0.16	0.80		0.05	0.02	0.12
19.90 - 20.35	0.45	5.30	0.25	20.70		2.39	0.11	9.32
20.35 - 20.55	0.20	1.60	0.72	6.30		0.32	0.14	1.26
20.55 - 21.90	1.35	0.37	0.10	0.06		0.50	0.14	0.08
21.90 - 22.90	1.00	0.17	0.03	0.32		0.17	0.03	0.32
0.00 - 3.60	3.60	1.10	0.30	3.70				
0.00 - 5.10	5.10	0.90	0.27	2.99				
13.80 - 20.55	6.75	0.26	0.21	3.18				

11-12-80.

H. Pautdal

MALMBEREGNING I

Lokalitet: 44.965

Borehull: 719

Boredato : Nov. 90.

Koordinater : X: 925,420 Y: 44,965

Retning : S.

Helling/stigning : $\rightarrow 20^\circ$

Høyde : 101,5

[illegible]

MALMBEREGNING I

Lokalitet: 44.965

Borehull: 713

Boredato : Nov. 80.

Koordinater : x: 925, 425

Retning : 2.

Helling/stigning: + 45°

Høyde : -99.5

Dybde	Lengde (m)	Analyser						
		% Pb	% Cu	% Zn	% S	m% Pb	m% Cu	m% Zn
0.25 - 1.00	0.75	0.22	0.22	0.90				
1.00 - 1.50	0.50	0.28	0.20	0.58				
1.50 - 1.95	0.45	2.00	0.55	6.75				
1.95 - 2.95	1.00	0.04	0.03	0.27				
1.50 - 1.95	0.45	2.00	0.55	6.75				
11-12-80.								
H. Pantdalski								

MALMBEREGNING I

Lokalitet: 43.980

Borehull: 7/2

Boredato : Nov. 80.

Koordinater : X: 925.425 Y: 44.983

Retning : N.

Helling/stigning : - 80°

Høyde : - 67

Dybde	Lengde (m)	Analyser						
		% Pb	% Cu	% Zn	% S	m% Pb	m% Cu	m% Zn
0.00 - 0.30	0.30	0.12	0.30	0.45		0.04	0.09	0.14
0.30 - 1.00	0.70	0.54	0.77	3.29		0.38	0.54	2.30
1.00 - 1.30	0.30	0.04	0.26	0.27		0.01	0.08	0.08
1.30 - 2.30	1.00	0.19	0.57	2.13		0.19	0.57	2.13
2.30 - 3.20	0.90	0.11	0.57	1.14		0.09	0.51	1.02
3.20 - 4.20	1.00	0.02	0.03	0.10				
10.90 - 11.90	1.00	0.01	0.01	0.04				
11.90 - 13.20	1.30	0.27	0.27	1.84		0.35	0.35	2.39
13.20 - 13.40	0.20	1.45	0.20	16.30		0.29	0.04	3.26
13.40 - 14.40	1.00	0.02	0.01	0.25				
14.40 - 15.70	1.30	0.01	0.01	0.01				
15.70 - 16.40	0.70	0.23	0.38	2.12		0.16	0.27	1.48
16.40 - 16.90	0.50	0.03	0.07	0.16		0.01	0.04	0.08
16.90 - 18.40	1.50	1.14	0.67	9.36		1.71	1.00	14.04
18.40 - 19.05	0.65	0.07	0.08	0.36		0.05	0.05	0.23
19.05 - 19.70	0.65	0.42	0.39	4.00		0.27	0.25	2.60
19.70 - 20.60	0.90	0.03	0.13	0.34		0.03	0.12	0.31
20.60 - 21.30	0.70	0.20	0.79	4.93		0.14	0.55	3.45
21.30 - 22.30	1.00	0.02	0.09	0.15				
0.00 - 3.20	3.20	0.19	0.40	1.89				
15.70 - 21.30	5.60	0.42	0.41	3.96				
16.90 - 21.30	4.40	0.50	0.45	4.69				

11-12-80.

H. Pantdalsei

MALMBEREGNING I

Lokalitet: 43.980

Borehull: 711

Boredato : NoJ.80.

Koordinater : x: 925,425,5 y: 43,983

Retning : N.

Helling/stigning : - 63°

Høyde : - 672

Dybde	Lengde (m)	Analyser						
		% Pb	% Cu	% Zn	% S	m% Pb	m% Cu	m% Zn
0.00 - 1.00	1.00	0.14	0.24	1.03		0.14	0.24	1.03
1.00 - 1.30	0.30	0.06	0.25	0.24		0.02	0.23	0.07
1.30 - 2.75	1.45	0.72	0.29	2.70		1.04	0.42	3.90
2.75 - 2.95	0.20	0.05	0.06	0.15				
2.95 - 3.60	0.65	0.28	0.26	0.58				
3.60 - 4.60	1.00	0.21	0.07	0.05				
19.50 - 20.50	1.00	0.02	0.01	0.04				
20.50 - 21.80	1.30	0.01	0.14	0.52				
21.80 - 22.80	1.00	0.01	0.03	0.17				
22.80 - 23.70	0.90	0.01	0.11	0.06				
23.70 - 24.60	0.90	2.10	0.46	12.36				
24.60 - 25.20	0.60	0.04	0.06	0.27				
0.00 - 2.75	2.75	0.44	0.32	1.82				
23.70 - 24.60	0.90	2.10	0.46	12.36				

11-12-80.

H. Parndalsen

MALMBEREGNING I

Lokalitet: 44,160

Borehull: 710

Boredato : Nov 80.

Koordinater : x: 925.392 y: 44.160

Retning : S

Helling/signing : - 50°

Høyde : - 71

Dybde	Lengde (m)	Analyser						
		% Pb	% Cu	% Zn	% S	m% Pb	m% Cu	m% Zn
0.00 - 1.50	1.50	1.05	0.56	3.68		1.57	0.84	5.52
1.50 - 3.05	1.55	2.60	0.53	8.50		4.03	0.82	13.17
3.05 - 3.30	0.25	0.14	0.53	1.26		0.03	0.13	0.31
3.30 - 3.80	0.50	0.05	0.77	0.16		0.02	0.38	0.08
3.80 - 4.15	0.35	0.10	0.59	1.52		0.03	0.21	0.53
4.15 - 5.00	0.85	0.42	0.23	0.66		0.36	0.19	0.56
5.00 - 6.00	1.00	1.07	0.75	5.46		1.07	0.75	5.46
6.00 - 7.30	1.30	0.84	0.41	3.10		1.09	0.53	4.03
7.30 - 8.60	1.30	0.41	0.21	1.30		0.53	0.27	1.69
8.60 - 10.00	1.40	0.60	0.31	2.04		0.84	0.43	2.86
10.00 - 10.90	0.90	1.00	0.34	6.10		0.90	0.31	5.49
10.90 - 11.90	1.00	0.05	0.02	0.17		0.05	0.02	0.17
15.80 - 16.80	1.00	0.05	0.08	0.10		0.05	0.08	0.10
16.80 - 17.30	0.50	0.15	0.64	0.90		0.07	0.32	0.45
17.30 - 18.30	1.00	0.04	0.05	0.12		0.04	0.05	0.12
18.30 - 19.70	1.40	0.03	0.03	0.05		0.04	0.04	0.07
19.70 - 20.90	1.20	1.55	0.33	6.55		1.86	0.40	7.86
20.90 - 21.90	1.00	0.06	0.03	0.21		0.06	0.03	0.21
0.00 - 10.90	10.90	0.96	0.45	3.64				
19.70 - 20.90	1.20	1.55	0.33	6.55				

10-12-80.

H. Panttala

MALMBEREGNING I

Lokalitet: *Profil 44.160*

Borehull: *709*

Boredato : *X: 925.392 Y: 44.160*
 Koordinator :
 Retning : *S*
 Helling/stigning : *- 70°*
 Høyde : *- 71*

Dybde	Lengde (m)	Analyser						
		% Pb	% Cu	% Zn	% S	<i>m₂Pb</i>	<i>m₂Cu</i>	<i>m₂Zn</i>
<i>0.00 - 1.50</i>	<i>1.50</i>	<i>1.70</i>	<i>0.20</i>	<i>4.38</i>		<i>2.550</i>	<i>0.300</i>	<i>6.570</i>
<i>1.50 - 3.00</i>	<i>1.50</i>	<i>0.64</i>	<i>0.31</i>	<i>3.07</i>		<i>0.960</i>	<i>0.465</i>	<i>4.605</i>
<i>3.00 - 4.30</i>	<i>1.30</i>	<i>0.61</i>	<i>0.25</i>	<i>3.37</i>		<i>0.793</i>	<i>0.325</i>	<i>4.381</i>
<i>4.30 - 5.30</i>	<i>1.00</i>	<i>0.14</i>	<i>0.05</i>	<i>0.14</i>		<i>0.140</i>	<i>0.050</i>	<i>0.140</i>
<i>5.30 - 6.20</i>	<i>0.90</i>	<i>0.02</i>	<i>0.02</i>	<i>0.06</i>		<i>0.018</i>	<i>0.018</i>	<i>0.054</i>
<i>6.20 - 7.70</i>	<i>1.50</i>	<i>1.06</i>	<i>0.17</i>	<i>4.87</i>		<i>1.590</i>	<i>0.255</i>	<i>7.305</i>
<i>7.70 - 9.10</i>	<i>1.40</i>	<i>0.62</i>	<i>0.34</i>	<i>5.00</i>		<i>0.868</i>	<i>0.476</i>	<i>7.000</i>
<i>9.10 - 10.10</i>	<i>1.00</i>	<i>0.61</i>	<i>0.29</i>	<i>1.10</i>		<i>0.610</i>	<i>0.290</i>	<i>1.100</i>
<i>10.10 - 11.20</i>	<i>1.10</i>	<i>0.35</i>	<i>0.37</i>	<i>1.41</i>		<i>0.385</i>	<i>0.407</i>	<i>1.551</i>
<i>11.20 - 12.20</i>	<i>1.00</i>	<i>0.26</i>	<i>0.59</i>	<i>3.13</i>		<i>0.260</i>	<i>0.590</i>	<i>3.130</i>
<i>12.20 - 13.10</i>	<i>0.90</i>	<i>0.27</i>	<i>0.48</i>	<i>1.90</i>		<i>0.243</i>	<i>0.423</i>	<i>1.710</i>
<i>13.10 - 14.40</i>	<i>1.30</i>	<i>0.05</i>	<i>0.17</i>	<i>0.55</i>		<i>0.065</i>	<i>0.221</i>	<i>0.715</i>
<i>14.40 - 16.10</i>	<i>1.70</i>	<i>2.00</i>	<i>1.14</i>	<i>10.50</i>		<i>3.400</i>	<i>1.938</i>	<i>17.850</i>
<i>16.10 - 17.10</i>	<i>1.00</i>	<i>0.06</i>	<i>0.04</i>	<i>0.24</i>		<i>0.060</i>	<i>0.040</i>	<i>0.240</i>
<i>0.00 - 4.30</i>	<i>4.30</i>	<i>1.00</i>	<i>0.25</i>	<i>3.62</i>				
<i>6.20 - 16.10</i>	<i>9.90</i>	<i>0.75</i>	<i>0.46</i>	<i>4.08</i>				
<i>(0.00 - 16.10</i>	<i>16.10</i>	<i>0.74</i>	<i>0.36</i>	<i>3.49</i>				

29/1 - 81

Shuan Burman

MALMBEREGNING I

Lokalitet: *Profil : 44.122.*

Borehull: 707

Boredato : 061-80

Koordinater : X: 925.434,5 Y: 44.122

Retning : opp.

Helling/stigning : + 75°

Høyde : - 79

[illegible]

MALMBEREGNING I

Lokalitet: 44,160

Borehull: 697

Boredato : Sept. -80

Koordinater : x: 925,434 y: 44.160

Retning : 0pp

~~Helling~~stigning : $+90^\circ$

Høyde : - 79,5

[illegible]

MALMBEREGNING I

Lokalitet: Profil 44.770

Borehull: 694

Boredato : Sept-80

Koordinater : x: 925.475 y: 44.770

Retning : opp.

Helling/stigning : +90°

Høyde : - 95

Dybde	Lengde (m)	Analyser			
		% Pb	% Cu	% Zn	% S
0,00 - 0,40	0,40	1,80	0,33	3,75	
0,00 - 0,40	0,40	1,80	0,33	3,75	

11-12-80.

H. Pantdalsen

MALMBEREGNING I

Lokalitet: Profil. 44.770

Borehull: 693

Boredato : Sept -80

Koordinater : X 925.475. Y 44.770

Retning : Lodd.

Helling/sighting: -90°

Høyde : -100

Dybde	Lengde (m)	Analyser			
		% Pb	% Cu	% Zn	% S
8.70 - 9.50	0.80	0.46	0.19	1.42	
8.70 - 9.50	0.80	0.46	0.19	1.42	
11-12-80.					
H. Pantfalsen					

ihre milt

Boredato : Sept-80
Koordinator : X: 925.482 Y: 44.770
Retning : N.
Helling/stigning : + 60°
Høyde : -95.5

Høyde : -95,5

Dybde	Lengde (m)	Analyser						
		% Pb	% Cu	% Zn	% S	mg Pb	mg Cu	mg Zn
14.90 - 15.90	1.60	0.05	0.02	0.12				
15.90 - 17.90	2.00	0.21	0.11	0.79				
17.90 - 18.90	1.00	0.01	0.02	0.07				
21.80 - 22.80	1.00	0.01	0.01	0.04				
22.80 - 23.30	0.50	0.30	0.12	0.66				
23.30 - 23.70	0.40	0.03	0.02	0.11				
23.70 - 25.05	1.35	0.31	0.17	1.46				
25.05 - 25.95	0.90	0.03	0.05	0.13				
25.95 - 27.50	1.55	0.19	0.16	0.68				
27.50 - 29.05	1.55	0.55	0.17	2.53	0.853	0.264	3.922	
29.35 - 30.10	0.75	0.25	0.11	1.48	0.188	0.083	1.110	
30.10 - 31.80	1.70	0.03	0.02	0.14				
31.80 - 33.05	1.25	0.54	0.33	3.13	0.675	0.413	3.913	
33.05 - 34.30	1.25	0.21	0.30	3.11	0.263	0.375	3.888	
34.30 - 35.30	1.00	0.09	0.12	0.19				
35.30 - 36.30	1.00	0.11	0.11	0.82				
36.30 - 37.80	1.50	0.13	0.06	0.34				
23.70 - 25.05	1.35	0.31	0.17	1.46				
27.50 - 30.10	2.60	0.40	0.13	1.94				
31.80 - 34.30	2.50	0.38	0.32	3.12				
11/10-80								
Alan Burman								

MALMBEREGNING I

Lokalitet: Profil. 44.770

Borehull: 691.

Boredato : Sept-80

Koordinater : X: 925.482 . Y: 44.770

Retning : N.

Helling/stigning : + 40°

Høyde : - 94.

Dybde	Lengde (m)	Analyser						
		% Pb	% Cu	% Zn	% S	m% Pb	m% Cu	m% Zn
24.30 - 24.70	0.40	0.23	0.07	0.59				
24.70 - 25.40	0.70	0.80	0.16	1.73		0.560	0.112	1.211
25.40 - 26.15	0.75	1.10	0.25	3.18		0.825	0.188	2.385
26.15 - 27.10	0.95	0.62	0.25	2.10		0.589	0.238	1.995
27.10 - 28.70	1.60	0.04	0.01	0.08				
28.70 - 28.80	0.10	0.24	0.08	0.60				
24.70 - 27.10	2.40	0.82	0.22	2.33				

22/9-80

Alekan Burman

MALMBEREGNING I

Lokalitet: Profil. 44.770

Borehull: 690.

Boredato : Sept-80
Koordinater : X: 925.482. Y: 44.770
Retning : N
Helling/stigning : + 70°
Høyde : - 95.0

Dybde	Lengde (m)	Analyser						
		% Pb	% Cu	% Zn	% S	mg Pb	mg Cu	mg Zn
3.60 - 4.60	1.00	0.03	0.02	0.10				
4.60 - 6.60	2.00	0.14	0.09	0.40				
6.60 - 7.60	1.00	0.01	0.01	0.06				
13.40 - 14.40	1.00	0.14	0.09	0.36				
14.40 - 15.35	0.95	0.19	0.09	0.69				
18.05 - 19.80	1.75	0.08	0.07	0.32				
19.80 - 20.15	0.35	0.13	0.06	0.54				
20.15 - 21.90	1.75	0.49	0.19	2.03		0.858	0.333	3.553
22.20 - 22.80	0.60	0.39	0.16	1.32		0.234	0.096	0.792
22.80 - 23.80	1.00	0.02	0.04	0.06				
25.30 - 25.80	0.50	0.02	0.04	0.06				
25.80 - 26.25	0.45	0.46	0.21	1.94				
26.40 - 27.30	0.90	0.11	0.10	0.42				
20.15 - 22.80	2.65	0.41	0.16	1.64				

22/9-80

Helmer Furman

MALMBEREGNING I

Lokalitet: Profil 44.770

Borehull: 689

Boredato : sept -80
Koordinater : X: 925.482 Y: 44.770
Retning : N
Helling/stigning : + 50°
Høyde : - 95

Dybde	Lengde (m)	Analyser						
		% Pb	% Cu	% Zn	% S	mg Pb	mg Cu	mg Zn
26,15 - 27,15	1,00	0,04	0,01	0,12		0,040	0,010	0,120
27,15 - 28,15	1,00	0,26	0,10	0,91		0,260	0,100	0,910
28,15 - 29,50	1,35	0,30	0,07	0,57		0,405	0,095	0,770
29,50 - 30,30	0,80	1,83	0,13	4,35		1,464	0,104	3,480
30,30 - 31,30	1,00	0,29	0,07	0,57		0,290	0,070	0,570
31,30 - 32,50	1,20	0,60	0,24	0,71		0,720	0,288	0,852
32,50 - 33,50	1,00	1,11	0,51	2,00		1,110	0,510	2,000
33,50 - 34,85	1,35	1,47	0,38	5,47		1,984	0,513	7,384
34,85 - 35,85	1,00	1,21	0,45	3,95		1,210	0,450	3,950
35,85 - 37,20	1,35	2,22	0,42	11,08		2,997	0,567	14,958
37,20 - 37,65	0,45	0,57	0,17	2,08		0,257	0,077	0,936
37,65 - 38,65	1,00	0,04	0,04	0,08		0,040	0,040	0,080
27,15 - 30,30	3,15	0,68	0,09	1,61	gr Ag/t			
32,50 - 37,65	5,15	1,47	0,41	5,68	32,3			
27,15 - 37,65	10,50			3,41				

12/9 -80

Jean Surman

MALMBEREGNING I

Lokalitet: 44.770

Borehull: 688

Boredato :

Koordinater : X: 925,482 Y: 44,770

Retning : 2.

Helling/signing: - 45°

Høyde : -106

Dybde	Lengde (m)	Analyser			
		% Pb	% Cu	% Zn	% S
16.00 - 17.80	1.30	0.12	0.17	0.39	
17.30 - 18.00	0.70	1.20	0.26	2.45	
17.30 - 18.00	0.70	1.20	0.26	2.45	
11-12-80					
H. Pantdalsen					

MALMBEREGNING I

Lokalitet: *Prof. 44.770*

Borehull: *678.*

Boredato : *Aug-80*
 Koordinater : *X: 925.411, Y: 44.770*
 Retning : *Lodd.*
 Helling/~~stigning~~ : *-90°*
 Høyde : *-100*

Dybde	Lengde (m)	Analyser						
		% Pb	% Cu	% Zn	% S	mg Pb	mg Cu	mg Zn
<i>0.00 - 0.50</i>	<i>0.50</i>	<i>0.58</i>	<i>0.66</i>	<i>2.94</i>		<i>0.29</i>	<i>0.33</i>	<i>1.47</i>
<i>0.50 - 1.70</i>	<i>1.20</i>	<i>0.03</i>	<i>0.10</i>	<i>0.05</i>		<i>0.04</i>	<i>0.12</i>	<i>0.06</i>
<i>1.70 - 2.50</i>	<i>0.80</i>	<i>1.30</i>	<i>0.38</i>	<i>6.90</i>		<i>1.04</i>	<i>0.30</i>	<i>5.52</i>
<i>2.50 - 2.65</i>	<i>0.15</i>	<i>0.08</i>	<i>0.04</i>	<i>0.60</i>				
<i>9.70 - 10.70</i>	<i>1.00</i>	<i>0.06</i>	<i>0.04</i>	<i>0.40</i>				
<i>10.70 - 10.85</i>	<i>0.15</i>	<i>0.68</i>	<i>0.08</i>	<i>1.87</i>		<i>0.10</i>	<i>0.01</i>	<i>0.28</i>
<i>10.85 - 11.40</i>	<i>0.55</i>	<i>0.05</i>	<i>0.15</i>	<i>0.40</i>		<i>0.03</i>	<i>0.08</i>	<i>0.22</i>
<i>11.40 - 11.80</i>	<i>0.40</i>	<i>1.95</i>	<i>0.31</i>	<i>6.00</i>		<i>0.78</i>	<i>0.12</i>	<i>2.40</i>
<i>11.80 - 12.80</i>	<i>1.00</i>	<i>0.02</i>	<i>0.02</i>	<i>0.10</i>				
<i>0.00 - 2.50</i>	<i>2.50</i>	<i>0.55</i>	<i>0.30</i>	<i>2.82</i>				
<i>10.70 - 11.80</i>	<i>1.10</i>	<i>0.91</i>	<i>0.19</i>	<i>2.64</i>				

21/8-80

Julian Furman

MALMBEREGNING I

Lokalitet: Profil 44.770

Borehull: 670

Boredato : Aug-80
Koordinater : X: 925.405 Y: 44.770
Retning : Lodd.
Helling/stigning : -90°
Høyde : -100

Dybde	Lengde (m)	Analyser						
		% Pb	% Cu	% Zn	% S			
0.00 - 0.30	0.30	0.07	0.19	0.32				
0.30 - 1.85	1.55	0.02	0.23	0.11				
As 1.85 - 2.30	0.45	0.81	1.37	10.72				
2.30 - 2.95	0.65	0.01	0.03	0.12				
9.50 - 10.55	1.05	0.02	0.02	0.04				
As 10.55 - 10.75	0.20	1.53	1.10	6.08				
10.75 - 11.80	1.05	0.01	0.04	0.08				
1.85 - 2.30	0.45	0.81	1.37	10.72				
10.55 - 10.75	0.20	1.53	1.10	6.08				

21/8-80

Jellan Furman

MALMBEREGNING I

Lokalitet: Profil. 44.800

Borehull: 669

Boredato : Aug-80
Koordinater : X: 925.467. Y: 44.800
Retning : N.
Helling/stigning : - 45°
Høyde : - 101.5

Dybde	Lengde (m)	Analyser				mg Pb.	mg Cu.	mg Zn.
		% Pb	% Cu	% Zn	4498			
0.00 - 0.70	0.70	0.04	0.05	0.13				
A ₁ 0.70 - 2.60	1.90	1.46	0.49	5.37	39.1	2.770	0.930	10.200
2.60 - 3.80	1.20	0.26	0.22	0.65		0.310	0.260	0.780
A ₂ 3.80 - 4.20	0.40	1.74	0.31	3.33	33.0	0.700	0.120	1.330
4.20 - 5.05	0.85	0.20	0.21	0.65		0.17	0.18	0.55
A ₃ 5.05 - 5.50	0.45	1.57	0.80	5.32	42.1	0.71	0.36	2.39
5.50 - 6.40	0.90	0.10	0.05	0.29				
0.70 - 5.50	4.80	0.97	0.39	3.18				

21/8-80

Brian Burman

MALMBEREGNING I

Lokalitet: Profil 44.800

Borehull: 668

Boredato : Aug-80

Koordinater : X: 925.462. Y: 44.800

Retning : S

Helling/stigning : - 45°

Høyde : - 101.5

Dybde	Lengde (m)	Analyser							
		% Pb	% Cu	% Zn	% S				
0.00 - 0.40	0.40	1.45	0.39	4.40					
0.55 - 0.75	0.20	0.19	0.62	0.83					
0.95 - 1.30	0.35	0.07	0.29	0.73					
1.65 - 2.65	1.00	0.06	0.07	0.22					
0.00 - 0.40	0.40	1.45	0.39	4.40					

21/8-80

Johan Burman

MALMBEREGNING I

Lokalitet: Profil. 44.800

Borehull: 666.

Boredato : Aug-80
Koordinator : X: 925.467, Y: 44.800
Retning : N.
Helling/stigning : 0° (Horisontalt)
Høyde : - 99,5 m

[illegible]

MALMBEREGNING I

Lokalitet: Profil 44.800

Borehull: 665

Boredato : Aug-80
 Koordinator : X: 925.467. Y: 44.800
 Retning : N.
 Helling/stigning : +45°
 Høyde : - 97

Dybde	Lengde (m)	Analyser						
		% Pb	% Cu	% Zn	% S			
0.00 - 0.25	0.25	0.05	0.10	0.18				
0.25 - 1.25	1.00	0.01	0.08	0.11				
2.50 - 3.40	0.90	0.06	0.11	0.16				
3.40 - 4.10	0.70	0.02	0.11	0.17				
4.10 - 5.00	0.90	0.00	0.03	0.09				
13.10 - 14.10	1.00	0.15	0.03	0.43				
14.10 - 14.40	0.30	0.88	0.07	2.72				
14.40 - 15.40	1.00	0.05	0.03	0.12				
14.10 - 14.40	0.30	0.88	0.07	2.72				

19/8-80

Stellan Boman

MALMBEREGNING I

Lokalitet: Profil 44.800

Borehull: 663

Boredato : Aug-80

Koordinater : X: 925.462 Y: 44.800

Retning : 5

Heeling/signing : $+ 45^\circ$

Høyde : - 97

Dybde	Lengde (m)	Analyser			
		% Pb	% Cu	% Zn	% S
0.00 - 1.05	1.05	0.00	0.02	0.05	
1.05 - 1.40	0.35	0.24	0.24	1.03	
1.40 - 2.40	1.00	0.07	0.17	0.21	

19/8-80

Allen Burman

MALMBEREGNING I

Lokalitet: Profil: 44.800

Borehull: 662.

Boredato : Aug-80

Koordinater : X: 925.462, Y: 44.800

Retning : 5

Helling/stigning: 0° (Horisontalt)

Høyde : - 99,5

Dybde	Lengde (m)	Analyser					
		% Pb	% Cu	% Zn	mg Pb	mg Cu	mg Zn
0.00 - 1.00	1.00	2.24	0.31	4.11	2.240	0.310	4.110
1.00 - 2.00	1.00	0.94	0.28	2.61	0.940	0.280	2.610
2.00 - 3.20	1.20	0.05	0.03	0.21			
3.20 - 3.80	0.60	0.01	0.04	0.09			
3.80 - 5.00	1.20	0.29	0.05	0.86			
5.00 - 6.50	1.50	0.01	0.05	0.04			
6.50 - 8.10	1.60	0.09	0.05	0.30			
8.10 - 8.50	0.40	0.00	0.02	0.05			
8.50 - 9.10	0.60	0.88	0.23	2.33			
9.10 - 10.00	0.90	0.82	0.01	0.08			
0.00 - 2.00	2.00	1.59	0.30	3.36			
8.50 - 9.10	0.60	0.88	0.23	2.33			

19/8-80

Gillian Burman

MALMBEREGNING I

Lokalitet: *Profile 44.680*

Borehull: *658*

Boredato :

Koordinater : *X 925.448 Y: 44.680*

Retning : *Lodd.*

Helling/stigning : *-90°*

Høyde : *-99.0*

Dybde	Lengde (m)	Analyser					
		% Pb	% Cu	% Zn	% S		
<i>0,00 - 0,70</i>	<i>0,70</i>	<i>0,53</i>	<i>0,49</i>	<i>2,46</i>			
<i>0,70 - 1,40</i>	<i>0,70</i>	<i>0,01</i>	<i>0,05</i>	<i>0,10</i>			
<i>2,20 - 3,25</i>	<i>1,05</i>	<i>0,01</i>	<i>0,04</i>	<i>0,10</i>			
<i>3,25 - 4,25</i>	<i>1,00</i>	<i>0,67</i>	<i>0,35</i>	<i>0,55</i>			
<i>4,25 - 5,25</i>	<i>1,00</i>	<i>0,52</i>	<i>0,19</i>	<i>1,78</i>	<i>0,520</i>	<i>0,190</i>	<i>1,780</i>
<i>5,25 - 6,00</i>	<i>0,75</i>	<i>0,21</i>	<i>0,68</i>	<i>1,95</i>	<i>0,158</i>	<i>0,510</i>	<i>1,462</i>
<i>6,00 - 7,35</i>	<i>1,35</i>	<i>2,02</i>	<i>0,76</i>	<i>2,47</i>	<i>2,727</i>	<i>1,026</i>	<i>3,335</i>
<i>7,35 - 8,35</i>	<i>1,00</i>	<i>0,12</i>	<i>0,10</i>	<i>0,25</i>			
<i>0.00 - 0.70</i>	<i>0.70</i>	<i>0.53</i>	<i>0.49</i>	<i>2.46</i>			
<i>4.25 - 7.35</i>	<i>3.10</i>	<i>1.10</i>	<i>0.56</i>	<i>2.12</i>			

25/8-80

Jellan Burman

MALMBEREGNING I

Lokalitet: *Profile. 44.680*

Borehull: *657*

Boredato :
 Koordinator : *x: 925.439 y: 44.680*
 Retning : *opp*
 Helling/stigning : *+90°*
 Høyde : *-94.0*

Dybde	Lengde (m)	Analyser					
		% Pb	% Cu	% Zn	% S ₂	% Cu	% Zn
<i>0,00 - 1,50</i>	<i>1,50</i>	<i>0,33</i>	<i>0,10</i>	<i>0,71</i>			
<i>1,50 - 2,55</i>	<i>1,05</i>	<i>0,91</i>	<i>0,07</i>	<i>5,59</i>	<i>0,956</i>	<i>0,704</i>	<i>5,870</i>
<i>2,55 - 3,55</i>	<i>1,00</i>	<i>0,13</i>	<i>0,05</i>	<i>1,02</i>	<i>0,130</i>	<i>0,050</i>	<i>1,020</i>
<i>1,50 - 3,55</i>	<i>2,05</i>	<i>0,53</i>	<i>0,37</i>	<i>3,36</i>			

25/8 80

Allen Burnen

MALMBEREGNING 1

Lokalitet: Profil 44.680

Borehull: 656

Boredato :

Koordinater : x: 925,411 y: 44.680

Retning : lodd.

Helling/signing : $\sim 90^\circ$

Høyde : - 99.0

Dybde	Lengde (m)	Analyser			
		% Pb	% Cu	% Zn	% S
0,00 - 0,10	0,10	0,74	1,27	1,92	
0,10 - 0,70	0,60	0,20	0,18	0,69	
0,70 - 1,30	0,60	0,03	0,19	2,62	
1,30 - 1,70	0,40	0,02	0,14	0,17	
1,70 - 2,70	1,00	0,06	0,01	0,08	
0,70 - 1,30	0,60	0,63	0,19	2,62	

25/8 - 80

Stellan Berman

MALMBEREGNING I

Lokalitet: Profil. 44.680

Borehull: 655

Boredato :

Koordinater : X: 925.430 Y: 44.680

Retning : opp

Helting/stigning : $+ 90^\circ$

Høyde : - 95

[illegible]

MALMBEREGNING I

Lokalitet:

Borehull: 654.

Boredato : 7471-80

Koordinater : X: 925.430 Y: 44.680

Retning : Lodd

Helling/stigning : -98°

Høyde : -98.5 m

Dybde	Lengde (m)	Analyser				mg Pb	mg Cu	mg Zn
		% Pb	% Cu	% Zn	% S			
1.95 - 2.95	1.00	0.13	0.07	0.31				
2.95 - 3.35	0.40	0.25	0.98	0.91				
3.35 - 4.70	1.35	0.01	0.02	0.04				
4.70 - 5.10	0.40	0.01	0.02	0.10				
5.10 - 5.80	0.70	2.30	0.35	5.76	1.610	0.245	4.032	
5.80 - 6.70	0.90	0.14	0.07	0.44	0.126	0.063	0.396	
6.70 - 8.00	1.30	0.69	0.62	3.10	0.897	0.806	4.030	
8.00 - 9.00	1.00	0.22	0.06	0.14				
5.10 - 5.80	0.70	2.30	0.35	5.76				
6.70 - 8.00	1.30	0.69	0.62	3.10				
5.10 - 8.00	2.90	0.91	0.38	2.92				
 11/7 -80 Stellan Gunnar								

MALMBEREGNING I

Lokalitet: *Profil 44.680*

Borehull: *653*

Boredato : *7 juni -80*

Koordinater ca : X: 925.420 Y: 44.680

Retning : *opp.*

Helling/stigning : *+ 90°*

Høyde : *-95 m*

Dybde	Lengde (m)	Analyser						
		% Pb	% Cu	% Zn	% S	mg Pb	mg Cu	mg Zn
2.85 - 3.65	0.80	0.39	0.18	5.38		0.351	0.162	4.842
3.65 - 4.70	1.05	0.94	0.15	3.52		0.987	0.158	3.696
4.70 - 5.70	1.00	0.12	0.06	0.71		0.120	0.060	0.710
2.85 - 4.80	1.80 1.85	0.72	0.17	4.62				

23/6 - 80

Arvid Burman

23/6 -80

Arne Boman

MALMBEREGNING I

Lokalitet: Profil: 44.680

Borehull: 652

Boredato : 7. juni - 80
 Koordinater ca: X: 925.411 Y: 44.680
 Retning : Lodd.
 Helling/stigning : -90°
 Høyde ca: -99.5 m

Dybde	Lengde (m)	Analyser							
		% Pb	% Cu	% Zn	% S				
0.00 - 0.30	0.30	0.67	0.34	3.49					
0.30 - 1.30	1.00	0.08	0.04	0.03					
6.10 - 6.30	0.20	0.05	0.28	0.88					
6.95 - 7.80	0.85	0.49	0.54	2.68					
7.95 - 9.50	1.55	0.18	0.11	0.25					
9.50 - 9.90	0.40	0.06	0.02	0.08					
0.00 - 0.30	0.30	0.67	0.34	3.49					
6.95 - 7.80	0.85	0.49	0.54	2.68					

23/6 - 80

Allan Furman

MALMBEREGNING I

Lokalitet: *Prof. 4.*

Borehull: *651.*

Boredato : *7 juni - 80*

Koordinater ca: X: *925.411* Y: *44.680*

Retning : *opp*

Helling/stigning : *+ 90°*

Høyde : *- 95 m*

Dybde	Lengde (m)	Analyser						
		% Pb	% Cu	% Zn	% S	mg Pb	mg Cu	mg Zn
0.00 - 1.00	1.00	0.29	0.30	0.84		0.290	0.300	0.840
1.00 - 2.55	1.55	2.50	0.66	5.19		3.875	1.023	8.045
2.55 - 3.55	1.00	0.13	0.26	0.47		0.130	0.260	0.470
0.00 - 2.55	2.55	1.63	0.52	3.48				

MALMBEREGNING I

Lokalitet: Profil: 44.770

Borehull: 646

Sj innsett

Boredato : Mai - 80
 Koordinater : X: 925452,5 Y: 44.770
 Retning : Lodd
 Helling/stigning : -90°
 Høyde : -100

Dybde	Lengde (m)	Analyser						
		% Pb	% Cu	% Zn	% S			
0,00 - 0,90	0,90	0,06	0,06	0,10				
0,90 - 1,10	0,20	0,28	0,22	0,80				
1,10 - 1,35	0,45	0,04	0,05	0,07				
1,35 - 2,35	1,00	0,27	0,18	0,50				
2,35 - 2,80	0,45	0,01	0,02	0,05				
2,80 - 3,25	0,45	0,85	0,20	2,00				
3,25 - 4,20	0,95	0,01	0,02	0,03				
2,80 - 3,25	0,45	0,85	0,20	2,00				

2/6 - 80

Søren Furman

MALMBEREGNING I

Lokalitet: *Profil 44.770*Borehull: *645*

af innmål

Boredato : *17.11-80*
 Koordinater : *X: 925.465. Y: 44.770.*
 Retning : *Lodd.*
 Helling/stigning : *-90°*
 Høyde : *-100,0*

Dybde	Lengde (m)	Analyser						
		% Pb	% Cu	% Zn	% S	<i>mg Pb</i>	<i>mg Cu</i>	<i>mg Zn</i>
<i>3,40 - 4,40</i>	<i>1,00</i>	<i>0,02</i>	<i>0,01</i>	<i>0,07</i>	<i>0,02</i>	<i>0,020</i>	<i>0,010</i>	<i>0,070</i>
<i>4,40 - 5,85</i>	<i>1,45</i>	<i>1,15</i>	<i>0,31</i>	<i>3,05</i>		<i>1,687</i>	<i>0,450</i>	<i>4,423</i>
<i>5,95 - 6,70</i>	<i>0,85</i>	<i>0,03</i>	<i>0,03</i>	<i>0,01</i>		<i>0,026</i>	<i>0,026</i>	<i>0,009</i>
<i>6,70 - 6,90</i>	<i>0,20</i>	<i>0,97</i>	<i>0,35</i>	<i>7,60</i>		<i>0,194</i>	<i>0,070</i>	<i>1,520</i>
<i>6,90 - 7,90</i>	<i>1,00</i>	<i>0,03</i>	<i>0,03</i>	<i>0,05</i>		<i>0,030</i>	<i>0,030</i>	<i>0,050</i>
<i>4,40 - 5,85</i>	<i>1,45</i>	<i>1,15</i>	<i>0,31</i>	<i>3,05</i>				
<i>6,70 - 6,90</i>	<i>0,20</i>	<i>0,97</i>	<i>0,35</i>	<i>7,60</i>				
<i>4,40 - 6,90</i>	<i>2,50</i>	<i>0,76</i>	<i>0,22</i>	<i>2,38</i>				

*2/6-80**Stellan Bernmark*

MALMBEREGNING I

Lokalitet: *Profil 44.780*

Borehull: *644.*

Boredato : *Mar - 80*
 Koordinater : *X 925.458 Y: 44.780*
 Retning : *Lodd.*
 Helling/stigning : *- 90°*
 Høyde : *- 100,5*

Dybde	Lengde (m)	Analyser						
		% Pb	% Cu	% Zn	% S			
0,00 - 0,40	0,40	0,16	0,19	0,03				
0,40 - 2,60	2,20	1,25	0,05	3,49				
2,60 - 3,60	1,00	0,05	0,01	0,10				
0,40 - 2,60	2,20	1,25	0,05	3,49				

4' inn hält

Boredato : Mai - 80
Koordinator : X: 925,460, 2
Retning : Lodd.
Helling/stigning : -90°
Høyde : -100,5

Borehull: 643

2/6 - 80

Shelley Furrman

MALMBEREGNING I

ej innmalt

Lokalitet: Profil 44.780

Borehull: 642.

Boredato : Mai - 80

Koordinater : X: 925.463,5 Y: 44.780

Retning : Lodd.

Helling/stigning : -90°

Høyde : -100,5

Dybde	Lengde (m)	Analyser						
		% Pb	% Cu	% Zn	% S			
0,00 - 0,80	0,80	1,50	0,32	3,92				
0,80 - 1,80	1,00	0,03	0,03	0,01				
6,50 - 7,35	0,85	0,01	0,01	0,06				
7,35 - 7,95	0,60	1,60	0,62	5,32				
7,95 - 8,50	0,55	0,03	0,03	0,21				
0,00 - 0,80								
0,00 - 0,80	0,80	1,50	0,32	3,92				
7,35 - 7,95	0,60	1,60	0,62	5,32				

2/6 - 80

Stellan Gunnar

MALMBEREGNING I

4 immult

Lokalitet: Profil 44.680

Borehull: 641

Boredato : Mai-80
 Koordinator : X: 925.439 Y: 44.680
 Retning : 60dd.
 Helling/stigning : -90°
 Høyde : -99,0

Dybde	Lengde (m)	Analyser							
		% Pb	% Cu	% Zn	% S				
3.50 - 4.40	0.90	0.01	0.03	0.04					
4.40 - 6.80	1.90	0.76	0.22	1.27					
6.80 - 7.20	0.90	0.02	0.03	0.04					
7.20 - 8.80	1.10	0.36	0.38	2.78					
8.80 - 9.40	1.10	0.01	0.04	0.11					
4.40 - 6.80	1.90	0.76	0.22	1.27					
7.20 - 8.80	1.10	0.36	0.38	2.78					

MALMBEREGNING I

af immunitet

Lokalitet: Profil 44.680

Borehull: 640

Boredato : Mai - 80
 Koordinator : x: 922 467 y: 44.680
 Retning : opp.
 Helling/stigning : + 90°
 Høyde : - 938

Dybde	Lengde (m)	Analyser						
		% Pb	% Cu	% Zn	% S	mg Pb	mg Cu	mg Zn
0.00 - 0.90	0.90	0.30	0.05	0.75		0.270	0.045	0.675
0.90 - 2.30	1.40	1.40	0.37	4.84		1.960	0.518	6.776
2.30 - 2.70	0.40	0.06	0.04	0.11		0.024	0.016	0.440
2.70 - 3.60	0.90	0.13	0.07	0.63		0.117	0.063	0.567
3.60 - 4.00	0.40	0.02	0.08	0.25		0.008	0.032	0.100
4.00 - 5.00	1.00	0.62	0.26	1.97		0.620	0.260	1.970
5.00 - 5.60	0.60	0.38	0.15	1.17		0.228	0.090	0.702
5.60 - 6.70	1.10	0.09	0.12	0.11		0.099	0.132	0.121
0.00 - 2.30	2.30	0.97	0.24	3.24				
4.00 - 5.60	1.60	0.53	0.22	1.67				

2/6 - 80

Allan Furman

MALMBEREGNING I

Lokalitet: *Profil. 44.680*

Borehull: 638

Boredato : Mars-80

Koordinater : X: 925.485 Y: 44.675.

Retning : Lodd

Helling/stigning : $+90^\circ$

Høyde : -94.0

Dybde	Lengde (m)	Analyser							
		% Pb	% Cu	% Zn	% S	mg Pb	mg Cu	mg Zn	mg S
25.60 - 26.60	1.00	0.04	0.02	0.08	2.0	0.040	0.020	0.080	2.00
26.60 - 27.30	0.70	0.12	0.14	1.25	25.3	0.084	0.098	0.815	17.71
27.30 - 29.10	1.80	0.07	0.41	1.84	10.5	0.126	0.738	3.312	18.9
29.10 - 29.90	0.80	0.03	0.05	0.14	2.9	0.024	0.04	0.112	2.32
29.90 - 31.30	1.40	0.17	0.26	4.50	9.8	0.238	0.364	6.300	13.72
31.30 - 32.60	1.30	0.03	0.03	1.04	12.6	0.039	0.039	1.352	16.38
32.60 - 33.70	1.10	0.04	0.03	0.16	1.0	0.044	0.033	0.176	1.1
26.60 - 31.30	4.70	0.10	0.26	2.26	11.2				

25/4 - 80

Stellan Burnman

MALMBEREGNING I

Lokalitet: 44.740

Borehull: 636

Boredato : Mars 80.
Koordinator : X: 925.461 Y: 44740
Retning : Lodd
Helling/tiltning : - 90°
Høyde : - 102 m

[illegible]

MALMBEREGNING I

Lokalitet: 44.740

Borehull: 635

Boredato : mars 80.

Koordinater : x: 925.461 X: 44.740

Retning : Load

~~Helling~~/stigning : $+90^\circ$

Høyde : - 97 m

Dybde	Lengde (m)	Analyser							
		% Pb	% Cu	% Zn	Ag %	m% Pb	m% Cu	m% Zn	mg Ag/c
0.00 - 1.20	1.20	0.36	0.14	1.26	11.8	0.43	0.17	1.51	14.16
1.20 - 2.75	1.55	0.01	0.02	0.04	1.7	0.02	0.03	0.06	2.6
2.75 - 3.65	0.90	0.64	0.11	1.45	11.2	0.58	0.10	1.31	10.08
3.65 - 5.20	1.55	0.18	0.22	0.62	15.3	0.28	0.34	0.96	23.7
5.20 - 6.20	1.00	0.04	0.02	0.10	1.3	0.04	0.02	0.10	1.3
0.00 - 1.20	1.20	0.36	0.14	1.26	11.8				
2.75 - 5.20	2.45	0.35	0.18	0.90	13.8				
21-3-80.									
H. Pantdalsli									

MALMBEREGNING I

Lokalitet: 44.570

Borehull: 634

Boredato : Jan 80.
Koordinater : X: 925.466 Y: 44.580
Retning : Lodd
~~Helling~~/stigning : +90°
Høyde : -95 m

Dybde	Lengde (m)	Analyser							
		% Pb	% Cu	% Zn	Ag g/c	m% Pb	m% Cu	m% Zn	mAg%
13.50 - 14.45	0.95	0.04	0.01	0.06	3.0	0.04	0.01	0.06	3.0
14.45 - 15.05	0.60	0.02	0.04	0.03	2.0	0.01	0.02	0.02	1.2
15.05 - 15.60	0.55	0.21	0.21	1.47	14.0	0.12	0.12	0.81	7.7
15.60 - 16.40	0.80	0.01	0.02	0.04	3.0	0.00	0.02	0.03	2.4
16.40 - 16.85	0.45	0.05	0.08	0.03	44.0	0.02	0.04	0.01	19.8
16.85 - 18.40	1.55	0.23	0.10	0.42	15.5	0.26	0.16	0.65	24.03
18.40 - 19.40	1.00	0.00	0.01	0.02	1.0	0.00	0.01	0.02	1.0
15.05 - 15.60	0.55	0.21	0.21	1.47	14.0				
16.85 - 18.40	1.55	0.23	0.10	0.42	15.5				
24-3-80.									
H. Pantdalsli									

MALMBEREGNING I

Lokalitet: *Profil 44.570*

Borehull: 631

Boredato :

Koordinator :

Retning :

Helling/stigning :

Høyde :

Dybde	Lengde (m)	Analyser			
		% Pb	% Cu	% Zn	% S
35,30 - 37,00	1,70	0,01	0,01	0,06	0,5
37,00 - 39,25	2,25	0,01	0,01	0,03	<0,1
39,25 - 41,50	2,25	0,00	0,01	0,03	<0,1
41,50 - 42,50	1,00	0,00	0,01	0,02	<0,1
42,50 - 44,50	2,00	0,00	0,01	0,02	<0,1
44,50 - 46,65	2,15	0,01	0,01	0,01	0,5
0,95 - 6,90	5,95	1,11	0,37	3,77	19,0
0,95 - 10,30	9,35	0,75	0,31	2,69	14,7
0,00 - 6,90	6,90	0,98	0,34	3,29	16,7
18/2 - 80 Stuan Turner					

MALMBEREGNING I

Lokalitet: *Profil 44.570*

Borehull: *631*

Boredato : *70-80*
Koordinater : *X: 925.450 Y: 44.570*
Retning : *N.*
Helling/stigning : *+75°*
Høyde : *-95*

Dybde	Lengde (m)	Analyser							
		% Pb	% Cu	% Zn	% S	% Pb	% Cu	% Zn	% Ag
<i>0.00 - 0.50</i>	<i>0.50</i>	<i>0.13</i>	<i>0.23</i>	<i>0.42</i>	<i>3.8</i>	<i>0.065</i>	<i>0.115</i>	<i>0.210</i>	<i>1.9</i>
<i>0.50 - 0.95</i>	<i>0.45</i>	<i>0.09</i>	<i>0.56</i>	<i>0.09</i>	<i>1.3</i>	<i>0.041</i>	<i>0.252</i>	<i>0.041</i>	<i>0.585</i>
<i>0.95 - 2.50</i>	<i>1.55</i>	<i>1.04</i>	<i>0.32</i>	<i>3.71</i>	<i>12.6</i>	<i>1.612</i>	<i>0.496</i>	<i>5.751</i>	<i>19.53</i>
<i>2.50 - 4.30</i>	<i>1.80</i>	<i>0.75</i>	<i>0.32</i>	<i>2.61</i>	<i>14.7</i>	<i>1.350</i>	<i>0.576</i>	<i>4.698</i>	<i>26.46</i>
<i>4.30 - 5.70</i>	<i>1.40</i>	<i>1.32</i>	<i>0.33</i>	<i>5.50</i>	<i>30.9</i>	<i>1.848</i>	<i>0.462</i>	<i>7.700</i>	<i>29.26</i>
<i>5.70 - 6.90</i>	<i>1.20</i>	<i>1.52</i>	<i>0.36</i>	<i>3.57</i>	<i>31.5</i>	<i>1.824</i>	<i>0.432</i>	<i>4.284</i>	<i>32.8</i>
<i>6.90 - 7.90</i>	<i>1.00</i>	<i>0.17</i>	<i>0.49</i>	<i>1.20</i>	<i>10.0</i>	<i>0.170</i>	<i>0.490</i>	<i>1.200</i>	<i>10.0</i>
<i>7.90 - 8.90</i>	<i>1.00</i>	<i>0.17</i>	<i>0.14</i>	<i>0.50</i>	<i>4.4</i>	<i>0.170</i>	<i>0.140</i>	<i>0.50</i>	<i>4.4</i>
<i>8.90 - 10.00</i>	<i>1.10</i>	<i>0.02</i>	<i>0.01</i>	<i>0.03</i>	<i>0.9</i>	<i>0.022</i>	<i>0.011</i>	<i>0.033</i>	<i>0.99</i>
<i>10.00 - 10.30</i>	<i>0.30</i>	<i>1.50</i>	<i>0.18</i>	<i>3.41</i>	<i>29.5</i>	<i>0.45</i>	<i>0.054</i>	<i>1.023</i>	<i>8.85</i>
<i>10.30 - 12.00</i>	<i>1.70</i>	<i>0.10</i>	<i>0.06</i>	<i>0.23</i>	<i>4.3</i>	<i>0.17</i>	<i>0.102</i>	<i>0.391</i>	<i>7.31</i>
<i>12.00 - 12.30</i>	<i>0.30</i>	<i>0.24</i>	<i>0.25</i>	<i>1.75</i>	<i>13.8</i>	<i>0.072</i>	<i>0.075</i>	<i>0.525</i>	<i>4.14</i>
<i>12.30 - 12.80</i>	<i>0.50</i>	<i>0.08</i>	<i>0.08</i>	<i>0.18</i>	<i>3.7</i>	<i>0.04</i>	<i>0.04</i>	<i>0.09</i>	<i>1.85</i>
<i>12.80 - 13.75</i>	<i>0.95</i>	<i>0.60</i>	<i>0.19</i>	<i>1.69</i>	<i>26.8</i>	<i>0.57</i>	<i>0.181</i>	<i>1.606</i>	<i>25.46</i>
<i>13.75 - 15.00</i>	<i>1.25</i>	<i>0.02</i>	<i>0.03</i>	<i>0.12</i>	<i>2.9</i>	<i>0.025</i>	<i>0.038</i>	<i>0.150</i>	<i>3.625</i>
<i>15.00 - 16.50</i>	<i>1.50</i>	<i>0.03</i>	<i>0.02</i>	<i>0.07</i>	<i>11.1</i>	<i>0.045</i>	<i>0.03</i>	<i>0.105</i>	<i>16.65</i>
<i>16.50 - 19.30</i>	<i>2.80</i>	<i>0.01</i>	<i>0.03</i>	<i>0.07</i>	<i>1.6</i>				
<i>19.30 - 20.30</i>	<i>1.00</i>	<i>0.01</i>	<i>0.01</i>	<i>0.01</i>	<i>0.9</i>				
<i>20.30 - 21.60</i>	<i>1.30</i>	<i>0.08</i>	<i>0.08</i>	<i>0.94</i>	<i>3.7</i>				
<i>21.60 - 23.60</i>	<i>2.00</i>	<i>0.01</i>	<i>0.01</i>	<i>0.03</i>	<i>0.5</i>				
<i>23.60 - 25.60</i>	<i>2.00</i>	<i>0.01</i>	<i>0.01</i>	<i>0.02</i>	<i>2.0</i>				
<i>25.60 - 27.60</i>	<i>2.00</i>	<i>0.00</i>	<i>0.01</i>	<i>0.03</i>	<i>0.3</i>				
<i>27.60 - 27.85</i>	<i>0.25</i>	<i>0.00</i>	<i>0.04</i>	<i>0.03</i>	<i>2.0</i>				
<i>27.85 - 28.10</i>	<i>0.25</i>	<i>0.01</i>	<i>0.01</i>	<i>0.03</i>	<i>0.9</i>				
<i>28.10 - 28.70</i>	<i>0.60</i>	<i>0.01</i>	<i>0.05</i>	<i>0.04</i>	<i>1.0</i>				
<i>28.70 - 29.00</i>	<i>0.30</i>	<i>0.01</i>	<i>0.01</i>	<i>0.03</i>	<i>0.1</i>				
<i>29.00 - 31.00</i>	<i>2.00</i>	<i>0.01</i>	<i>0.01</i>	<i>0.08</i>	<i>0.1</i>				
<i>31.00 - 33.00</i>	<i>2.00</i>	<i>0.01</i>	<i>0.01</i>	<i>0.02</i>	<i>0.4</i>				
<i>33.00 - 35.30</i>	<i>2.30</i>	<i>0.01</i>	<i>0.01</i>	<i>0.01</i>	<i>2.0</i>				

MALMBEREGNING I

Lokalitet: *Profil: 44.570*

Borehull: *630*

Boredato : *707-80*
 Koordinator : *X 925.436.5 Y: 44.570*
 Retning : *Lodd*
 Helling/stigning : *+90°*
 Høyde : *-95*

Dybde	Lengde (m)	Analyser							Avg. 1.0m
		% Pb	% Cu	% Zn	70/80 % Pb	70/80 % Cu	70/80 % Zn		
0.00 - 0.30	0.30	0.57	0.39	0.99	16.3	0.171	0.117	0.297	4.89
0.50 - 1.50	1.00	0.26	0.31	0.94	9.0	0.260	0.310	0.940	9.00
1.50 - 2.70	1.20	0.24	0.31	1.83	8.1	0.288	0.372	2.196	9.72
2.70 - 3.90	1.20	0.21	0.34	4.88	10.2	0.252	0.408	5.856	12.24
3.90 - 5.00	1.10	0.26	0.25	1.05	7.5	0.286	0.275	1.155	8.25
5.00 - 6.00	1.00	0.32	0.20	0.82	7.2	0.320	0.200	0.820	7.20
6.00 - 7.40	1.40	1.00	0.31	2.81	21.6	1.400	0.434	3.934	30.24
7.40 - 8.40	1.00	0.05	0.04	0.08	4.3	0.050	0.040	0.080	4.30
1.50 - 5.00	3.50	0.24	0.30	2.63	8.63				
1.50 - 7.40	5.90	0.43	0.29	2.37	11.47				
6/2-80									
Allen Burman									

MALMBEREGNING I

Lokalitet: Profil 44570

Borehull: 623

Boredato : 0kr 79
Koordinater : X 925.419.5 X: 44570
Retning : Lodd
Helling/stigning : - 90°
Høyde : - 99

Dybde	Lengde (m)	Analyser							
		% Pb	% Cu	% Zn	% Fe	m% Pb	m% Cu	m% Zn	m% Fe
0.00 - 0.50	0.50	2.70	0.18	4.74	5.40	1.35	0.09	2.37	2.70
0.50 - 1.00	0.50	0.11	0.03	0.11	4.40	0.05	0.01	0.05	2.20
1.00 - 1.40	0.40	1.01	0.34	3.28	8.10	0.40	0.14	1.31	3.24
1.40 - 2.80	1.40	0.08	0.05	0.29	3.90	0.11	0.07	0.40	5.46
0.00 - 1.40	1.40	1.28	0.17	2.66	5.80				
26-11-79 H. Parstøl									

MALMBEREGNING I

Lokalitet: *Profil 44570*

Borehull: *622*

Boredato : *Oktr 79.*
 Koordinater : *X: 925.392 X: 44.570*
 Retning : *6*
 Helling/stigning : *-45°*
 Høyde : *-99m*

Dybde	Lengde (m)	Analyser							
		% Pb	% Cu	% Zn	% Fe	m% Pb	m% Cu	m% Zn	m% Fe
0,00 - 1,20	1,20	0,85	0,17	4,24	4,90	1,02	0,20	5,08	5,88
1,20 - 1,70	0,50	0,06	0,05	0,28	2,20	0,03	0,25	0,14	1,10
1,70 - 2,50	0,80	0,89	0,59	2,44	7,40	0,71	0,47	1,95	5,92
2,50 - 3,80	1,30	0,08	0,03	0,09	2,10	0,10	0,03	0,11	2,73
0,00 - 2,50	2,50	0,70	0,37	2,87	5,16				
26-11-79									
H. Pantdalsen									

MALMBEREGNING I

Lokalitet: 43 440

Borehull: 621

Boredato : 5.9.79.

Koordinater : X: 925.4355 Y: 43.440

Retning : S.

Helling/stigning : -60°

Høyde : -31 m.

Dybde	Lengde (m)	Analyser							
		% Pb	% Cu	% Zn	% Fe	mg Pb	mg Cu	mg Zn	mg Fe
0.00 - 0.50	0.50	2.45	0.32	5.87	3.0	1.23	0.16	2.94	1.5
0.50 - 1.50	1.00	0.02	0.01	0.11	1.5	0.02	0.01	0.11	1.5
22.40 - 22.40	1.00	0.00	0.05	0.09	2.1	0.00	0.05	0.09	2.1
23.40 - 24.60	1.20	0.33	0.56	1.23	7.4	0.40	0.67	1.48	8.9
24.60 - 25.60	1.00	0.01	0.03	0.06	1.6	0.01	0.03	0.06	1.6
0.00 - 0.50	0.50	2.45	0.32	5.87	3.0				
23.40 - 24.60	1.20	0.33	0.56	1.23	7.4				

21/9 - 79

Alan Burman

MALMBEREGNING I

Lokalitet: 43.440

Borehull: 620

Boredato : Aug - 79
Koordinater : X: 925.435,6 Y: 43.440
Retning : S.
Helling/stigning : - 12°
Høyde : - 31

Dybde	Lengde (m)	Analyser							
		% Pb	% Cu	% Zn	% S	m% Pb	m% Cu	m% Zn	m% Fe
0.00 - 0.70	0.70	2.10	0.38	14.09	3.5	1.47	0.27	9.83	2.45
0.70 - 2.70	2.00	2.70	0.27	10.50	2.9	5.40	0.54	21.00	5.80
2.70 - 4.70	2.00	1.36	0.28	4.80	5.8	2.72	0.56	9.60	11.60
4.70 - 6.40	1.70	0.90	0.58	2.80	5.1	1.53	0.99	4.76	8.67
6.40 - 7.60	1.20	0.01	0.10	0.09	5.7	0.01	0.12	0.02	1.14
✓ 0.00 - 6.40	6.40	1.58	0.87	7.06	4.46				

21/9 - 79

Alan Brunner

MALMBEREGNING I

Lokalitet: 43.440

Borehull: 619

Boredato : Aug 79.
Koordinater : X: 925.435.5 Y: 43.440
Retning : S
Helling/stigning : Horizontal.
Høyde : -31m

Dybde	Lengde (m)	Analyser			
		% Pb	% Cu	% Zn	% Sc
0,00 - 1,70	1,70	1,70	0,66	5,45	5,7
1,70 - 2,70	1,00	0,09	0,15	0,27	6,8
0,00 - 1,70	1,70	1,70	0,66	5,45	
20-9-79					
H. Pantti/alsi					

Ikke lovsnitt.

Boredato : 749 79.
Koordinater : X: 925.435.5 Y: 43.440
Retning : S
Helling/stigning : - 35°
Høyde : - 31 m

Høyde : - 31 m

Dybde	Lengde (m)	Analyser							
		% Pb	% Cu	% Zn	% Fe	m% Pb	m% Cu	m% Zn	m% Fe
0.00 - 2.20	2.20	2.90	0.22	8.80	7.5	6.38	0.48	19.36	16.50
2.20 - 2.50	0.30	0.43	0.33	0.70	1.6	0.13	0.10	0.20	0.48
2.50 - 4.00	1.50	0.46	0.17	1.46	2.6	0.69	0.25	2.19	3.90
4.00 - 6.50	2.50	0.01	0.01	0.55	1.5	0.02	0.02	1.37	3.75
6.50 - 7.90	1.40	0.18	0.17	0.92	2.8	0.25	0.24	1.28	3.92
7.90 - 9.00	1.10	0.01	0.01	0.02	1.4	0.01	0.01	0.02	1.54
12.90 - 13.90	1.00	0.03	0.07	0.01	1.7	0.03	0.07	0.01	1.70
13.90 - 15.90	2.00	0.33	0.67	2.39	8.9	0.66	1.34	4.78	17.80
15.90 - 17.90	2.00	0.74	0.13	3.57	2.4	1.48	0.26	7.14	4.80
17.90 - 19.90	2.00	0.40	0.75	2.17	7.5	0.80	1.50	4.34	15.00
19.90 - 21.90	2.00	0.92	0.57	9.00	8.3	1.84	1.14	18.00	16.60
21.90 - 23.90	2.00	0.35	0.63	4.02	3.6	0.70	1.26	8.04	7.20
25.00 - 27.00	2.00	0.78	0.36	5.22	7.0	1.56	0.72	10.44	14.00
27.00 - 29.00	2.00	1.00	0.15	9.50	7.7	2.00	0.30	19.00	15.40
29.00 - 30.50	1.50	0.55	0.20	6.20	7.0	0.82	0.30	9.30	10.50
0.00 - 7.90	7.90	0.94	0.14	3.08	3.6				
13.90 - 30.50	16.60	0.59	0.41	4.88	6.1				
20-9-79.									
H. Pauldalsli									

MALMBEREGNING I

Lokalitet: 43.440

Borehull: 617

Boredato : Aug 79.
Koordinater : X: 925.435.5 Y: 43.440
Retning : S
Helling/stigning : - 25°
Høyde : - 31 m

Dybde	Lengde (m)	Analyser							
		% Pb	% Cu	% Zn	% Se	m% Pb	m% Cu	m% Zn	m% Fe
0.00 - 2.00	2.00	1.60	0.08	10.74	6.9	3.20	0.16	21.48	13.80
2.00 - 4.00	2.00	1.70	0.55	13.78	9.7	3.40	1.10	27.56	19.40
4.00 - 6.00	2.00	1.70	0.15	11.42	8.00	3.40	0.30	22.84	16.00
6.00 - 8.00	2.00	4.10	0.02	17.66	13.7	8.20	0.04	35.32	27.40
8.00 - 10.00	2.00	4.90	0.02	16.54	12.6	9.80	0.04	33.08	25.20
10.00 - 11.70	1.70	4.20	0.10	16.00	10.9	7.14	0.17	27.20	18.53
11.70 - 12.70	1.00	0.08	0.24	0.65	5.8	0.08	0.24	0.65	5.80
0.00 - 11.70	11.70	3.00	0.15	14.31	10.28				

20-9-79.

Holger Pantdalsli

MALMBEREGNING I

Lokalitet: *Profil 43.440*
Borehull: *6/6*

Boredato : *Aug. 79.*
Koordinater :
Retning : *S*
Helling/stigning : *-30°*
Høyde :

Dybde	Lengde (m)	Analyser							
		% Pb	% Cu	% Zn	% Fe	m% Pb	m% Cu	m% Zn	m% Fe
<i>0,00 - 0,65</i>	<i>0,65</i>	<i>0,55</i>	<i>0,18</i>	<i>2,21</i>	<i>11,20</i>	<i>0,36</i>	<i>0,12</i>	<i>1,45</i>	<i>7,28</i>
<i>0,65 - 3,80</i>	<i>3,15</i>	<i>3,70</i>	<i>0,03</i>	<i>17,04</i>	<i>9,20</i>	<i>11,65</i>	<i>0,09</i>	<i>53,67</i>	<i>28,98</i>
<i>3,80 - 5,80</i>	<i>2,00</i>	<i>0,67</i>	<i>0,15</i>	<i>1,50</i>	<i>2,80</i>	<i>1,34</i>	<i>0,30</i>	<i>3,00</i>	<i>5,60</i>
<i>5,80 - 8,50</i>	<i>3,00</i>	<i>0,74</i>	<i>0,24</i>	<i>1,99</i>	<i>4,00</i>	<i>2,22</i>	<i>0,72</i>	<i>5,97</i>	<i>12,00</i>
<i>9,30 - 11,30</i>	<i>2,00</i>	<i>0,71</i>	<i>0,29</i>	<i>2,03</i>	<i>4,40</i>	<i>1,42</i>	<i>0,58</i>	<i>4,06</i>	<i>8,80</i>
<i>11,30 - 13,30</i>	<i>2,00</i>	<i>0,17</i>	<i>0,32</i>	<i>2,12</i>	<i>6,00</i>	<i>0,34</i>	<i>0,64</i>	<i>4,24</i>	<i>12,00</i>
<i>13,30 - 16,50</i>	<i>3,20</i>	<i>0,80</i>	<i>0,34</i>	<i>3,74</i>	<i>6,90</i>	<i>2,56</i>	<i>1,08</i>	<i>11,97</i>	<i>22,08</i>
<i>16,50 - 19,50</i>	<i>3,00</i>	<i>3,90</i>	<i>0,08</i>	<i>17,88</i>	<i>10,10</i>	<i>11,70</i>	<i>0,24</i>	<i>53,64</i>	<i>30,30</i>
<i>19,50 - 22,50</i>	<i>3,00</i>	<i>4,30</i>	<i>0,06</i>	<i>23,92</i>	<i>13,70</i>	<i>12,90</i>	<i>0,18</i>	<i>71,76</i>	<i>41,10</i>
<i>22,50 - 25,50</i>	<i>3,00</i>	<i>3,80</i>	<i>0,04</i>	<i>21,12</i>	<i>12,00</i>	<i>11,40</i>	<i>0,12</i>	<i>63,36</i>	<i>36,-</i>
<i>25,50 - 28,50</i>	<i>3,00</i>	<i>3,10</i>	<i>0,16</i>	<i>13,84</i>	<i>9,40</i>	<i>9,30</i>	<i>0,48</i>	<i>41,52</i>	<i>28,20</i>
<i>28,50 - 31,50</i>	<i>3,00</i>	<i>4,30</i>	<i>0,06</i>	<i>22,52</i>	<i>14,20</i>	<i>12,90</i>	<i>0,18</i>	<i>67,56</i>	<i>42,60</i>
<i>31,50 - 32,80</i>	<i>1,30</i>	<i>4,40</i>	<i>0,04</i>	<i>18,52</i>	<i>9,40</i>	<i>5,72</i>	<i>0,05</i>	<i>24,07</i>	<i>12,22</i>
<i>32,80 - 34,90</i>	<i>2,10</i>	<i>0,44</i>	<i>0,64</i>	<i>1,52</i>	<i>6,50</i>	<i>0,92</i>	<i>1,34</i>	<i>3,19</i>	<i>13,65</i>
<i>0,00 - 34,90</i>	<i>34,90</i>	<i>2,42</i>	<i>0,18</i>	<i>11,73</i>	<i>8,62</i>				

7-9-79.

Holger Paustdalsti

MALMBEREGNING I

Lokalitet: 43.440

Borehull: 615

Boredato : Aug - 79

Koordinater :

Retning : S.

Helling/stigning : -40°

Høyde :

Dybde	Lengde (m)	Analyser							
		% Pb	% Cu	% Zn	% Fe	m% Pb	m% Cu	m% Zn	m% Fe
0.00 - 1.70	1.70	1.43	0.58	5.08	5.00	2.43	0.99	8.64	8.50
1.70 - 2.80	0.60	0.14	0.14	0.33	2.10	0.08	0.08	0.20	1.26
2.80 - 3.15	0.85	1.74	0.22	4.15	3.30	1.48	0.19	3.53	3.00
3.15 - 4.00	0.85	0.08	0.05	0.32	1.90	0.07	0.04	0.27	1.61
4.00 - 5.40	1.40	0.11	0.05	0.32	1.90	0.15	0.07	0.45	2.66
5.40 - 6.50	1.10	0.66	0.14	1.42	3.00	0.73	0.15	1.56	3.30
6.50 - 7.50	1.00	0.05	0.02	0.09	1.50	0.05	0.02	0.09	1.50
16.40 - 17.40	1.00	1.07	0.22	0.48	5.40	1.07	0.22	0.48	5.40
17.40 - 19.05	1.65	0.42	0.84	3.43	4.10	0.69	1.39	5.66	6.77
19.05 - 20.60	1.55	0.09	0.05	0.30	1.80	0.14	0.08	0.47	2.79
20.60 - 23.60	3.00	0.86	0.92	3.79	8.40	2.58	2.76	11.37	25.20
23.60 - 26.50	2.90	0.97	0.61	5.06	7.70	2.81	1.77	14.67	22.33
26.50 - 27.80	1.30	0.08	0.05	0.33	1.40	0.10	0.07	0.43	1.82
27.80 - 29.15	1.35	0.10	0.06	2.15	1.90	0.14	0.08	2.90	2.57
0.00 - 3.15	3.15	1.27	0.40	3.93	4.05				
17.40 - 26.50	9.10	0.68	0.66	3.54	6.27				
17.40 - 29.15	11.75	0.55	0.52	3.02					

7/9 - 79



MALMBEREGNING I

Lokalitet: 43.440

Borehull: 614

Boredato : Aug - 79

Koordinator :

Retning : S.

Helling/stigning : -50°

Høyde :

Dybde	Lengde (m)	Analyser							
		% Pb	% Cu	% Zn	% Fe	m% Pb	m% Cu	m% Zn	m% Fe
0.00 - 0.50	0.50	1.28	0.33	4.24	4.00	0.64	0.16	2.12	2.00
0.50 - 1.80	1.30	0.29	0.08	1.31	2.40	0.38	0.10	1.7	3.12
0.00 - 0.50	0.50	1.28	0.33	4.24					
0.00 - 1.80	1.80	0.57	0.14	2.12					
6/9-79									
Alan Burman									

MALMBEREGNING I

Lokalitet: *Profil 43.830*

Borehull: 6/3

Boredato :

Koordinater : X: 925,411,7 Y: 43,827,3

Retning : N.

Helling/stigning : -50°

Høyde : - 61,2

Dybde	Lengde (m)	Analyser							
		% Pb	% Cu	% Zn	% S	m% Pb	m% Cu	m% Zn	m% Fe
5.00 - 6.00	1.00	0.12	0.05	0.29	2.00	0.120	0.050	0.290	2.000
6.00 - 7.60	1.60	1.01	0.50	3.08	6.50	1.616	0.800	4.928	10.400
7.60 - 9.00	1.40	0.37	0.50	0.94	3.90	0.518	0.700	1.316	5.460
9.00 - 10.50	1.50	1.17	1.06	2.93	8.30	1.755	1.590	4.895	12.450
10.50 - 12.00	1.50	0.07	0.08	0.19	3.10	0.105	0.120	0.285	4.650
12.50 - 13.00	0.50	0.02	0.09	0.33	4.50	0.010	0.045	0.165	2.250
13.00 - 15.50	2.50	0.03	0.52	0.47	10.10	0.075	1.300	1.175	25.250
15.50 - 16.70	1.20	0.07	0.04	0.04	2.20	0.084	0.048	0.048	2.640
19.00 - 19.70	0.70	0.03	0.06	0.09	3.20	0.021	0.042	0.063	2.240
19.70 - 21.70	2.00	0.24	0.40	0.68	5.60	0.480	0.800	1.360	11.200
21.70 - 22.50	0.80	0.06	0.20	0.16	1.50	0.048	0.160	0.128	1.200
22.50 - 24.50	2.00	0.12	0.14	0.28	2.70	0.240	0.280	0.560	5.400
24.50 - 25.30	0.90	0.71	0.48	5.12	9.00	0.639	0.432	4.608	8.100
25.30 - 26.90	1.60	0.09	0.21	0.19	3.40	0.144	0.336	0.304	5.440
26.90 - 27.60	0.70	0.17	0.67	2.60	10.60	0.119	0.469	1.820	7.070
27.60 - 29.50	1.90	1.08	1.19	4.58	7.00	2.052	2.261	8.702	13.300
29.50 - 30.50	1.00	0.10	0.18	0.07	3.50	0.100	0.180	0.070	3.500
6.00 - 10.50	4.50	0.86	0.69	2.36					
24.50 - 29.50	5.00	0.59	0.70	3.09					

28/8 - 79

Olav Thurnau

MALMBEREGNING

Lokalitet: Profil 43.830

Borehull: 612

Boredato : Juni - 79.
Koordinater : $x: 925.411,7$ $y: 43.827,4$.
Retning : N
Helling/stigning : $+45^{\circ}$
Høyde : -57.5 m

[illegible]

MALMBEREGNING I

Lokalitet: *Profil 43.830*

Borehull: 611

Boredato : Juni - 79.

Koordinater : $x: 925,411,2$ $y: 43,827,3$

Retning : *N*

Helling/stigning: + 70°

Høyde : - 57,0 m

[illegible]

MALMBEREGNING I

Lokalitet: *Profil 44.460*Borehull: *608*

Boredato : *Maï - 79*
 Koordinater : *x: 925.453 y: 44.460*
 Retning : *Lodd.*
 Helling/stigning : *- 90°*
 Høyde : *- 91,9 m*

Dybde	Lengde (m)	Analyser							
		% Pb	% Cu	% Zn	% S ₂	<i>m_{3.26}</i>	<i>m_{3.60}</i>	<i>m_{3.20}</i>	<i>m_{3.70}</i>
<i>-0,00 - 0,70</i>	<i>0,70</i>	<i>0,01</i>	<i>0,08</i>	<i>0,07</i>	<i>2,90</i>	<i>0,007</i>	<i>0,07</i>	<i>0,06</i>	<i>2,03</i>
<i>0,70 - 1,60</i>	<i>0,90</i>	<i>0,17</i>	<i>0,23</i>	<i>0,53</i>	<i>5,40</i>	<i>0,15</i>	<i>0,21</i>	<i>0,48</i>	<i>4,86</i>
<i>1,60 - 2,20</i>	<i>0,60</i>	<i>0,01</i>	<i>0,07</i>	<i>0,13</i>	<i>2,60</i>	<i>0,006</i>	<i>0,04</i>	<i>0,08</i>	<i>1,56</i>
<i>2,20 - 3,70</i>	<i>1,50</i>	<i>0,89</i>	<i>0,22</i>	<i>3,75</i>	<i>6,60</i>	<i>1,34</i>	<i>0,33</i>	<i>5,63</i>	<i>9,90</i>
<i>3,70 - 4,70</i>	<i>1,00</i>	<i>0,02</i>	<i>0,02</i>	<i>0,13</i>	<i>1,70</i>	<i>0,02</i>	<i>0,02</i>	<i>0,13</i>	<i>1,70</i>
<i>2,20 - 3,70</i>	<i>1,50</i>	<i>0,89</i>	<i>0,22</i>	<i>3,75</i>	<i>6,60</i>				

*8/11 - 79**Susan Hermann*

MALMBEREGNING 1

Lokalitet: *Profil 44.460*

Borehull: 607

Boredato : Mai-79

Koordinater : x: 925,455. y: 44.460

Retning : N.

Helling/stigning : $+60^\circ$

Høyde : - 88.4 (09)

Dybde	Lengde (m)	Analyser							
		% Pb	% Cu	% Zn	% S	% B	% Co	% Ni	% Fe
0.00 - 1.80	1.80	0.72	0.41	4.26	4.80	1.30	0.74	7.67	8.64
1.80 - 2.80	1.00	0.03	0.09	0.15	2.20	0.03	0.09	0.15	2.20
14.20 - 15.20	1.00	0.01	0.03	0.03	1.70	0.01	0.03	0.03	1.70
15.20 - 15.70	0.50	0.45	0.20	3.82	5.60	0.23	0.10	1.91	2.80
15.70 - 16.70	1.00	0.00	0.10	0.22	6.00	0.00	0.10	0.22	6.00
20.00 - 20.80	0.80	0.00	0.06	0.03	5.90	0.00	0.05	0.02	4.72
20.80 - 23.40	2.60	0.00	0.12	1.25	12.20	0.00	0.31	3.25	31.72
23.40 - 24.50	1.10	0.08	0.10	0.56	6.40	0.09	0.11	0.62	7.04
25.00 - 26.80	1.80	0.00	0.25	0.23	10.10	0.00	0.45	0.41	18.18
26.80 - 28.10	1.30	0.00	0.06	0.01	4.80	0.00	0.08	0.01	6.24
28.10 - 29.10	1.00	0.00	0.03	0.00	3.90	0.00	0.03	0.00	3.90
29.10 - 32.00	2.90	0.13	0.17	1.35	7.50	0.38	0.50	3.92	21.75
32.00 - 33.00	1.00	0.00	0.02	0.06	1.90	0.00	0.02	0.06	1.90
0.00 - 1.80	1.80	0.72	0.41	4.26	4.80				
15.20 - 15.70	0.50	0.45	0.20	3.82	5.60				
20.80 - 23.40	2.60	0.00	0.12	1.25	12.20				
29.10 - 32.00	2.90	0.13	0.17	1.35	7.50				

8/11-79

Steve Burnham

MALMBEREGNING I

Lokalitet: *Profil 44.460*Borehull: *606*

Boredato : *Mai - 79 y. innvill*
 Koordinator : *X: 925.466,5. Y: 44.460*
 Retning : *N*
 Helling/stigning : *+ 60°*
 Høyde : *- 88*

Dybde	Lengde (m)	Analyser							
		% Pb	% Cu	% Zn	% Fe	% Pb	% Cu	% Zn	% Fe
<i>5,00 - 6,00</i>	<i>1,00</i>	<i>0,03</i>	<i>0,03</i>	<i>0,16</i>	<i>2,20</i>	<i>0,03</i>	<i>0,03</i>	<i>0,16</i>	<i>2,20</i>
<i>6,00 - 6,40</i>	<i>0,40</i>	<i>0,40</i>	<i>0,45</i>	<i>1,79</i>	<i>5,40</i>	<i>0,16</i>	<i>0,18</i>	<i>0,72</i>	<i>2,16</i>
<i>6,40 - 7,70</i>	<i>1,30</i>	<i>0,00</i>	<i>0,41</i>	<i>0,17</i>	<i>6,80</i>	<i>0,00</i>	<i>0,53</i>	<i>0,22</i>	<i>8,84</i>
<i>7,70 - 8,70</i>	<i>1,00</i>	<i>0,08</i>	<i>0,08</i>	<i>0,15</i>	<i>3,70</i>	<i>0,00</i>	<i>0,08</i>	<i>0,15</i>	<i>3,70</i>
<i>14,00 - 14,50</i>	<i>0,50</i>	<i>0,01</i>	<i>0,02</i>	<i>0,11</i>	<i>1,90</i>	<i>0,00</i>	<i>0,01</i>	<i>0,06</i>	<i>0,95</i>
<i>14,50 - 15,20</i>	<i>0,70</i>	<i>1,14</i>	<i>0,31</i>	<i>1,33</i>	<i>3,80</i>	<i>0,80</i>	<i>0,22</i>	<i>0,93</i>	<i>2,66</i>
<i>15,20 - 18,30</i>	<i>3,10</i>	<i>0,03</i>	<i>0,18</i>	<i>1,11</i>	<i>9,40</i>	<i>0,09</i>	<i>0,56</i>	<i>3,44</i>	<i>29,14</i>
<i>18,30 - 19,30</i>	<i>1,00</i>	<i>0,00</i>	<i>0,04</i>	<i>0,11</i>	<i>2,30</i>	<i>0,00</i>	<i>0,04</i>	<i>0,11</i>	<i>2,30</i>
<i>27,50 - 28,50</i>	<i>1,00</i>	<i>0,00</i>	<i>0,04</i>	<i>0,17</i>	<i>2,40</i>	<i>0,00</i>	<i>0,04</i>	<i>0,17</i>	<i>2,40</i>
<i>28,50 - 30,70</i>	<i>2,20</i>	<i>0,07</i>	<i>0,20</i>	<i>2,17</i>	<i>9,40</i>	<i>0,15</i>	<i>0,44</i>	<i>4,77</i>	<i>20,68</i>
<i>30,70 - 32,70</i>	<i>2,00</i>	<i>0,04</i>	<i>0,06</i>	<i>0,17</i>	<i>6,10</i>	<i>0,08</i>	<i>0,12</i>	<i>0,34</i>	<i>12,20</i>
<i>32,70 - 33,70</i>	<i>1,00</i>	<i>0,00</i>	<i>0,01</i>	<i>0,03</i>	<i>2,60</i>	<i>0,00</i>	<i>0,01</i>	<i>0,03</i>	<i>2,60</i>
<i>6,00 - 6,40</i>	<i>0,40</i>	<i>0,40</i>	<i>0,45</i>	<i>1,79</i>	<i>5,40</i>				
<i>14,50 - 18,30</i>	<i>3,80</i>	<i>0,23</i>	<i>0,21</i>	<i>1,15</i>	<i>8,37</i>				
<i>28,50 - 30,70</i>	<i>2,20</i>	<i>0,07</i>	<i>0,20</i>	<i>2,17</i>	<i>9,40</i>				

7/11 - 79
Stian Thunhaug

MALMBEREGNING I

Lokalitet: Profil 44.460

Borehull: 605

Boredato : 17.01.79
Koordinator : X: 925.467.2 X: 44.459.3
Retning : N
Helling/stigning : 45°
Høyde : 91.5m

Dybde	Lengde (m)	Analyser			
		% Pb	% Cu	% Zn	% Fe
0.00 - 0.40	0.40	0.02	0.38	2.86	11.60
0.40 - 1.00	0.60	0.02	0.06	0.13	4.20
1.20 - 2.90	1.70	0.02	0.23	0.59	7.20
3.20 - 3.70	0.50	0.01	0.36	0.25	7.70
3.70 - 4.20	0.50	0.01	0.04	0.21	2.40
4.20 - 4.55	0.35	0.01	0.16	0.42	8.20
4.85 - 5.85	1.00	0.00	0.03	0.05	2.70
0.00 - 0.40	0.40	0.02	0.38	2.86	11.60

1-6-79

H. Pantdalsli

MALMBEREGNING I

Lokalitet: *Prop' 44.460*

Borehull: 604

Boredato : Mai 79.

Koordinater : $x: 925.443, 2$ $y: 44.457, 5$

Retning : N

Helling/stigning : $+ 59^{\circ}$

Høyde : - 89 m

Dybde	Lengde (m)	Analyser							
		% Pb	% Cu	% Zn	% Fe	m% Pb	m% Cu	m% Zn	m% Fe
0,00 - 0,50	0,50	0,88	0,44	2,72	5,60	0,44	0,22	1,36	2,80
0,50 - 1,10	0,60	0,05	0,05	0,15	1,60	0,03	0,03	0,09	0,96
1,10 - 1,55	0,45	1,44	0,46	4,81	6,50	0,65	0,21	2,16	2,93
1,55 - 2,05	0,50	0,05	0,04	0,17	2,00	0,03	0,02	0,08	1,00
21,20 - 22,00	0,80	0,38	0,14	1,49	10,40	0,30	0,11	1,19	8,32
22,00 - 22,70	0,70	0,28	0,10	1,30	11,70	0,20	0,07	0,80	8,19
22,70 - 23,70	1,00	0,02	0,04	0,25	6,40	0,02	0,04	0,25	6,40
0,00 - 1,55	1,55	0,72	0,30	2,33	4,32				

23-5-79

H. Parndalski

MALMBEREGNING I

Lokalitet: *Prof/ 44.460*

Borehull: 603

Boredato : Mai 79

Koordinater : $x: 925.443.4$ $y: 44.458.9$

Retning :

Helling/stigning: Lodd-90°

Høyde : - 92 m

Dybde	Lengde (m)	Analyser							m%, Fe
		% Pb	% Cu	% Zn	% Fe	m% Pb	m% Cu	m% Zn	
0,00 - 0,90	0,90	0,03	0,10	0,15	2,88	0,03	0,09	0,13	2,60
0,90 - 3,20	2,30	0,49	0,24	3,00	7,20	1,13	0,55	6,90	16,56
3,20 - 5,05	1,85	0,09	0,24	0,82	5,30	0,17	0,44	1,52	9,80
5,05 - 5,45	0,40	0,01	0,07	0,07	4,30	0,00	0,03	0,03	1,72
5,45 - 7,20	1,75	0,47	0,35	1,71	6,70	0,82	0,61	2,99	11,73
7,20 - 8,20	1,00	0,11	0,13	0,41	3,70	0,11	0,13	0,41	3,70
0,90 - 3,20	2,30	0,49	0,24	3,00	7,20				
23-5-79. H. Parndalsen									

Juke innmalt.

MALMBEREGNING I

Lokalitet: *Profil 44.510.*

Borehull: *602.*

Boredato : *April - 79*
 Koordinater : *X: 925.418 Y: 44.510*
 Retning :
 Helling/stigning : *Lodd - 90°*
 Høyde : *- 97,0*

Dybde	Lengde (m)	Analyser						
		% Pb	% Cu	% Zn	% S	<i>% Pb</i>	<i>% Cu</i>	<i>% Zn</i>
<i>0.20 - 0.80</i>	<i>0.60</i>	<i>0.04</i>	<i>0.31</i>	<i>0.90</i>		<i>0.02</i>	<i>0.19</i>	<i>0.56</i>
<i>0.80 - 1.80</i>	<i>1.00</i>	<i>1.55</i>	<i>0.42</i>	<i>9.65</i>		<i>1.55</i>	<i>0.42</i>	<i>9.65</i>
<i>1.80 - 2.60</i>	<i>0.80</i>	<i>0.04</i>	<i>0.03</i>	<i>0.10</i>		<i>0.03</i>	<i>0.02</i>	<i>0.08</i>
<i>2.60 - 3.10</i>	<i>0.50</i>	<i>0.62</i>	<i>0.86</i>	<i>4.44</i>		<i>0.31</i>	<i>0.43</i>	<i>2.22</i>
<i>3.10 - 4.10</i>	<i>1.00</i>	<i>0.00</i>	<i>0.02</i>	<i>0.03</i>		<i>0.00</i>	<i>0.02</i>	<i>0.03</i>
<i>0.80 - 3.10</i>	<i>2.30</i>	<i>0.82</i>	<i>0.38</i>	<i>5.20</i>				
<i>0.00 - 3.10</i>	<i>3.10</i>	<i>0.62</i>	<i>0.34</i>	<i>4.04</i>				

14/5 - 79

Skrean Brunner

Jhke innmalt.

MALMBEREGNING I

Lokalitet: *Profil 44.490*

Borehull: *601*

Boredato : *April 1979*

Koordinater : X: 925.416,5 Y: 44.490

Retning :

Helling/stigning : *hodd. - 90°*

Høyde : *- 96,5*

Dybde	Lengde (m)	Analyser				<i>~7.78</i>	<i>~7.60</i>	<i>~7.22</i>
		% Pb	% Cu	% Zn	% S			
<i>0.20 - 0.55</i>	<i>0.35</i>	<i>0.06</i>	<i>0.19</i>	<i>0.27</i>		<i>0.021</i>	<i>0.067</i>	<i>0.095</i>
<i>0.55 - 0.95</i>	<i>0.40</i>	<i>0.03</i>	<i>0.30</i>	<i>2.52</i>		<i>0.012</i>	<i>0.120</i>	<i>1.008</i>
<i>1.15 - 2.60</i>	<i>1.45</i>	<i>0.43</i>	<i>0.22</i>	<i>1.99</i>		<i>0.624</i>	<i>0.319</i>	<i>2.986</i>
<i>2.60 - 3.75</i>	<i>1.15</i>	<i>0.02</i>	<i>0.02</i>	<i>0.04</i>		<i>0.023</i>	<i>0.023</i>	<i>0.046</i>
<i>0.55 - 2.60</i>	<i>2.05</i>	<i>0.31</i>	<i>0.21</i>	<i>1.90</i>				

14/5 - 79

Shuan Burman

Jkke innmalt.

MALMBEREGNING I

Lokalitet: *Prof 44.490*

Borehull: *600*

Boredato : *April - 79.*

Koordinater : *X: 925,408*

Retning : *W.odd.*

Helling/stigning : *- 90°*

Høyde : *- 96*

Dybde	Lengde (m)	Analyser						
		% Pb	% Cu	% Zn	% S	<i>~1.76</i>	<i>~2.60</i>	<i>~7.27</i>
<i>0.00 - 1.10</i>	<i>1.10</i>	<i>0.00</i>	<i>0.01</i>	<i>0.04</i>		<i>0.000</i>	<i>0.011</i>	<i>0.044</i>
<i>1.10 - 1.85</i>	<i>0.75</i>	<i>0.33</i>	<i>0.16</i>	<i>4.51</i>		<i>0.248</i>	<i>0.120</i>	<i>3.583</i>
<i>1.85 - 3.10</i>	<i>1.25</i>	<i>0.03</i>	<i>0.03</i>	<i>0.20</i>		<i>0.038</i>	<i>0.038</i>	<i>0.250</i>
<i>3.10 - 3.70</i>	<i>0.60</i>	<i>0.00</i>	<i>0.02</i>	<i>0.04</i>		<i>0.000</i>	<i>0.012</i>	<i>0.024</i>
<i>3.70 - 4.00</i>	<i>0.30</i>	<i>2.23</i>	<i>0.19</i>	<i>7.15</i>		<i>0.669</i>	<i>0.057</i>	<i>2.145</i>
<i>4.00 - 4.90</i>	<i>0.90</i>	<i>0.06</i>	<i>0.04</i>	<i>0.16</i>		<i>0.054</i>	<i>0.036</i>	<i>0.144</i>
<i>1.10 - 1.85</i>	<i>0.75</i>	<i>0.33</i>	<i>0.16</i>	<i>4.51</i>				
<i>3.70 - 4.00</i>	<i>0.30</i>	<i>2.23</i>	<i>0.19</i>	<i>7.15</i>				

14/5 - 79

Shuan Burman

MALMBEREGNING I

Lokalitet: *Probi 43.790*

Borehull: 599

Boredato : April 79.
Koordinator : X: 925.359, Y: 43.790
Retning : S
Helling/stigning : -20°
Høyde : -66,5

Dybde	Lengde (m)	Analyser						
		% Pb	% Cu	% Zn	% S	m% Pb	m% Cu	m% Zn
13.40 - 14.40	1.00	0.04	0.07	0.14		0.04	0.07	0.14
14.40 - 15.65	1.25	1.03	0.34	5.17		1.29	0.43	6.46
15.65 - 17.20	1.55	0.13	0.08	0.10		0.20	0.12	0.16
17.20 - 19.20	2.00	1.05	0.25	3.30		2.10	0.50	6.60
19.20 - 21.20	2.00	0.38	0.19	0.44		0.76	0.38	1.88
21.20 - 23.20	2.00	0.24	0.16	0.53		0.48	0.32	1.06
23.20 - 25.20	2.00	0.46	0.18	0.46		0.92	0.36	0.92
25.20 - 26.90	1.70	0.23	0.21	0.61		0.39	0.35	1.04
27.60 - 29.50	1.90	0.39	0.27	1.30		0.74	0.51	2.47
29.50 - 30.90	1.40	0.42	0.31	1.82		0.59	0.43	2.55
30.90 - 32.00	1.10	0.03	0.04	0.05		0.03	0.04	0.05
14.40 - 19.20	4.80	0.75	0.22	2.75				
27.60 - 30.90	3.30	0.40	0.28	1.52				

15-5-79

H. Pantdalsen

MALMBEREGNING 1

Lokalitet: *Proh/43.790*

Borehull: 598

Boredato : Mars 79.

Koordinater : X: 925.359, y: 43.790

Retning : 5

Helling/stigning : -30°

Høyde : - 66,5

Dybde	Lengde (m)	Analyser						
		% Pb	% Cu	% Zn	% S	m% Pb	m% Cu	m% Zn
8.80 - 9.80	1.00	0.03	0.04	0.01		0.03	0.04	0.01
9.80 - 12.30	2.50	0.53	0.34	2.30		1.33	0.85	5.75
12.30 - 12.70	0.40	0.37	0.19	1.88		0.15	0.08	0.75
12.70 - 15.00	2.30	0.50	0.26	1.60		1.15	0.60	3.68
15.00 - 16.00	1.00	0.17	0.13	0.30		0.17	0.13	0.30
17.25 - 18.25	1.00	0.02	0.15	0.19		0.02	0.15	0.19
18.25 - 19.00	0.75	0.24	0.12	0.41		0.18	0.09	0.30
19.00 - 20.00	1.00	0.34	0.17	0.23		0.34	0.17	0.23
20.00 - 21.00	1.00	0.14	0.15	0.78		0.14	0.15	0.78
21.00 - 21.60	0.60	0.06	0.06	0.18		0.04	0.04	0.11
21.60 - 22.00	0.40	0.37	0.22	3.00		0.15	0.09	1.20
22.00 - 23.10	1.10	0.03	0.07	0.12		0.03	0.08	0.13
23.10 - 24.00	0.90	0.58	0.21	2.30		0.52	0.19	2.01
24.00 - 25.70	1.70	0.13	0.17	0.42		0.22	0.29	0.71
25.70 - 26.10	0.40	0.02	0.14	0.08		0.00	0.06	0.03
26.10 - 27.10	1.00	0.01	0.05	0.06		0.01	0.05	0.06
9.80 - 15.00	5.20	0.50	0.29 2.9	1.96				
21.60 - 22.00	0.40	0.37	0.22	3.00				
23.10 - 24.00	0.90	0.58	0.21	2.30				

14-5-79.

H. Pantdalsen

MALMBEREGNING I

Lokalitet: *Profil 43.830*

Borehull: *593*

Boredato : *1905 - 79*

Koordinater *ca* X *925.378*, Y: *43.830* (*g. innvidt*)

Retning : *N*

Helling/stigning : *- 70°*

Høyde :

Dybde	Lengde (m)	Analyser						
		% Pb	% Cu	% Zn	% S	<i>mg Pb</i>	<i>mg Cu</i>	<i>mg Zn</i>
<i>0.30 - 1.80</i>	<i>1.50</i>	<i>1.39</i>	<i>0.21</i>	<i>7.81</i>		<i>2.085</i>	<i>0.315</i>	<i>11.715</i>
<i>1.80 - 3.00</i>	<i>1.20</i>	<i>0.56</i>	<i>0.24</i>	<i>3.97</i>		<i>0.672</i>	<i>0.288</i>	<i>4.764</i>
<i>3.00 - 4.80</i>	<i>1.80</i>	<i>0.29</i>	<i>0.39</i>	<i>1.88</i>		<i>0.522</i>	<i>0.702</i>	<i>3.384</i>
<i>5.20 - 5.80</i>	<i>0.60</i>	<i>0.67</i>	<i>0.53</i>	<i>3.65</i>		<i>0.402</i>	<i>0.318</i>	<i>2.190</i>
<i>5.80 - 7.00</i>	<i>1.20</i>	<i>0.21</i>	<i>0.09</i>	<i>0.80</i>		<i>0.252</i>	<i>0.108</i>	<i>0.960</i>
<i>7.60 - 10.20</i>	<i>2.60</i>	<i>0.36</i>	<i>0.19</i>	<i>2.23</i>		<i>0.936</i>	<i>0.494</i>	<i>5.798</i>
<i>10.40 - 11.50</i>	<i>1.10</i>	<i>0.56</i>	<i>0.74</i>	<i>4.49</i>		<i>0.616</i>	<i>0.814</i>	<i>4.939</i>
<i>0.30 - 5.80</i>	<i>5.50</i>	<i>0.67</i>	<i>0.30</i>	<i>4.01</i>				
<i>7.60 - 11.50</i>	<i>3.90</i>	<i>0.40</i>	<i>0.34</i>	<i>3.27</i>				
<i>9.00 - 11.50</i>	<i>11.50</i>	<i>0.48</i>	<i>0.26</i>	<i>2.93</i>				

20/2 - 79

Stellan Surnar

MALMBEREGNING I

Lokalitet: *Profil 44.060*Borehull: *592*Boredato : *Feb - 79*Koordinater : *X: 925.3778 Y: 44.057, 2*Retning : *S.*Helling/stigning : *- 75°*Høyde : *- 69,5*

Dybde	Lengde (m)	Analyser						
		% Pb	% Cu	% Zn	% S	<i>m% Pb</i>	<i>m% Cu</i>	<i>m% Zn</i>
<i>2,20 - 3,70</i>	<i>1,50</i>	<i>0,03</i>	<i>0,03</i>	<i>0,06</i>		<i>0,045</i>	<i>0,045</i>	<i>0,090</i>
<i>3,70 - 4,70</i>	<i>1,00</i>	<i>0,25</i>	<i>0,26</i>	<i>1,56</i>		<i>0,250</i>	<i>0,260</i>	<i>1,560</i>
<i>4,70 - 7,00</i>	<i>2,30</i>	<i>0,53</i>	<i>0,27</i>	<i>3,14</i>		<i>1,219</i>	<i>0,621</i>	<i>7,222</i>
<i>7,00 - 7,80</i>	<i>0,80</i>	<i>0,35</i>	<i>0,23</i>	<i>1,88</i>		<i>0,280</i>	<i>0,184</i>	<i>0,904</i>
<i>7,80 - 10,60</i>	<i>2,80</i>	<i>0,93</i>	<i>0,41</i>	<i>2,95</i>		<i>2,604</i>	<i>1,148</i>	<i>8,260</i>
<i>10,60 - 12,60</i>	<i>2,00</i>	<i>0,08</i>	<i>0,05</i>	<i>0,15</i>		<i>0,160</i>	<i>0,100</i>	<i>0,300</i>
<i>12,60 - 14,00</i>	<i>1,40</i>	<i>1,20</i>	<i>1,09</i>	<i>3,76</i>		<i>1,680</i>	<i>1,526</i>	<i>5,264</i>
<i>14,00 - 15,00</i>	<i>1,00</i>	<i>0,05</i>	<i>0,09</i>	<i>0,11</i>		<i>0,050</i>	<i>0,090</i>	<i>0,110</i>
<i>15,30 - 15,90</i>	<i>0,60</i>	<i>1,48</i>	<i>0,33</i>	<i>5,97</i>		<i>0,888</i>	<i>0,198</i>	<i>3,582</i>
<i>15,90 - 17,00</i>	<i>1,10</i>	<i>0,08</i>	<i>0,04</i>	<i>0,30</i>		<i>0,088</i>	<i>0,044</i>	<i>0,330</i>
<i>3,70 - 4,70</i>	<i>1,00</i>	<i>0,25</i>	<i>0,26</i>	<i>1,56</i>				
<i>4,70 - 10,60</i>	<i>5,90</i>	<i>0,70</i>	<i>0,33</i>	<i>2,78</i>				
<i>12,60 - 14,00</i>	<i>1,40</i>	<i>1,20</i>	<i>1,09</i>	<i>3,76</i>				
<i>15,30 - 15,90</i>	<i>0,60</i>	<i>1,48</i>	<i>0,33</i>	<i>5,97</i>				
<i>12,60 - 15,80</i>	<i>3,30</i>	<i>0,79</i>	<i>0,55</i>	<i>2,71</i>				

*12/3 - 79**Arvid Brønner*

MALMBEREGNING I

Lokalitet: *Profil 43.860*Borehull: *591*Boredato : *Feb-79*Koordinater : *X: 25.890,8 Y: 43.866,5*Retning : *N*Helling/stigning : *-70°*Høyde : *-63,7*

Dybde	Lengde (m)	Analyser						
		% Pb	% Cu	% Zn	% S	<i>avg Pb</i>	<i>avg Cu</i>	<i>avg Zn</i>
<i>0,00 - 0,10</i>	<i>0,10</i>	<i>0,11</i>	<i>0,06</i>	<i>2,61</i>		<i>0,011</i>	<i>0,006</i>	<i>0,261</i>
<i>0,20 - 3,60</i>	<i>3,40</i>	<i>1,26</i>	<i>0,70</i>	<i>8,74</i>		<i>4,284</i>	<i>2,380</i>	<i>29,716</i>
<i>3,60 - 4,00</i>	<i>0,40</i>	<i>0,38</i>	<i>0,30</i>	<i>2,40</i>		<i>0,152</i>	<i>0,120</i>	<i>0,960</i>
<i>4,60 - 6,60</i>	<i>2,00</i>	<i>0,64</i>	<i>0,12</i>	<i>0,60</i>		<i>1,280</i>	<i>0,240</i>	<i>1,200</i>
<i>6,60 - 7,40</i>	<i>0,80</i>	<i>0,95</i>	<i>0,46</i>	<i>2,50</i>		<i>0,760</i>	<i>0,368</i>	<i>2,000</i>
<i>7,60 - 7,80</i>	<i>0,20</i>	<i>1,80</i>	<i>0,32</i>	<i>6,50</i>		<i>0,360</i>	<i>0,064</i>	<i>1,300</i>
<i>8,20 - 9,20</i>	<i>1,00</i>	<i>0,05</i>	<i>0,02</i>	<i>0,17</i>		<i>0,050</i>	<i>0,020</i>	<i>0,170</i>
<i>9,20 - 12,30</i>	<i>3,10</i>	<i>0,57</i>	<i>0,10</i>	<i>0,54</i>		<i>1,767</i>	<i>0,310</i>	<i>1,674</i>
<i>12,30 - 13,00</i>	<i>0,70</i>	<i>0,46</i>	<i>0,38</i>	<i>1,62</i>		<i>0,322</i>	<i>0,266</i>	<i>1,134</i>
<i>13,20 - 14,30</i>	<i>1,10</i>	<i>0,03</i>	<i>0,25</i>	<i>1,20</i>		<i>0,033</i>	<i>0,275</i>	<i>1,320</i>
<i>14,80 - 15,20</i>	<i>0,40</i>	<i>0,02</i>	<i>0,21</i>	<i>1,73</i>		<i>0,008</i>	<i>0,084</i>	<i>0,692</i>
<i>15,30 - 15,60</i>	<i>0,30</i>	<i>0,63</i>	<i>0,63</i>	<i>3,58</i>		<i>0,009</i>	<i>0,189</i>	<i>1,074</i>
<i>16,60 - 18,85</i>	<i>2,25</i>	<i>0,16</i>	<i>0,11</i>	<i>0,48</i>		<i>0,360</i>	<i>0,248</i>	<i>1,080</i>
<i>0,00 - 4,00</i>	<i>4,00</i>	<i>1,11</i>	<i>0,63</i>	<i>7,73</i>				
<i>6,60 - 7,80</i>	<i>1,20</i>	<i>0,93</i>	<i>0,36</i>	<i>2,75</i>				
<i>12,30 - 15,60</i>	<i>3,30</i>	<i>0,11</i>	<i>0,25</i>	<i>1,28</i>				
<i>0,00 - 7,80</i>	<i>7,80</i>	<i>0,87</i>	<i>0,40</i>	<i>4,54</i>				

12/3-79

Alan Burman

MALMBEREGNING I

Lokalitet: *Profi/43.860*

Borehull: 590

Boredato : Feb. 79.
Koordinater : X: 925.386,8 Y: 42.864,8
Retning : N
Helling/stigning : - 70°
Høyde : - 63.1

Dybde	Lengde (m)	Analyser						
		% Pb	% Cu	% Zn	% S	m% Pb	m% Cu	m% Zn
0,00 - 2,00	2,00	0,50	0,24	3,30		1,000	0,480	6,600
2,00 - 3,90	1,90	0,69	0,38	4,00		1,311	0,722	7,600
4,15 - 5,20	1,05	0,46	0,29	3,40		0,483	0,304	3,570
5,20 - 5,75	0,55	0,02	0,03	0,17		0,011	0,016	0,093
0,00 - 5,20	5,20	0,53	0,29	3,42				
7-3-79								
Holger Pantdalsli								

MALMBEREGNING I

Lokalitet: *Profil 44.060*Borehull: *589*Boredato : *Feb. - 79.*Koordinater : *X: 925.899,1 Y: 44.054,2*Retning : *4. dd*Helling/stigning : *- 90°*Høyde : *- 61,7*

Dybde	Lengde (m)	Analyser						
		% Pb	% Cu	% Zn	% S	<i>m2 Pb</i>	<i>m2 Cu</i>	<i>m2 Zn</i>
<i>0.00 - 1.30</i>	<i>1.30</i>	<i>3.10</i>	<i>0.18</i>	<i>10.60</i>		<i>4.030</i>	<i>0.234</i>	<i>16.780</i>
<i>1.30 - 2.30</i>	<i>1.00</i>	<i>1.80</i>	<i>0.81</i>	<i>5.44</i>		<i>1.800</i>	<i>0.810</i>	<i>5.440</i>
<i>2.30 - 3.00</i>	<i>0.70</i>	<i>0.88</i>	<i>0.41</i>	<i>2.86</i>		<i>0.616</i>	<i>0.287</i>	<i>2.002</i>
<i>3.00 - 4.00</i>	<i>1.00</i>	<i>0.16</i>	<i>0.07</i>	<i>1.26</i>		<i>0.160</i>	<i>0.070</i>	<i>1.260</i>
<i>4.00 - 5.00</i>	<i>1.00</i>	<i>0.09</i>	<i>0.06</i>	<i>0.14</i>		<i>0.090</i>	<i>0.060</i>	<i>0.140</i>
<i>7.20 - 8.20</i>	<i>1.00</i>	<i>0.07</i>	<i>0.01</i>	<i>0.15</i>		<i>0.070</i>	<i>0.010</i>	<i>0.150</i>
<i>8.20 - 9.20</i>	<i>1.00</i>	<i>0.45</i>	<i>0.09</i>	<i>1.05</i>		<i>0.450</i>	<i>0.090</i>	<i>1.050</i>
<i>9.20 - 9.80</i>	<i>0.60</i>	<i>0.34</i>	<i>0.61</i>	<i>1.84</i>		<i>0.204</i>	<i>0.366</i>	<i>1.104</i>
<i>9.80 - 10.10</i>	<i>0.30</i>	<i>3.50</i>	<i>0.71</i>	<i>13.40</i>		<i>1.050</i>	<i>0.213</i>	<i>4.020</i>
<i>10.10 - 11.30</i>	<i>1.20</i>	<i>0.08</i>	<i>0.07</i>	<i>0.37</i>		<i>0.086</i>	<i>0.084</i>	<i>0.444</i>
<i>11.30 - 12.30</i>	<i>1.00</i>	<i>0.93</i>	<i>0.69</i>	<i>3.19</i>		<i>0.930</i>	<i>0.690</i>	<i>3.190</i>
<i>12.30 - 13.30</i>	<i>1.00</i>	<i>0.45</i>	<i>1.82</i>	<i>4.51</i>		<i>0.450</i>	<i>1.820</i>	<i>4.510</i>
<i>13.30 - 14.30</i>	<i>1.00</i>	<i>0.43</i>	<i>0.62</i>	<i>5.94</i>		<i>0.430</i>	<i>0.620</i>	<i>5.940</i>
<i>14.30 - 15.20</i>	<i>0.90</i>	<i>0.13</i>	<i>1.45</i>	<i>2.07</i>		<i>0.117</i>	<i>1.305</i>	<i>1.863</i>
<i>15.20 - 16.20</i>	<i>1.00</i>	<i>0.15</i>	<i>0.38</i>	<i>0.76</i>		<i>0.150</i>	<i>0.380</i>	<i>0.760</i>
<i>16.20 - 17.20</i>	<i>1.00</i>	<i>0.45</i>	<i>0.49</i>	<i>2.58</i>		<i>0.450</i>	<i>0.490</i>	<i>2.580</i>
<i>17.20 - 18.20</i>	<i>1.00</i>	<i>0.47</i>	<i>0.68</i>	<i>2.19</i>		<i>0.470</i>	<i>0.680</i>	<i>2.190</i>
<i>18.20 - 19.20</i>	<i>1.00</i>	<i>0.31</i>	<i>0.52</i>	<i>5.13</i>		<i>0.310</i>	<i>0.520</i>	<i>5.130</i>
<i>19.20 - 19.80</i>	<i>0.60</i>	<i>0.36</i>	<i>0.21</i>	<i>1.67</i>		<i>0.216</i>	<i>0.126</i>	<i>1.002</i>
<i>19.80 - 20.30</i>	<i>0.50</i>	<i>0.78</i>	<i>0.53</i>	<i>4.62</i>		<i>0.390</i>	<i>0.265</i>	<i>2.310</i>
<i>20.30 - 21.30</i>	<i>1.00</i>	<i>0.04</i>	<i>0.05</i>	<i>1.33</i>		<i>0.040</i>	<i>0.050</i>	<i>1.330</i>
<i>0.00 - 4.00</i>	<i>4.00</i>	<i>1.65</i>	<i>0.35</i>	<i>5.62</i>				
<i>8.20 - 10.10</i>	<i>1.90</i>	<i>0.43</i>	<i>0.17</i>	<i>1.54</i>				
<i>11.30 - 15.20</i>	<i>3.90</i>	<i>0.49</i>	<i>1.14</i>	<i>3.98</i>				
<i>16.20 - 20.30</i>	<i>4.10</i>	<i>0.45</i>	<i>0.51</i>	<i>3.22</i>				

*28/2 - 79**Allan Furman*

MALMBEREGNING I

Lokalitet: *Profi/44060*

Borehull: 588

Boredato : Feb. 79
Koordinator : X: 925.409,5 Y: 44059,2
Retning : N
Helling/stigning : -75
Høyde : -60,6

Dybde	Lengde (m)	Analyser							
		% Pb	% Cu	% Zn	% Fe	m% Pb	m% Cu	m% Zn	m% Fe
0,00 - 0,60	0,60	0.05	0,09	0,18	3,10	0,050	0,054	0,108	1,860
0,60 - 2,60	2,00	1,20	0,55	5,30	6,50	2,400	1,100	10,600	13,000
2,60 - 4,90	2,30	1,55	0,59	6,00	6,70	3,565	1,357	13,800	15,410
4,90 - 7,00	2,10	0,99	0,08	1,20	1,70	2,079	0,168	2,520	3,570
7,00 - 9,80	0,60	0,02	0,03	0,06	1,60	0,012	0,018	0,036	0,960
9,80 - 12,70	2,90	0,91	0,55	4,00	9,80	2,639	1,595	11,600	28,420
12,70 - 13,15	0,45	0,21	0,84	2,60	10,50	0,095	0,378	1,170	4,725
13,15 - 13,55	0,40	0,02	0,12	0,27	3,40	0,008	0,048	0,108	1,360
13,55 - 14,80	1,25	0,32	0,61	3,20	14,20	0,400	0,763	4,000	17,750
14,80 - 15,40	0,60	0,17	0,26	0,70	4,30	0,102	0,156	0,420	2,580
15,40 - 17,00	1,60	0,01	0,32	0,47	7,00	0,016	0,512	0,752	11,200
17,00 - 19,00	2,00	0,00	0,11	0,18	5,40	0,000	0,220	0,360	10,800
19,00 - 20,90	1,90	0,00	0,03	0,03	2,00	0,000	0,057	0,057	3,800
20,90 - 21,30	0,40	0,01	0,33	1,60	9,50	0,004	0,132	0,640	3,800
21,30 - 21,70	0,40	0,00	0,12	0,25	4,80	0,000	0,048	0,100	1,920
21,70 - 22,95	1,25	0,00	0,22	0,41	7,40	0,000	0,275	0,513	9,250
22,95 - 25,00	2,05	0,61	0,27	2,30	4,00	1,251	0,759	4,715	8,200
25,00 - 26,00	1,00	0,00	0,03	0,04	4,20	0,000	0,030	0,040	4,200
0,00 - 4,90	4,90	1,22	0,51	5,00	6,18				
0,60 - 7,00	6,40	1,26	0,41	4,21	4,99				
9,80 - 14,80	5,00	0,63	0,56	3,38	10,45				
22,95 - 25,00	2,05	0,61	0,37	2,30	4,00				
1-3-79. H. Pantdalsen									

MALMBEREGNING I

Lokalitet: *Prof. 44.460*Borehull: *584*Boredato: *7-79*Koordinater: *X: 925.428,5 Y: 44.456,5*Retning: *S*Helling/stigning: *+ 70°*Høyde: *- 88,1*

Dybde	Lengde (m)	Analyser						
		% Pb	% Cu	% Zn	% S	<i>mm Pb</i>	<i>mm Cu</i>	<i>mm Zn</i>
<i>0,00 - 0,50</i>	<i>0,50</i>	<i>0,09</i>	<i>0,48</i>	<i>1,88</i>		<i>0,045</i>	<i>0,240</i>	<i>0,940</i>
<i>0,50 - 1,30</i>	<i>0,80</i>	<i>0,06</i>	<i>0,21</i>	<i>0,08</i>		<i>0,048</i>	<i>0,168</i>	<i>0,064</i>
<i>1,30 - 2,65</i>	<i>1,35</i>	<i>0,01</i>	<i>0,02</i>	<i>0,02</i>		<i>0,014</i>	<i>0,027</i>	<i>0,027</i>
<i>2,65 - 3,20</i>	<i>0,55</i>	<i>0,08</i>	<i>0,21</i>	<i>0,30</i>		<i>0,044</i>	<i>0,116</i>	<i>0,165</i>
<i>3,20 - 4,05</i>	<i>0,85</i>	<i>1,34</i>	<i>0,23</i>	<i>4,33</i>		<i>1,139</i>	<i>0,196</i>	<i>3,681</i>
<i>4,05 - 5,40</i>	<i>1,35</i>	<i>0,14</i>	<i>0,34</i>	<i>1,67</i>		<i>0,189</i>	<i>0,459</i>	<i>2,255</i>
<i>5,40 - 6,60</i>	<i>1,20</i>	<i>0,03</i>	<i>0,19</i>	<i>0,24</i>		<i>0,036</i>	<i>0,228</i>	<i>0,288</i>
<i>6,60 - 6,95</i>	<i>0,35</i>	<i>0,00</i>	<i>0,04</i>	<i>0,09</i>		<i>0,000</i>	<i>0,014</i>	<i>0,032</i>
<i>6,95 - 7,80</i>	<i>0,85</i>	<i>0,15</i>	<i>0,13</i>	<i>0,52</i>		<i>0,128</i>	<i>0,111</i>	<i>0,442</i>
<i>7,80 - 8,40</i>	<i>0,60</i>	<i>0,02</i>	<i>0,10</i>	<i>0,06</i>		<i>0,012</i>	<i>0,060</i>	<i>0,036</i>
<i>8,40 - 9,55</i>	<i>1,15</i>	<i>0,19</i>	<i>0,20</i>	<i>3,20</i>		<i>0,219</i>	<i>0,280</i>	<i>3,680</i>
<i>9,55 - 10,35</i>	<i>0,80</i>	<i>0,02</i>	<i>0,02</i>	<i>0,17</i>		<i>0,016</i>	<i>0,006</i>	<i>0,136</i>
<i>10,35 - 12,40</i>	<i>2,05</i>	<i>0,00</i>	<i>0,04</i>	<i>0,04</i>		<i>0,000</i>	<i>0,082</i>	<i>0,082</i>
<i>12,40 - 14,25</i>	<i>1,85</i>	<i>0,00</i>	<i>0,04</i>	<i>0,07</i>		<i>0,000</i>	<i>0,074</i>	<i>0,130</i>
<i>14,25 - 15,10</i>	<i>0,85</i>	<i>1,10</i>	<i>0,22</i>	<i>4,12</i>		<i>0,935</i>	<i>0,187</i>	<i>3,502</i>
<i>15,10 - 16,40</i>	<i>1,30</i>	<i>0,09</i>	<i>0,04</i>	<i>0,25</i>		<i>0,117</i>	<i>0,052</i>	<i>0,325</i>
<i>0,0 - 0,50</i>	<i>0,50</i>	<i>0,09</i>	<i>0,48</i>	<i>1,88</i>				
<i>3,20 - 5,40</i>	<i>2,20</i>	<i>0,60</i>	<i>0,30</i>	<i>2,70</i>				
<i>8,40 - 9,55</i>	<i>1,15</i>	<i>0,19</i>	<i>0,20</i>	<i>3,20</i>				
<i>14,25 - 15,10</i>	<i>0,85</i>	<i>1,10</i>	<i>0,22</i>	<i>4,12</i>				

*5/- 79**Ellen Brunner*

MALMBEREGNING 1

Lokalitet: Proh¹ 43.860

Borehull: 582

Boredato : Feb. 79

Koordinater : $x: 925,404,8$ $y: 43,863,3$ Retning : N

Helling/stigning : -70°

Høyde : - 62.6

Dybde	Lengde (m)	Analyser						
		% Pb	% Cu	% Zn	% S	m% Pb	m% Cu	m% Zn
6.20 - 7.50	1.30	0.08	0.14	0.28		0.104	0.182	0.364
7.50 - 8.10	0.60	0.27	0.30	0.61		0.162	0.180	0.366
8.10 - 8.60	0.50	0.99	1.70	6.50		0.495	0.850	3.250
8.60 - 9.70	1.10	1.98	0.24	1.20		2.178	0.264	1.320
9.70 - 10.00	0.30	0.01	0.02	0.05		0.003	0.006	0.015
10.00 - 11.25	1.25	0.06	0.06	0.15		0.075	0.075	0.188
13.65 - 14.00	0.35	0.00	0.01	0.05		0.000	0.003	0.017
14.00 - 14.45	0.45	0.00	0.05	0.13		0.000	0.022	0.058
14.45 - 15.10	0.65	0.00	0.03	0.05		0.000	0.019	0.032
15.10 - 15.35	0.25	0.00	0.05	0.13		0.000	0.012	0.032
15.35 - 16.10	0.75	0.00	0.01	0.04		0.000	0.007	0.030
16.10 - 16.60	0.50	0.00	0.18	0.26		0.000	0.090	0.130
16.60 - 17.40	0.80	0.00	0.01	0.05		0.000	0.008	0.040
17.40 - 18.50	1.10	0.00	0.02	0.35		0.000	0.022	0.385
23.70 - 24.70	1.00	0.21	0.07	0.36		0.210	0.070	0.360
24.70 - 26.10	1.40	1.72	0.34	6.80		2.408	0.476	9.520
26.10 - 27.10	1.00	0.03	0.02	0.09		0.030	0.020	0.090
8.10 - 9.70	1.60	1.67	0.69	2.85				
24.70 - 26.10	1.40	1.72	0.34	6.80				

7-3-79
Holger Pantdalski

MALMBEREGNING I

Lokalitet: 0001.1 **44.180**

Borehull: 580

Boredato : juni 1978
Koordinator : 925.409,6 X 44.173,3 Y
Retning : vest
Helling/stigning : + 70°
Høyde : -66,2 m

Dybde	Lengde (m)	Analyser							m % Fe	m % Cu	m % Zn	m % Pb
		% Pb	% Cu	% Zn	% Fe	m % Pb	m % Cu	m % Zn				
1.88	0,00 - 2,00	2,00	0,01	0,13	0,13	4,40	0,02	0,20	0,26	8,8		
-2.47	2,00 - 2,55	0,55	0,35	0,17	2,13	4,07	0,47	0,09	1,17	2,2		
4.13	2,55 - 4,40	0,85	0,04	0,11	0,15	5,93	0,03	0,09	0,13	5,0		
-5.73	4,40 - 6,10	1,70	3,28	0,51	7,09	5,93	5,58	0,87	12,05	10,1		
-7.33	6,10 - 7,80	1,70	2,12	0,41	5,39	7,25	3,60	0,70	9,16	12,3		
-8.93	7,80 - 9,50	1,70	0,94	0,61	3,53	5,71	1,60	1,04	9,40	9,7		
13-8.93	1,40 - 9,50	5,10 4,82	2,11	0,51	6,00	6,29	10,78	2,01	30,61	32,1		
1.88-8.93	2,50 - 9,50	7,50 7,05	1,50	0,37	4,25	5,24	11,28	2,79	31,91	39,3		
0,00-8.93	0,00 - 9,50	9,50 8.93	1,19	0,31	3,39	5,06	11,30	2,99	32,17	48,1		

9.878 AK

MALMBEREGNING I

Lokalitet: profil 44.180

Borehult: 579

Boredato : juni 1978
Koordinator : 925.432,6X 44184,3 Y
Retning : nord
Helling/stigning : - 60°
Hoyde : - 69,9 m

Dybde	Lengde (m)	Analyser							
		% Pb	% Cu	% Zn	% S	m % Pb	m % Cu	m % Zn	m % S
0,00 - 1,10	1,10	0,03	0,08	0,28	4,55	0,03	0,09	0,31	5,0
1,10 - 2,50	1,40	0,09	0,22	1,41	11,48	0,13	0,31	1,97	16,1
2,50 - 3,45	0,95	0,03	0,11	0,71	8,75	0,03	0,10	0,67	8,3
3,45 - 7,80	4,45	-	-	-	2,5				
7,80 - 10,00	2,20	0,17	0,12	0,50	4,89	0,37	0,26	1,10	10,8
10,00 - 11,20	1,20	1,30	0,16	3,83	2,61	1,56	0,19	4,60	3,1
11,20 - 14,35	3,15	-	-	-	2,5				7,9
14,35 - 16,00	1,65	0,07	0,17	0,91	5,68	0,12	0,28	1,50	9,4
16,00 - 17,50	1,50	0,15	0,41	3,98	8,30	0,23	0,62	5,97	12,5
17,50 - 18,00	0,50	0,03	0,48	1,11	11,82	0,02	0,24	0,56	5,9
18,00 - 22,05	4,05	-	-	-	2,5				
22,05 - 23,20	1,15	0,10	0,05	0,38	1,98	0,12	0,06	0,44	2,3
23,20 - 24,00	0,80	0,05	0,10	0,53	6,59	0,04	0,08	0,42	5,3
24,00 - 24,80	0,80	0,03	0,06	0,08	6,15	0,02	0,05	0,06	4,9
24,80 - 25,40	0,60	0,14	0,05	0,25	4,18	0,08	0,03	0,15	2,5
25,40 - 26,50	1,10	0,60	0,16	2,56	5,27	0,66	0,18	2,82	5,8
26,50 - 3,45	3,45	0,06	0,14	0,86	8,52	0,19	0,50	2,95	29,4
3,45 - 11,20	3,40	2,57	0,13	1,68	4,09	1,93	0,45	5,70	13,9
11,20 - 16,00	3,60	0,10	0,31	2,20	7,62	0,37	1,14	8,03	27,8
16,00 - 26,50	4,45	0,21	0,09	0,87	4,67	0,92	0,40	3,89	20,8
26,50 - 18,00	10,20	0,23	0,16	1,35	4,86	2,30	1,59	13,73	49,6

9.878 AK

MALMBEREGNING I

Lokalitet: **44.180**

Borehull: 78

Boredato: juni 1978

Koordinater: 925.432,6 X 44.184,4 Y

Retning: nord

Helling/stigning: +50

Høyde: -65,8 m

Dybde	Lengde (m)	Analyser							
		% Pb	% Cu	% Zn	% S	m.% Fe	m.% Ca	m.% Mn	m.% F
0,00 - 2,25	2,25	-	-	-	2,5				
2,25 - 4,05	2,60	0,27	0,21	0,70	6,05				
4,05 - 6,15	2,10	0,49	0,30	1,66	6,87	0,47	0,28	1,58	6,5
6,15 - 8,05	1,90	0,07	0,06	0,19	4,58	0,05	0,04	0,12	3,0
8,05 - 10,05	2,00	0,50	0,21	0,93	7,36	1,05	0,44	1,95	15,5
10,05 - 12,05	2,00	0,05	0,21	0,37	11,78	0,04	0,16	0,28	8,8
12,05 - 14,05	2,00	0,25	0,16	0,91	4,74	0,43	0,27	1,55	8,1
14,05 - 16,05	2,00	-	-	-	2,5				1,5
16,05 - 18,05	2,00	0,12	0,11	0,55	3,07	0,20	0,19	0,94	5,2
18,05 - 20,05	2,00	0,08	0,09	0,33	2,50	0,16	0,18	0,66	5,0
20,05 - 22,05	2,00	0,25	0,09	1,11	3,07	0,23	0,08	1,00	2,8
22,05 - 24,05	2,00	-	-	-	2,5				3,0
24,05 - 26,05	2,00	0,22	0,14	0,48	3,75				
26,05 - 28,05	2,00	-	-	-	2,5				2,4
28,05 - 30,05	2,00	0,18	0,13	0,60	3,18	0,34	0,29	1,35	7,2
30,05 - 32,05	2,00	0,04	0,13	3,13	2,50	0,05	0,18	4,23	3,4
32,05 - 34,05	2,00	0,15	0,12	0,38	3,64	0,20	0,16	0,51	4,9
34,05 - 36,05	2,00	-	-	-	2,5				
36,05 - 38,05	2,00	0,34	0,12	0,58	3,64				
38,05 - 40,05	2,00								
40,05 - 42,05	2,00								
42,05 - 44,05	2,00								
44,05 - 46,05	2,00								
46,05 - 48,05	2,00								
48,05 - 50,05	2,00								
50,05 - 52,05	2,00								
52,05 - 54,05	2,00								
54,05 - 56,05	2,00								
56,05 - 58,05	2,00								
58,05 - 60,05	2,00								
60,05 - 62,05	2,00								
62,05 - 64,05	2,00								
64,05 - 66,05	2,00								
66,05 - 68,05	2,00								
68,05 - 70,05	2,00								
70,05 - 72,05	2,00								
72,05 - 74,05	2,00								
74,05 - 76,05	2,00								
76,05 - 78,05	2,00								
78,05 - 80,05	2,00								
80,05 - 82,05	2,00								
82,05 - 84,05	2,00								
84,05 - 86,05	2,00								
86,05 - 88,05	2,00								
88,05 - 90,05	2,00								
90,05 - 92,05	2,00								
92,05 - 94,05	2,00								
94,05 - 96,05	2,00								
96,05 - 98,05	2,00								
98,05 - 100,05	2,00								
100,05 - 102,05	2,00								
102,05 - 104,05	2,00								
104,05 - 106,05	2,00								
106,05 - 108,05	2,00								
108,05 - 110,05	2,00								
110,05 - 112,05	2,00								
112,05 - 114,05	2,00								
114,05 - 116,05	2,00								
116,05 - 118,05	2,00								
118,05 - 120,05	2,00								
120,05 - 122,05	2,00								
122,05 - 124,05	2,00								
124,05 - 126,05	2,00								
126,05 - 128,05	2,00								
128,05 - 130,05	2,00								
130,05 - 132,05	2,00								
132,05 - 134,05	2,00								
134,05 - 136,05	2,00								
136,05 - 138,05	2,00								
138,05 - 140,05	2,00								
140,05 - 142,05	2,00								
142,05 - 144,05	2,00								
144,05 - 146,05	2,00								
146,05 - 148,05	2,00								
148,05 - 150,05	2,00								
150,05 - 152,05	2,00								
152,05 - 154,05	2,00								
154,05 - 156,05	2,00								
156,05 - 158,05	2,00								
158,05 - 160,05	2,00								
160,05 - 162,05	2,00								
162,05 - 164,05	2,00								
164,05 - 166,05	2,00								
166,05 - 168,05	2,00								
168,05 - 170,05	2,00								
170,05 - 172,05	2,00								
172,05 - 174,05	2,00								
174,05 - 176,05	2,00								
176,05 - 178,05	2,00								
178,05 - 180,05	2,00								
180,05 - 182,05	2,00								
182,05 - 184,05	2,00								
184,05 - 186,05	2,00								
186,05 - 188,05	2,00								
188,05 - 190,05	2,00								
190,05 - 192,05	2,00								
192,05 - 194,05	2,00								
194,05 - 196,05	2,00								
196,05 - 198,05	2,00								
198,05 - 200,05	2,00								
200,05 - 202,05	2,00								
202,05 - 204,05	2,00								
204,05 - 206,05	2,00								
206,05 - 208,05	2,00								
208,05 - 210,05	2,00								
210,05 - 212,05	2,00								
212,05 - 214,05	2,00								
214,05 - 216,05	2,00								
216,05 - 218,05	2,00								
218,05 - 220,05	2,00								
220,05 - 222,05	2,00								
222,05 - 224,05	2,00								
224,05 - 226,05	2,00								
226,05 - 228,05	2,00								
228,05 - 230,05	2,00								
230,05 - 232,05	2,00								
232,05 - 234,05	2,00								
234,05 - 236,05	2,00								
236,05 - 238,05	2,00								
238,05 - 240,05	2,00								
240,05 - 242,05	2,00								
242,05 - 244,05	2,00								
244,05 - 246,05	2,00								
246,05 - 248,05	2,00								
248,05 - 250,05	2,00								
250,05 - 252,05	2,00								
252,05 - 254,05	2,00								
254,05 - 256,05	2,00								
256,05 - 258,05	2,00								
258,05 - 260,05	2,00								
260,05 - 262,05	2,00								
262,05 - 264,05	2,00								
264,05 - 266,05	2,00								
266,05 - 268,05	2,00								
268,05 - 270,05	2,00								
270,05 - 272,05	2,00								
272,05 - 274,05	2,00								
274,05 - 276,05	2,00								
276,05 - 278,05	2,00								
278,05 - 280,05	2,00								
280,05 - 282,05	2,00								
282,05 - 284,05	2,00								
284,05 - 286,05	2,00								
286,05 - 288,05	2,00								
288,05 - 290,05	2,00								
290,05 - 292,05	2,00								
292,05 - 294,05	2,00								
294,05 - 296,05	2,00								
296,05 - 298,05	2,00								
298-									

MALMBEREGNING 1

Lokalitet: **44.180**

Borehuli: S 77

Boredato : mai/juni 1978

Koordinater : 925 432,38, 44 184,57

Retning : 1700

Helling/stigning: 170°

Høyde : -65,2 m

Dybde	Lengde (m)	Analyser							m.% Fe
		% Pb	% Cu	% Zn	% S	m.% Pb	m.% Cu	m.% Zn	
0,00 - 0,75	1,75	-	-	-	2,5				
0,75 - 3,45	2,70	0,58	0,16	0,10	6,20				
11,85 - 13,85	2,20	0,29	0,17	0,07	5,40	0,58	0,34	0,14	10,0
13,85 - 15,25	1,40	0,03	0,02	0,09	2,62	0,04	0,03	0,13	3,7
15,25 - 16,10	2,85	0,28	0,16	0,64	5,40	0,80	0,46	1,82	15,4
16,10 - 19,25	1,15	0,09	0,12	0,19	6,05	0,10	0,14	0,22	6,9
11,35 - 19,25	7,40	0,21	0,13	0,31	4,97	1,52	0,97	2,31	36,8

9.8.78 AK

MALMBEREGNING I

Lokalitet: *Profil 44.180*

Borehull: *576*

Boredato : *12/6-78*
 Koordinater : *X: 925.428,7 Y: 44.186,4*
 Retning : *S*
 Helling/stigning : *+70°*
 Høyde : *~~4~~ -65,1*

Dybde	Lengde (m)	Analyser							mg Fe
		% Pb	% Cu	% Zn	% S	mg Pb	mg Cu	mg Zn	
<i>0.00 - 2.05</i>	<i>2.05</i>	<i>0.12</i>	<i>0.11</i>	<i>0.86</i>	<i>4.55</i>	<i>0.246</i>	<i>0.226</i>	<i>0.738</i>	<i>9.328</i>
<i>2.05 - 3.05</i>	<i>1.00</i>	<i>0.02</i>	<i>0.02</i>	<i>0.05</i>	<i>1.94</i>	<i>0.020</i>	<i>0.020</i>	<i>0.050</i>	<i>1.940</i>
<i>6.50 - 7.30</i>	<i>1.00</i>	<i>0.01</i>	<i>0.03</i>	<i>0.03</i>	<i>4.82</i>	<i>0.010</i>	<i>0.030</i>	<i>0.030</i>	<i>6.820</i>
<i>7.30 - 8.40</i>	<i>1.10</i>	<i>1.36</i>	<i>0.31</i>	<i>2.96</i>	<i>7.44</i>	<i>1.496</i>	<i>0.841</i>	<i>3.256</i>	<i>8.184</i>
<i>8.40 - 9.20</i>	<i>0.80</i>	<i>0.33</i>	<i>0.10</i>	<i>0.42</i>	<i>2.71</i>	<i>0.536</i>	<i>0.080</i>	<i>0.336</i>	<i>2.168</i>
<i>9.20 - 11.00</i>	<i>1.80</i>	<i>0.67</i>	<i>0.13</i>	<i>1.17</i>	<i>3.92</i>	<i>1.206</i>	<i>0.234</i>	<i>2.106</i>	<i>7.056</i>
<i>11.00 - 12.10</i>	<i>1.10</i>	<i>0.06</i>	<i>0.18</i>	<i>0.38</i>	<i>6.61</i>	<i>0.066</i>	<i>0.198</i>	<i>0.518</i>	<i>7.271</i>
<i>7.30 - 8.40</i>	<i>1.10</i>	<i>1.36</i>	<i>0.31</i>	<i>2.96</i>	<i>7.44</i>				
<i>9.20 - 11.00</i>	<i>1.80</i>	<i>0.67</i>	<i>0.13</i>	<i>1.17</i>	<i>3.92</i>				
<i>7.30 - 11.00</i>	<i>3.70</i>	<i>0.88</i>	<i>0.18</i>	<i>1.54</i>	<i>4.70</i>				

12/6-78
William Gunnar

MALMBEREGNING I

Lokalitet: *Profil 44.460*

Borehull: 573

Boredato : 79n. 79

Koordinater : $X: 925.411.9$ $Y: 44.462.6$ Retning : N

Helling/stigning : -65°

Høyde : - 91.9

Dybde	Lengde (m)	Analyser						
		% Pb	% Cu	% Zn	% S	m% Pb	m% Cu	m% Zn
0,00 - 0,35	0,35	0,24	0,43	7,10		0,084	0,150	2,486
0,65 - 1,30	0,65	0,03	0,06	0,50		0,019	0,039	0,325
1,30 - 1,55	0,25	0,02	0,02	0,02		0,005	0,005	0,005
1,55 - 2,20	0,65	0,12	0,11	1,02		0,078	0,071	0,663
2,20 - 3,00	0,80	0,48	0,40	4,47		0,384	0,320	3,576
3,00 - 4,00	1,00	0,04	0,04	0,26		0,040	0,040	0,260
0,00 - 2,70								
0,00 - 3,00	3,00	0,19	0,19	2,35				
15/-79 Holger Pantdalsen								

MALMBEREGNING I

Lokalitet: *Profil 44.460*

Borehull: 572

Boredato : Jan. 79.

Koordinater : $x: 925.406,9$ $y: 44.462.6$

Retning : 5

Helling/stigning: -70°

Høyde : - 91,9

Dybde	Lengde (m)	Analyser						
		% Pb	% Cu	% Zn	% S	mg% Pb	mg% Cu	mg% Zn
0,00 - 1,00	1,00	0,01	0,16	0,06		0,010	0,160	0,060
1,00 - 2,00	1,00	0,59	0,15	3,48		0,590	0,150	3,480
2,00 - 3,00	1,00	0,01	0,04	0,10		0,010	0,040	0,100
1,00 - 2,00	1,00	0,59	0,15	3,48				
15/1-79 Holger Pantdal								

MALMBEREGNING I

Lokalitet: *Profil 43.580*

Borehull: *571*

Boredato : *7.7-79*
 Koordinator : *X: 925.425,2 Y: 43.589,0*
 Retning : *S.*
 Helling/stigning : *-60°*
 Høyde : *-45,4*

Dybde	Lengde (m)	Analyser						
		% Pb	% Cu	% Zn	% S	<i>m% Pb</i>	<i>m% Cu</i>	<i>m% Zn</i>
<i>6.40 - 7.00</i>	<i>0.60</i>	<i>0.01</i>	<i>0.03</i>	<i>0.01</i>		<i>0.006</i>	<i>0.018</i>	<i>0.006</i>
<i>7.00 - 8.00</i>	<i>1.00</i>	<i>1.05</i>	<i>0.46</i>	<i>2.86</i>		<i>1.050</i>	<i>0.460</i>	<i>2.860</i>
<i>8.00 - 9.30</i>	<i>0.70</i>	<i>0.04</i>	<i>0.02</i>	<i>0.03</i>		<i>0.028</i>	<i>0.014</i>	<i>0.021</i>
<i>7.00 - 8.00</i>	<i>1.00</i>	<i>1.05</i>	<i>0.46</i>	<i>2.86</i>				

22/2 - 79

R. M. S. Sørensen

MALMBEREGNING I

Lokalitet: *Profil 43.580*

Borehull: *570*

Boredato : *dec - 78.*

Koordinater : *X: 925.426.5 Y: 43.580.1*

Retning : *N*

Helling/stigning : *- 76°*

Høyde : *- 45.2*

Dybde	Lengde (m)	Analyser						
		% Pb	% Cu	% Zn	% S	<i>mg Pb</i>	<i>mg Cu</i>	<i>mg Zn</i>
<i>4.40 - 5.40</i>	<i>1.00</i>	<i>0.04</i>	<i>0.03</i>	<i>0.15</i>		<i>0.040</i>	<i>0.030</i>	<i>0.150</i>
<i>5.40 - 6.50</i>	<i>1.10</i>	<i>0.24</i>	<i>0.17</i>	<i>0.90</i>		<i>0.264</i>	<i>0.187</i>	<i>0.990</i>
<i>6.50 - 7.10</i>	<i>0.60</i>	<i>0.03</i>	<i>0.03</i>	<i>0.05</i>		<i>0.018</i>	<i>0.018</i>	<i>0.030</i>
<i>5.40 - 6.50</i>	<i>1.00</i>	<i>0.24</i>	<i>0.17</i>	<i>0.90</i>				

22/2 - 79

Stian Brunner

MALMBEREGNING I

Lokalitet: Profil 44.420

Borehull: 569

Boredato : Des. 78.

Koordinater : x: 925,428,0 y: 44.421,6

Retning : N

Helling/stigning : - 77°

Høyde : - 88.8

Dybde	Lengde (m)	Analyser						
		% Pb	% Cu	% Zn	% S	m% Pb	m% Cu	m% Zn
0,00 - 0,65	0,65	0,02	0,10	0,11		0,013	0,065	0,071
0,65 - 2,50	1,85	0,30	0,21	1,25		0,555	0,388	2,312
2,50 - 3,45	0,95	0,08	0,05	0,30		0,076	0,047	0,285
0,65 - 2,50	1,85	0,30	0,21	1,25				
15/1-79. Holger Pantdalsen								

MALMBEREGNING I

Lokalitet: *Profil 43.480*

Borehull: 568.

Boredato : Dec -78

Koordinater : X: 925.418,8 Y: 43.472,5

Retning :

Helling/stigning : $- 71^{\circ}$

Høyde :- 5/3

Dybde	Lengde (m)	Analyser				%	%	%	%
		% Pb	% Cu	% Zn	% S				
1.00 - 1.80	0.80	0.05	0.02	0.10		0.040	0.016	0.080	
1.80 - 2.05	0.25	0.45	0.15	0.08		0.113	0.038	0.020	
2.05 - 3.05	1.00	1.04	0.98	2.70		1.040	0.980	2.700	
3.05 - 3.70	0.65	0.54	0.59	3.10		0.351	0.384	3.015	
3.85 - 4.85	1.00	0.03	0.05	0.20		0.030	0.050	0.200	
6.45 - 7.45	1.00	0.02	0.03	0.07		0.020	0.030	0.070	
7.45 - 8.15	0.70	1.76	1.99	7.70		1.232	1.393	5.390	
8.15 - 9.15	1.00	0.16	0.27	0.63		0.160	0.270	0.630	
2.05 - 3.70	1.65	0.84	0.83	2.86					
7.45 - 8.15	0.70	1.76	1.99	7.70					
2.05 - 8.15 - 6.10									
3/1 - 79									
Alan Burnham									

MALMBEREGNING I

Lokalitet: *Prof. 43.720*Borehull: *567*

Boredato : *Nov - 78*
 Koordinator : *X925.416,0 Y:48.725,9*
 Retning : *S.*
 Helling/stigning : *-55°*
 Høyde : *-49,1*

Dybde	Lengde (m)	Analyser						
		% Pb	% Cu	% Zn	% S	<i>m% Pb</i>	<i>m% Cu</i>	<i>m% Zn</i>
<i>8.60 - 9.60</i>	<i>1.00</i>	<i>0.25</i>	<i>0.04</i>	<i>0.03</i>		<i>0.250</i>	<i>0.040</i>	<i>0.030</i>
<i>9.60 - 10.00</i>	<i>0.40</i>	<i>0.44</i>	<i>0.22</i>	<i>0.90</i>		<i>0.176</i>	<i>0.088</i>	<i>0.360</i>
<i>10.00 - 11.45</i>	<i>1.45</i>	<i>1.90</i>	<i>0.67</i>	<i>6.80</i>		<i>2.755</i>	<i>0.972</i>	<i>9.860</i>
<i>11.45 - 12.35</i>	<i>0.90</i>	<i>0.15</i>	<i>0.08</i>	<i>0.40</i>		<i>0.135</i>	<i>0.072</i>	<i>0.360</i>
<i>14.85 - 16.40</i>	<i>1.55</i>	<i>0.15</i>	<i>0.04</i>	<i>0.30</i>		<i>0.233</i>	<i>0.062</i>	<i>0.465</i>
<i>16.40 - 16.85</i>	<i>0.45</i>	<i>1.30</i>	<i>0.77</i>	<i>4.55</i>		<i>0.585</i>	<i>0.347</i>	<i>2.048</i>
<i>16.85 - 17.60</i>	<i>0.75</i>	<i>0.24</i>	<i>0.15</i>	<i>0.66</i>		<i>0.180</i>	<i>0.113</i>	<i>0.495</i>
<i>✓ 10.00 - 11.45</i>	<i>1.45</i>	<i>1.90</i>	<i>0.67</i>	<i>6.80</i>				
<i>✓ 16.40 - 16.85</i>	<i>0.45</i>	<i>1.30</i>	<i>0.77</i>	<i>4.55</i>				

*22/2 - 79**Arne Gunnar*

MALMBEREGNING I

Lokalitet: *Profil 48.480*

Borehull: *566*

Boredato : *Dec - 78*
 Koordinater : *X 925 423,2 Y: 48.477,6*
 Retning : *N.*
 Helling/stigning : *-60°*
 Høyde : *-51,0*

Dybde	Lengde (m)	Analyser						
		% Pb	% Cu	% Zn	% S	<i>mg Pb</i>	<i>mg Cu</i>	<i>mg Zn</i>
<i>3.60 - 4.60</i>	<i>1.00</i>	<i>0.04</i>	<i>0.05</i>	<i>0.19</i>		<i>0.040</i>	<i>0.050</i>	<i>0.190</i>
<i>4.60 - 5.00</i>	<i>0.40</i> <i>0.70</i>	<i>0.70</i> <i>0.65</i>	<i>0.35</i> <i>0.64</i>	<i>0.04</i>		<i>0.280</i>	<i>0.140</i>	<i>0.016</i>
<i>5.00 - 6.25</i>	<i>1.25</i>	<i>0.17</i>	<i>0.07</i>	<i>0.04</i>		<i>0.925</i>	<i>0.088</i>	<i>0.050</i>
<i>6.25 - 7.90</i>	<i>1.65</i>	<i>0.74</i>	<i>0.58</i>	<i>3.60</i>		<i>1.221</i>	<i>0.957</i>	<i>5.940</i>
<i>7.90 - 9.00</i>	<i>1.10</i>	<i>0.73</i>	<i>0.11</i>	<i>0.30</i>		<i>4803</i>	<i>0.121</i>	<i>0.330</i>
<i>6.25 - 7.90</i>	<i>1.65</i>	<i>0.74</i>	<i>0.58</i>	<i>3.60</i>				

2/ - 78

Allan Burman

MALMBEREGNING I

Lokalitet: *Profil 48.720*Borehull: *565*Boredato : *Nov-78*Koordinater : *X 925.417,8 Y: 48.285,6*Retning : *N.*Helling/stigning : *- 55°*Høyde : *- 49,1*

Dybde	Lengde (m)	Analyser						
		% Pb	% Cu	% Zn	% S	<i>-7.70</i>	<i>-7.60</i>	<i>-7.20</i>
<i>11.00 - 11.95</i>	<i>0.95</i>	<i>0.14</i>	<i>0.04</i>	<i>0.45</i>		<i>0.133</i>	<i>0.038</i>	<i>0.428</i>
<i>11.95 - 13.70</i>	<i>1.75</i>	<i>1.02</i>	<i>0.26</i>	<i>2.20</i>		<i>1.785</i>	<i>0.455</i>	<i>3.850</i>
<i>13.70 - 14.70</i>	<i>1.00</i>	<i>0.12</i>	<i>0.06</i>	<i>0.18</i>		<i>0.120</i>	<i>0.060</i>	<i>0.180</i>
<i>14.70 - 15.40</i>	<i>0.70</i>	<i>0.01</i>	<i>0.10</i>	<i>0.28</i>		<i>0.007</i>	<i>0.070</i>	<i>0.196</i>
<i>15.40 - 18.00</i>	<i>2.60</i>	<i>0.17</i>	<i>0.10</i>	<i>0.65</i>		<i>0.442</i>	<i>0.260</i>	<i>1.690</i>
<i>18.00 - 21.00</i>	<i>3.00</i>	<i>0.35</i>	<i>0.13</i>	<i>1.20</i>		<i>1.050</i>	<i>0.390</i>	<i>3.600</i>
<i>21.00 - 22.00</i>	<i>1.00</i>	<i>0.06</i>	<i>0.01</i>	<i>0.16</i>		<i>0.060</i>	<i>0.010</i>	<i>0.160</i>
<i>11.95 - 13.70</i>	<i>1.75</i>	<i>1.02</i>	<i>0.26</i>	<i>2.20</i>				
<i>18.00 - 21.00</i>	<i>3.00</i>	<i>0.35</i>	<i>0.13</i>	<i>1.20</i>				

*2/1 - 78**Olav Gunnar*

MALMBEREGNING I

Lokalitet: *Profil 43.480*

Borehull: *564*

Boredato :

Koordinater : *X: 925.423,3 Y: 43477,6*

Retning : *N.*

Helling/stigning : *- 76 °*

Høyde :

Dybde	Lengde (m)	Analyser						
		% Pb	% Cu	% Zn	% S	<i>m% Pb</i>	<i>m% Cu</i>	<i>m% Zn</i>
<i>5.20 - 6.20</i>	<i>1.00</i>	<i>0.03</i>	<i>0.05</i>	<i>0.07</i>		<i>0.030</i>	<i>0.050</i>	<i>0.070</i>
<i>6.20 - 7.60</i>	<i>1.40</i>	<i>0.95</i>	<i>0.25</i>	<i>3.80</i>		<i>1.330</i>	<i>0.350</i>	<i>5.320</i>
<i>7.60 - 8.60</i>	<i>1.00</i>	<i>0.02</i>	<i>0.02</i>	<i>0.04</i>		<i>0.020</i>	<i>0.020</i>	<i>0.040</i>
<i>6.20 - 7.60</i>	<i>1.40</i>	<i>0.95</i>	<i>0.25</i>	<i>3.80</i>				

2/1 - 79

Arvid Einarsson

MALMBEREGNING I

Lokalitet: Prof 6 43.480

Borehull: 563

Boredato : Nov - 78
Koordinater : X 925.423,3 Y: 43.477,6
Retning : N
Helling/stigning : - 45°
Høyde :

Dybde	Lengde (m)	Analyser						
		% Pb	% Cu	% Zn	% S	mg Pb	mg Cu	mg Zn
6.00 - 7.00	1.00	0.05	0.02	0.04		0.050	0.020	0.040
7.00 - 7.60	0.60	0.65	0.52	1.80		0.390	0.312	0.780
7.60 - 8.60	1.00	0.02	0.04	0.10		0.020	0.040	0.100
7.00 - 7.60	0.60	0.65	0.52	1.30				

2/1 - 79

Arvid Gunnar

MALMBEREGNING I

Lokalitet: *Prof. 43.720*

Borehull: *562*

Boredato : *Nov - 78*
 Koordinater : *X 925.417,1 Y: 43.725,9*
 Retning : *N.*
 Helling/stigning : *- 70°*
 Høyde : *- 49,1*

Dybde	Lengde (m)	Analyser						
		% Pb	% Cu	% Zn	% S	<i>m 7. Pb</i>	<i>m 7. Cu</i>	<i>m 7. Zn</i>
<i>5.55 - 6.55</i>	<i>1.00</i>	<i>0.04</i>	<i>0.02</i>	<i>0.11</i>		<i>0.040</i>	<i>0.020</i>	<i>0.110</i>
<i>6.55 - 7.00</i>	<i>0.45</i>	<i>0.25</i>	<i>0.92</i>	<i>0.93</i>		<i>0.113</i>	<i>0.414</i>	<i>0.419</i>
<i>7.00 - 7.25</i>	<i>0.25</i>	<i>0.03</i>	<i>0.40</i>	<i>0.39</i>		<i>0.008</i>	<i>0.100</i>	<i>0.098</i>
<i>7.25 - 7.75</i>	<i>0.50</i>	<i>0.04</i>	<i>0.10</i>	<i>0.61</i>		<i>0.020</i>	<i>0.050</i>	<i>0.305</i>
<i>7.75 - 8.20</i>	<i>0.45</i>	<i>0.06</i>	<i>0.07</i>	<i>0.16</i>		<i>0.027</i>	<i>0.032</i>	<i>0.072</i>
<i>8.20 - 8.50</i>	<i>0.30</i>	<i>3.25</i>	<i>0.63</i>	<i>9.75</i>		<i>0.975</i>	<i>0.189</i>	<i>2.925</i>
<i>8.50 - 9.50</i>	<i>1.00</i>	<i>0.48</i>	<i>0.12</i>	<i>1.70</i>		<i>0.480</i>	<i>0.120</i>	<i>1.700</i>
<i>9.50 - 10.50</i>	<i>1.00</i>	<i>0.06</i>	<i>0.02</i>	<i>0.21</i>		<i>0.060</i>	<i>0.020</i>	<i>0.210</i>
<i>16.80 - 17.80</i>	<i>1.00</i>	<i>0.02</i>	<i>0.03</i>	<i>0.06</i>		<i>0.020</i>	<i>0.030</i>	<i>0.060</i>
<i>17.80 - 19.80</i>	<i>2.00</i>	<i>0.45</i>	<i>0.29</i>	<i>1.70</i>		<i>0.900</i>	<i>0.580</i>	<i>3.400</i>
<i>19.80 - 21.90</i>	<i>2.10</i>	<i>1.01</i>	<i>0.29</i>	<i>2.25</i>		<i>2.121</i>	<i>0.609</i>	<i>4.725</i>
<i>21.90 - 23.10</i>	<i>1.20</i>	<i>0.51</i>	<i>0.08</i>	<i>0.80</i>		<i>0.612</i>	<i>0.096</i>	<i>0.960</i>
<i>23.10 - 23.60</i>	<i>0.50</i>	<i>0.02</i>	<i>0.05</i>	<i>0.05</i>		<i>0.010</i>	<i>0.025</i>	<i>0.025</i>
<i>23.60 - 24.00</i>	<i>0.40</i>	<i>0.14</i>	<i>0.29</i>	<i>0.31</i>		<i>0.056</i>	<i>0.116</i>	<i>0.124</i>
<i>24.00 - 24.30</i>	<i>0.30</i>	<i>0.08</i>	<i>0.06</i>	<i>0.09</i>		<i>0.024</i>	<i>0.018</i>	<i>0.027</i>
<i>24.30 - 25.30</i>	<i>1.00</i>	<i>0.54</i>	<i>0.86</i>	<i>1.20</i>		<i>0.540</i>	<i>0.860</i>	<i>1.200</i>
<i>25.30 - 26.80</i>	<i>1.00</i>	<i>0.05</i>	<i>0.03</i>	<i>0.10</i>		<i>0.050</i>	<i>0.030</i>	<i>0.100</i>
<i>8.20 - 9.50</i>	<i>1.30</i>	<i>1.12</i>	<i>0.24</i>	<i>3.56</i>				
<i>17.80 - 21.90</i>	<i>4.10</i>	<i>0.74</i>	<i>0.29</i>	<i>1.98</i>				
<i>24.30 - 25.30</i>	<i>1.00</i>	<i>0.54</i>	<i>0.86</i>	<i>1.20</i>				

2/1 - 79

Stellan Svensson

MALMBEREGNING I

Lokalitet: *Profil 43440*

Borehull: *561*

Boredato : *Nov - 78*

Koordinater : X: *925.411,1* Y: *48 444.0*

Retning : *N.*

Helling/stigning : *- 80°*

Høyde : *- 53,1*

Dybde	Lengde (m)	Analyser						
		% Pb	% Cu	% Zn	% S	% Pb	% Cu	% Zn
<i>29.00 - 29.50</i>	<i>0.50</i>	<i>0.04</i>	<i>0.07</i>	<i>0.07</i>		<i>0.02</i>	<i>0.055</i>	<i>0.085</i>
<i>29.50 - 30.00</i>	<i>0.50</i>	<i>0.02</i>	<i>0.05</i>	<i>0.08</i>		<i>0.01</i>	<i>0.025</i>	<i>0.040</i>
<i>30.00 - 31.30</i>	<i>1.30</i>	<i>0.64</i>	<i>0.42</i>	<i>2.60</i>		<i>0.882</i>	<i>0.546</i>	<i>3.380</i>
<i>31.30 - 32.05</i>	<i>0.75</i>	<i>0.03</i>	<i>0.30</i>	<i>0.15</i>		<i>0.023</i>	<i>0.225</i>	<i>0.113</i>
<i>30.00 - 31.30</i>	<i>1.30</i>	<i>0.64</i>	<i>0.42</i>	<i>2.60</i>				

14/12

Olav Kvern

MALMBEREGNING 1

Lokalitet: Profil 42.700

Borehull: 560

Boredato : Okt. 78.

Koordinater : X: 925.400,8 Y: 42.706,4.

Retning : S

Helling/stigning : -80°

Høyde : - 22,7 cm

[illegible]

MALMBEREGNING I

Lokalitet: *Profil 43.720*

Borehull: *559*

Boredato : *Nov - 78*
 Koordinater : *X: 925.4178 Y: 43.7261*
 Retning :
 Helling/stigning : *- 90°*
 Høyde : *- 49.1*

Dybde	Lengde (m)	Analyser						
		% Pb	% Cu	% Zn	% S	-% Pb	-% Cu	-% Zn
<i>5.50 - 6.50</i>	<i>1.00</i>	<i>0.18</i>	<i>0.10</i>	<i>0.50</i>		<i>0.180</i>	<i>0.100</i>	<i>0.500</i>
<i>6.50 - 6.85</i>	<i>0.35</i>	<i>2.40</i>	<i>0.85</i>	<i>3.80</i>		<i>0.840</i>	<i>0.298</i>	<i>1.330</i>
<i>6.85 - 9.40</i>	<i>2.55</i>	<i>0.31</i>	<i>0.60</i>	<i>1.30</i>		<i>0.791</i>	<i>1.530</i>	<i>3.815</i>
<i>9.40 - 10.40</i>	<i>1.00</i>	<i>0.03</i>	<i>0.13</i>	<i>0.16</i>		<i>0.030</i>	<i>0.130</i>	<i>0.160</i>
<i>15.20 - 16.20</i>	<i>1.00</i>	<i>0.07</i>	<i>0.05</i>	<i>0.29</i>		<i>0.070</i>	<i>0.050</i>	<i>0.250</i>
<i>16.20 - 17.20</i>	<i>1.00</i>	<i>0.26</i>	<i>0.21</i>	<i>0.70</i>		<i>0.260</i>	<i>0.210</i>	<i>0.700</i>
<i>17.20 - 18.50</i>	<i>1.30</i>	<i>0.53</i>	<i>0.30</i>	<i>1.40</i>		<i>0.689</i>	<i>0.390</i>	<i>1.820</i>
<i>18.50 - 20.20</i>	<i>1.70</i>	<i>0.21</i>	<i>0.25</i>	<i>0.70</i>		<i>0.357</i>	<i>0.425</i>	<i>1.190</i>
<i>20.20 - 21.60</i>	<i>1.40</i>	<i>1.00</i>	<i>0.41</i>	<i>2.50</i>		<i>1.400</i>	<i>0.579</i>	<i>3.500</i>
<i>21.60 - 23.00</i>	<i>1.40</i>	<i>0.51</i>	<i>0.15</i>	<i>1.60</i>		<i>0.778</i>	<i>0.210</i>	<i>2.200</i>
<i>23.00 - 24.00</i>	<i>1.00</i>	<i>0.42</i>	<i>0.15</i>	<i>0.06</i>		<i>0.420</i>	<i>0.150</i>	<i>0.060</i>
<i>30.00 - 31.00</i>	<i>1.00</i>	<i>0.06</i>	<i>0.05</i>	<i>0.04</i>		<i>0.060</i>	<i>0.050</i>	<i>0.040</i>
<i>31.00 - 31.40</i>	<i>0.40</i>	<i>0.70</i>	<i>0.87</i>	<i>2.00</i>		<i>0.280</i>	<i>0.348</i>	<i>0.800</i>
<i>31.40 - 34.30</i>	<i>2.90</i>	<i>0.18</i>	<i>0.12</i>	<i>0.80</i>		<i>0.522</i>	<i>0.348</i>	<i>2.320</i>
<i>34.30 - 35.45</i>	<i>1.15</i>	<i>0.05</i>	<i>0.86</i>	<i>3.30</i>		<i>0.058</i>	<i>0.989</i>	<i>3.795</i>
<i>35.45 - 37.05</i>	<i>1.60</i>	<i>0.11</i>	<i>0.23</i>	<i>0.50</i>		<i>0.176</i>	<i>0.368</i>	<i>0.800</i>
<i>6.50 - 9.40</i>	<i>2.90</i>	<i>0.56</i>	<i>0.63</i>	<i>1.60</i>				
<i>17.20 - 18.50</i>	<i>1.30</i>	<i>0.53</i>	<i>0.30</i>	<i>1.40</i>				
<i>20.20 - 23.00</i>	<i>2.80</i>	<i>0.79</i>	<i>0.28</i>	<i>2.05</i>				
<i>31.00 - 31.40</i>	<i>0.40</i>	<i>0.70</i>	<i>0.87</i>	<i>2.00</i>				
<i>34.30 - 35.45</i>	<i>1.15</i>	<i>0.05</i>	<i>0.86</i>	<i>3.30</i>				

14/12

Skrevet av: [Signature]

MALMBEREGNING I

Lokalitet: Profil 42.700

Borehull: 558.

Boredato : 06/1 - 78

Koordinater : X: 925,899.2 Y: 42.706,4

Retning : S

Helling/stigning : - 60°

Høyde : - 22.7

Dybde	Lengde (m)	Analyser						
		% Pb	% Cu	% Zn	% Fe	% Ni	% Co	% Mn
9.10 - 10.00	0.90	0.02	0.02	0.15		0.018	0.018	0.185
10.00 - 10.15	0.15	0.22	0.21	3.04		0.083	0.032	0.456
10.15 - 10.30	0.15	0.03	0.08	0.01		0.005	0.012	0.002
10.30 - 10.60	0.30	0.35	0.41	1.77		0.105	0.123	0.531
10.60 - 11.60	1.00	0.04	0.11	0.31		0.040	0.110	0.310
22.30 - 23.30	1.00	0.00	0.05	0.01		0.000	0.050	0.010
23.30 - 23.55	0.25	0.20	0.57	3.06		0.050	0.128	0.765
23.75 - 24.35	0.60	0.88	0.33	3.29		0.528	0.198	1.974
24.35 - 24.55	0.20	0.22	0.10	0.70		0.044	0.020	0.140
24.55 - 27.40	2.85	0.03	0.02	0.11		0.086	0.057	0.314
27.40 - 28.00	0.60	0.16	0.23	0.62		0.096	0.138	0.372
28.00 - 28.60	0.60	0.02	0.05	0.03		0.012	0.030	0.018
28.60 - 28.80	0.20	3.50	0.07	11.00		0.700	0.014	2.200
28.80 - 29.80	1.00	0.28	0.17	0.62		0.280	0.170	0.620
29.80 - 30.15	0.35	1.30	0.26	2.62		0.455	0.091	0.917
30.15 - 30.70	0.55	0.28	0.18	0.60		0.154	0.099	0.330
30.70 - 31.40	0.70	0.93	0.52	1.61		0.657	0.364	1.127
31.40 - 32.40	1.00	0.07	0.02	0.17		0.070	0.020	0.170
10.00 - 10.60	0.60	0.24	0.17	1.65				
23.30 - 24.35	1.05	0.55	0.31	2.61				
28.60 - 31.40	2.80	0.80	0.26	1.86				
29.80 - 31.40	1.60							

4/12 - 78

Pelleur Burrman

MALMBEREGNING I

Lokalitet: *Profil: 42,700*Borehull: *557*

Boredato : *06.1.78*
 Koordinator : *X: 925.398,4 Y: 42.706,4*
 Retning : *5*
 Helling/stigning : *-40°*
 Høyde : *-22,7*

Dybde	Lengde (m)	Analyser							
		% Pb	% Cu	% Zn	% Fe	<i>~7.26</i>	<i>~7.60</i>	<i>~7.20</i>	<i>~7.75</i>
<i>0.40 - 0.80</i>	<i>0.40</i>	<i>0.86</i>	<i>0.29</i>	<i>1.70</i>	<i>5.60</i>	<i>0.344</i>	<i>0.116</i>	<i>0.680</i>	<i>2.240</i>
<i>0.80 - 3.00</i>	<i>2.20</i>	<i>0.49</i>	<i>0.30</i>	<i>1.30</i>	<i>9.70</i>	<i>1.078</i>	<i>0.660</i>	<i>2.950</i>	<i>21.340</i>
<i>3.00 - 4.00</i>	<i>1.00</i>	<i>0.05</i>	<i>0.07</i>	<i>0.15</i>	<i>5.90</i>	<i>0.050</i>	<i>0.070</i>	<i>0.150</i>	<i>5.900</i>
<i>15.20 - 16.20</i>	<i>1.00</i>	<i>0.02</i>	<i>0.02</i>	<i>0.06</i>	<i>1.80</i>	<i>0.020</i>	<i>0.020</i>	<i>0.060</i>	<i>1.800</i>
<i>16.20 - 16.85</i>	<i>0.65</i>	<i>5.10</i>	<i>1.17</i>	<i>0.44</i>	<i>16.20</i>	<i>3.315</i>	<i>0.761</i>	<i>0.286</i>	<i>10.530</i>
<i>16.85 - 17.50</i>	<i>0.65</i>	<i>1.90</i>	<i>0.21</i>	<i>0.09</i>	<i>3.20</i>	<i>1.235</i>	<i>0.137</i>	<i>0.059</i>	<i>2.080</i>
<i>33.85 - 34.35</i>	<i>1.00</i>	<i>0.04</i>	<i>0.01</i>	<i>0.02</i>	<i>1.10</i>	<i>0.040</i>	<i>0.010</i>	<i>0.020</i>	<i>1.100</i>
<i>34.85 - 34.85</i>	<i>0.50</i>	<i>0.77</i>	<i>0.43</i>	<i>0.14</i>	<i>7.20</i>	<i>0.085</i>	<i>0.215</i>	<i>0.070</i>	<i>3.600</i>
<i>34.85 - 35.60</i>	<i>0.75</i>	<i>2.90</i>	<i>0.77</i>	<i>5.60</i>	<i>7.70</i>	<i>2.175</i>	<i>0.578</i>	<i>4.200</i>	<i>5.775</i>
<i>35.60 - 37.75</i>	<i>2.15</i>	<i>0.14</i>	<i>0.05</i>	<i>0.33</i>	<i>2.30</i>	<i>0.161</i>	<i>0.058</i>	<i>0.380</i>	<i>2.645</i>
<i>37.75 - 39.00</i>	<i>1.25</i>	<i>0.46</i>	<i>0.23</i>	<i>3.00</i>	<i>6.60</i>	<i>0.595</i>	<i>0.288</i>	<i>3.750</i>	<i>8.250</i>
<i>39.00 - 39.85</i>	<i>0.85</i>	<i>0.17</i>	<i>0.20</i>	<i>0.34</i>	<i>8.00</i>	<i>0.145</i>	<i>0.120</i>	<i>0.289</i>	<i>6.800</i>
<i>39.85 - 40.85</i>	<i>1.00</i>	<i>0.02</i>	<i>0.02</i>	<i>0.08</i>	<i>1.75</i>	<i>0.020</i>	<i>0.020</i>	<i>0.080</i>	<i>1.750</i>
<i>50.00 - 50.80</i>	<i>0.80</i>	<i>0.03</i>	<i>0.05</i>	<i>0.07</i>	<i>4.38</i>	<i>0.024</i>	<i>0.040</i>	<i>0.056</i>	<i>3.504</i>
<i>50.80 - 51.25</i>	<i>0.45</i>	<i>0.79</i>	<i>0.23</i>	<i>2.10</i>	<i>6.33</i>	<i>0.356</i>	<i>0.104</i>	<i>0.945</i>	<i>2.849</i>
<i>51.25 - 52.50</i>	<i>1.25</i>	<i>0.08</i>	<i>0.05</i>	<i>0.13</i>	<i>5.90</i>	<i>0.100</i>	<i>0.063</i>	<i>0.163</i>	<i>7.375</i>
<i>56.95 - 58.15</i>	<i>1.20</i>	<i>0.10</i>	<i>0.16</i>	<i>0.07</i>	<i>5.10</i>	<i>0.120</i>	<i>0.192</i>	<i>0.084</i>	<i>6.120</i>
<i>58.15 - 60.20</i>	<i>2.05</i>	<i>0.08</i>	<i>0.19</i>	<i>0.32</i>	<i>6.80</i>	<i>0.164</i>	<i>0.390</i>	<i>0.656</i>	<i>13.940</i>
<i>60.20 - 62.05</i>	<i>1.85</i>	<i>0.05</i>	<i>0.07</i>	<i>0.16</i>	<i>2.99</i>	<i>0.093</i>	<i>0.130</i>	<i>0.296</i>	<i>4.052</i>
<i>0.40 - 3.00</i>	<i>2.60</i>	<i>0.55</i>	<i>0.30</i>	<i>1.36</i>	<i>9.07</i>				
<i>34.85 - 35.60</i>	<i>0.75</i>	<i>2.90</i>	<i>0.77</i>	<i>5.60</i>	<i>7.70</i>				
<i>37.75 - 39.00</i>	<i>1.25</i>	<i>0.46</i>	<i>0.23</i>	<i>3.00</i>	<i>6.60</i>				
<i>50.80 - 51.25</i>	<i>0.45</i>	<i>0.79</i>	<i>0.23</i>	<i>2.10</i>	<i>6.33</i>				

*12/11 - 78**William Tunnar*

MALMBEREGNING I

Lokalitet: *Profil 42.950*Borehull: *556*

Boredato : *Sep - 78*
 Koordinator : *X 925.885 Y: 42.950*
 Retning : *8*
 Helling/stigning : *-60°*
 Høyde : *42,8*

Dybde	Lengde (m)	Analyser						
		% Pb	% Cu	% Zn	% Fe	mm % Pb	mm % Cu	mm % Zn
<i>0.00 - 0.20</i>	<i>0.20</i>	<i>0.09</i>	<i>0.10</i>	<i>0.17</i>	<i>13.37</i>	<i>0.018</i>	<i>0.02</i>	<i>0.034</i>
<i>0.20 - 2.90</i>	<i>2.70</i>	<i>0.58</i>	<i>0.32</i>	<i>2.18</i>	<i>8.37</i>	<i>1.566</i>	<i>0.864</i>	<i>5.886</i>
<i>2.90 - 3.10</i>	<i>0.20</i>	<i>0.11</i>	<i>0.09</i>	<i>0.21</i>	<i>5.35</i>	<i>0.022</i>	<i>0.018</i>	<i>0.042</i>
<i>3.10 - 4.40</i>	<i>1.30</i>	<i>0.06</i>	<i>0.13</i>	<i>0.31</i>	<i>6.95</i>	<i>0.028</i>	<i>0.168</i>	<i>0.403</i>
<i>4.40 - 4.80</i>	<i>0.40</i>	<i>0.05</i>	<i>0.08</i>	<i>0.15</i>	<i>2.85</i>	<i>0.020</i>	<i>0.032</i>	<i>0.060</i>
<i>16.40 - 17.40</i>	<i>1.00</i>	<i>0.04</i>	<i>0.03</i>	<i>0.06</i>	<i>2.32</i>	<i>0.040</i>	<i>0.030</i>	<i>0.060</i>
<i>17.40 - 18.95</i>	<i>1.55</i>	<i>0.49</i>	<i>0.20</i>	<i>1.72</i>	<i>4.28</i>	<i>0.758</i>	<i>0.310</i>	<i>2.666</i>
<i>18.95 - 19.40</i>	<i>0.45</i>	<i>1.00</i>	<i>0.64</i>	<i>5.88</i>	<i>12.83</i>	<i>0.450</i>	<i>0.288</i>	<i>2.624</i>
<i>19.40 - 21.20</i>	<i>1.80</i>	<i>0.38</i>	<i>0.12</i>	<i>1.08</i>	<i>3.74</i>	<i>0.684</i>	<i>0.216</i>	<i>1.944</i>
<i>21.20 - 22.20</i>	<i>1.00</i>	<i>1.80</i>	<i>0.33</i>	<i>0.16</i>	<i>8.91</i>	<i>1.800</i>	<i>0.330</i>	<i>0.160</i>
<i>0.20 - 2.90</i>	<i>2.70</i>	<i>0.58</i>	<i>0.32</i>	<i>2.18</i>	<i>8.37</i>			
<i>17.40 - 21.20</i>	<i>3.80</i>	<i>0.50</i>	<i>0.21</i>	<i>1.90</i>	<i>5.04</i>			

*18/10 - 78**Stellan Gunnar*

MALMBEREGNING I

Lokalitet: *Profil 44.120*

Borehull: *554*

Boredato :
Koordinater :
Retning : *N.*
Helling/stigning : *- 45°*
Hayde :

Dybde	Lengde (m)	Analyser							
		% Pb	% Cu	% Zn	% Fe	% Ni	% Co	% Mn	% S
<i>2.80 - 3.80</i>	<i>1.00</i>	<i>0.08</i>	<i>0.11</i>	<i>0.23</i>	<i>4.00</i>	<i>0.080</i>	<i>0.110</i>	<i>0.280</i>	<i>4.000</i>
<i>3.80 - 4.80</i>	<i>1.00</i>	<i>0.49</i>	<i>0.39</i>	<i>1.08</i>	<i>6.00</i>	<i>0.490</i>	<i>0.390</i>	<i>1.580</i>	<i>6.000</i>
<i>5.40 - 7.80</i>	<i>2.40</i>	<i>0.30</i>	<i>0.14</i>	<i>1.00</i>	<i>4.00</i>	<i>0.220</i>	<i>0.336</i>	<i>3.400</i>	<i>9.600</i>
<i>7.80 - 8.80</i>	<i>1.00</i>	<i>0.05</i>	<i>0.03</i>	<i>0.13</i>	<i>2.20</i>	<i>0.050</i>	<i>0.030</i>	<i>0.130</i>	<i>2.200</i>
<i>17.45 - 19.20</i>	<i>1.75</i>	<i>0.01</i>	<i>0.01</i>	<i>0.03</i>	<i>2.00</i>	<i>0.018</i>	<i>0.018</i>	<i>0.053</i>	<i>2.500</i>
<i>19.20 - 21.50</i>	<i>2.30</i>	<i>0.00</i>	<i>0.15</i>	<i>0.33</i>	<i>9.40</i>	<i>0.000</i>	<i>0.345</i>	<i>0.259</i>	<i>21.620</i>
<i>21.50 - 22.70</i>	<i>1.20</i>	<i>0.01</i>	<i>0.03</i>	<i>0.10</i>	<i>4.00</i>	<i>0.012</i>	<i>0.036</i>	<i>0.120</i>	<i>4.950</i>
<i>22.70 - 24.30</i>	<i>1.60</i>	<i>0.05</i>	<i>0.11</i>	<i>1.16</i>	<i>4.80</i>	<i>0.080</i>	<i>0.176</i>	<i>1.856</i>	<i>7.680</i>
<i>24.30 - 25.40</i>	<i>1.10</i>	<i>0.03</i>	<i>0.07</i>	<i>0.13</i>	<i>2.20</i>	<i>0.033</i>	<i>0.027</i>	<i>0.143</i>	<i>2.420</i>
<i>25.40 - 26.45</i>	<i>1.05</i>	<i>0.03</i>	<i>0.12</i>	<i>0.20</i>	<i>7.00</i>	<i>0.032</i>	<i>0.126</i>	<i>0.210</i>	<i>7.350</i>
<i>26.45 - 27.90</i>	<i>1.45</i>	<i>0.00</i>	<i>0.03</i>	<i>0.07</i>	<i>2.40</i>	<i>0.000</i>	<i>0.044</i>	<i>0.102</i>	<i>3.480</i>
<i>27.90 - 28.70</i>	<i>0.80</i>	<i>0.16</i>	<i>0.16</i>	<i>0.50</i>	<i>7.20</i>	<i>0.128</i>	<i>0.128</i>	<i>0.400</i>	<i>5.760</i>
<i>28.70 - 30.20</i>	<i>1.50</i>	<i>0.04</i>	<i>0.17</i>	<i>0.27</i>	<i>4.60</i>	<i>0.060</i>	<i>0.255</i>	<i>0.405</i>	<i>6.900</i>
<i>30.20 - 31.40</i>	<i>1.20</i>	<i>0.47</i>	<i>0.23</i>	<i>3.43</i>	<i>9.60</i>	<i>0.584</i>	<i>0.276</i>	<i>4.116</i>	<i>11.520</i>
<i>31.40 - 33.45</i>	<i>2.05</i>	<i>0.03</i>	<i>0.05</i>	<i>0.47</i>	<i>4.00</i>	<i>0.062</i>	<i>0.103</i>	<i>0.964</i>	<i>8.200</i>
<i>33.45 - 34.50</i>	<i>1.05</i>	<i>0.02</i>	<i>0.08</i>	<i>0.13</i>	<i>5.40</i>	<i>0.021</i>	<i>0.084</i>	<i>0.137</i>	<i>5.670</i>
<i>34.50 - 36.40</i>	<i>1.90</i>	<i>0.05</i>	<i>0.30</i>	<i>1.50</i>	<i>10.60</i>	<i>0.095</i>	<i>0.570</i>	<i>2.850</i>	<i>20.140</i>
<i>36.40 - 37.65</i>	<i>1.25</i>	<i>1.23</i>	<i>0.70</i>	<i>3.79</i>	<i>9.40</i>	<i>1.588</i>	<i>0.875</i>	<i>4.238</i>	<i>11.750</i>
<i>37.65 - 38.65</i>	<i>1.00</i>	<i>0.09</i>	<i>0.24</i>	<i>0.40</i>	<i>5.60</i>	<i>0.090</i>	<i>0.240</i>	<i>0.400</i>	<i>5.600</i>
<i>✓ 3.80 - 4.80</i>	<i>1.00</i>	<i>0.49</i>	<i>0.34</i>	<i>1.08</i>	<i>6.00</i>				
<i>✓ 5.40 - 7.80</i>	<i>2.40</i>	<i>0.30</i>	<i>0.14</i>	<i>1.00</i>	<i>4.00</i>				
<i>✓ 22.70 - 24.30</i>	<i>1.60</i>	<i>0.05</i>	<i>0.11</i>	<i>1.16</i>	<i>4.80</i>				
<i>✓ 30.20 - 31.40</i>	<i>1.20</i>	<i>0.47</i>	<i>0.23</i>	<i>3.43</i>	<i>9.60</i>				
<i>✓ 34.50 - 36.40</i>	<i>1.90</i>	<i>0.05</i>	<i>0.30</i>	<i>1.50</i>	<i>10.60</i>				
<i>✓ 36.40 - 37.65</i>	<i>1.25</i>	<i>1.23</i>	<i>0.70</i>	<i>3.79</i>	<i>9.40</i>				
<i>34.50 - 37.65</i>	<i>3.15</i>	<i>0.52</i>	<i>0.46</i>	<i>2.41</i>	<i>10.12</i>				

25/9 - 78

Stenar Jernman

MALMBEREGNING I

Lokalitet: *Profil. 44120*Borehull: *553.*

Boredato : *19 - 78*
 Koordinator : *X: 925.419,3 Y: 44.115,9*
 Retning : *N.*
 Helling/stigning : *- 60°*
 Høyde : *- 58,9*

Dybde	Lengde (m)	Analyser							
		% Pb	% Cu	% Zn	% Fe	<i>m% Pb</i>	<i>m% Cu</i>	<i>m% Zn</i>	<i>m% Fe</i>
<i>16,90 - 17,90</i>	<i>1,00</i>	<i>0,05</i>	<i>0,07</i>	<i>0,14</i>	<i>4,17</i>	<i>0,050</i>	<i>0,070</i>	<i>0,140</i>	<i>4,170</i>
<i>17,90 - 18,60</i>	<i>0,70</i>	<i>0,59</i>	<i>0,47</i>	<i>3,42</i>	<i>11,08</i>	<i>0,413</i>	<i>0,329</i>	<i>2,394</i>	<i>7,756</i>
<i>18,60 - 19,50</i>	<i>0,90</i>	<i>0,09</i>	<i>0,05</i>	<i>0,57</i>	<i>4,03</i>	<i>0,081</i>	<i>0,045</i>	<i>0,459</i>	<i>3,627</i>
<i>19,50 - 20,30</i>	<i>0,80</i>	<i>0,01</i>	<i>0,04</i>	<i>0,08</i>	<i>6,04</i>	<i>0,008</i>	<i>0,032</i>	<i>0,064</i>	<i>4,832</i>
<i>20,30 - 23,25</i>	<i>2,95</i>	<i>0,06</i>	<i>0,05</i>	<i>0,17</i>	<i>3,88</i>	<i>0,177</i>	<i>0,148</i>	<i>0,502</i>	<i>11,446</i>
<i>23,25 - 25,80</i>	<i>2,55</i>	<i>0,10</i>	<i>0,17</i>	<i>0,49</i>	<i>5,18</i>	<i>0,255</i>	<i>0,434</i>	<i>1,250</i>	<i>13,209</i>
<i>25,80 - 26,70</i>	<i>0,90</i>	<i>1,62</i>	<i>0,46</i>	<i>5,84</i>	<i>10,94</i>	<i>1,458</i>	<i>0,414</i>	<i>5,256</i>	<i>9,846</i>
<i>26,70 - 27,60</i>	<i>0,90</i>	<i>0,12</i>	<i>0,13</i>	<i>0,53</i>	<i>5,47</i>	<i>0,108</i>	<i>0,117</i>	<i>0,477</i>	<i>4,923</i>
<i>27,60 - 29,70</i>	<i>2,10</i>	<i>0,03</i>	<i>0,51</i>	<i>1,24</i>	<i>9,21</i>	<i>0,063</i>	<i>1,071</i>	<i>2,604</i>	<i>19,641</i>
<i>29,70 - 31,30</i>	<i>1,60</i>	<i>0,69</i>	<i>0,60</i>	<i>4,73</i>	<i>11,94</i>	<i>1,104</i>	<i>0,960</i>	<i>7,568</i>	<i>19,104</i>
<i>31,30 - 32,30</i>	<i>1,00</i>	<i>0,03</i>	<i>0,13</i>	<i>0,24</i>	<i>4,60</i>	<i>0,030</i>	<i>0,130</i>	<i>0,240</i>	<i>4,600</i>
<i>" 17,90 - 18,60</i>	<i>0,70</i>	<i>0,59</i>	<i>0,47</i>	<i>3,42</i>	<i>11,08</i>				
<i>" 25,80 - 31,30</i>	<i>5,5</i>	<i>0,50</i>	<i>0,47</i>	<i>2,89</i> <i>2,88</i>	<i>9,68</i>				

19/9 - 78

Helene Bunnar

MALMBEREGNING I

Lokalitet: 44.120

Borehull: 552.

Boredato : 1749-78

Koordinater : X: 925.417.6 Y: 44.115.3

Retning : -

Helling/stigning : - 90°

Høyde : - 59.0

Dybde	Lengde (m)	Analyser							
		% Pb	% Cu	% Zn	% Fe	% Pb	% Cu	% Zn	% Fe
3.35 - 4.35	1.00	0.07	0.08	0.11	4.69	0.070	0.080	0.110	4.690
4.35 - 5.35	1.00	0.58	0.34	2.26	6.75	0.580	0.340	2.260	6.750
5.35 - 6.90	1.55	1.35	0.23	6.44	6.38	2.093	0.357	2.982	9.889
6.90 - 8.30	1.40	0.75	0.18	2.20	5.25	1.050	0.252	3.080	7.350
8.30 - 9.30	1.00	0.09	0.04	0.22	1.88	0.090	0.040	0.220	1.880
9.30 - 11.00	1.70	0.04	0.02	0.08	1.50	0.068	0.034	0.136	2.550
11.00 - 12.25	1.25	0.57	0.20	1.96	7.69	0.713	0.250	2.45	2.613
16.00 - 16.90	0.90	0.08	0.04	0.17	2.25	0.072	0.036	0.153	2.025
16.90 - 18.55	1.65	2.61	0.34	7.37	11.81	4.807	0.561	12.161	19.487
18.55 - 20.20	1.65	0.42	0.44	2.17	12.56	0.693	0.726	3.581	20.724
20.20 - 21.00	0.80	0.32	0.19	0.75	5.63	0.256	0.152	0.600	4.504
21.00 - 21.70	0.70	0.18	1.34	2.65	18.56	0.126	0.938	1.855	12.992
21.70 - 23.80	2.10	0.32	0.42	1.81	6.94	0.672	0.882	3.801	14.574
23.80 - 24.80	1.00	0.04	0.03	0.12	1.76	0.040	0.030	0.120	1.760
4.35 - 8.30	3.95	0.94	0.24	3.88	6.07				
11.00 - 12.25	1.25	0.57	0.20	1.96	7.69				
16.90 - 21.70	4.80	1.12	0.50	3.79	12.02				
21.70 - 23.80	2.10	0.32	0.42	1.81	6.94				
16.90 - 23.80	6.90	0.88	0.48	2.65	10.47				

7/9 - 78

Rune Jensen

MALMBEREGNING I

Lokalitet: 44.120

Borehull: 551

Boredato : 7/9 - 78
 Koordinater : X: 925.420,6 Y: 44.115,2
 Retning : N.
 Helling/stigning : + 60°
 Høyde : - 54.3

Dybde	Lengde (m)	Analyser							
		% Pb	% Cu	% Zn	% Fe	m 7.8	m 7.6	m 7.2	m 7.0
0.70 - 0.90	0.20	1.14	0.22	5.51	5.44	0.228	0.044	1.102	1.088
4.20 - 6.70	2.50	0.30	0.20	0.99	6.75	0.750	0.500	2.475	16.875
6.70 - 7.70	1.00	0.04	0.11	0.17	7.50	0.040	0.110	0.170	2.500
0.70 - 0.90	0.20	1.14	0.22	5.57	5.44				

7/9 - 78

Allen Burman

MALMBEREGNING I

Lokalitet:

Borehull: 550

Boredato :
Koordinater :
Retning :
Helling/stigning :
Høyde :

Dybde	Lengde (m)	Analyser						
		% Pb	% Cu	% Zn	% Fe	mg Pb	mg Cu	mg Zn
0.00 - 1.20	1.20	0.65	0.18	1.35	4.64	0.780	0.216	1.620
1.20 - 1.70	0.50	1.14	0.30	4.57	7.23	0.570	0.150	2.255
1.70 - 2.70	1.00	0.03	0.12	0.12	7.79	0.030	0.120	0.120
✓ 0.00 - 1.20	1.20	0.65	0.18	1.35	4.64			
✓ 1.20 - 1.70	0.50	1.14	0.30	4.57	7.23			
0.00 - 1.70	1.70	0.79	0.22	2.28	5.40			

MALMBEREGNING I

Lokalitet: Mofjell Gruber

Borehull: 549 profil 44.020

Boredato : juni 1978
Koordinater : 925.413,0 X 44.018,8 Y
Retning : nord
Helling/stigning : -45°
Høyde : -58,4 m

Dybde	Lengde (m)	Analyser							
		% Pb	% Cu	% Zn	% Fe	m.% Pb	m.% Cu	m.% Zn	m.% Fe
5,85 - 6,50	0,65	0,27	0,32	0,71	9,11				
6,50 - 7,85	1,35	0,70	0,30	3,19	7,01	0,945	0,405	4,307	9,46
7,85 - 9,70	1,85	0,49	0,42	1,89	7,95	0,907	0,777	3,500	14,71
9,70 - 10,00	0,30	2,23	0,09	10,67	9,35	0,669	0,027	3,201	2,81
10,00 - 12,10	2,10	1,33	0,39	4,08	7,24	2,793	0,819	8,568	15,20
12,10 - 13,70	1,60	0,34	0,22	0,65	7,24	0,544	0,352	1,040	11,58
13,70 - 14,60	0,90	1,68	0,35	3,89	9,11	1,512	0,315	3,501	8,199
14,60 - 16,05	1,45	0,24	0,20	0,62	6,08	0,348	0,290	0,899	8,816
16,05 - 16,90	0,85	1,76	0,98	2,24	9,82	1,496	0,833	1,904	8,35
6,50 - 12,10	5,60	0,95	0,36	3,50	7,53	5,314	2,028	19,576	42,17
6,50 - 14,60	8,10	0,91	0,33	2,98	7,65	7,370	2,695	24,117	61,9
9,70 - 14,60	4,90	1,13	0,31	3,33	7,71	5,518	1,513	16,310	37,8
14,60 - 16,90	2,30	0,80	0,49	1,22		1,844	1,123	2,803	
13,70 - 16,90	3,20	1,05	0,45	1,97		3,356	1,438	6,304	

MALMBEREGNING I

Lokalitet: 44.020

Borehull: 548

Boredato : 7. juni 78

Koordinater : X: 925.413.1 Y: 44018,5

Retning : N.

Helling/stigning : + 30°

Høyde : -54,6

Dybde	Lengde (m)	Analyser						
		% Pb	% Cu	% Zn	% S	% Fe	% Mn	% Si
0.00 - 2.60	2.60	0.61	0.17	1.27	4.21	1.586	0.442	3.802
3.65 - 4.15	0.50	0.73	0.19	1.13	5.14	0.865	0.095	0.565
7.20 - 9.50	2.30	0.43	0.16	0.86	4.21	0.989	0.368	1.978
9.50 - 11.50	2.00	1.62	0.36	2.57	4.67	3.240	0.720	5.140
11.50 - 14.00	2.50	0.38	0.21	1.43	5.84	0.950	0.525	3.575
14.00 - 16.50	2.50	0.27	0.11	0.87	2.80	0.675	0.275	3.175
16.50 - 18.70	2.20	0.06	0.03	0.11	2.01	0.132	0.066	0.242
18.70 - 21.20	2.50	0.43	0.09	0.70	3.01	1.075	0.225	1.750
21.20 - 23.20	2.00	0.35	0.16	0.74	4.88	0.700	0.320	1.480
0.00 - 2.60	2.60	0.61	0.17	1.27	4.21			
3.65 - 4.15	0.50	0.73	0.19	1.13	5.14			
9.50 - 14.00	4.50	0.93	0.28	1.94	5.32			

23/8 - 78

Alan Børresen

MALMBEREGNING I

Lokalitet: *Profil 44.020*Borehull: *546*Boredato : *Mai - 78*Koordinator : *X: 925.410,9 Y: 44.020,4*Retning : *5*Helling/stigning : *-70°*Høyde : *-58,4*

Dybde	Lengde (m)	Analyser							
		% Pb	% Cu	% Zn	% Fe	% Pb	% Cu	% Zn	% Fe
<i>1.10 - 1.70</i>	<i>0.60</i>	<i>0.14</i>	<i>0.05</i>	<i>0.23</i>	<i>2.09</i>	<i>0.084</i>	<i>0.080</i>	<i>0.138</i>	<i>1.254</i>
<i>1.70 - 2.70</i>	<i>1.00</i>	<i>0.24</i>	<i>0.20</i>	<i>0.41</i>	<i>8.73</i>	<i>0.240</i>	<i>0.200</i>	<i>0.410</i>	<i>8.730</i>
<i>2.70 - 3.45</i>	<i>0.75</i>	<i>0.15</i>	<i>0.24</i>	<i>0.76</i>	<i>6.54</i>	<i>0.113</i>	<i>0.180</i>	<i>0.570</i>	<i>4.905</i>
<i>3.45 - 3.65</i>	<i>0.20</i>	<i>2.54</i>	<i>0.14</i>	<i>8.21</i>	<i>7.64</i>	<i>0.508</i>	<i>0.028</i>	<i>1.642</i>	<i>1.528</i>
<i>3.65 - 4.30</i>	<i>0.65</i>	<i>0.56</i>	<i>0.30</i>	<i>0.25</i>	<i>4.36</i>	<i>0.364</i>	<i>0.195</i>	<i>0.163</i>	<i>2.854</i>
<i>4.30 - 5.10</i>	<i>0.80</i>	<i>0.56</i>	<i>0.40</i>	<i>0.78</i>	<i>8.53</i>	<i>0.448</i>	<i>0.320</i>	<i>0.624</i>	<i>4.832</i>
<i>5.10 - 6.50</i>	<i>1.40</i>	<i>1.20</i>	<i>0.21</i>	<i>5.68</i>	<i>8.91</i>	<i>1.680</i>	<i>0.294</i>	<i>2.952</i>	<i>12.474</i>
<i>6.50 - 8.05</i>	<i>1.55</i>	<i>0.33</i>	<i>0.12</i>	<i>0.99</i>	<i>4.00</i>	<i>0.512</i>	<i>0.186</i>	<i>1.535</i>	<i>6.200</i>
<i>8.05 - 9.40</i>	<i>1.35</i>	<i>0.49</i>	<i>0.07</i>	<i>0.05</i>	<i>1.84</i>	<i>0.662</i>	<i>0.095</i>	<i>0.068</i>	<i>2.484</i>
<i>9.40 - 10.40</i>	<i>1.00</i>	<i>0.08</i>	<i>0.03</i>	<i>0.04</i>	<i>2.09</i>	<i>0.080</i>	<i>0.030</i>	<i>0.040</i>	<i>2.090</i>
<i>10.40 - 10.65</i>	<i>0.25</i>	<i>5.14</i>	<i>1.70</i>	<i>5.75</i>	<i>8.36</i>	<i>1.285</i>	<i>0.425</i>	<i>1.438</i>	<i>2.090</i>
<i>10.65 - 11.80</i>	<i>1.15</i>	<i>0.37</i>	<i>0.40</i>	<i>0.89</i>	<i>5.64</i>	<i>0.426</i>	<i>0.460</i>	<i>1.024</i>	<i>6.486</i>
<i>11.80 - 14.40</i>	<i>2.60</i>	<i>2.84</i>	<i>0.50</i>	<i>3.47</i>	<i>3.81</i>	<i>7.384</i>	<i>1.300</i>	<i>9.022</i>	<i>2.906</i>
<i>14.40 - 14.90</i>	<i>0.50</i>	<i>0.65</i>	<i>0.12</i>	<i>2.04</i>	<i>5.09</i>	<i>0.325</i>	<i>0.060</i>	<i>1.020</i>	<i>2.545</i>
<i>14.90 - 15.70</i>	<i>0.80</i>	<i>1.03</i>	<i>0.34</i>	<i>4.77</i>	<i>14.36</i>	<i>0.824</i>	<i>0.272</i>	<i>3.816</i>	<i>11.488</i>
<i>15.70 - 18.00</i>	<i>2.30</i>	<i>0.03</i>	<i>0.03</i>	<i>0.12</i>	<i>3.09</i>	<i>0.069</i>	<i>0.069</i>	<i>0.276</i>	<i>7.107</i>
<i>18.00 - 19.30</i>	<i>1.30</i>	<i>0.78</i>	<i>0.23</i>	<i>3.54</i>	<i>13.45</i>	<i>1.014</i>	<i>0.299</i>	<i>4.602</i>	<i>17.485</i>
<i>19.30 - 20.30</i>	<i>1.00</i>	<i>0.05</i>	<i>0.06</i>	<i>0.37</i>	<i>4.18</i>	<i>0.050</i>	<i>0.060</i>	<i>0.370</i>	<i>4.180</i>
<i>24.30 - 25.25</i>	<i>0.95</i>	<i>0.06</i>	<i>0.07</i>	<i>0.17</i>	<i>4.00</i>	<i>0.057</i>	<i>0.067</i>	<i>0.162</i>	<i>3.800</i>
<i>24.25 - 26.10</i>	<i>1.85</i>	<i>0.21</i>	<i>0.26</i>	<i>1.07</i>	<i>10.91</i>	<i>0.889</i>	<i>0.481</i>	<i>1.980</i>	<i>20.184</i>
<i>3.45 - 3.65</i>	<i>0.20</i>	<i>2.54</i>	<i>0.14</i>	<i>8.21</i>	<i>7.64</i>				
<i>5.10 - 8.05</i>	<i>2.95</i>	<i>0.74</i>	<i>0.16</i>	<i>3.22</i>	<i>6.33</i>				
<i>10.40 - 10.65</i>	<i>0.25</i>	<i>5.14</i>	<i>1.70</i>	<i>5.75</i>	<i>8.36</i>				
<i>11.80 - 15.70</i>	<i>3.90</i>	<i>2.18</i>	<i>0.42</i>	<i>3.55</i>	<i>6.14</i>				
<i>18.00 - 19.30</i>	<i>1.30</i>	<i>0.78</i>	<i>0.23</i>	<i>3.54</i>	<i>13.45</i>				
<i>24.25 - 26.10</i>	<i>1.85</i>	<i>0.21</i>	<i>0.26</i>	<i>1.07</i>	<i>10.91</i>				

9/6 - 78

Ellen Lønne

MALMBEREGNING I

Lokalitet: *Profil 43.880*Borehull: *545*

Boredato : *Mai 78.*
 Koordinator : *x: 925.404.3 y: 43.897.5*
 Retning : *N*
 Helling/stigning : *+55°*
 Høyde : *- 79.6 m*

Dybde	Lengde (m)	Analyser							
		% Pb	% Cu	% Zn	% Fe	m% Pb	m% Cu	m% Zn	m% Fe
5.10 - 5.80	0.70	0.11	0.05	0.23	2.60	0.077	0.035	0.161	1.820
5.80 - 6.10	0.30	0.04	0.03	0.05	1.38	0.012	0.009	0.015	0.414
6.10 - 8.20	2.10	0.24	0.13	0.63	4.67	0.504	0.273	1.323	9.807
8.20 - 8.60	0.40	0.08	0.07	0.21	2.08	0.032	0.028	0.084	0.832
8.60 - 9.80	1.20	0.03	0.03	0.09	2.25	0.036	0.036	0.108	2.700
9.80 - 10.25	0.45	0.47	0.63	3.03	9.17	0.211	0.283	1.363	4.126
10.25 - 11.20	0.95	0.22	0.10	1.00	3.29	0.209	0.095	0.950	3.125
11.20 - 11.35	0.15	0.12	0.63	4.12	9.17	0.018	0.094	0.618	1.375
11.35 - 11.70	0.35	0.01	0.03	0.02	1.38	0.003	0.010	0.007	0.483
11.70 - 11.95	0.25	1.54	0.43	4.93	9.87	0.885	0.107	1.232	2.467
11.95 - 12.45	0.50	0.01	0.08	0.14	2.60	0.050	0.040	0.070	1.800
12.45 - 12.80	0.35	0.15	0.66	5.59	15.40	0.052	0.231	1.956	5.390
12.85 - 13.85	1.00	0.01	0.03	0.05	2.08	0.010	0.030	0.050	2.080
19.60 - 20.10	0.50	0.01	0.03	0.05	2.60	0.005	0.015	0.025	1.800
20.10 - 20.40	0.30	2.54	0.11	2.79	2.60	0.762	0.033	0.887	0.780
20.40 - 21.30	0.90	0.01	0.02	0.05	1.56	0.009	0.018	0.045	1.404
21.30 - 21.45	0.15	0.74	0.08	3.05	3.46	0.481	0.052	1.982	2.249
21.45 - 23.30	1.85	1.71	0.14	2.79	7.62	2.308	0.189	3.766	10.287
23.30 - 24.10	0.80	0.39	0.08	0.70	3.29	0.312	0.064	0.560	2.632
37.50 - 38.50	1.00	0.02	0.02	0.05	1.90	0.020	0.020	0.050	1.900
38.50 - 38.80	0.30	0.28	0.09	0.61	1.73	0.084	0.027	0.183	0.519
38.80 - 39.80	1.00	1.35	0.37	2.82	5.19	1.350	0.370	2.820	5.190
39.80 - 41.90	2.10	0.19	0.09	0.56	2.42	0.899	0.189	1.176	5.082
41.90 - 43.10	1.20	1.11	0.23	2.63	4.67	1.332	0.276	3.156	5.604
43.10 - 44.60	1.50	0.68	0.22	1.30	5.87	1.020	0.330	1.950	8.055

MALMBEREGNING I

Lokalitet: *Prof/43880*

Borehull: 545

Boredato : May 78.

Koordinater : $x: 925,4043$ $y: 43.8975$

Retning : N

Helling/stigning: $+55^\circ$

Høyde : - 79.6 m

Dybde	Lengde (m)	Analyser			
		% Pb	% Cu	% Zn	% Fe
9.80 - 12.80	3.00	0.31	0.28	2.06	6.08
20.10 - 23.30	3.20	1.11	0.09	2.07	4.60
38.80 - 39.80	1.00	1.35	0.37	2.82	5.19
41.90 - 44.60	2.70	0.87	0.22	1.89	5.06
8/6-78. Helger Pantdalsen					

MALMBEREGNING I

Lokalitet: Profil 44020

Borehull: 544.

Boredato : Mai 78.

Koordinator : X: 925.412,4 Y: 48.019,4

Retning : N

Helling/stigning : -70°

Høyde : -58.4 m

Dybde	Lengde (m)	Analyser							
		% Pb	% Cu	% Zn	% Fe	mg Pb	mg Cu	mg Zn	mg Fe
3.70 - 4.70	1.00	0.07	0.11	0.21	5.56	0.070	0.110	0.210	5.560
4.70 - 5.30	0.60	0.85	0.48	2.99	7.79	0.510	0.288	1.794	4.674
5.30 - 6.80	1.50	0.92	0.41	3.53	6.49	1.380	0.615	5.295	9.735
6.80 - 7.60	0.80	7.31	0.31	56.41	8.16	5.848	0.248	29.128	6.528
7.60 - 8.50	0.90	1.85	0.29	2.89	3.71	1.665	0.261	2.601	3.389
8.50 - 9.50	1.00	0.06	0.03	0.09	2.04	0.060	0.030	0.090	2.040
9.50 - 10.20	0.70	0.29	0.04	0.51	1.86	0.203	0.028	0.357	1.302
10.20 - 11.20	1.00	0.16	0.05	0.21	2.04	0.160	0.050	0.210	2.040
11.20 - 12.70	0.50	0.19	0.26	0.41	4.82	0.095	0.130	0.205	2.410
11.70 - 11.85	0.15	1.32	0.99	4.22	10.57	0.198	0.149	0.638	1.586
11.85 - 14.30	2.45	1.24	0.53	2.13	8.72	3.038	1.299	5.219	21.364
14.30 - 15.30	1.00	0.21	0.14	0.57	5.19	0.210	0.140	0.570	5.190
18.90 - 19.90	1.00	0.06	0.02	0.14	2.41	0.060	0.020	0.140	2.410
19.90 - 20.70	0.80	0.00	0.31	1.19	15.95	0.000	0.248	0.952	12.960
20.70 - 20.95	0.25	0.00	0.07	0.23	8.92	0.000	0.018	0.058	2.180
20.95 - 21.85	0.90	0.01	0.09	0.21	9.09	0.009	0.081	0.189	8.181
21.85 - 22.10	0.25	0.01	0.03	0.06	2.23	0.008	0.008	0.015	0.558
22.10 - 23.50	1.40	0.00	0.17	0.36	4.82	0.000	0.238	0.504	6.748
23.50 - 24.70	1.20	0.02	0.07	0.09	4.27	0.024	0.084	0.108	5.124
24.70 - 26.00	1.30	0.20	0.23	1.11	8.16	0.260	0.299	1.443	10.608
26.00 - 26.60	0.60	0.02	0.06	0.09	4.08	0.012	0.036	0.054	2.448
29.10 - 30.10	1.00	0.01	0.19	0.14	7.98	0.010	0.190	0.140	7.980
30.10 - 31.70	1.60	0.52	0.19	1.82	9.83	0.882	0.304	2.912	15.728
31.70 - 32.50	0.80	0.01	0.03	0.07	3.71	0.008	0.024	0.056	2.968
4.70 - 8.50	3.80	2.47	0.37	10.21	6.39				
11.70 - 14.30	2.60	1.24	0.56	2.25	8.83				
19.90 - 20.70	0.80	0.00	0.31	1.19	15.95				
24.70 - 26.00	1.30	0.20	0.23	1.11	8.16				
30.10 - 31.90	1.60	0.52	0.19	1.82	9.83				

5/6 - 78 Allan Gunnar

MALMBEREGNING I

Profil

Lokalitet: 44. 270

Borehull: 548

Boredato : Mai -78
Koordinater : X: 925.393,3 Y: 44.270.5
Retning : Ø
Helling/stigning : - 88°
Høyde : - 71.6

Dybde	Lengde (m)	Analyser							
		% Pb	% Cu	% Zn	% S	% Fe	% Pb	% Cu	% Zn
0.10 - 1.25	1.15	1.24	0.30	1.56	6.77	1.426	0.345	1.794	2.786
1.25 - 2.20	0.95	0.06	0.04	0.02	1.43	0.057	0.038	0.019	1.359
2.20 - 3.25	1.05	0.25	0.58	3.55	19.25	0.263	0.609	3.728	20.213
3.25 - 4.80	1.55	0.08	0.22	0.82	7.66	0.124	0.341	1.271	11.873
4.80 - 5.40	0.60	0.35	0.08	0.16	3.88	0.210	0.048	0.096	2.328
5.40 - 5.70	0.30	0.08	0.08	0.04	8.29	0.024	0.018	0.012	2.487
5.70 - 5.95	0.25	0.04	0.05	0.09	3.18	0.010	0.013	0.23	0.795
5.95 - 6.55	0.60	0.06	0.05	0.01	3.53	0.036	0.030	0.066	2.118
6.55 - 7.05	0.50	0.07	0.23	0.12	10.06	0.035	0.116	0.060	5.030
7.05 - 8.30	1.25	1.46	1.41	3.72	15.35	1.825	1.763	4.650	19.188
8.30 - 9.30	1.00	0.09	0.06	0.26	4.94	0.090	0.060	0.260	4.940
15.00 - 15.40	0.40	0.09	0.09	0.16	7.24	0.036	0.036	0.064	2.896
15.40 - 15.60	0.20	0.53	0.96	0.96	12.88	0.106	0.192	0.192	2.526
15.60 - 16.50	0.90	0.36	0.50	0.76	8.82	0.324	0.450	0.684	7.938
16.50 - 16.60	0.10	0.23	0.34	0.92	7.59	0.023	0.034	0.092	0.759
16.60 - 18.00	1.40	0.04	0.07	0.08	6.88	0.056	0.098	0.112	9.632
0.10 - 1.25	1.15	1.24	0.30	1.56	6.77				
2.20 - 3.25	1.05	0.25	0.58	3.55	19.25				
7.05 - 8.30	1.25	1.46	1.41	3.72	15.35				

31/5 - 78

Stavre Turner

MALMBEREGNING I

Lokalitet: *Profil 44.300*

Borehull: *542*

Boredato : *April-78*
 Koordinater : *X: 925.411,9 Y: 44.300,1*
 Retning : *N.*
 Helling/stigning : *-86°*
 Høyde : *-70.95 m*

Dybde	Lengde (m)	Analyser							
		% Pb	% Cu	% Zn	% S	mg P	mg Co	mg Mn	mg Fe
<i>10.00 - 11.70</i>	<i>1.70</i>	<i>0.02</i>	<i>0.12</i>	<i>0.46</i>	<i>8.55</i>	<i>0.034</i>	<i>0.204</i>	<i>0.782</i>	<i>14.535</i>
<i>11.70 - 13.40</i>	<i>1.70</i>	<i>0.29</i>	<i>0.64</i>	<i>3.11</i>	<i>19.07</i>	<i>0.493</i>	<i>1.088</i>	<i>5.287</i>	<i>32.419</i>
<i>13.40 - 14.90</i>	<i>1.50</i>	<i>1.48</i>	<i>0.47</i>	<i>8.93</i>	<i>7.66</i>	<i>2.220</i>	<i>0.705</i>	<i>3.395</i>	<i>11.490</i>
<i>14.90 - 15.30</i>	<i>0.40</i>	<i>0.35</i>	<i>0.60</i>	<i>3.28</i>	<i>9.27</i>	<i>0.140</i>	<i>0.240</i>	<i>1.312</i>	<i>3.708</i>
<i>15.30 - 16.80</i>	<i>1.50</i>	<i>1.20</i>	<i>0.46</i>	<i>3.21</i>	<i>7.13</i>	<i>1.800</i>	<i>0.690</i>	<i>4.815</i>	<i>10.695</i>
<i>16.80 - 17.60</i>	<i>0.80</i>	<i>0.10</i>	<i>0.07</i>	<i>0.50</i>	<i>3.03</i>	<i>0.080</i>	<i>0.056</i>	<i>0.400</i>	<i>2.424</i>
<i>18.10 - 18.90</i>	<i>0.80</i>	<i>0.02</i>	<i>0.03</i>	<i>0.16</i>	<i>1.78</i>	<i>0.016</i>	<i>0.024</i>	<i>0.128</i>	<i>1.424</i>
<i>18.90 - 19.40</i>	<i>0.50</i>	<i>2.54</i>	<i>0.33</i>	<i>5.82</i>	<i>8.91</i>	<i>1.270</i>	<i>0.165</i>	<i>2.910</i>	<i>4.455</i>
<i>19.40 - 21.80</i>	<i>2.40</i>	<i>0.08</i>	<i>0.05</i>	<i>0.16</i>	<i>2.14</i>	<i>0.192</i>	<i>0.120</i>	<i>0.384</i>	<i>5.136</i>
<i>11.70 - 16.80</i>	<i>5.10</i>	<i>0.91</i>	<i>0.53</i>	<i>4.86</i>	<i>11.43</i>				
<i>18.90 - 19.40</i>	<i>0.50</i>	<i>2.54</i>	<i>0.33</i>	<i>5.82</i>	<i>8.91</i>				
<i>11.70 - 19.40</i>	<i>7.70</i>	<i>0.78</i>	<i>0.38</i>	<i>3.67</i>					

31/5-78

Stian Brunner

MALMBEREGNING I

Lokalitet: *Profil. 43.880*

Borehull: *541.*

Boredato : *April - 78*
 Koordinater : *X: 925.404,3 Y: 43.897,5*
 Retning : *N.*
 Helling/stigning : *- 45°*
 Høyde : *- 79,9*

Dybde	Lengde (m)	Analyser						
		% Pb	% Cu	% Zn	% Fe			
<i>8.05 - 8.55</i>	<i>0.50</i>	<i>1.44</i>	<i>0.14</i>	<i>2.42</i>	<i>8.94</i>			
<i>9.25 - 10.00</i>	<i>0.75</i>	<i>0.39</i>	<i>0.19</i>	<i>1.06</i>	<i>4.75</i>			
<i>12.10 - 13.60</i>	<i>1.50</i>	<i>0.87</i>	<i>0.57</i>	<i>2.80</i>	<i>15.25</i>			
<i>14.50 - 17.50</i>	<i>3.00</i>	<i>0.95</i>	<i>0.48</i>	<i>4.48</i>	<i>11.04</i>			
<i>17.90 - 19.45</i>	<i>1.55</i>	<i>0.79</i>	<i>0.35</i>	<i>1.63</i>	<i>7.88</i>			
<i>20.90 - 21.80</i>	<i>0.90</i>	<i>1.62</i>	<i>0.87</i>	<i>2.53</i>	<i>9.65</i>			
<i>22.70 - 23.00</i>	<i>0.30</i>	<i>1.72</i>	<i>0.46</i>	<i>2.76</i>	<i>10.15</i>			
<i>23.35 - 23.58</i>	<i>0.15</i>	<i>2.32</i>	<i>0.27</i>	<i>7.92</i>	<i>19.64</i>			
<i>26.20 - 26.50</i>	<i>0.30</i>	<i>1.04</i>	<i>1.79</i>	<i>5.74</i>	<i>17.35</i>			
<i>50.20 - 51.95</i>	<i>0.75</i>	<i>0.80</i>						
<i>50.80 - 51.20</i>	<i>0.40</i>	<i>0.77</i>	<i>0.35</i>	<i>1.85</i>	<i>6.38</i>			
<i>51.95 - 53.70</i>	<i>1.75</i>	<i>0.65</i>	<i>0.22</i>	<i>1.17</i>	<i>5.29</i>			

30/5 - 78

Helmer Brummen

MALMBEREGNING I

Lokalitet: Profil 43.880

Borehull: 541

Boredato: April - 78

Koordinater: X: 925.4043 Y: 48.898,5

Retning: N.

Helling/stigning: +45°

Høyde: -79,9

Dybde	Lengde (m)	Analyser							
		% Pb	% Cu	% Zn	% Fe	% Pb	% Cu	% Zn	% Fe
6,85 - 8,05	1.20	0.20	0.10	0.53	3.03	0.240	0.120	0.648	3.636
8,05 - 8,25	0.20	2.14	0.08	3.33	10.87	0.428	0.014	0.666	2.174
8,25 - 8,55	0.30	0.98	0.18	1.81	7.64	0.294	0.054	0.543	2.295
8,55 - 9,25	0.70	0.12	0.09	0.29	2.89	0.084	0.063	0.203	2.023
9,25 - 10,00	0.75	0.39	0.19	1.06	4.75	0.298	0.143	0.795	3.563
10,00 - 12,10	2.10	0.02	0.03	0.08	2.39	0.042	0.063	0.168	5.019
12,10 - 12,50	0.40	0.88	1.37	5.20	9.17	0.352	0.548	2.080	8.668
12,50 - 12,90	0.40	1.74	0.26	2.52	4.94	0.696	0.104	1.008	1.976
12,90 - 13,60	0.70	0.36	0.29	1.59	24.62	0.252	0.203	1.113	17.234
13,60 - 14,50	0.90	0.06	0.04	0.19	2.02	0.054	0.036	0.171	1.818
14,50 - 16,75	2.25	0.98	0.58	5.01	11.89	2.205	1.305	11.273	26.753
16,75 - 17,50	0.75	0.86	0.18	2.88	8.49	0.645	0.135	2.160	6.368
17,50 - 17,90	0.40	0.03	0.05	0.06	1.43	0.012	0.020	0.240	0.572
17,90 - 18,40	0.50	2.38	1.05	2.40	10.53	1.190	0.525	1.200	5.265
18,40 - 18,60	0.20	0.14	0.12	0.16	2.05	0.028	0.024	0.032	0.410
18,60 - 19,45	0.85	0.86	0.54	1.52	7.69	0.731	0.459	1.292	6.537
19,45 - 20,90	1.45	0.27	0.22	0.48	4.58	0.396	0.319	0.696	6.641
20,90 - 21,80	0.90	1.62	0.87	2.53	9.65	1.458	0.783	2.327	8.685
21,80 - 22,70	0.90	0.19	0.12	0.32	2.95	0.171	0.108	0.288	2.685
22,70 - 23,00	0.30	1.72	0.46	2.76	10.15	0.516	0.138	0.828	3.045
23,00 - 23,35	0.35	0.01	0.05	0.05	1.70	0.003	0.018	0.018	0.595
23,35 - 23,50	0.15	2.32	0.27	7.92	19.64	0.348	0.041	1.188	2.946
23,50 - 26,20	2.70	0.08	0.07	0.41	2.78	0.216	0.189	1.107	7.506
26,20 - 26,50	0.30	1.04	1.79	5.74	17.35	0.312	0.537	1.722	5.205
26,50 - 27,50	1.00	0.11	0.13	0.39	4.09	0.110	0.130	0.890	4.090
49,90 - 50,80	1.00	0.19	0.12	0.44	3.60	0.190	0.120	0.440	3.600
50,80 - 51,20	0.40	0.77	0.35	1.85	6.38	0.308	0.140	0.740	2.552
51,20 - 51,95	0.75	0.30	0.18	0.75	5.58	0.225	0.135	0.563	4.170
51,95 - 53,70	1.75	0.65	0.22	1.17	5.24	1.138	0.385	2.048	9.170
53,70 - 54,70	1.00	0.03	0.05	0.12	5.89	0.030	0.050	0.120	5.890

MALMBEREGNING I

Lokalitet: 44.350

Borehull: 540

Boredato : April - 78.

Koordinater : X: 925,4184, Y: 44,399,2

Retning : ~~st.~~ Ø.

Helling/stigning : -45°

Høyde : -66,5

Dybde	Lengde (m)	Analyser							
		% Pb	% Cu	% Zn	mg Pb	mg Pb	mg Cu	mg Zn	mg Fe
0,00 - 0,90	0,90	0,08	0,72	0,18	9,81	0,022	0,648	0,162	8,829
0,90 - 2,05	1,15	4,43	0,67	12,66	10,14	5,095	0,771	14,559	11,661
2,05 - 3,40	1,35	0,05	0,05	0,10	2,36	0,068	0,068	0,135	9,936
3,40 - 3,65	0,25	0,07	0,11	0,16	11,62	0,018	0,028	0,040	2,905
3,65 - 5,40	1,75	0,03	0,02	0,07	11,64	0,053	0,035	0,123	20,370
5,40 - 6,35	0,95	0,02	0,09	0,05	7,53	0,019	0,086	0,048	7,154
9,00 - 9,25	0,25	0,03	0,16	0,03	7,20	0,008	0,040	0,008	1,800
9,25 - 10,00	0,75	0,08	0,18	0,08	7,85	0,023	0,135	0,060	5,888
10,00 - 11,05	1,05	0,09	0,23	0,31	7,20	0,095	0,242	0,376	7,560
11,05 - 11,40	0,35	1,34	0,64	13,51	19,20	0,469	0,224	4,729	6,720
11,40 - 11,80	0,40	0,28	0,46	1,62	11,78	0,112	0,184	0,648	1,884
11,80 - 13,20	1,40	0,07	0,07	0,19	6,05	0,098	0,098	0,266	8,570
15,00 - 16,70	1,70	0,06	0,07	0,04	8,02	0,102	0,119	0,068	13,634
16,70 - 17,20	0,50	0,03	0,10	0,12	10,15	0,015	0,050	0,060	5,075
17,20 - 17,65	0,45	0,03	0,15	4,71	15,38	0,014	0,068	2,120	6,921
17,65 - 18,50	0,85	0,00	0,14	0,26	8,66	0,000	0,119	0,221	3,361
18,50 - 19,95	1,45	0,00	0,11	0,09	7,83	0,000	0,159	0,131	11,353
19,95 - 21,80	1,85	0,10	0,32	0,55	12,83	0,185	0,592	1,018	23,736
21,80 - 22,40	0,60	0,37	0,76	3,86	17,83	0,272	0,456	2,816	10,698
22,40 - 23,55	1,15	1,40	0,25	2,70	8,00	1,610	0,289	3,105	9,200
23,55 - 23,95	0,40	1,10	0,97	4,39	14,33	0,44	0,388	1,756	5,732
23,95 - 24,15	0,20	0,08	1,46	0,67	15,16	0,016	0,252	0,134	3,082
24,15 - 25,90	1,75	0,06	0,54	1,69	11,83	0,105	0,945	2,558	20,703
25,90 - 26,60	0,70	0,39	0,30	1,78	7,50	0,273	0,210	1,246	5,250
26,60 - 27,85	1,25	1,43	0,41	3,70	8,00	1,788	0,516	4,625	10,000
27,85 - 28,80	0,95	0,28	0,24	0,79	5,00	0,266	0,228	0,751	4,750
28,80 - 29,15	0,35	1,94	0,32	7,74	8,66	0,679	0,112	2,709	3,031
29,15 - 29,95	0,80	0,10	0,08	0,55	3,67	0,080	0,064	0,440	2,936
29,95 - 31,10	2,15	0,04	0,25	0,40	5,66	0,086	0,538	0,860	12,169
31,10 - 32,10	1,00	0,00	0,14	0,04	8,17	0,000	0,140	0,040	3,170

MALMBEREGNING I

Lokalitet: *Profil 44.850*Borehull: *5.40*

Boredato : *April -78*
 Koordinater : *X: 925.418.2 Y: 44.549.2*
 Retning : *Ø*
 Helling/stigning : *-45°*
 Høyde : *-66.5*

Dybde	Lengde (m)	Analyser				Vert. Korr.		
		% Pb	% Cu	% Zn	% <i>Se</i>			
<i>✓ 0.90 - 2.05</i>	<i>1.15</i>	<i>4.43</i>	<i>0.67</i>	<i>12.66</i>	<i>10.14</i>			
<i>✓ 11.05 - 11.80</i>	<i>0.75</i>	<i>0.77</i>	<i>0.54</i>	<i>7.17</i>	<i>11.47</i>			
<i>✓ 17.20 - 17.65</i>	<i>0.45</i>	<i>0.03</i>	<i>0.15</i>	<i>4.71</i>	<i>15.38</i>			
<i>✓ 21.80 - 23.95</i>	<i>2.15</i>	<i>1.06</i>	<i>0.53</i>	<i>3.37</i>	<i>11.92</i>	<i>1.52m</i>	<i>26.00 - 26.00</i>	
<i>23.95 - 24.15</i>	<i>0.20</i>	<i>0.08</i>	<i>1.16</i>	<i>0.67</i>	<i>15.16</i>	<i>0.15</i>		
<i>✓ 24.15 - 26.60</i>	<i>2.45</i>	<i>0.15</i>	<i>0.54</i>	<i>1.72</i>	<i>10.59</i>	<i>1.7</i>	<i>5.15m</i>	<i>24.73 - 24.79-26.60</i>
<i>✓ 26.60 - 29.15</i>	<i>2.55</i>	<i>1.08</i>	<i>0.34</i>	<i>3.17</i>	<i>6.97</i>	<i>1.8</i>		

*23/5 -78**Stellan Burman*

MALMBEREGNING I

Lokalitet: *Profil 43.880*

Borehull: *539*

Boredato : *April - 78*
 Koordinater : *X: 925.403,5 Y: 43.897,6*
 Retning : *N.*
 Helling/stigning : *+ 70°*
 Høyde : *- 79,3*

Dybde	Lengde (m)	Analyser							
		% Pb	% Cu	% Zn	% Fe	% Pb	% Cu	% Zn	% Fe
3.60 - 4.20	0.60	0.13	0.13	0.37	2.68	0.078	0.078	0.222	1.608
4.20 - 5.45	1.25	0.19	0.29	0.66	5.68	0.238	0.362	0.825	2.100
5.45 - 7.55	2.10	0.02	0.14	0.13	2.21	0.042	0.294	0.273	4.641
7.55 - 8.00	0.45	1.89	0.81	4.47	11.36	0.851	0.365	2.012	5.112
8.00 - 8.60	0.60	0.29	0.13	0.90	4.73	0.174	0.078	0.540	2.838
8.60 - 9.70	1.10	1.03	0.55	4.58	8.84	1.133	0.495	5.016	9.724
9.70 - 10.70	1.00	0.44	0.20	1.17	3.31	0.440	0.200	1.170	3.310
17.30 - 18.30	1.00	0.0	0.03	0.05	2.25	0.000	0.030	0.050	2.250
18.30 - 19.30	1.00	0.79	0.52	2.85	4.82	0.790	0.520	2.850	4.820
19.70 - 20.70	1.00	0.18	0.14	0.35	3.21	0.180	0.140	0.350	3.210
23.65 - 24.65	1.00	0.22	0.07	0.58	2.89	0.220	0.070	0.580	2.890
24.65 - 25.15	0.50	1.22	0.57	4.13	8.68	0.610	0.255	2.065	4.340
25.15 - 26.60	1.45	0.39	0.11	0.33	2.89	0.566	0.159	0.479	4.191
26.60 - 27.00	0.40	0.30	0.16	1.66	7.71	0.120	0.064	0.664	3.084
27.00 - 28.20	1.20	0.05	0.05	0.20	2.73	0.060	0.060	0.240	3.276
28.20 - 30.20	2.00	0.72	0.34	1.21	6.75	0.440	0.680	2.420	13.500
30.20 - 31.10	0.90	0.75	0.31	1.64	6.59	0.675	0.279	1.476	5.931
31.10 - 32.35	1.25	3.86	0.24	13.86	5.79	4.825	0.300	17.325	7.238
32.35 - 32.95	0.50	0.63	0.63	2.22	6.11	0.315	0.315	1.110	3.055
32.95 - 33.50	0.65	3.21	0.96	12.35	9.48	2.087	0.624	8.028	6.162
33.50 - 34.10	0.60	2.09	0.53	7.56	9.16	1.254	0.318	4.536	5.496
34.10 - 35.10	1.00	0.19	0.08	0.55	6.43	0.190	0.080	0.550	6.430
✓ 7.55 - 9.70	2.15	1.00	0.44	3.52	8.22				
✓ 19.30 - 20.70 18.30 - 19.30	1.00	0.79	0.52	2.85	4.82				
✓ 24.65 - 25.15	0.50	1.22	0.57	4.13	8.68				
× 31.10 - 34.10	3.00	2.83	0.52	10.33	8.50				
✓ 28.20 - 34.10	5.90	1.63	0.43	5.91	7.01				

11/5 - 78 *Arne Ruud*

MALMBEREGNING I

Lokalitet:

Borehull: 537

Boredato :

Koordinator :

Retning :

Helling/stigning :

Høyde :

Dybde	Lengde (m)	Analyser			
		% Pb	% Cu	% Zn	% S
24.65 - 28.20	3.55	0.38	0.15	0.97	4.20
24.65 - 34.10	9.45	1.16	0.32	4.06	5.96

MALMBEREGNING 1

Lokalitet: Profil 43 890

Borehull: 538

Boredato : April 78.

Koordinater : $x: 925.364.6$ $y: 43.892.2$

Retning : S

Helling/stigning: $+50^\circ$

Høyde : -75 m.

[illegible]

MALMBEREGNING I

Lokalitet: Profil 44340

Borehull: 537

Boredato : April 78
Koordinator : X: 925.417.1 Y: 44343.9
Retning : V
Helling/stigning : ~ 85°
Høyde : ~ 66.6 m

[illegible]

MALMBEREGNING I

Lokalitet: *Prehil 43.890*

Borehull: 536

Boredato : April 78
Koordinater : X: 925.365,5 Y: 43.842,3
Retning : S
Helling/stigning : +70°
Høyde : -75,0 m

[illegible]

MALMBEREGNING I

Lokalitet: Profil 43.890

Borehull: 534

Boredato : April 78.

Koordinater : $x: 925.367,6$ $y: 43.889,0$

Retning :

Helling/stigning : $+70^\circ$

Høyde : - 74.9 m

[illegible]

MALMBEREGNING I

Lokalitet: Prof. 43.880

Borehull: 533

Boredato : 1705-78
Koordinater : X. 925.376,7 Y. 43.883,7
Retning : N
Helling/stigning : +35°
Høyde : -76,0

Dybde	Lengde (m)	Analyser							
		% Pb	% Cu	% Zn	% Fe	% S	% Si	% Al	% Mn
0,00 - 0,90	0,90	0,67	0,57	3,34	9,24	0,603	0,518	3,006	8,316
0,90 - 1,40	0,50	0,85	0,30	3,60	5,35	0,425	0,150	1,800	2,675
1,40 - 2,50	1,10	0,08	0,03	0,30	2,59	0,058	0,030	0,330	2,849
9,70 - 11,20	1,50	0,07	0,09	0,15	2,76	0,105	0,135	0,225	4,140
11,20 - 11,50	0,30	0,38	0,25	7,58	16,05	0,114	0,075	2,234	4,815
11,50 - 12,00	0,50	0,47	0,23	1,57	4,22	0,235	0,115	0,785	2,110
12,00 - 12,45	0,45	1,92	0,22	5,12	6,97	0,864	0,099	2,304	3,137
12,45 - 13,10	0,65	0,03	0,18	1,70	3,78	0,410	0,117	1,105	2,425
13,10 - 15,20	2,10	0,94	0,59	7,10	12,97	1,974	1,239	14,910	27,237
15,20 - 15,90	0,70	0,19	0,07	0,81	3,73	0,133	0,049	0,567	2,611
15,90 - 16,90	1,00	1,01	0,58	6,47	9,89	1,010	0,580	6,470	9,890
16,90 - 19,15	2,25	0,70	0,44	3,09	8,43	1,575	0,990	6,953	19,968
19,15 - 19,80	0,55	5,95	0,20	12,92	8,27	3,273	0,110	7,106	4,549
19,80 - 22,20	2,40	1,34	0,30	4,92	10,54	3,216	0,720	11,808	25,296
22,20 - 22,50	0,30	2,19	1,07	2,03	6,81	0,657	0,321	0,609	2,648
22,50 - 23,00	0,50	0,15	0,14	0,48	2,27	0,075	0,040	0,240	1,135
23,00 - 25,00	2,00	1,44	0,64	6,21	12,49	2,880	1,280	12,420	24,980
25,00 - 26,00	1,00	0,18	0,08	1,04	3,73	0,180	0,080	1,040	3,730
33,25 - 34,25	1,00	0,11	0,03	0,35	2,27	0,110	0,030	0,350	2,270
34,25 - 35,00	0,75	1,40	0,41	4,70	6,56	1,050	0,308	3,525	4,920
35,00 - 35,50	0,50	0,66	0,10	1,87	3,05	0,330	0,050	0,935	1,525
35,50 - 36,80	1,30	2,23	0,14	2,31	3,81	2,899	0,192	3,003	4,953
36,80 - 38,00	1,20	0,23	0,23	0,65	10,98	0,276	0,276	0,780	13,176
38,00 - 39,15	1,15	2,31	0,13	10,99	10,98	2,657	0,150	12,639	12,639
39,15 - 41,30	2,15	0,67	0,69	3,66	6,86	1,441	1,484	7,869	14,749
41,30 - 42,95	1,65	0,27	0,50	0,86	9,31	0,446	0,825	1,419	15,362
42,95 - 44,60	1,65	0,92	0,48	2,07	7,69	1,518	0,792	3,335	12,689
44,60 - 44,90	0,30	0,10	0,30	4,41	2,27	0,030	0,090	1,323	0,681
44,90 - 46,30	1,40	1,05	0,38	1,92	5,48	1,470	0,532	2,688	7,672
46,30 - 47,30	1,00	1,15	0,41	3,14	9,76	1,150	0,410	3,140	9,760
47,30 - 49,30	2,00	2,24	0,41	7,52	6,86	4,480	0,820	15,840	13,720
49,30 - 51,30	2,00	1,80	0,22	4,03	6,10	3,600	0,440	8,060	7,200

MALMBEREGNING I

Lokalitet:

Borehull: 533

Boredato :

Koordinater :

Retning :

Helling/stigning :

Høyde :

42880

Dybde	Lengde (m)	Analyser							
		% Pb	% Cu	% Zn	% S	mg Pb	mg Cu	mg Zn	mg Fe
51.30 - 52.65	1.35	1.80	0.22	4.03	6.10	2.430	0.297	5.441	8.235
52.65 - 53.75	1.10	0.84	1.36	6.55	12.97	0.924	1.496	2.205	14.267
53.75 - 55.40	1.65	0.23	0.24	0.70	8.24	0.380	0.396	1.155	13.596
55.40 - 56.40	1.00	0.09	0.18	0.47	8.24	0.090	0.180	0.470	8.240
0.00 - 1.40	1.40	0.73	0.47	3.43	7.88				
11.20 - 25.00	13.80	1.19	0.42	4.90	9.36				
34.25 - 36.80	2.55	1.68	0.25	2.93 3.48	4.46				
38.00 - 41.30	3.30	1.24	0.49	6.21	8.30				
42.95 - 47.30	4.35	0.96	0.42	2.41	7.08				
47.30 - 53.75	6.45	1.66	0.47	5.66	6.73				
34.25 - 53.75	19.50	1.26	0.42	3.96	7.25				

24/4-78

Allo Einarsson

MALMBEREGNING I

Lokalitet: *Profil 44.230*

Borehull: *532*

Boredato : *Mars - 78.*

Koordinater : *X: 925.381,9 Y: 44 229,9*

Retning : *N.*

Helling/stigning : *- 55°*

Høyde : *- 78,7*

Dybde	Lengde (m)	Analyser							
		% Pb	% Cu	% Zn	% Pb	mg Pb	mg Cu	mg Zn	mg Fe
<i>0.00 - 0.70</i>	<i>0.70</i>	<i>0.29</i>	<i>0.57</i>	<i>1.22</i>	<i>14.27</i>	<i>0.203</i>	<i>0.399</i>	<i>0.854</i>	<i>9.989</i>
<i>0.70 - 1.70</i>	<i>1.00</i>	<i>0.08</i>	<i>0.30</i>	<i>0.28</i>	<i>7.95</i>	<i>0.080</i>	<i>0.300</i>	<i>0.280</i>	<i>7.950</i>
<i>1.95 - 2.40</i>	<i>0.45</i>	<i>0.00</i>	<i>0.22</i>	<i>0.05</i>	<i>8.76</i>	<i>0.000</i>	<i>0.099</i>	<i>0.023</i>	<i>3.942</i>
<i>2.40 - 3.95</i>	<i>1.55</i>	<i>1.56</i>	<i>0.61</i>	<i>7.23</i>	<i>12.65</i>	<i>2.418</i>	<i>0.946</i>	<i>11.207</i>	<i>19.608</i>
<i>3.95 - 5.00</i>	<i>1.05</i>	<i>0.97</i>	<i>0.49</i>	<i>0.35</i>	<i>6.00</i>	<i>1.019</i>	<i>0.515</i>	<i>0.368</i>	<i>6.300</i>
<i>✓ 0.00 - 0.70</i>	<i>0.70</i>	<i>0.29</i>	<i>0.57</i>	<i>1.22</i>	<i>14.27</i>				
<i>✓ 2.40 - 3.95</i>	<i>1.55</i>	<i>1.56</i>	<i>0.61</i>	<i>7.23</i>	<i>12.65</i>				

24/4 - 78

Stellan Gunnar

MALMBEREGNING I

Lokalitet: *Profil 43880.*

Borehull: *531*

Boredato :

Koordinater : *X: 925 376,1 Y: 43.883,7*

Retning : *N.*

Helling/stigning : *+60°*

Høyde : *-75,8*

Dybde	Lengde (m)	Analyser							
		% Pb	% Cu	% Zn	% S	mg Pb	mg Cu	mg Zn	mg Fe
6.05 - 6.90	0.85	0.01	0.03	0.05	2.70	0.008	0.026	0.043	2.295
6.90 - 9.00	2.10	0.59	0.23	2.16	6.00	1.239	0.483	4.536	12.600
9.00 - 10.30	1.30	1.29	0.49	5.50	9.30	1.677	0.637	7.150	12.090
10.30 - 12.10	1.80	0.38	0.27	1.52	5.85	0.684	0.486	2.736	10.530
12.10 - 12.30	0.20	0.89	0.35	0.10	1.35	0.178	0.070	0.020	0.270
12.30 - 15.80	3.50	1.01	0.50	4.01	8.55	3.535	1.750	14.035	29.925
15.80 - 16.70	0.90	0.35	0.15	0.33	4.80	0.315	0.135	0.297	4.320
16.70 - 19.10	2.40	1.23	0.59	9.36	10.50	2.952	1.416	22.464	25.200
19.10 - 20.00	0.90	0.07	0.38	0.23	8.25	0.063	0.342	0.207	7.425
✓ 6.90 - 12.10	5.20	0.69	0.31	2.77	6.77				
✓ 12.30 - 15.80	3.50	1.01	0.50	4.01	8.55				
✓ 16.70 - 19.10	2.40	1.23	0.59	9.36	10.50				
6.90 - 19.10	12.20	0.87	0.41	4.20	7.78				

MALMBEREGNING I

Lokalitet: *Profil 44.270*

Borehull: 530

Boredato : 17058-78
Koordinator : X: 925 370,1 Y: 44.272,6
Retning : N
Helling/stigning : -79°
Høyde : -71,3

Dybde	Lengde (m)	Analyser							
		% Pb	% Cu	% Zn	% Fe	m% Pb	m% Cu	m% Zn	m% Fe
11.20 - 12.20	1.00	0.09	0.03	0.08	4.95	0.090	0.030	0.080	4.950
12.20 - 12.40	0.20	0.30	0.26	0.46	6.75	0.060	0.052	0.092	1.350
12.40 - 13.55	1.15	0.02	0.06	0.08	4.50	0.023	0.069	0.092	5.175
13.55 - 13.75	0.20	1.15	0.34	6.77	6.80	0.230	0.068	1.354	1.360
13.75 - 14.75	1.00	0.07	0.06	0.13	4.35	0.070	0.060	0.130	4.350
13.55 - 13.75	0.20	1.15	0.34	6.77	6.80				
18/4 - 78									
Stellan Burnmar									

MALMBEREGNING I

Lokalitet: *Prof. 44.270*

Borehull: *529*

Boredato : *Mars - 78*

Koordinater : *X: 925.380,0 Y: 44.271,0*

Retning :

Helling/stigning : *- 90°*

Høyde : *- 71,5*

Dybde	Lengde (m)	Analyser							
		% Pb	% Cu	% Zn	% S	% Fe	% Mn	% Ni	% Cr
<i>8,40 - 10,00</i>	<i>1,60</i>	<i>0,11</i>	<i>0,05</i>	<i>0,38</i>	<i>4,05</i>	<i>0,176</i>	<i>0,080</i>	<i>2,608</i>	<i>6,580</i>
<i>10,00 - 11,50</i>	<i>1,50</i>	<i>0,39</i>	<i>0,60</i>	<i>2,76</i>	<i>9,90</i>	<i>0,585</i>	<i>0,900</i>	<i>4,140</i>	<i>14,850</i>
<i>11,50 - 12,50</i>	<i>1,00</i>	<i>0,06</i>	<i>0,13</i>	<i>0,38</i>	<i>4,68</i>	<i>0,060</i>	<i>0,130</i>	<i>0,380</i>	<i>4,680</i>
<i>10,00 - 11,50</i>	<i>1,50</i>	<i>0,39</i>	<i>0,60</i>	<i>2,76</i>	<i>9,90</i>				

18/4 - 78

Stellan Burnham

MALMBEREGNING I

Lokalitet: Profil 44.010

Borehull: 528

Boredato : Febr. 78

Koordinater : X: 925.364,7 Y: 44.009,3

Retning : 5v

Helling/stigning : -60°

Høyde : - 68.6 m

Dybde	Lengde (m)	% Pb	% Cu	% Zn	Analyser
0.00 - 0.45	0.45	0.19	0.24	0.43	7.71 0.086 0.108 0.194 3.470
0.45 - 0.80 Top. ant %	0.35	0.32	0.27	0.73	7.55 0.112 0.095 0.256 2.643
0.80 - 2.25	1.45	0.45	0.30	1.03	7.39 0.653 0.435 1.494 10.716
2.25 - 4.90	2.65	0.78	0.38	3.97	10.12 2.067 1.007 10.521 26.818
4.90 - 6.00	1.10	0.42	0.28	1.32	5.95 0.462 0.308 1.452 6.545
6.00 - 6.10 Top. ant %	0.10	0.73	0.24	1.71	6.19 0.073 0.024 0.171 0.619
6.10 - 7.30	1.20	1.04	0.20	2.09	6.43 1.248 0.240 2.508 7.716
7.30 - 7.70 Top. ant %	0.40	0.62	0.14	1.26	5.87 0.248 0.056 0.504 2.348
7.70 - 8.60	0.90	0.20	0.08	0.43	5.30 0.180 0.072 0.387 4.770
8.60 - 8.80 Top. ant %	0.20	0.11	0.05	0.25	4.90 0.022 0.010 0.050 0.980
8.80 - 9.80	1.00	0.02	0.02	0.06	4.50 0.020 0.020 0.060 4.500
✓ 2.25 - 4.90	2.65	0.78	0.38	3.97	10.12
✓ 6.10 - 7.30	1.20	1.04	0.20	2.09	6.43
0.80 - 7.70	6.90	0.69	0.30	2.41	7.94

$\frac{3}{4} - 78$

Stellan Gunnarsson

MALMBEREGNING 1

Lokalitet: *Linse 3*

Borehull: *527*

Boredato :
Koordinater : *43880 925376*
Retning : *N*
Helling/stigning : *+25°*
Høyde : *-76* ?

Dybde	Lengde (m)	Analyser							
		% Pb	% Cu	% Zn	% Fe	m% Pb	m% Cu	m% Zn	m% Fe
<i>0.00 - 2.90</i>	<i>2.90</i>	<i>0.24</i>	<i>0.20</i>	<i>0.74</i>	<i>4.96</i>	<i>0.696</i>	<i>0.580</i>	<i>2.146</i>	<i>14.384</i>
<i>2.90 - 4.15</i>	<i>1.25</i>	<i>0.32</i>	<i>0.19</i>	<i>0.99</i>	<i>9.00</i>	<i>0.400</i>	<i>0.237</i>	<i>1.237</i>	<i>11.250</i>
<i>4.15 - 4.90</i>	<i>0.75</i>	<i>0.06</i>	<i>0.12</i>	<i>0.52</i>	<i>4.78</i>	<i>0.045</i>	<i>0.090</i>	<i>0.390</i>	<i>3.585</i>
<i>4.90 - 5.90</i>	<i>1.00</i>	<i>0.63</i>	<i>0.34</i>	<i>2.16</i>	<i>7.90</i>	<i>0.630</i>	<i>0.340</i>	<i>2.160</i>	<i>7.900</i>
<i>5.90 - 7.00</i>	<i>1.10</i>	<i>0.57</i>	<i>0.29</i>	<i>1.57</i>	<i>4.41</i>	<i>0.627</i>	<i>0.319</i>	<i>1.727</i>	<i>4.851</i>
<i>7.00 - 8.70</i>	<i>1.70</i>	<i>0.08</i>	<i>0.07</i>	<i>0.19</i>	<i>2.39</i>	<i>0.136</i>	<i>0.119</i>	<i>0.323</i>	<i>4.063</i>
<i>10.10 - 11.30</i>	<i>1.20</i>	<i>0.10</i>	<i>0.10</i>	<i>0.06</i>	<i>3.12</i>	<i>0.012</i>	<i>0.012</i>	<i>0.072</i>	<i>3.756</i>
<i>11.30 - 13.20</i>	<i>1.90</i>	<i>0.27</i>	<i>0.34</i>	<i>0.43</i>	<i>4.78</i>	<i>0.513</i>	<i>0.646</i>	<i>0.817</i>	<i>9.082</i>
<i>13.20 - 13.60</i>	<i>0.40</i>	<i>0.65</i>	<i>0.06</i>	<i>0.06</i>	<i>1.10</i>	<i>0.260</i>	<i>0.024</i>	<i>0.024</i>	<i>0.440</i>
<i>13.60 - 15.90</i>	<i>2.30</i>	<i>0.25</i>	<i>0.23</i>	<i>0.37</i>	<i>3.67</i>	<i>0.575</i>	<i>0.529</i>	<i>0.851</i>	<i>8.441</i>
<i>15.90 - 16.90</i>	<i>1.00</i>	<i>0.05</i>	<i>0.12</i>	<i>0.46</i>	<i>2.39</i>	<i>0.050</i>	<i>0.120</i>	<i>0.460</i>	<i>2.390</i>
<i>16.90 - 17.90</i>	<i>1.00</i>	<i>0.02</i>	<i>0.04</i>	<i>0.03</i>	<i>1.29</i>	<i>0.020</i>	<i>0.040</i>	<i>0.030</i>	<i>1.290</i>
<i>17.90 - 18.00</i>	<i>0.10</i>	<i>0.08</i>	<i>0.05</i>	<i>0.01</i>	<i>1.29</i>	<i>0.008</i>	<i>0.005</i>	<i>0.001</i>	<i>0.129</i>
<i>18.00 - 19.70</i>	<i>1.70</i>	<i>0.35</i>	<i>0.07</i>	<i>0.52</i>	<i>3.67</i>	<i>0.595</i>	<i>0.119</i>	<i>0.884</i>	<i>6.239</i>
<i>19.70 - 20.50</i>	<i>0.80</i>	<i>1.12</i>	<i>0.28</i>	<i>7.87</i>	<i>11.44</i>	<i>0.896</i>	<i>0.224</i>	<i>6.296</i>	<i>9.552</i>
<i>20.50 - 22.90</i>	<i>2.40</i>	<i>0.51</i>	<i>0.25</i>	<i>1.47</i>	<i>6.44</i>	<i>1.224</i>	<i>0.600</i>	<i>3.528</i>	<i>15.456</i>
<i>22.90 - 26.05</i>	<i>3.15</i>	<i>3.74</i>	<i>0.85</i>	<i>9.61</i>	<i>12.32</i>	<i>11.781</i>	<i>2.677</i>	<i>30.271</i>	<i>38.808</i>
<i>26.05 - 27.05</i>	<i>1.00</i>	<i>0.07</i>	<i>0.94</i>	<i>0.17</i>	<i>3.03</i>	<i>0.070</i>	<i>0.940</i>	<i>0.170</i>	<i>3.030</i>
<i>35.10 - 36.10</i>	<i>1.00</i>	<i>0.47</i>	<i>0.19</i>	<i>0.91</i>	<i>3.79</i>	<i>0.470</i>	<i>0.190</i>	<i>0.910</i>	<i>3.790</i>
<i>36.10 - 36.70</i>	<i>0.60</i>	<i>4.91</i>	<i>0.23</i>	<i>13.22</i>	<i>9.28</i>	<i>2.946</i>	<i>0.138</i>	<i>7.932</i>	<i>5.568</i>
<i>36.70 - 37.70</i>	<i>1.00</i>	<i>1.18</i>	<i>0.13</i>	<i>2.27</i>	<i>2.46</i>	<i>1.180</i>	<i>0.130</i>	<i>2.270</i>	<i>2.460</i>
<i>37.70 - 38.00</i>	<i>0.30</i>	<i>2.80</i>	<i>0.35</i>	<i>6.05</i>	<i>5.31</i>	<i>0.840</i>	<i>0.105</i>	<i>1.815</i>	<i>1.593</i>
<i>38.00 - 38.30</i>	<i>0.30</i>	<i>0.31</i>	<i>0.19</i>	<i>0.91</i>	<i>4.17</i>	<i>0.093</i>	<i>0.057</i>	<i>0.273</i>	<i>1.251</i>
<i>38.30 - 39.40</i>	<i>1.10</i>	<i>0.02</i>	<i>0.02</i>	<i>0.05</i>	<i>1.89</i>	<i>0.022</i>	<i>0.022</i>	<i>0.055</i>	<i>2.079</i>
<i>39.40 - 41.00</i>	<i>1.60</i>	<i>0.07</i>	<i>0.07</i>	<i>0.12</i>	<i>2.08</i>	<i>0.112</i>	<i>0.112</i>	<i>0.192</i>	<i>3.328</i>
<i>41.00 - 41.60</i>	<i>0.60</i>	<i>2.45</i>	<i>0.46</i>	<i>4.82</i>	<i>9.09</i>	<i>1.470</i>	<i>0.276</i>	<i>2.892</i>	<i>5.454</i>
<i>41.60 - 42.60</i>	<i>1.00</i>	<i>0.45</i>	<i>0.09</i>	<i>0.68</i>	<i>2.84</i>	<i>0.450</i>	<i>0.090</i>	<i>0.680</i>	<i>2.840</i>
✓ <i>4.90 - 7.00</i>	<i>2.10</i>	<i>0.60</i>	<i>0.31</i>	<i>1.85</i>	<i>6.07</i>				
✓ <i>19.70 - 26.05</i>	<i>6.35</i>	<i>2.19</i>	<i>0.55</i>	<i>6.31</i>	<i>10.05</i>				
✓ <i>36.10 - 38.00</i>	<i>1.90</i>	<i>2.61</i>	<i>0.20</i>	<i>6.32</i>	<i>5.06</i>				
✓ <i>41.00 - 41.60</i>	<i>0.60</i>	<i>2.45</i>	<i>0.46</i>	<i>4.82</i>	<i>9.09</i>				

13/8

76

Holger Paulsen

MALMBEREGNING I

Lokalitet: *Profil 44.010*

Borehull: *526*

Boredato : *Febr. 78*

Koordinater : *X: 925.364,7 Y: 44.010,3*

Retning : *S*

Helling/stigning : *- 58°*

Høyde : *- 68,6 m*

Dybde	Lengde (m)	Analyser							
		% Pb	% Cu	% Zn	% Fe	<i>m % Pb</i>	<i>m % Cu</i>	<i>m % Zn</i>	<i>m % Fe</i>
<i>0.00 - 0.20</i>	<i>0.20</i>	<i>1.03</i>	<i>0.31</i>	<i>2.00</i>	<i>6.59</i>	<i>0.206</i>	<i>0.062</i>	<i>0.400</i>	<i>1.319</i>
<i>0.20 - 0.65</i> <i>Top</i>	<i>0.45</i>	<i>0.88</i>	<i>0.27</i>	<i>1.79</i>	<i>6.67</i>	<i>0.396</i>	<i>0.122</i>	<i>0.806</i>	<i>3.002</i>
<i>0.65 - 1.65</i>	<i>1.00</i>	<i>0.74</i>	<i>0.24</i>	<i>1.59</i>	<i>6.75</i>	<i>0.740</i>	<i>0.240</i>	<i>1.590</i>	<i>6.750</i>
<i>1.65 - 2.55</i>	<i>0.90</i>	<i>0.25</i>	<i>0.27</i>	<i>0.77</i>	<i>9.16</i>	<i>0.225</i>	<i>0.243</i>	<i>0.693</i>	<i>8.244</i>
<i>2.55 - 3.45</i>	<i>0.90</i>	<i>0.52</i>	<i>0.20</i>	<i>1.56</i>	<i>4.66</i>	<i>0.469</i>	<i>0.180</i>	<i>1.404</i>	<i>4.194</i>
<i>3.45 - 5.45</i>	<i>2.00</i>	<i>0.91</i>	<i>0.34</i>	<i>4.24</i>	<i>10.77</i>	<i>1.820</i>	<i>0.680</i>	<i>8.480</i>	<i>21.540</i>
<i>5.45 - 6.40</i>	<i>0.95</i>	<i>0.25</i>	<i>0.12</i>	<i>0.79</i>	<i>6.75</i>	<i>0.238</i>	<i>0.114</i>	<i>0.751</i>	<i>6.413</i>
<i>6.40 - 6.60</i>	<i>0.20</i>	<i>2.41</i>	<i>0.18</i>	<i>6.14</i>	<i>5.14</i>	<i>0.482</i>	<i>0.036</i>	<i>1.228</i>	<i>1.028</i>
<i>6.60 - 7.30</i>	<i>0.70</i>	<i>0.11</i>	<i>0.05</i>	<i>0.48</i>	<i>4.34</i>	<i>0.770</i>	<i>0.350</i>	<i>3.360</i>	<i>30.380</i>
<i>2.55 - 5.45</i>	<i>2.90</i>	<i>0.79</i>	<i>0.30</i>	<i>3.41</i>	<i>8.87</i>				
<i>6.40 - 6.60</i>	<i>0.20</i>	<i>2.41</i>	<i>0.18</i>	<i>6.14</i>	<i>5.14</i>				
<i>2.55 - 6.60</i>	<i>4.05</i>	<i>0.74</i>	<i>0.25</i>	<i>2.93</i>	<i>2.93</i> <i>8.19</i>				
<i>3/4 - 78</i>									
<i>Stuane Tjern</i>									
<i>3.45 - 6.40</i>				<i>3.4</i>					

MALMBEREGNING I

Lokalitet: *Profil 44.250*

Borehull: *525*

Boredato : *Feb -78*

Koordinater : X *925.392,7* Y *44.246,5*

Retning : *S*

Helling/stigning : *- 40°*

Høyde : *-69,7*

Dybde	Lengde (m)	Analyser							
		% Pb	% Cu	% Zn	% Fe	m% Pb	m% Cu	m% Zn	m% Fe
<i>4,50 - 5,90</i>	<i>1,40</i>	<i>0,04</i>	<i>0,11</i>	<i>0,18</i>	<i>6,69</i>	<i>0,066</i>	<i>0,154</i>	<i>0,252</i>	<i>9,366</i>
<i>5,90 - 6,55</i>	<i>0,65</i>	<i>0,70</i>	<i>0,36</i>	<i>3,36</i>	<i>9,39</i>	<i>0,455</i>	<i>0,234</i>	<i>2,184</i>	<i>6,104</i>
<i>6,55 - 7,70 Top dms %</i>	<i>1,15</i>	<i>0,49</i>	<i>0,51</i>	<i>2,22</i>	<i>7,72</i>	<i>0,564</i>	<i>0,587</i>	<i>2,553</i>	<i>9,878</i>
<i>7,70 - 9,40</i>	<i>1,70</i>	<i>0,28</i>	<i>0,66</i>	<i>1,08</i>	<i>6,05</i>	<i>0,476</i>	<i>1,122</i>	<i>1,936</i>	<i>10,285</i>
<i>9,40 - 10,50</i>	<i>1,10</i>	<i>0,12</i>	<i>0,29</i>	<i>0,70</i>	<i>7,17</i>	<i>0,132</i>	<i>0,319</i>	<i>0,770</i>	<i>7,887</i>
<i>10,50 - 11,70</i>	<i>1,20</i>	<i>1,21</i>	<i>0,71</i>	<i>5,72</i>	<i>9,87</i>	<i>1,452</i>	<i>0,852</i>	<i>6,864</i>	<i>11,844</i>
<i>11,70 - 12,00</i>	<i>0,30</i>	<i>1,15</i>	<i>0,27</i>	<i>1,48</i>	<i>6,53</i>	<i>0,345</i>	<i>0,081</i>	<i>0,444</i>	<i>1,959</i>
<i>12,00 - 12,70</i>	<i>0,70</i>	<i>0,50</i>	<i>0,33</i>	<i>0,62</i>	<i>6,37</i>	<i>0,350</i>	<i>0,231</i>	<i>0,434</i>	<i>4,659</i>
<i>12,70 - 13,00</i>	<i>0,30</i>	<i>0,06</i>	<i>1,26</i>	<i>1,45</i>	<i>9,29</i>	<i>0,018</i>	<i>0,378</i>	<i>0,435</i>	<i>2,772</i>
<i>13,00 - 14,40</i>	<i>1,40</i>	<i>0,08</i>	<i>0,36</i>	<i>0,48</i>	<i>7,81</i>	<i>0,112</i>	<i>0,504</i>	<i>0,672</i>	<i>10,934</i>
<i>14,40 - 15,45</i>	<i>1,05</i>	<i>0,02</i>	<i>0,06</i>	<i>0,07</i>	<i>4,78</i>	<i>0,021</i>	<i>0,063</i>	<i>0,074</i>	<i>5,019</i>
<i>5,90 - 9,40</i>	<i>3,50</i>	<i>0,43</i>	<i>0,56</i>	<i>1,88</i>	<i>7,22</i>				
<i>10,50 - 12,00</i>	<i>1,50</i>	<i>1,20</i>	<i>0,62</i>	<i>4,87</i>	<i>9,20</i>				
<i>12,70 - 13,00</i>	<i>0,30</i>	<i>0,06</i>	<i>1,26</i>	<i>1,45</i>	<i>9,29</i>				

10/3 - 78

Stellan Bunn

MALMBEREGNING I

Lokalitet: *Profil. 44.240*

Borehull: *524*

Boredato : *Feb - 78*

Koordinater : X: *925.395.7* Y: *44.240.8*

Retning : *S.*

Helling/stigning : *- 63°*

Høyde : *- 70.7*

Dybde	Lengde (m)	Analyser							
		% Pb	% Cu	% Zn	% S	m ² Pb	m ² Cu	m ² Zn	m ² Fe
<i>8.40 - 9.40</i>	<i>1.00</i>	<i>0.16</i>	<i>0.12</i>	<i>0.59</i>	<i>7.65</i>	<i>0.160</i>	<i>0.120</i>	<i>0.590</i>	<i>7.650</i>
<i>9.40 - 9.55</i>	<i>0.15</i>	<i>0.21</i>	<i>0.28</i>	<i>0.46</i>	<i>4.30</i>	<i>0.032</i>	<i>0.042</i>	<i>0.069</i>	<i>0.645</i>
<i>10.45 - 11.25</i>	<i>0.80</i>	<i>0.86</i>	<i>0.27</i>	<i>0.99</i>	<i>5.26</i>	<i>0.280</i>	<i>0.216</i>	<i>0.792</i>	<i>4.208</i>
<i>11.25 - 11.80</i>	<i>0.55</i>	<i>0.93</i>	<i>0.32</i>	<i>4.60</i>	<i>10.67</i>	<i>0.512</i>	<i>0.176</i>	<i>2.530</i>	<i>5.869</i>
<i>11.80 - 12.65</i>	<i>0.85</i>	<i>0.40</i>	<i>0.25</i>	<i>0.15</i>	<i>6.21</i>	<i>0.340</i>	<i>0.213</i>	<i>0.128</i>	<i>5.279</i>
<i>13.10 - 14.10</i>	<i>1.00</i>	<i>0.16</i>	<i>0.11</i>	<i>0.29</i>	<i>5.89</i>	<i>0.160</i>	<i>0.110</i>	<i>0.290</i>	<i>5.890</i>
<i>14.10 - 14.55</i>	<i>0.45</i>	<i>0.63</i>	<i>0.25</i>	<i>0.94</i>	<i>5.42</i>	<i>0.284</i>	<i>0.113</i>	<i>0.423</i>	<i>2.439</i>
<i>14.55 - 16.20</i>	<i>0.65</i>	<i>0.52</i>	<i>0.02</i>	<i>0.05</i>	<i>4.46</i>	<i>0.013</i>	<i>0.013</i>	<i>0.033</i>	<i>2.899</i>
<i>19.40 - 19.60</i>	<i>0.20</i>	<i>0.09</i>	<i>0.14</i>	<i>0.07</i>	<i>6.05</i>	<i>0.018</i>	<i>0.28</i>	<i>0.014</i>	<i>1.210</i>
<i>19.60 - 20.10</i>	<i>0.50</i>	<i>0.09</i>	<i>0.09</i>	<i>0.05</i>	<i>5.58</i>	<i>0.045</i>	<i>0.045</i>	<i>0.025</i>	<i>2.790</i>
<i>20.10 - 20.75</i>	<i>0.65</i>	<i>0.40</i>	<i>2.41</i>	<i>2.42</i>	<i>16.09</i>	<i>0.260</i>	<i>1.567</i>	<i>1.573</i>	<i>10.459</i>
<i>20.75 - 20.90</i>	<i>0.15</i>	<i>0.07</i>	<i>0.09</i>	<i>0.25</i>	<i>7.33</i>	<i>0.011</i>	<i>0.014</i>	<i>0.038</i>	<i>1.099</i>
<i>21.00 - 21.10</i>	<i>0.10</i>	<i>0.04</i>	<i>0.09</i>	<i>0.05</i>	<i>8.60</i>	<i>0.004</i>	<i>0.009</i>	<i>0.005</i>	<i>0.860</i>
<i>21.40 - 22.65</i>	<i>1.25</i>	<i>0.04</i>	<i>0.09</i>	<i>0.12</i>	<i>8.60</i>	<i>0.050</i>	<i>0.113</i>	<i>0.150</i>	<i>10.750</i>
<i>✓ 11.25 - 11.80</i>	<i>0.55</i>	<i>0.93</i>	<i>0.32</i>	<i>4.60</i>	<i>10.67</i>				
<i>10.45 - 11.80</i>	<i>1.35</i>	<i>0.59</i>	<i>0.29</i>	<i>2.46</i>	<i>7.46</i>				
<i>✓ 20.10 - 20.75</i>	<i>0.65</i>	<i>0.40</i>	<i>2.41</i>	<i>2.42</i>	<i>16.09</i>				

6/8 - 78

Helmer Bunnar

MALMBEREGNING I

Lokalitet: Forserings-ort
Prof. 44.240

Borehull: 522

Boredato : Febr. 78.
Koordinatorer : X: 925.401.3 Y: 44.241.2
Retning : N
Helling/stigning : -65°
Høyde : -70.8m

Dybde	Lengde (m)	% Pb	% Cu	% Zn	Analyser % Fe m% Pb m% Cu m% Zn m% Fe
0,00 - 0,50	0,50	0,68	0,12	2,59	3,98 0,340 0,060 1,295 1,940
0,50 - 2,30	1,80	1,03	0,28	3,31	8,83 1,854 0,504 5,958 15,844
2,30 - 3,80	1,50	0,10	0,05	0,23	1,25 0,150 0,075 0,345 1,875
3,80 - 5,30	1,50	0,06	0,04	0,04	1,71 0,090 0,060 0,060 2,565
5,30 - 6,70	1,40	0,35	0,34	3,03	14,37 0,490 0,476 4,242 20,118
6,70 - 6,90	0,20	0,09	0,36	0,92	6,75 0,018 0,072 0,184 1,350
6,90 - 8,00	1,10	0,05	0,07	0,23	6,23 0,055 0,077 0,253 6,853
8,00 - 8,50	0,50	0,11	0,28	3,54	13,33 0,055 0,140 1,770 6,665
8,50 - 9,00 Tap Ans%	0,50	0,17	0,37	2,18	12,03 0,085 0,185 1,090 6,015
9,00 - 10,45	1,45	0,24	0,47	0,82	10,73 0,348 0,681 1,189 15,558
10,45 - 11,75	1,30	0,04	0,85	0,10	9,69 0,052 1,105 0,130 12,597
11,75 - 13,65	1,90	0,17	0,55	2,08	16,95 0,323 1,045 3,952 30,305
13,65 - 14,25 Tap Ans%	0,60	0,11	0,66	3,27	16,28 0,066 0,396 1,962 9,768
14,25 - 15,45	1,20	0,05	0,78	4,46	16,62 0,060 0,936 5,352 19,944
15,45 - 16,65	1,20	0,67	0,34	4,64	11,42 0,804 0,408 5,568 13,704
16,65 - 16,80 Tap Ans%	0,15	0,61	0,36	3,38	9,69 0,091 0,054 0,507 1,453
16,80 - 17,10	0,30	0,56	0,39	2,13	7,96 0,168 0,117 0,639 2,388
17,10 - 18,55	1,45	0,74	0,98	6,90	10,56 1,073 1,421 10,005 15,312
18,55 - 18,90 Tap Ans%	0,35	1,11	0,72	6,10	8,91 0,388 0,252 2,135 3,118
18,90 - 20,50	1,60	1,48	0,47	5,31	7,27 2,368 0,752 8,496 11,632
20,50 - 21,50	1,00	0,14	0,04	0,25	1,90 0,140 0,040 0,250 1,900
V 0 - 2,30	2,30	0,95	0,25	3,15	7,78
V 5,30 - 6,70	1,40	0,35	0,34	3,03	14,37
V 8,00 - 8,50	0,50	0,11	0,28	3,54	13,33
V 11,75 - 20,50	8,75	0,61	0,61	4,41	12,30
14,25 - 20,50	6,25	0,79	0,63	5,23	
13/3 - 78					
Holger Pauldalsen					

MALMBEREGNING I

Lokalitet: *Forserings-ort*
Profil 44.240

Borehull: *523.*

Boredato : Febr. 78
Koordinater : X: 925.395.6 Y: 44.240.4
Retning : S
Helling/stigning : +68°
Høyde : -68.5m

Dybde	Lengde (m)	Analyser							
		% Pb	% Cu	% Zn	% S	m% Pb	m% Cu	m% Zn	m% Fe
4.50 - 5.70	1.20	0.09	0.06	0.07	8.30	0.018	0.072	0.084	9.966
5.70 - 6.65	0.95	0.58	0.12	1.05	8.83	0.551	0.114	0.997	8.388
6.65 - 8.00	1.35	0.07	0.03	0.07	7.27	0.094	0.040	0.094	9.814
8.00 - 9.00	1.00	0.05	0.02	0.05	7.79	0.050	0.020	0.050	7.790
✓ 5.70 - 6.65	0.95	0.58	0.12	1.05	8.83				
2/3 - 78 Stellan Burman									

MALMBEREGNING !

Lokalitet: Forsrings-ort
Profil 44.240
Borehull: 521.

Boredato : Jan. 78
Koordinater : X: 925.401.6 Y: 44.240,8
Retning : N
Helling/stigning : + 65°
Høyde : - 68,3 m

Dybde	Lengde (m)	Analyser							
		% Pb	% Cu	% Zn	% Fe	% Pb	% Cu	% Zn	% Fe
0.00 - 0.50	0.50	6.85	0.66	15.81	10.67	3.425	0.330	7.905	5.335
0.50 - 1.30	0.80	0.41	0.63	0.87	12.83	0.328	0.504	0.696	10.264
1.30 - 2.00	0.70	0.76	2.24	1.58	12.33	0.532	1.568	1.106	8.631
2.00 - 2.40	0.40	0.09	0.45	0.59	5.83	0.036	0.180	0.236	2.332
2.40 - 4.00	1.60	1.52	0.65	6.89	10.00	2.432	1.040	11.024	16.000
4.00 - 4.20	0.20	0.57	0.19	1.58	5.17	0.114	0.038	0.316	1.034
4.20 - 5.20	1.00	0.06	0.05	0.46	7.17	0.060	0.050	0.460	7.170
5.20 - 7.00	1.80	0.35	0.16	0.07	6.33	0.630	0.288	0.126	11.394
0.00 - 4.20	4.20	1.64	0.87	5.07	10.38				

21-78

Allan Burman

MALMBEREGNING I

Lokalitet: Forserings-ort
Profil 44.220

Borehull: 520.

Boredato : Jan. 78
Koordinater : X: 925.397.8 Y: 44.221.3
Retning : S
Helling/stigning : + 67°
Høyde : - 68,6 m

Dybde	Lengde (m)	Analyser							
		% Pb	% Cu	% Zn	% Fe	mg Pb	mg Cu	mg Zn	mg Fe
0.00 - 1.30	1.30	1.51	0.69	6.12	11.83	1.963	0.897	7.956	15.379
1.30 - 3.00	1.70	0.13	0.12	0.20	7.33	0.221	0.204	0.340	12.461
3.00 - 4.80	1.80	0.04	0.03	0.10	7.50	0.072	0.054	0.180	13.500
4.80 - 5.25	0.45	0.45	0.08	0.38	8.50	0.202	0.036	0.171	3.825
5.25 - 6.60	1.45	0.04	0.08	0.10	8.83	0.058	0.116	0.145	12.803
0.00 - 1.30	1.30	1.51	0.69	6.12	11.83				
2/3 - 78									
J. Allan Brunner									

MALMBEREGNING I

Lokalitet: Forskrings-ort
 ProH/44.220
 Borehull: 519

Boredato : Jan. 78.
 Koordinator : X: 925.398 Y: 44.221.5
 Retning : S
 Helling/stigning : -60°
 Høyde : ~~70.0~~ - 70.8

Dybde	Lengde (m)	Analyser							
		% Pb	% Cu	% Zn	% Fe	m% Pb	m% Cu	m% Zn	m% Fe
0.70 - 1.65	0.95	0.03	0.47	0.05	8.33	0.028	0.446	0.047	7.913
1.65 - 2.20	0.55	0.31	0.17	3.82	9.33	0.170	0.093	2.101	5.131
2.20 - 3.00	0.80	0.10	0.11	0.35	8.83	0.080	0.088	0.280	7.064
3.00 - 3.70	0.70	0.22	0.09	0.27	3.83	0.154	0.063	0.189	2.681
3.70 - 4.90	1.20	0.41	0.74	4.27	10.83	0.492	0.888	5.124	12.995
4.90 - 5.55	0.65	0.31	0.23	3.07	8.00	0.201	0.149	1.995	5.200
5.55 - 6.00	0.45	0.09	0.89	2.14	10.17	0.040	0.400	0.963	4.576
6.00 - 6.15 Tap Ans %	0.15	0.07	0.77	2.27	10.92	0.010	0.115	0.340	1.640
6.15 - 6.80	0.65	0.05	0.66	2.40	11.67	0.032	0.429	1.560	7.585
6.80 - 7.85	1.05	0.13	0.41	1.19	9.67	0.136	0.430	1.249	10.153
7.85 - 8.65 Tap Ans %	0.80	0.41	1.06	3.66	13.33	0.328	0.848	2.928	10.664
8.65 - 9.25	0.60	0.69	1.72	6.14	17.00	0.414	1.032	3.684	10.280
9.25 - 10.20	0.95	1.23	0.55	3.29	9.83	1.168	0.522	3.125	9.338
10.20 - 12.70	2.50	0.46	0.28	5.97	12.17	1.150	0.700	14.925	30.425
12.70 - 13.25	0.55	0.12	0.39	1.50	17.17	0.066	0.214	0.825	9.443
13.25 - 14.25	1.00	0.01	0.03	0.05	4.33	0.010	0.030	0.050	4.330
✓ 1.65 - 2.20	0.55	0.31	0.17	3.82	9.33				
✓ 3.70 - 12.70	9.00	0.44	0.61	3.98	11.42				
0 - 12.70									

13/3 - 78.

Holger Paulsen

MALMBEREGNING I

Lokalitet: *Profil 44.100*

Borehull: *518*

Boredato : *700-78*
 Koordinator : *X 925 367,2*
 Retning : *N. 44.102,9*
 Helling/stigning : *- 58*
 Høyde : *- 72,0*

Dybde	Lengde (m)	Analyser							
		% Pb	% Cu	% Zn	% Fe	m% Pb	m% Cu	m% Zn	m% Fe
<i>0,00 - 1,50</i>	<i>1,50</i>	<i>0,24</i>	<i>0,16</i>	<i>0,20</i>	<i>5,83</i>	<i>0,360</i>	<i>0,240</i>	<i>0,300</i>	<i>8,245</i>
<i>1,50 - 2,00</i>	<i>0,50</i>	<i>1,80</i>	<i>0,75</i>	<i>4,82</i>	<i>13,17</i>	<i>0,900</i>	<i>0,375</i>	<i>2,410</i>	<i>6,585</i>
<i>2,00 - 4,00</i>	<i>2,00</i>	<i>0,71</i>	<i>0,29</i>	<i>1,57</i>	<i>5,33</i>	<i>1,420</i>	<i>0,580</i>	<i>3,140</i>	<i>10,660</i>
<i>4,00 - 6,10</i>	<i>2,10</i>	<i>0,89</i>	<i>0,33</i>	<i>2,97</i>	<i>7,50</i>	<i>1,869</i>	<i>0,693</i>	<i>6,237</i>	<i>15,750</i>
<i>6,10 - 6,90</i>	<i>0,80</i>	<i>1,39</i>	<i>1,23</i>	<i>4,16</i>	<i>10,33</i>	<i>1,112</i>	<i>0,984</i>	<i>3,378</i>	<i>8,264</i>
<i>6,90 - 8,00</i>	<i>1,10</i>	<i>0,11</i>	<i>0,16</i>	<i>0,41</i>	<i>5,00</i>	<i>0,121</i>	<i>0,176</i>	<i>0,451</i>	<i>5,500</i>
<i>10,05 - 11,30</i>	<i>1,25</i>	<i>0,06</i>	<i>0,07</i>	<i>0,10</i>	<i>6,49</i>	<i>0,075</i>	<i>0,087</i>	<i>0,125</i>	<i>8,112</i>
<i>11,30 - 11,50</i>	<i>0,20</i>	<i>1,00</i>	<i>0,39</i>	<i>0,05</i>	<i>23,33</i>	<i>0,200</i>	<i>0,078</i>	<i>0,010</i>	<i>4,666</i>
<i>11,50 - 13,50</i>	<i>2,00</i>	<i>0,04</i>	<i>0,06</i>	<i>0,05</i>	<i>7,50</i>	<i>0,080</i>	<i>0,120</i>	<i>0,100</i>	<i>15,000</i>
<i>13,50 - 14,10</i>	<i>0,60</i>	<i>0,03</i>	<i>0,09</i>	<i>0,05</i>	<i>6,17</i>	<i>0,018</i>	<i>0,054</i>	<i>0,030</i>	<i>3,702</i>
<i>14,10 - 14,55</i>	<i>0,45</i>	<i>0,03</i>	<i>0,03</i>	<i>0,05</i>	<i>5,33</i>	<i>0,013</i>	<i>0,013</i>	<i>0,023</i>	<i>2,398</i>
<i>14,55 - 15,55</i>	<i>1,00</i>	<i>1,69</i>	<i>0,18</i>	<i>5,16</i>	<i>6,00</i>	<i>1,690</i>	<i>0,180</i>	<i>5,150</i>	<i>6,000</i>
<i>15,55 - 15,85</i>	<i>0,30</i>	<i>0,12</i>	<i>0,06</i>	<i>0,37</i>	<i>6,67</i>	<i>0,036</i>	<i>0,018</i>	<i>0,108</i>	<i>2,001</i>
<i>✓ 1,50 - 6,90</i>	<i>5,40</i>	<i>0,98</i>	<i>0,49</i>	<i>2,80</i>	<i>7,64</i>				
<i>✓ 14,55 - 15,55</i>	<i>1,00</i>	<i>1,69</i>	<i>0,18</i>	<i>5,15</i>	<i>6,00</i>				

2/3 - 78

Alvan Kinn

MALMBEREGNING I

Lokalitet: *Profil 44.100*

Borehull: *517*

Boredato : *700-78*
 Koordinater : *X 925.364,7 Y 44.103,2*
 Retning : *S.*
 Helling/stigning : *- 28*
 Høyde : *- 72.0*

Dybde	Lengde (m)	Analyser							
		% Pb	% Cu	% Zn	% S	% Fe	% Pb	% Cu	% Zn
<i>6.80 - 7.80</i>	<i>1.50</i>	<i>0.04</i>	<i>0.06</i>	<i>0.21</i>	<i>5.09</i>	<i>0.060</i>	<i>0.090</i>	<i>0.315</i>	<i>7.635</i>
<i>7.80 - 8.75</i>	<i>0.95</i>	<i>0.92</i>	<i>0.52</i>	<i>3.35</i>	<i>9.39</i>	<i>0.874</i>	<i>0.494</i>	<i>3.182</i>	<i>8.920</i>
<i>8.75 - 9.50</i>	<i>0.75</i>	<i>0.20</i>	<i>0.10</i>	<i>0.64</i>	<i>2.22</i>	<i>0.150</i>	<i>0.075</i>	<i>0.480</i>	<i>1.665</i>
<i>9.50 - 10.45</i>	<i>0.95</i>	<i>1.41</i>	<i>0.36</i>	<i>3.17</i>	<i>7.70</i>	<i>1.339</i>	<i>0.342</i>	<i>3.011</i>	<i>7.315</i>
<i>10.45 - 11.00</i>	<i>0.55</i>	<i>0.93</i>	<i>0.27</i>	<i>2.88</i>	<i>5.61</i>	<i>0.511</i>	<i>0.148</i>	<i>1.584</i>	<i>3.085</i>
<i>11.00 - 12.55</i>	<i>1.55</i>	<i>0.84</i>	<i>0.32</i>	<i>5.58</i>	<i>10.50</i>	<i>1.302</i>	<i>0.496</i>	<i>8.649</i>	<i>16.275</i>
<i>12.55 - 14.60</i>	<i>2.05</i>	<i>0.21</i>	<i>0.13</i>	<i>0.53</i>	<i>4.83</i>	<i>0.430</i>	<i>0.266</i>	<i>1.086</i>	<i>9.901</i>
<i>14.60 - 15.10</i>	<i>0.50</i>	<i>0.02</i>	<i>0.05</i>	<i>0.10</i>	<i>5.67</i>	<i>0.010</i>	<i>0.025</i>	<i>0.050</i>	<i>2.935</i>
<i>15.10 - 15.75</i>	<i>0.65</i>	<i>0.08</i>	<i>0.39</i>	<i>0.71</i>	<i>13.83</i>	<i>0.052</i>	<i>0.253</i>	<i>0.461</i>	<i>8.989</i>
<i>15.75 - 17.50</i>	<i>1.85</i>	<i>0.02</i>	<i>0.06</i>	<i>0.10</i>	<i>3.83</i>	<i>0.037</i>	<i>0.111</i>	<i>0.185</i>	<i>7.085</i>
<i>✓ 7.80 - 12.55</i>	<i>4.75</i>	<i>0.88</i>	<i>0.33</i>	<i>3.56</i>	<i>7.84</i>				

2/3 - 78

Johnsen Jørgensen

MALMBEREGNING I

Lokalitet: *Færøeringsort*
Prof. l. y: 44.100
 Borehull: *5/6*

Boredato : *Jan. 78*
 Koordinator : *x: 925.364,6 y: 44.103,1*
 Retning : *S*
 Helling/stigning : *-50°*
 Høyde : *-72,0*

Dybde	Lengde (m)	Analyser							
		% Pb	% Cu	% Zn	% S	m% Pb	m% Cu	m% Zn	m% Fe
<i>1.25 - 2.20</i>	<i>0.95</i>	<i>0.19</i>	<i>0.12</i>	<i>0.25</i>	<i>6.08</i>	<i>0.181</i>	<i>0.114</i>	<i>0.238</i>	<i>5.776</i>
<i>2.20 - 2.70</i>	<i>0.50</i>	<i>0.97</i>	<i>0.68</i>	<i>2.89</i>	<i>9.45</i>	<i>0.485</i>	<i>0.340</i>	<i>1.445</i>	<i>4.725</i>
<i>2.70 - 3.00 TAP AMSL%</i>	<i>0.30</i>	<i>1.00</i>	<i>0.50</i>	<i>2.70</i>	<i>7.50</i>	<i>0.300</i>	<i>0.150</i>	<i>0.810</i>	<i>2.250</i>
<i>3.00 - 3.70</i>	<i>0.70</i>	<i>1.16</i>	<i>0.39</i>	<i>2.60</i>	<i>5.85</i>	<i>0.812</i>	<i>0.273</i>	<i>1.820</i>	<i>4.095</i>
<i>3.70 - 5.50</i>	<i>1.80</i>	<i>0.65</i>	<i>0.26</i>	<i>1.52</i>	<i>5.18</i>	<i>1.170</i>	<i>0.468</i>	<i>2.736</i>	<i>9.324</i>
<i>5.50 - 6.60</i>	<i>1.10</i>	<i>1.16</i>	<i>0.38</i>	<i>6.10</i>	<i>11.03</i>	<i>1.276</i>	<i>0.418</i>	<i>6.710</i>	<i>12.133</i>
<i>6.60 - 7.70</i>	<i>1.10</i>	<i>0.58</i>	<i>0.29</i>	<i>1.90</i>	<i>5.85</i>	<i>0.638</i>	<i>0.319</i>	<i>2.090</i>	<i>6.435</i>
<i>7.70 - 10.00</i>	<i>2.30</i>	<i>0.06</i>	<i>0.04</i>	<i>0.25</i>	<i>4.28</i>	<i>0.138</i>	<i>0.092</i>	<i>0.575</i>	<i>9.844</i>
<i>13.30 - 13.80</i>	<i>0.50</i>	<i>0.03</i>	<i>0.09</i>	<i>0.12</i>	<i>10.58</i>	<i>0.015</i>	<i>0.045</i>	<i>0.060</i>	<i>5.290</i>
<i>13.80 - 14.10</i>	<i>0.30</i>	<i>0.47</i>	<i>0.26</i>	<i>1.63</i>	<i>10.80</i>	<i>0.141</i>	<i>0.078</i>	<i>0.489</i>	<i>3.240</i>
<i>14.10 - 14.65</i>	<i>0.55</i>	<i>0.05</i>	<i>0.06</i>	<i>0.14</i>	<i>5.85</i>	<i>0.028</i>	<i>0.033</i>	<i>0.077</i>	<i>3.218</i>
<i>2.20 - 6.60</i>	<i>4.40</i>	<i>0.92</i>	<i>0.37</i>	<i>3.07</i>	<i>7.39</i>				
<i>13.80 - 14.10</i>	<i>0.30</i>	<i>0.47</i>	<i>0.26</i>	<i>1.63</i>	<i>10.80</i>				

13 1/2 - 78

Thomas M. Keyser

MALMBEREGNING I

Lokalitet: *Forseringsort*
Prof. L 44.220
 Borehull: *515*

Boredato : *Jan 78*
 Koordinater : *X: 925.403,5 Y: 44.219,5*
 Retning : *N*
 Helling/stigning : *-51°*
 Høyde : *-70,6*

Dybde	Lengde (m)	Analyser								
		% Pb	% Cu	% Zn	% Fe	mi Pb	mi Cu	mi Zn	mi Fe	
0,00 - 1,00	1,00	1,36	0,13	6,58	9,71	1,36	0,13	6,58	9,71	
1,00 - 2,00	1,00	1,53	0,32	3,65	7,10	1,53	0,32	3,65	7,10	
2,00 - 3,10	1,10	1,19	0,46	2,90	8,53	1,31	0,51	3,19	9,38	
3,10 - 4,20	1,10	0,09	0,24	0,48	9,47	0,10	0,264	0,528	10,417	
4,20 - 5,50	1,30	0,00	0,04	0,04	8,50	0,000	0,052	0,052	11,050	
12,70 - 14,10	1,40	0,03	0,13	0,14	7,82	0,042	0,182	0,196		
14,10 - 14,75	0,65	1,07	0,59	3,49	13,97	0,696	0,384	2,269	9,081	
14,75 - 15,00 ^{TAP} _{14,75}	0,25	0,90	0,60	3,30	14,20	0,225	0,150	0,825	3,550	
15,00 - 16,75	1,75	0,77	0,85	3,22	14,45	1,348	1,488	5,635	25,288	
16,75 - 18,00	1,25	0,78	0,29	1,44	4,97	0,975	0,363	1,800	6,213	
18,00 - 18,25 ^{TAP} _{18,25}	0,25	0,65	0,30	1,60	6,50	0,163	0,075	0,400	1,625	
18,25 - 19,50	1,25	0,59	0,32	1,81	8,55	0,738	0,400	2,263	10,688	
19,50 - 19,85 ^{TAP} _{19,85}	0,35	0,30	0,20	1,00	6,00	0,105	0,070	0,350	2,100	
19,85 - 20,15	0,30	0,10	0,12	0,25	3,83	0,030	0,036	0,075	1,149	
20,15 - 22,10	1,95	0,19	0,64	1,60	12,60	0,371	1,248	3,120	24,570	
22,10 - 23,65	1,55	1,93	0,67	5,63	6,53	2,992	1,039	8,727	10,122	
23,65 - 24,35	0,70	0,23	0,05	0,35	2,00	0,161	0,035	0,245	1,400	
24,35 - 25,00 ^{TAP} _{24,35}	0,65	0,15	0,04	0,20	3,00	0,098	0,026	0,130	1,950	
25,00 - 25,80	0,80	0,07	0,04	0,11	4,05	0,056	0,032	0,088	3,240	
✓ 0,00 - 3,10	3,10	1,35	0,31	4,33	8,45					
✓ 14,10 - 16,75	2,65	0,86	0,76	3,29	14,31					
✓ 20,15 - 23,65	3,50	0,96	0,65	3,48	9,91					
14,10 - 23,65	9,55	0,80	0,55	2,67	9,88					

13/2 - 78
4/4 Kyrreim

MALMBEREGNING I

Lokalitet: *Forseringsort*
PROFIL 44.220

Borehull: *514*

Boredato : *Jan 78*
Koordinater : *X: 925.403,4 Y: 44.219,5*
Retning : *N*
Helling/stigning : *+77°*
Høyde : *-68,7*

Dybde	Lengde (m)	Analyser							
		% Pb	% Cu	% Zn	% Fe	mi Pb	mi Cu	mi Zn	mi Fe
<i>4.10 - 5.30</i>	<i>1.20</i>	<i>0.00</i>	<i>0.03</i>	<i>0.08</i>	<i>6.39</i>	<i>0.000</i>	<i>0.036</i>	<i>0.096</i>	<i>7.668</i>
<i>5.30 - 5.65</i>	<i>0.35</i>	<i>0.48</i>	<i>0.78</i>	<i>2.58</i>	<i>9.24</i>	<i>0.168</i>	<i>0.168</i>	<i>0.273</i>	<i>3.234</i>
<i>5.65 - 6.65</i>	<i>0.90</i>	<i>3.49</i>	<i>0.31</i>	<i>12.78</i>	<i>9.24</i>	<i>3.141</i>	<i>0.279</i>	<i>11.502</i>	<i>8.316</i>
<i>6.65 - 7.85</i>	<i>1.20</i>	<i>0.58</i>	<i>0.25</i>	<i>2.64</i>	<i>9.47</i>	<i>0.696</i>	<i>0.300</i>	<i>3.168</i>	<i>11.364</i>
<i>7.85 - 8.35</i>	<i>0.50</i>	<i>1.97</i>	<i>0.49</i>	<i>6.87</i>	<i>12.32</i>	<i>0.985</i>	<i>0.245</i>	<i>3.420</i>	<i>6.160</i>
<i>8.35 - 9.25</i>	<i>0.90</i>	<i>0.03</i>	<i>0.24</i>	<i>0.16</i>	<i>9.00</i>	<i>0.027</i>	<i>0.216</i>	<i>0.144</i>	<i>8.100</i>
<i>5.30 - 8.35</i>	<i>3.05</i>	<i>1.64</i>	<i>0.33</i>	<i>6.02</i>	<i>9.53</i>				

9/2-78

Kaare M. Hegrum

MALMBEREGNING I

B2H 1

Lokalitet: *Forseringsort*
Profil y: 44.200
 Borehull: *513*

Boredato : *Jan 78*
 Koordinator : *x: 925.398.5 y: 44200.5*
 Retning : *S*
 Helling/stigning : *-62°*
 Høyde : *-71.1*

Dybde	Lengde (m)	Analyser								m% Fe
		% Pb	% Cu	% Zn	% Fe	m% Pb	m% Cu	m% Zn		
0.00 - 0.45	0.45	2.76	0.71	1.43	6.75	1.242	0.320	0.644	3.038	
0.45 - 1.50	1.05	2.00	0.35	3.76	8.78	2.100	0.368	3.948	9.219	
1.50 - 3.00	1.50	2.00	0.80	5.14	9.45	3.000	1.200	7.710	14.175	
3.00 - 4.00	1.00	0.66	0.41	3.88	8.55	0.660	0.410	3.880	8.550	
4.00 - 5.20	1.20	0.34	0.78	4.23	10.13	0.408	0.936	5.076	12.156	
5.20 - 5.90	0.70	1.18	1.00	4.35	9.90	0.826	0.700	3.045	6.930	
5.90 - 6.00 TAP. ANS. %	0.10	0.10	0.20	4.30	9.90	0.020	0.020	0.430	0.990	
6.00 - 6.75	0.75	0.03	0.40	4.38	9.90	0.023	0.300	3.285	7.425	
6.75 - 7.70 TAP. ANS. %	0.95	0.50	0.60	4.60	13.00	0.475	0.570	4.370	12.35	
7.70 - 8.10	0.40	0.77	1.26	5.05	15.98	0.308	0.504	2.020	6.392	
8.10 - 8.75	0.65	0.56	0.69	4.37	13.50	0.364	0.449	2.841	8.775	
8.75 - 9.00 TAP. ANS. %	0.25	0.35	0.40	2.40	9.40	0.088	0.100	0.600	2.350	
9.00 - 10.00	1.00	0.20	0.26	0.53	5.40	0.200	0.260	0.530	5.400	
10.00 - 10.55 TAP. ANS. %	0.55	0.50	0.70	2.60	8.50	0.275	0.385	1.430	4.675	
10.55 - 12.00	1.45	0.89	1.45	4.66	11.93	1.291	2.103	6.757	17.299	
12.00 - 13.00	1.00	1.04	1.00	5.56	14.63	1.040	1.000	5.560	14.630	
13.00 - 13.20 TAP. ANS. %	0.20	0.50	0.50	2.80	8.75	0.100	0.100	0.560	1.750	
13.20 - 14.40	1.20	0.03	0.18	0.05	3.29	0.036	0.216	0.060	3.948	
16.10 - 16.75	0.65	0.06	0.06	0.07	4.05	0.039	0.039	0.046	2.633	
16.75 - 17.40	0.65	0.43	0.06	1.54	10.80	0.280	0.039	1.001	7.0200	
17.40 - 18.50	1.10	0.03	0.11	0.09	4.84	0.033	0.121	0.099	5.324	

MALMBEREGNING I

Lokalitet:

Borehull: 513

Boredato :

Koordinator :

Retning :

Helling/stigning :

Høyde :

Dybde	Lengde (m)	Analyser			
		% Pb	% Cu	% Zn	% Fe
✓ 0,00 - 8,75	8,75	1,08	0,66	4,26	10,29
✓ 8,75 - 10,55	1,80	0,31	0,41	1,42	6,90
✓ 10,55 - 13,20	2,65	0,92	1,21	4,86	12,71
0,00 - 13,20	13,20	0,94	0,74	3,99	10,31
✓ 16,75 - 17,40	0,65	0,43	0,06	1,54	10,80

PRØVER MERKET MED X ER NOE USIKRE,
 IDT PRØVEPOSERNE VÆR NOE ISTYKKER VED FREM-
 KOMST TIL LABORATORIET, MEN KJERNENE ER
 PRØVD LØBT TILBÆNE I ANTAL RIKTIGE POSER

21/2 - 78

Haare & Kegn

MALMBEREGNING I

Lokalitet: Forserig-ort
 Profily: 44240
 Borehull: 512

Boredato : Jan. 78
 Koordinater : X: 925.399, 2 Y: 44.243,5
 Retning : - 90°
 Helling/stigning : - 90°
 Høyde : - 70,8 m

Dybde	Lengde (m)	Analyser							
		% Pb	% Cu	% Zn	% Fe	m% Pb	m% Cu	m% Zn	m% Fe
0.00 - 0.20	0.20	1.58	0.98	4.85	5.61	0.316	0.196	0.970	1.122
0.20 - 0.95	0.75	0.03	0.06	0.24	2.09	0.023	0.045	0.180	1.567
0.95 - 1.30	0.35	6.39	0.57	1.41	7.57	2.236	0.149	0.493	2.649
1.30 - 1.65	0.35	0.03	0.11	0.03	3.13	0.010	0.038	0.010	1.095
1.65 - 2.20	0.55	0.17	0.15	0.16	10.43	0.093	0.082	0.088	5.736
2.20 - 7.00	1.00	0.22	0.08	0.48	7.56	0.220	0.080	0.480	7.570
7.00 - 7.30	0.30	0.01	0.11	0.08	9.26	0.003	0.033	0.024	2.778
7.30 - 7.75	0.45	0.01	0.03	0.01	3.00	0.004	0.013	0.004	1.350
7.75 - 8.00	0.25	0.00	0.02	0.00	5.35	0.000	0.005	0.000	1.337
8.00 - 8.90	0.90	0.04	0.05	0.32	7.34	0.036	0.045	0.288	6.605
8.90 - 9.45	0.55	0.17	2.53	3.14	14.22	0.093	1.391	1.727	7.821
9.45 - 10.15	0.70	0.16	1.11	2.69	19.57	0.112	0.777	1.883	13.699
10.15 - 10.40	0.25	0.02	0.22	0.02	3.13	0.005	0.055	0.005	0.782
10.40 - 11.05	0.65	0.40	0.74	6.90	22.70	0.260	0.481	4.485	14.755
11.05 - 11.70	0.65	0.09	0.18	0.35	8.09	0.058	0.117	0.227	5.258
11.70 - 13.00	1.30	0.44	0.14	0.75	6.65	0.572	0.182	0.975	8.645
13.00 - 15.35	2.35	0.59	0.46	2.37	7.43	1.386	1.081	5.569	17.460
15.35 - 17.75	2.40	0.25	0.09	0.51	5.48	0.600	0.216	1.224	13.152
17.75 - 19.50	1.75	0.07	0.02	0.27	3.13	0.122	0.035	0.472	5.477
✓ 0.00 - 1.30	1.30	1.98	0.33	1.26	4.11				
✓ 8.90 - 11.05	2.15	0.22	1.25	3.76	17.23				
✓ 13.00 - 15.35	2.35	0.59	0.46	2.37	7.43				
8.90 - 17.75	8.85	0.35	0.48	1.82	9.21				
8.90 - 15.35	6.45			2.3					
	2/3 - 78								
	H. Partdalse								

MALMBEREGNING I

Lokalitet: *Forseringsort*Borehull: *511*

Boredato : *Jan. 78*
 Koordinator : *X: 925.404.4 Y: 44.197.2*
 Retning : *N*
 Helling/stigning : *-62°*
 Høyde : *75-70.8*

Dybde	Lengde (m)	Analyser							
		% Pb	% Cu	% Zn	% Fe	m% Pb	m% Cu	m% Zn	m% Fe
<i>0.00 - 1.00</i>	<i>1.00</i>	<i>1.65</i>	<i>0.74</i>	<i>8.78</i>	<i>9.00</i>	<i>1.650</i>	<i>0.740</i>	<i>8.780</i>	<i>9.000</i>
<i>1.00 - 2.00</i>	<i>1.00</i>	<i>2.48</i>	<i>0.21</i>	<i>8.86</i>	<i>7.93</i>	<i>2.480</i>	<i>0.210</i>	<i>8.860</i>	<i>7.930</i>
<i>2.00 - 3.50</i>	<i>1.50</i>	<i>0.92</i>	<i>0.84</i>	<i>5.94</i>	<i>11.36</i>	<i>1.380</i>	<i>1.260</i>	<i>8.910</i>	<i>17.040</i>
<i>3.50 - 4.30</i>	<i>0.80</i>	<i>0.11</i>	<i>0.08</i>	<i>0.82</i>	<i>1.48</i>	<i>0.088</i>	<i>0.064</i>	<i>0.656</i>	<i>1.184</i>
<i>4.30 - 5.70</i>	<i>1.40</i>	<i>0.0</i>	<i>0.04</i>	<i>0.07</i>	<i>6.00</i>	<i>0.000</i>	<i>0.056</i>	<i>0.098</i>	<i>8.400</i>
<i>10.05 - 11.00</i>	<i>0.95</i>	<i>0.06</i>	<i>0.25</i>	<i>0.16</i>	<i>4.93</i>	<i>0.053</i>	<i>0.238</i>	<i>0.152</i>	<i>4.684</i>
<i>11.00 - 11.50</i>	<i>0.50</i>	<i>1.51</i>	<i>0.28</i>	<i>1.79</i>	<i>11.79</i>	<i>0.755</i>	<i>0.140</i>	<i>0.895</i>	<i>5.895</i>
<i>11.50 - 11.80</i>	<i>0.30</i>	<i>1.46</i>	<i>0.40</i>	<i>3.58</i>	<i>10.07</i>	<i>0.438</i>	<i>0.120</i>	<i>1.074</i>	<i>3.021</i>
<i>11.80 - 12.35</i>	<i>0.55</i>	<i>0.47</i>	<i>0.31</i>	<i>1.25</i>	<i>9.00</i>	<i>0.259</i>	<i>0.171</i>	<i>0.688</i>	<i>4.950</i>
<i>12.35 - 13.05</i>	<i>0.70</i>	<i>0.24</i>	<i>0.17</i>	<i>0.82</i>	<i>5.14</i>	<i>0.168</i>	<i>0.119</i>	<i>0.574</i>	<i>3.598</i>
<i>13.05 - 14.50</i>	<i>1.45</i>	<i>0.25</i>	<i>1.66</i>	<i>2.56</i>	<i>18.43</i>	<i>0.363</i>	<i>2.407</i>	<i>3.712</i>	<i>26.724</i>
<i>14.50 - 16.00</i>	<i>1.50</i>	<i>0.20</i>	<i>0.99</i>	<i>1.48</i>	<i>15.86</i>	<i>0.300</i>	<i>1.485</i>	<i>2.220</i>	<i>23.790</i>
<i>16.00 - 16.40 TAP</i>	<i>0.40</i>								
<i>16.40 - 16.55</i>	<i>0.15</i>	<i>0.15</i>	<i>0.18</i>	<i>0.41</i>	<i>5.14</i>	<i>0.023</i>	<i>0.027</i>	<i>0.062</i>	<i>0.771</i>
<i>16.55 - 18.00</i>	<i>1.45</i>	<i>0.52</i>	<i>0.86</i>	<i>6.08</i>	<i>12.86</i>	<i>0.754</i>	<i>1.242</i>	<i>8.816</i>	<i>18.642</i>
<i>18.00 - 19.20</i>	<i>1.20</i>	<i>0.27</i>	<i>0.74</i>	<i>1.82</i>	<i>11.36</i>	<i>0.324</i>	<i>0.888</i>	<i>2.184</i>	<i>13.632</i>
<i>19.20 - 20.10</i>	<i>0.90</i>	<i>1.64</i>	<i>0.19</i>	<i>3.15</i>	<i>5.79</i>	<i>1.476</i>	<i>0.171</i>	<i>2.835</i>	<i>5.211</i>
<i>20.10 - 22.00</i>	<i>1.90</i>	<i>0.23</i>	<i>0.05</i>	<i>0.37</i>	<i>1.71</i>	<i>0.437</i>	<i>0.095</i>	<i>0.703</i>	<i>3.249</i>
<i>0.00 - 3.50</i>	<i>3.50</i>	<i>1.57</i>	<i>0.63</i>	<i>7.59</i>	<i>9.71</i>				
<i>11.00 - 14.50</i>	<i>3.50</i>	<i>0.57</i>	<i>0.84</i>	<i>1.98</i>	<i>12.63</i>				
<i>16.55 - 20.10</i>	<i>3.45</i>	<i>0.74</i>	<i>0.67</i>	<i>4.01</i>	<i>10.87</i>				

*8/2**1978**Laure M. Heynum*

MALMBEREGNING I

Lokalitet: *Forseringsort*

Borehull: 510

Boredato : Jan 78
Koordinator : x: 925.404.3 y: 44198.2
Retning : N
Helling/stigning : +83°
Høyde : -68.3

Dybde	Lengde (m)	Analyser								
		% Pb	% Cu	% Zn	% Fe	mg Pb	mg Cu	mg Zn	mg Fe	
1.55 - 3.40	1.85	0.09	0.29	0.21	8.42	0.167	0.537	0.389	15.577	
3.40 - 3.80	0.40	0.50	0.17	1.23	4.91	0.200	0.068	0.492	1.964	
3.80 - 4.55	0.75	0.02	0.32	0.11	6.08	0.015	0.240	0.083	4.560	
4.55 - 4.90	0.35	1.08	0.15	3.25	7.71	0.378	0.053	1.138	2.699	
4.90 - 5.20	0.30	1.33	1.22	7.81	13.09	0.399	0.366	2.343	3.927	
5.20 - 6.25	1.05	2.05	0.63	5.82	9.35	2.153	0.662	6.111	9.818	
6.25 - 6.55	0.30	9.03	0.26	12.38	7.71	2.709	0.078	3.714	2.313	
6.55 - 6.75	0.20	1.02	2.11	2.85	10.52	0.204	0.422	0.570	2.170	
6.75 - 7.45	0.70	0.29	0.22	1.53	6.86	0.203	0.154	1.071	4.802	
7.45 - 7.70	0.25	2.43	0.37	12.01	11.57	0.608	0.093	3.003	2.893	
7.70 - 9.20	1.50	0.11	0.26	0.43	7.50	0.165	0.390	0.645	11.25	
✓ 4.55 - 7.70	3.15	2.11	0.58	5.70	9.09					

8/2 1978

Harve M. Hegrum

MALMBEREGNING I

Lokalitet: *Forsøringsort*

Borehull: *509*

Boredato : *Jan - 78*
 Koordinater : *x: 925 396,3 y: 44.171.2*
 Retning : *S*
 Helling/stigning : *- 63°*
 Høyde : *- 71.1*

Dybde	Lengde (m)	Analyser							
		% Pb	% Cu	% Zn	% Fe	m% Pb	m% Cu	m% Zn	m% Fe
<i>0,00 - 1,50</i>	<i>1,50</i>	<i>2,29</i>	<i>0,30</i>	<i>5,39</i>	<i>9,82</i>	<i>3,435</i>	<i>0,450</i>	<i>8,085</i>	<i>14,730</i>
<i>1,50 - 3,00</i>	<i>1,50</i>	<i>0,48</i>	<i>0,46</i>	<i>2,70</i>	<i>14,73</i>	<i>0,720</i>	<i>0,690</i>	<i>4,050</i>	<i>22,095</i>
<i>3,00 - 4,60</i>	<i>1,60</i>	<i>1,22</i>	<i>0,80</i>	<i>3,56</i>	<i>15,43</i>	<i>1,952</i>	<i>1,280</i>	<i>5,696</i>	<i>24,688</i>
<i>4,60 - 5,90</i>	<i>1,30</i>	<i>0,65</i>	<i>0,16</i>	<i>5,06</i>	<i>11,69</i>	<i>0,845</i>	<i>0,208</i>	<i>6,578</i>	<i>15,197</i>
<i>5,90 - 6,60</i>	<i>0,70</i>	<i>0,12</i>	<i>0,06</i>	<i>0,40</i>	<i>2,34</i>	<i>0,084</i>	<i>0,042</i>	<i>0,280</i>	<i>1,638</i>
<i>6,60 - 7,20</i>	<i>0,60</i>	<i>1,12</i>	<i>0,13</i>	<i>4,17</i>	<i>9,35</i>	<i>0,672</i>	<i>0,078</i>	<i>2,502</i>	<i>5,610</i>
<i>7,20 - 7,80</i>	<i>0,60</i>	<i>0,62</i>	<i>0,48</i>	<i>3,59</i>	<i>7,01</i>	<i>0,372</i>	<i>0,288</i>	<i>2,154</i>	<i>4,206</i>
<i>7,80 - 9,90</i>	<i>2,10</i>	<i>0,69</i>	<i>0,57</i>	<i>7,36</i>	<i>13,32</i>	<i>1,449</i>	<i>1,197</i>	<i>15,456</i>	<i>27,972</i>
<i>9,90 - 11,20</i>	<i>1,30</i>	<i>0,18</i>	<i>0,16</i>	<i>0,77</i>	<i>5,84</i>	<i>0,234</i>	<i>0,208</i>	<i>1,001</i>	<i>7,592</i>
<i>11,20 - 13,30</i>	<i>2,10</i>	<i>0,52</i>	<i>0,63</i>	<i>2,11</i>	<i>9,12</i>	<i>1,092</i>	<i>1,323</i>	<i>4,431</i>	<i>19,152</i>
<i>13,30 - 14,50</i>	<i>1,20</i>	<i>0,07</i>	<i>0,11</i>	<i>0,38</i>	<i>6,31</i>	<i>0,084</i>	<i>0,132</i>	<i>0,456</i>	<i>7,572</i>
<i>14,50 - 15,00^{top}</i>									
<i>15,00 - 15,55</i>	<i>0,55</i>	<i>0,14</i>	<i>0,21</i>	<i>6,08</i>					
<i>15,00 - 15,55</i>	<i>0,55</i>	<i>0,02</i>	<i>0,14</i>	<i>0,21</i>	<i>6,08</i>	<i>0,011</i>	<i>0,077</i>	<i>0,116</i>	<i>3,344</i>
<i>15,55 - 16,00</i>	<i>0,45</i>	<i>1,51</i>	<i>0,15</i>	<i>3,92</i>	<i>6,78</i>	<i>0,680</i>	<i>0,068</i>	<i>1,764</i>	<i>3,051</i>
<i>16,00 - 16,85</i>	<i>0,85</i>	<i>0,24</i>	<i>0,18</i>	<i>1,04</i>	<i>3,51</i>	<i>0,204</i>	<i>0,154</i>	<i>0,884</i>	<i>2,984</i>
<i>16,85 - 17,25</i>	<i>0,40</i>	<i>2,38</i>	<i>0,10</i>	<i>11,46</i>	<i>10,99</i>	<i>0,952</i>	<i>0,040</i>	<i>4,584</i>	<i>4,396</i>
<i>17,25 - 18,50</i>	<i>1,25</i>	<i>0,05</i>	<i>0,03</i>	<i>3,06</i>	<i>2,81</i>	<i>0,063</i>	<i>0,038</i>	<i>3,825</i>	<i>3,513</i>
<i>✓ 0,00 - 9,90</i>	<i>9,90</i>	<i>0,96</i>	<i>0,43</i>	<i>4,53</i>	<i>11,73</i>				
<i>✓ 15,55 - 17,25</i>	<i>1,70</i>	<i>1,08</i>	<i>0,15</i>	<i>4,25</i>	<i>4,37</i>				
<i>1</i>									

8/2 - 78

Harald A. Nygrun

7
de b. skive
else

MALMBEREGNING I

Lokalitet: *FORSERINGSORT*
PROFIL 44.170

Borehull: 508

Boredato : DES. 77
Koordinater : x: 925.401,8 y: 44.170,2
Retning : N
Helling/stigning : $\div 54^{\circ}$
Høyde : $\div 71,3$ m

Dybde	Lengde (m)	Analyser							
		% Pb	% Cu	% Zn	% Fe	% P ₂	% Ca	% S	% Mn
0.00 - 0.50	0.50	1.31	0.35	4.13	8.75	0.655	0.175	2.065	4.375
0.50 - 1.00	0.50	0.19	0.13	0.52	4.37	0.095	0.065	0.260	2.185
1.00 - 2.50	1.50	0.02	0.17	0.44	8.58	0.030	0.255	0.660	12.870
2.50 - 3.00 TAP ANAL %	0.50	0.04	0.10	0.45	6.00	0.020	0.050	0.225	3.000
3.00 - 3.25	0.25	0.06	0.06	0.49	4.54	0.015	0.015	0.1225	1.135
3.25 - 3.55	0.30	0.08	0.38	1.10	10.60	0.024	0.114	0.330	3.180
3.55 - 3.85 TAP ANAL %	0.30	0.05	0.30	0.60	10.00	0.015	0.090	0.180	3.000
3.85 - 4.35	0.50	0.04	0.23	0.54	9.42	0.020	0.115	0.270	4.710
4.35 - 4.55 TAP ANAL %	0.30	0.25	0.23	0.60	8.00	0.075	0.069	0.180	2.400
4.55 - 7.20	2.65	0.52	0.24	0.84	6.73	1.378	0.636	2.226	17.8345
7.20 - 7.65	0.45	0.95	0.57	2.63	13.96	0.4275	0.2565	1.1835	6.282
7.65 - 8.70	0.95	1.28	0.18	3.63	8.58	1.216	0.171	3.4485	8.151
8.70 - 9.70	1.00	0.33	0.19	0.79	6.73	0.330	0.190	0.790	6.730
9.70 - 10.45	0.75	0.05	1.56	5.73	27.42	0.0375	1.170	4.2975	20.565
10.45 - 12.00	1.55	0.53	0.63	3.18	10.93	0.8215	0.9765	4.929	16.9415
12.00 - 14.00	2.00	0.54	0.52	4.53	9.85	1.080	1.040	9.060	19.700
14.00 - 15.85	1.85	0.42	0.37	3.45	6.43	0.777	0.6845	6.3825	11.8955
15.85 - 16.30	0.45	0.34	0.16	1.37	3.86	0.153	0.072	0.6165	1.737
16.30 - 17.50	1.20	0.04	0.06	0.13	2.96	0.048	0.072	0.156	2.552
0.00 - 0.50	0.50	1.31	0.35	4.13	8.75				
3.25 - 7.20	3.95	0.38	0.26	0.81	7.88				
7.20 - 15.85	8.65	0.54	0.52	3.48	10.44				
3.25 - 15.85	12.60	0.49	0.44	2.64	9.63				

26/ 1978
H H Heggen

MALMBEREGNING I

Lokalitet: *FORSERINGSØAT*
PROFIL 44.170

Borehull: *507*

Boredato : *08.5.77*
Koordinater : *x: 925.401.8 y: 44.170.1*
Retning : *N*
Helling/stigning : *+78°*
Høyde : *-69.0m*

Dybde	Lengde (m)	Analyser							
		% Pb	% Cu	% Zn	% Fe	% P	% Ca	% Mg	% F
<i>0.00 - 2.40</i>	<i>2.40</i>	<i>1.26</i>	<i>0.34</i>	<i>3.76</i>	<i>6.22</i>	<i>3.024</i>	<i>0.816</i>	<i>9.024</i>	<i>14.928</i>
<i>2.40 - 2.65 TAP. Ans. %</i>	<i>0.25</i>	<i>1.10</i>	<i>0.33</i>	<i>3.00</i>	<i>5.80</i>	<i>0.275</i>	<i>0.0825</i>	<i>0.750</i>	<i>1.450</i>
<i>2.65 - 3.40</i>	<i>0.75</i>	<i>1.01</i>	<i>0.32</i>	<i>2.74</i>	<i>5.38</i>	<i>0.7575</i>	<i>0.240</i>	<i>2.055</i>	<i>4.035</i>
<i>3.40 - 4.25</i>	<i>0.85</i>	<i>0.34</i>	<i>0.52</i>	<i>0.55</i>	<i>10.04</i>	<i>0.289</i>	<i>0.442</i>	<i>0.4675</i>	<i>8.5765</i>
<i>4.25 - 5.25</i>	<i>1.00</i>	<i>1.56</i>	<i>0.25</i>	<i>4.76</i>	<i>9.59</i>	<i>1.560</i>	<i>0.250</i>	<i>4.760</i>	<i>9.590</i>
<i>5.25 - 5.40 TAP. Ans. %</i>	<i>0.15</i>	<i>0.80</i>	<i>0.26</i>	<i>2.50</i>	<i>7.40</i>	<i>0.120</i>	<i>0.039</i>	<i>0.375</i>	<i>1.110</i>
<i>5.40 - 6.00</i>	<i>0.60</i>	<i>0.26</i>	<i>0.28</i>	<i>0.43</i>	<i>5.21</i>	<i>0.156</i>	<i>0.168</i>	<i>0.258</i>	<i>3.126</i>
<i>6.00 - 7.50</i>	<i>1.50</i>	<i>1.82</i>	<i>0.61</i>	<i>8.63</i>	<i>11.77</i>	<i>2.730</i>	<i>0.915</i>	<i>12.945</i>	<i>17.655</i>
<i>7.50 - 8.80</i>	<i>1.30</i>	<i>3.18</i>	<i>0.74</i>	<i>9.73</i>	<i>11.77</i>	<i>4.134</i>	<i>0.962</i>	<i>12.649</i>	<i>15.301</i>
<i>8.80 - 10.00</i>	<i>1.20</i>	<i>0.09</i>	<i>0.15</i>	<i>0.29</i>	<i>9.08</i>	<i>0.108</i>	<i>0.180</i>	<i>0.348</i>	<i>10.896</i>
<i>0.00 - 6.00</i>	<i>6.00</i>	<i>1.03</i>	<i>0.34</i>	<i>2.95</i>	<i>7.14</i>				
<i>0.00 - 4.25</i>	<i>4.25</i>	<i>1.02</i>	<i>0.37</i>	<i>2.89</i>	<i>6.82</i>				
<i>4.25 - 8.80</i>	<i>4.55</i>	<i>1.91</i>	<i>0.51</i>	<i>6.81</i>	<i>10.28</i>				
<i>0.00 - 8.80</i>	<i>8.80</i>	<i>1.48</i>	<i>0.44</i>	<i>4.92</i>	<i>8.61</i>				

24/ 1978

M. H. Høyem

Lokalitet: *FOREIGNERS ORF*
PROFIL 44.150

Borehull: 506

Koordinater : $x: 925.392,3$ $y: 44.155,7$

Retning : 5

Helling/stigning : $\div 60^\circ$

Høyde : $\div 71.4 \text{ m}$

Dybde	Lengde (m)	Analyser							
		% Pb	% Cu	% Zn	% Fe	m% Pb	m% Cu	m% Zn	m% Fe
0.00 - 0.40	0.40	1.17	1.12	6.71	11.09	0.47	0.45	2.68	4.44
0.40 - 1.00	0.60	1.10	0.10	2.39	9.00	0.66	0.06	1.43	5.40
1.00 - 2.00	1.00	1.64	0.72	6.55	13.60	1.64	0.72	6.55	13.60
2.00 - 2.55	0.55	0.11	0.26	0.24	9.21	0.06	0.14	0.13	5.07
2.55 - 2.85	0.30	0.02	1.42	1.06	18.42	0.01	0.43	0.32	5.53
2.85 - 3.75	0.90	0.57	0.82	4.07	12.14	0.51	0.74	3.66	10.93
3.75 - 4.00 TAP ANAL. %	0.25	0.60	0.70	3.00	10.00	0.15	0.18	0.75	2.50
4.00 - 5.15	1.15	0.70	0.64	2.48	9.42	0.81	0.74	2.85	10.83
5.15 - 6.30	1.15	0.47	0.29	1.32	2.93	0.54	0.33	1.52	3.37
6.30 - 7.35	1.05	1.34	0.38	2.94	7.33	1.41	0.40	3.09	7.70
8.00 - 9.15	1.15	0.98	0.37	3.68	10.67	1.13	0.43	4.23	12.27
9.15 - 10.00	0.85	0.10	0.10	0.52	6.07	0.09	0.09	0.44	5.16
0.00 - 3.75	3.75	0.89	0.68	3.94	11.99				
3.75 - 9.15	5.40	0.75	0.39	2.30	6.79				
0.00 - 9.15	9.15	0.81	0.50	2.97	8.92				

18/1 - 78

M. H. Heggen

MALMBEREGNING I

Lokalitet: *FORSNINGSØR
PROFIL 44.150*

Borehull: *505*

Boredato : *06.5.1977*

Koordinater : *X: 925.396,6 Y: 44.152,7*

Retning : *N*

Helling/stigning : *÷ 48°*

Høyde : *÷ 71,2 m*

Dybde	Lengde (m)	Analyser							
		% Pb	% Cu	% Zn	% Fe	% P ₂	% Ca	% Zn	% Fe
<i>0.00 - 0.30</i>	<i>0.30</i>	<i>1.02</i>	<i>0.52</i>	<i>2.48</i>	<i>6.96</i>	<i>0.306</i>	<i>0.156</i>	<i>0.744</i>	<i>2.088</i>
<i>0.30 - 1.80</i>	<i>1.50</i>	<i>1.06</i>	<i>0.71</i>	<i>3.42</i>	<i>15.79</i>	<i>1.590</i>	<i>1.065</i>	<i>5.130</i>	<i>23.685</i>
<i>1.80 - 2.35</i>	<i>0.55</i>	<i>0.24</i>	<i>0.86</i>	<i>1.60</i>	<i>17.66</i>	<i>0.132</i>	<i>0.473</i>	<i>0.880</i>	<i>9.713</i>
<i>2.35 - 2.75</i>	<i>0.40</i>	<i>0.78</i>	<i>0.24</i>	<i>5.12</i>	<i>21.06</i>	<i>0.312</i>	<i>0.096</i>	<i>2.048</i>	<i>8.424</i>
<i>2.75 - 3.00 TAP. ANSL. %</i>	<i>0.25</i>	<i>0.90</i>	<i>0.20</i>	<i>6.30</i>	<i>24.30</i>	<i>0.225</i>	<i>0.050</i>	<i>1.575</i>	<i>6.075</i>
<i>3.00 - 4.25</i>	<i>1.25</i>	<i>1.06</i>	<i>0.20</i>	<i>7.69</i>	<i>27.68</i>	<i>1.325</i>	<i>0.250</i>	<i>9.625</i>	<i>34.600</i>
<i>4.25 - 5.35</i>	<i>1.10</i>	<i>1.98</i>	<i>0.55</i>	<i>7.11</i>	<i>13.25</i>	<i>2.178</i>	<i>0.605</i>	<i>7.821</i>	<i>14.575</i>
<i>5.35 - 7.50</i>	<i>2.15</i>	<i>0.57</i>	<i>0.17</i>	<i>3.30</i>	<i>6.45</i>	<i>1.2255</i>	<i>0.3655</i>	<i>7.095</i>	<i>13.8675</i>
<i>7.50 - 8.15</i>	<i>0.65</i>	<i>0.69</i>	<i>0.37</i>	<i>4.10</i>	<i>18.85</i>	<i>0.4485</i>	<i>0.2405</i>	<i>2.665</i>	<i>12.2525</i>
<i>8.15 - 9.50</i>	<i>1.35</i>	<i>0.30</i>	<i>1.01</i>	<i>4.03</i>	<i>15.11</i>	<i>0.405</i>	<i>1.3635</i>	<i>5.4405</i>	<i>20.3985</i>
<i>9.50 - 10.50</i>	<i>1.00</i>	<i>0.15</i>	<i>0.77</i>	<i>2.42</i>	<i>18.34</i>	<i>0.150</i>	<i>0.770</i>	<i>2.420</i>	<i>18.340</i>
<i>10.50 - 11.50</i>	<i>1.00</i>	<i>0.30</i>	<i>0.71</i>	<i>3.13</i>	<i>17.32</i>	<i>0.300</i>	<i>0.710</i>	<i>3.130</i>	<i>17.320</i>
<i>11.50 - 12.50</i>	<i>1.00</i>	<i>0.57</i>	<i>0.45</i>	<i>2.77</i>	<i>13.58</i>	<i>0.570</i>	<i>0.450</i>	<i>2.770</i>	<i>13.580</i>
<i>12.50 - 13.35</i>	<i>0.85</i>	<i>1.08</i>	<i>0.48</i>	<i>3.11</i>	<i>6.45</i>	<i>0.918</i>	<i>0.408</i>	<i>2.6435</i>	<i>5.4825</i>
<i>13.35 - 13.80 TAP. ANSL. %</i>	<i>0.45</i>	<i>0.90</i>	<i>0.50</i>	<i>4.30</i>	<i>7.40</i>	<i>0.405</i>	<i>0.225</i>	<i>1.935</i>	<i>3.330</i>
<i>13.80 - 15.00</i>	<i>1.20</i>	<i>0.82</i>	<i>0.64</i>	<i>5.75</i>	<i>8.49</i>	<i>0.984</i>	<i>0.768</i>	<i>6.900</i>	<i>10.188</i>
<i>15.00 - 15.85</i>	<i>0.85</i>	<i>0.41</i>	<i>0.71</i>	<i>7.70</i>	<i>12.40</i>	<i>0.3485</i>	<i>0.6035</i>	<i>6.545</i>	<i>10.540</i>
<i>15.85 - 16.50</i>	<i>0.65</i>	<i>0.88</i>	<i>0.18</i>	<i>2.19</i>	<i>6.11</i>	<i>0.572</i>	<i>0.117</i>	<i>1.4235</i>	<i>3.9715</i>
<i>16.50 - 16.75 TAP. ANSL. %</i>	<i>0.25</i>	<i>0.80</i>	<i>0.10</i>	<i>1.00</i>	<i>5.00</i>	<i>0.150</i>	<i>0.025</i>	<i>0.250</i>	<i>1.250</i>
<i>16.75 - 18.00</i>	<i>1.25</i>	<i>0.55</i>	<i>0.07</i>	<i>0.18</i>	<i>4.42</i>	<i>0.6875</i>	<i>0.0875</i>	<i>0.225</i>	<i>5.525</i>
<i>2.35 - 15.85</i>	<i>13.50</i>	<i>0.74</i>	<i>0.55</i>	<i>4.70</i>	<i>14.72</i>				
<i>0.00 - 15.85</i>	<i>15.85</i>	<i>0.75</i>	<i>0.54</i>	<i>4.38</i>	<i>14.16</i>				

29/12 1977

114 Høyrum

MALMBEREGNING I

Lokalitet: Forserings-ort
 Profil Y: 44350
 Borehull: 504

Boredato : Dis. 77.
Koordinater : X 925,424,9 Y: 44,346.
Retning : -90°
Helling/stigning : -90°
Høyde : - 66,3

[illegible]

MALMBEREGNING I

Lokalitet: *FORSBRINGSØRT
PROFIL 44.150*

Borehull: *503*

Boredato : *DES. 1977*
Koordinater : *X: 925.396.6 Y: 44.152.6*
Retning : *N*
Helling/stigning : *+ 79°*
Høyde : *÷ 68.9m*

Dybde	Lengde (m)	Analyser							
		% Pb	% Cu	% Zn	% Fe	m% Pb	m% Cu	m% Zn	m% Fe
<i>0.00 - 0.50</i>	<i>0.50</i>	<i>0.53</i>	<i>0.28</i>	<i>0.80</i>	<i>4.75</i>	<i>0.165</i>	<i>0.140</i>	<i>0.400</i>	<i>2.375</i>
<i>0.50 - 1.10</i>	<i>0.60</i>	<i>0.65</i>	<i>0.61</i>	<i>2.53</i>	<i>10.50</i>	<i>0.390</i>	<i>0.366</i>	<i>1.518</i>	<i>6.300</i>
<i>1.10 - 1.30</i>	<i>0.20</i>	<i>0.43</i>	<i>0.48</i>	<i>3.32</i>	<i>11.25</i>	<i>0.086</i>	<i>0.096</i>	<i>0.664</i>	<i>2.250</i>
<i>1.30 - 2.00</i>	<i>0.70</i>	<i>0.80</i>	<i>0.29</i>	<i>2.36</i>	<i>6.00</i>	<i>0.560</i>	<i>0.203</i>	<i>1.652</i>	<i>4.200</i>
<i>2.00 - 2.40</i>	<i>0.40</i>	<i>0.57</i>	<i>0.45</i>	<i>2.73</i>	<i>7.25</i>	<i>0.228</i>	<i>0.180</i>	<i>1.092</i>	<i>2.900</i>
<i>2.40 - 2.65 TAP. ANAL. %</i>	<i>0.25</i>	<i>0.65</i>	<i>0.35</i>	<i>3.00</i>	<i>7.50</i>	<i>0.1625</i>	<i>0.0875</i>	<i>0.750</i>	<i>1.875</i>
<i>2.65 - 4.00</i>	<i>1.35</i>	<i>0.77</i>	<i>0.32</i>	<i>3.29</i>	<i>7.75</i>	<i>1.0395</i>	<i>0.432</i>	<i>4.4415</i>	<i>10.4625</i>
<i>4.00 - 5.00</i>	<i>1.00</i>	<i>1.35</i>	<i>0.30</i>	<i>5.57</i>	<i>7.60</i>	<i>1.350</i>	<i>0.300</i>	<i>5.570</i>	<i>7.600</i>
<i>5.00 - 5.90</i>	<i>0.90</i>	<i>1.63</i>	<i>0.26</i>	<i>7.38</i>	<i>7.58</i>	<i>1.467</i>	<i>0.234</i>	<i>6.642</i>	<i>6.822</i>
<i>5.90 - 6.15</i>	<i>0.25</i>	<i>0.59</i>	<i>1.14</i>	<i>2.61</i>	<i>10.75</i>	<i>0.1475</i>	<i>0.285</i>	<i>0.6525</i>	<i>2.6875</i>
<i>6.15 - 6.80</i>	<i>0.65</i>	<i>1.81</i>	<i>0.14</i>	<i>9.37</i>	<i>10.75</i>	<i>1.1765</i>	<i>0.091</i>	<i>6.0905</i>	<i>6.9875</i>
<i>6.80 - 7.00 TAP. ANAL. %</i>	<i>0.20</i>	<i>1.40</i>	<i>0.10</i>	<i>2.50</i>	<i>6.00</i>	<i>0.280</i>	<i>0.02</i>	<i>0.500</i>	<i>1.200</i>
<i>7.00 - 7.20</i>	<i>0.20</i>	<i>1.04</i>	<i>0.08</i>	<i>1.99</i>	<i>4.53</i>	<i>0.208</i>	<i>0.016</i>	<i>0.398</i>	<i>0.906</i>
<i>7.20 - 8.10</i>	<i>0.90</i>	<i>ANALYSE MANGELN</i>							
<i>12.00 - 12.95</i>	<i>0.95</i>	<i>0.11</i>	<i>0.05</i>	<i>0.57</i>	<i>7.33</i>	<i>0.1045</i>	<i>0.0475</i>	<i>0.5415</i>	<i>6.9635</i>
<i>12.95 - 13.15</i>	<i>0.20</i>	<i>1.23</i>	<i>0.15</i>	<i>1.76</i>	<i>6.38</i>	<i>0.246</i>	<i>0.030</i>	<i>0.352</i>	<i>1.276</i>
<i>13.15 - 14.00</i>	<i>0.85</i>	<i>0.20</i>	<i>0.06</i>	<i>0.40</i>	<i>7.05</i>	<i>0.170</i>	<i>0.051</i>	<i>0.340</i>	<i>5.9925</i>
<i>18.50 - 19.85</i>	<i>1.35</i>	<i>0.26</i>	<i>0.05</i>	<i>0.25</i>	<i>8.28</i>	<i>0.351</i>	<i>0.0675</i>	<i>0.3375</i>	<i>11.178</i>
<i>19.85 - 20.60</i>	<i>0.75</i>	<i>1.50</i>	<i>0.16</i>	<i>2.41</i>	<i>10.00</i>	<i>1.125</i>	<i>0.120</i>	<i>1.8075</i>	<i>7.500</i>
<i>20.60 - 22.00</i>	<i>1.40</i>	<i>0.12</i>	<i>0.05</i>	<i>0.40</i>	<i>7.83</i>	<i>0.168</i>	<i>0.070</i>	<i>0.560</i>	<i>10.962</i>
<i>0.00 - 4.00</i>	<i>4.00</i>	<i>0.68</i>	<i>0.38</i>	<i>2.63</i>	<i>7.59</i>				
<i>4.00 - 7.20</i>	<i>3.20</i>	<i>1.45</i>	<i>0.30</i>	<i>6.20</i>	<i>8.19</i>				
<i>0.00 - 7.20</i>	<i>7.20</i>	<i>1.02</i>	<i>0.34</i>	<i>4.22</i>	<i>7.86</i>				
<i>12.95 - 13.15</i>	<i>0.20</i>	<i>1.23</i>	<i>0.15</i>	<i>1.76</i>	<i>6.38</i>				
<i>19.85 - 20.60</i>	<i>0.75</i>	<i>1.50</i>	<i>0.16</i>	<i>2.41</i>	<i>10.00</i>				

12/1 - 78

M. H. Regum

MALMBEREGNING I

Lokalitet: *FORSHRINGSORI*
PI20FIL 44.140

Borehull: 502

Boredato : 05. 1977
Koordinater : X: 925.389,3 Y: 44.134,2
Retning : N
Helling/stigning : +72°
Høyde : 690 m

Dybde	Lengde (m)	Analyser							
		% Pb	% Cu	% Zn	% Fe	% Pb	% Cu	% Zn	% Fe
0.00 - 0.80	0.80	1.25	0.41	3.32	9.50	1.000	0.328	2.656	7.600
0.80 - 2.00	1.20	0.71	0.71	3.95	14.25	0.852	0.852	4.740	17.100
2.00 - 3.00	1.00	1.20	0.59	7.41	11.50	1.200	0.590	7.410	11.500
3.00 - 4.00	1.00	1.46	0.71	6.22	10.50	1.460	0.710	6.220	10.500
4.00 - 5.50	1.50	0.18	0.31	0.54	9.00	0.270	0.465	0.810	13.500
0.00 - 4.00	4.00	1.13	0.62	5.26	11.68				
9/ 1978 Haare M. Hegrum									

MALMBEREGNING I

Lokalitet: *FORSERINGSØR*
PROFIL 44.140

Borehull: *501*

Boredato : *02.5.77*
Koordinater : *x: 925.384,4 y: 44.138,0*
Retning : *S*
Helling/stigning : *÷ 45°*
Høyde : *÷ 71,4m*

Dybde	Lengde (m)	Analyser							
		% Pb	% Cu	% Zn	% Fe	m% Pb	m% Cu	m% Zn	m% Fe
<i>0.00 - 1.60</i>	<i>1.60</i>	<i>0.14</i>	<i>0.10</i>	<i>0.30</i>	<i>2.47</i>	<i>0.22</i>	<i>0.16</i>	<i>0.48</i>	<i>3.95</i>
<i>1.60 - 2.15</i>	<i>0.55</i>	<i>0.28</i>	<i>0.26</i>	<i>4.07</i>	<i>13.19</i>	<i>0.15</i>	<i>0.14</i>	<i>2.24</i>	<i>7.25</i>
<i>2.15 - 2.55</i>	<i>0.40</i>	<i>0.64</i>	<i>0.30</i>	<i>2.78</i>	<i>6.91</i>	<i>0.26</i>	<i>0.12</i>	<i>1.11</i>	<i>2.76</i>
<i>2.55 - 4.35</i>	<i>1.80</i>	<i>0.72</i>	<i>0.21</i>	<i>1.19</i>	<i>4.40</i>	<i>1.30</i>	<i>0.38</i>	<i>2.14</i>	<i>7.92</i>
<i>4.35 - 4.70</i>	<i>0.35</i>	<i>0.09</i>	<i>0.12</i>	<i>0.48</i>	<i>2.80</i>	<i>0.03</i>	<i>0.04</i>	<i>0.17</i>	<i>0.98</i>
<i>4.70 - 5.00</i>	<i>0.30</i>	<i>0.28</i>	<i>0.20</i>	<i>1.94</i>	<i>3.56</i>	<i>0.08</i>	<i>0.06</i>	<i>0.58</i>	<i>1.07</i>
<i>5.00 - 6.00</i>	<i>1.00</i>	<i>0.07</i>	<i>0.16</i>	<i>0.65</i>	<i>2.93</i>	<i>0.07</i>	<i>0.16</i>	<i>0.65</i>	<i>2.93</i>
<i>8.00 - 9.20</i>	<i>1.20</i>	<i>0.00</i>	<i>0.02</i>	<i>0.04</i>	<i>2.05</i>	<i>0.00</i>	<i>0.02</i>	<i>0.05</i>	<i>2.46</i>
<i>9.20 - 10.00</i>	<i>0.80</i>	<i>0.27</i>	<i>0.19</i>	<i>1.03</i>	<i>6.28</i>	<i>0.22</i>	<i>0.15</i>	<i>0.82</i>	<i>5.02</i>
<i>10.00 - 11.15</i>	<i>1.15</i>	<i>1.23</i>	<i>0.27</i>	<i>3.10</i>	<i>7.74</i>	<i>1.41</i>	<i>0.31</i>	<i>3.57</i>	<i>8.90</i>
<i>11.15 - 12.30</i>	<i>1.15</i>	<i>0.20</i>	<i>0.04</i>	<i>0.35</i>	<i>3.98</i>	<i>0.23</i>	<i>0.05</i>	<i>0.40</i>	<i>4.58</i>
<i>0.00 - 2.55</i>	<i>2.55</i>	<i>0.25</i>	<i>0.16</i>	<i>1.50</i>	<i>5.47</i>				
<i>0.00 - 5.00</i>	<i>5.00</i>	<i>0.41</i>	<i>0.18</i>	<i>1.34</i>	<i>4.79</i>				
<i>9.20 - 11.15</i>	<i>1.95</i>	<i>0.84</i>	<i>0.24</i>	<i>2.25</i>	<i>7.14</i>				

18/1 - 78

M. M. Hegrum

MALMBEREGNING 1

Lokalitet: FORBERINGS-ORT
PROFIL 44.350

Borehull: 499

Boredato : NOV. - DES. 77
Koordinator : X: 925.408,7 Y: 44.347,9
Retning : S
Helling/stigning : $\div 35^{\circ}$
Høyde : $\div 66,1m$

[illegible]

MALMBEREGNING I

Lokalitet: FORSERINGSØRT
PROFIL 44,350

Borehull: 498

Boredato : NOV. 1977
Koordinater : X: 925 409,7 Y: 44.347,5
Retning : S
Helling/stigning : - 72°
Høyde : ± 66,4 m

Dybde	Lengde (m)	Analyser							
		% Pb	% Cu	% Zn	% Fe	% P	% Ca	% Mg	% S
4.30 - 5.10	0.80	0.12	0.08	0.19	5.40	0.096	0.064	0.152	4.320
5.10 - 5.50	0.40	3.32	0.85	11.36	11.40	1.328	0.340	4.544	4.560
5.50 - 6.00	0.50	0.05	0.06	0.20	2.20	0.025	0.030	0.100	1.100
13.50 - 14.25	0.75	0.01	0.13	0.09	9.60	0.0075	0.0975	0.0675	7.200
14.25 - 15.05	0.80	0.01	0.39	0.14	11.20	0.008	0.312	0.112	8.960
15.05 - 15.50	0.45	0.00	0.30	13.26	22.40	0.000	0.135	5.967	10.080
15.50 - 15.85	0.35	0.05	0.06	0.67	4.40	0.0175	0.021	0.2345	1.540
15.85 - 16.25	0.40	0.02	0.36	4.45	16.00	0.008	0.144	1.780	6.400
16.25 - 16.65	0.40	0.00	0.22	0.80	10.00	0.000	0.088	0.320	4.000
16.65 - 17.50	0.85	0.02	1.20	5.96	17.80	0.017	1.020	5.066	15.130
17.50 - 18.65	1.15	0.06	0.16	0.58	6.40	0.069	0.184	0.667	7.36
18.65 - 19.20	0.55	0.44	0.10	1.92	4.00	0.242	0.055	1.056	2.200
19.20 - 20.20	1.00	0.05	0.03	0.13	4.00	0.050	0.030	0.130	4.000
20.20 - 21.75	1.55	0.46	0.61	2.34	6.20	0.713	0.9455	3.627	9.610
21.75 - 23.00	1.25	0.19	0.17	0.46	5.80	0.2375	0.2125	0.575	7.250
5.10 - 5.50	0.40	3.32	0.85	11.36	11.40				
15.05 - 17.50	2.45	0.02	0.57	5.47	15.16				
20.20 - 21.75	1.55	0.46	0.61	2.34	6.20				
15.05 - 21.75	6.70	0.17	0.39	2.81	9.00				
15.05 - 19.20	4.15			3.64					

20/12 1977

Kare M. Hegrum

MALMBEREGNING I

Lokalitet: *FORSKUNGSØAT
PROFIL 44.350*

Borehull: *497*

Boredato : *20.11.1977*
Koordinater : *X: 925.433,2 Y: 44.348,1*
Retning : *N*
Helling/stigning : *÷ 45°*
Høyde : *÷ 66,3 m*

Dybde	Lengde (m)	Analyser							
		% Pb	% Cu	% Zn	% Fe	% Pb	% Cu	% Zn	% Fe
<i>19.40 - 20.75</i>	<i>1.35</i>	<i>0.16</i>	<i>0.14</i>	<i>0.58</i>	<i>7.33</i>	<i>0.216</i>	<i>0.189</i>	<i>0.783</i>	<i>9.8955</i>
<i>20.75 - 21.30</i>	<i>0.55</i>	<i>0.56</i>	<i>0.35</i>	<i>2.42</i>	<i>7.57</i>	<i>0.308</i>	<i>0.1925</i>	<i>1.331</i>	<i>4.1635</i>
<i>21.30 - 22.40</i>	<i>1.10</i>	<i>0.28</i>	<i>0.23</i>	<i>0.73</i>	<i>6.35</i>	<i>0.308</i>	<i>0.253</i>	<i>0.803</i>	<i>6.985</i>
<i>22.40 - 22.80</i>	<i>0.40</i>	<i>0.41</i>	<i>0.21</i>	<i>0.98</i>	<i>6.96</i>	<i>0.164</i>	<i>0.084</i>	<i>0.392</i>	<i>2.784</i>
<i>22.80 - 23.65</i>	<i>0.85</i>	<i>0.13</i>	<i>0.13</i>	<i>0.28</i>	<i>4.76</i>	<i>0.1105</i>	<i>0.1105</i>	<i>0.238</i>	<i>4.046</i>
<i>23.65 - 24.00 TAP. Ans %</i>	<i>0.35</i>	<i>0.10</i>	<i>0.11</i>	<i>0.28</i>	<i>4.00</i>	<i>0.035</i>	<i>0.0385</i>	<i>0.098</i>	<i>1.400</i>
<i>24.00 - 24.25</i>	<i>0.25</i>	<i>0.08</i>	<i>0.10</i>	<i>0.29</i>	<i>3.54</i>	<i>0.020</i>	<i>0.025</i>	<i>0.0725</i>	<i>0.885</i>
<i>24.25 - 25.75</i>	<i>1.50</i>	<i>0.07</i>	<i>0.28</i>	<i>0.49</i>	<i>6.47</i>	<i>0.105</i>	<i>0.420</i>	<i>0.735</i>	<i>9.705</i>
<i>25.75 - 27.40</i>	<i>1.65</i>	<i>0.33</i>	<i>0.41</i>	<i>3.70</i>	<i>11.84</i>	<i>0.5445</i>	<i>0.6765</i>	<i>6.105</i>	<i>19.536</i>
<i>27.40 - 27.70</i>	<i>0.30</i>	<i>0.11</i>	<i>0.26</i>	<i>0.46</i>	<i>4.40</i>	<i>0.033</i>	<i>0.078</i>	<i>0.138</i>	<i>1.320</i>
<i>27.70 - 29.00</i>	<i>1.30</i>	<i>0.08</i>	<i>0.08</i>	<i>0.15</i>	<i>1.95</i>	<i>0.104</i>	<i>0.104</i>	<i>0.195</i>	<i>2.535</i>
<i>20.75 - 21.30</i>	<i>0.55</i>	<i>0.56</i>	<i>0.35</i>	<i>2.42</i>	<i>7.57</i>				
<i>20.75 - 22.80</i>	<i>2.05</i>	<i>0.38</i>	<i>0.26</i>	<i>1.23</i>	<i>6.80</i>				
<i>25.75 - 27.40</i>	<i>1.65</i>	<i>0.33</i>	<i>0.41</i>	<i>3.70</i>	<i>11.84</i>				

28/11 1977

Harald M. Hegrum

MALMBEREGNING I

Lokalitet: FORSERINESORI
PROFIL 44350

Borehull: 496

Boredato : OHT - NOV 1977
Koordinator : X: 925.4339 Y: 44.340.0
Retning : N
Helling/stigning : +45°
Høyde : 64,1 m

Dybde	Lengde (m)	Analyser							
		% Pb	% Cu	% Zn	% Fe	% Pb	% Cu	% Zn	% Fe
0.00 - 1.90	1.90	0.20	0.08	0.35	2.96	0.380	0.152	0.665	5.624
1.90 - 3.10	1.20	0.70	0.23	1.44	5.20	0.840	0.376	1.728	6.240
3.10 - 4.30	1.20	1.21	0.28	2.47	7.00	1.452	0.336	2.964	8.400
4.30 - 5.50 TOP. ANAL. %	1.20	0.75	0.27	1.60	7.50	0.900	0.324	1.920	9.000
5.50 - 7.10	1.60	0.32	0.26	0.99	8.40	0.512	0.416	1.584	13.440
7.10 - 8.00	0.90	0.12	0.15	0.42	6.20	0.108	0.135	0.378	5.580
1.90 - 5.50	3.60	0.89	0.26	1.84	6.57				

Mo 20/12 1977

/Lars E. Hegrum

MALMBEREGNING I

Lokalitet: *FORSERINGSØRT*
PROFIL 44.380

Borehull: *493*

Boredato : *OKT. 77*
 Koordinator :
 Retning : *S*
 Helling/stigning : *÷ 78°*
 Høyde :

Dybde	Lengde (m)	Analyser					m% Pb	m% Cu	m% Zn	m% Fe
		% Pb	% Cu	% Zn	% Fe					
<i>22.50 - 23.20</i>	<i>0.70</i>	<i>0.02</i>	<i>0.04</i>	<i>0.11</i>	<i>3.39</i>	<i>0.014</i>	<i>0.028</i>	<i>0.077</i>	<i>2.373</i>	
<i>23.20 - 24.20</i>	<i>1.00</i>	<i>0.02</i>	<i>0.45</i>	<i>1.88</i>	<i>14.02</i>	<i>0.020</i>	<i>0.450</i>	<i>1.880</i>	<i>14.020</i>	
<i>24.20 - 25.15</i>	<i>0.95</i>	<i>0.77</i>	<i>0.25</i>	<i>0.84</i>	<i>7.08</i>	<i>0.732</i>	<i>0.238</i>	<i>0.798</i>	<i>6.726</i>	
<i>25.15 - 26.20</i>	<i>1.05</i>	<i>0.31</i>	<i>0.17</i>	<i>0.46</i>	<i>4.72</i>	<i>0.326</i>	<i>0.179</i>	<i>0.483</i>	<i>4.956</i>	
<i>26.20 - 26.95</i>	<i>0.75</i>	<i>0.49</i>	<i>0.31</i>	<i>1.33</i>	<i>8.70</i>	<i>0.368</i>	<i>0.233</i>	<i>0.998</i>	<i>6.525</i>	
<i>26.95 - 28.30</i>	<i>1.35</i>	<i>0.01</i>	<i>0.02</i>	<i>0.04</i>	<i>1.48</i>	<i>0.014</i>	<i>0.027</i>	<i>0.054</i>	<i>1.998</i>	
<i>28.30 - 28.70</i>	<i>0.40</i>	<i>0.06</i>	<i>0.04</i>	<i>0.05</i>	<i>5.46</i>	<i>0.024</i>	<i>0.016</i>	<i>0.020</i>	<i>2.184</i>	
<i>28.70 - 29.40</i>	<i>0.70</i>	<i>0.26</i>	<i>0.39</i>	<i>2.59</i>	<i>11.36</i>	<i>0.882</i>	<i>0.418</i>	<i>1.818</i>	<i>7.952</i>	
<i>29.40 - 30.20</i>	<i>0.80</i>	<i>0.15</i>	<i>0.17</i>	<i>0.34</i>	<i>3.69</i>	<i>0.120</i>	<i>0.135</i>	<i>0.272</i>	<i>2.952</i>	
<i>30.20 - 30.65</i>	<i>0.45</i>	<i>0.19</i>	<i>0.16</i>	<i>0.47</i>	<i>3.54</i>	<i>0.086</i>	<i>0.072</i>	<i>0.212</i>	<i>1.593</i>	
<i>30.65 - 30.95</i>	<i>0.30</i>	<i>0.63</i>	<i>0.47</i>	<i>2.27</i>	<i>7.91</i>	<i>0.189</i>	<i>0.141</i>	<i>0.681</i>	<i>7.910</i>	
<i>30.95 - 31.70</i>	<i>0.75</i>	<i>0.10</i>	<i>0.14</i>	<i>0.59</i>	<i>4.50</i>	<i>0.075</i>	<i>0.105</i>	<i>0.443</i>	<i>3.375</i>	
<i>✓ 23.20 - 24.20</i>	<i>1.00</i>	<i>0.02</i>	<i>0.45</i>	<i>1.88</i>	<i>14.02</i>					
<i>✓ 26.20 - 26.95</i>	<i>0.75</i>	<i>0.49</i>	<i>0.31</i>	<i>1.33</i>	<i>8.70</i>					
<i>✓ 28.70 - 29.40</i>	<i>0.70</i>	<i>1.26</i>	<i>0.39</i>	<i>2.59</i>	<i>11.36</i>					
<i>✓ 30.65 - 30.95</i>	<i>0.30</i>	<i>0.63</i>	<i>0.47</i>	<i>2.27</i>	<i>7.91</i>					

22/2 - 78

Stellan Thurnes

MALMBEREGNING I

Lokalitet: *FORSKNINGSØST
PROFIL 44.397*

Borehull: *491*

Boredato : *OKT 1977*
Koordinater : *X: 925.468,8 Y: 44.397,5*
Retning : *5*
Helling/stigning : *+65°*
Høyde : *-62,2m*

Dybde	Lengde (m)	Analyser							
		% Pb	% Cu	% Zn	% Fe	% Pt	% Cu	% Zn	% Fe
<i>0,00 - 1,20</i>	<i>1,20</i>	<i>2,15</i>	<i>0,19</i>	<i>11,05</i>	<i>15,51</i>	<i>2,580</i>	<i>0,228</i>	<i>13,260</i>	<i>18,612</i>
<i>1,20 - 1,35</i>	<i>0,15</i>	<i>0,23</i>	<i>1,77</i>	<i>1,57</i>	<i>13,85</i>	<i>0,0345</i>	<i>0,2655</i>	<i>0,2355</i>	<i>2,0775</i>
<i>1,35 - 1,60</i>	<i>0,25</i>	<i>0,03</i>	<i>0,05</i>	<i>0,12</i>	<i>3,32</i>	<i>0,0075</i>	<i>0,0125</i>	<i>0,030</i>	<i>0,830</i>
<i>1,60 - 2,50</i>	<i>0,90</i>	<i>0,21</i>	<i>0,37</i>	<i>2,35</i>	<i>15,37</i>	<i>0,189</i>	<i>0,333</i>	<i>2,115</i>	<i>13,833</i>
<i>2,50 - 3,30</i>	<i>0,80</i>	<i>0,02</i>	<i>0,12</i>	<i>0,08</i>	<i>5,95</i>	<i>0,016</i>	<i>0,096</i>	<i>0,064</i>	<i>4,760</i>
<i>3,30 - 3,45</i>	<i>0,15</i>	<i>1,77</i>	<i>0,16</i>	<i>8,90</i>	<i>12,60</i>	<i>0,1655</i>	<i>0,024</i>	<i>1,335</i>	<i>1,890</i>
<i>3,45 - 5,40</i>	<i>1,95</i>	<i>0,16</i>	<i>0,16</i>	<i>0,15</i>	<i>8,31</i>	<i>0,312</i>	<i>0,312</i>	<i>0,2925</i>	<i>16,2045</i>
<i>0,00 - 2,50</i>	<i>2,50</i>	<i>1,12</i>	<i>0,34</i>	<i>6,26</i>	<i>14,44</i>				
<i>0,00 - 3,45</i>	<i>3,45</i>	<i>0,90</i>	<i>0,28</i>	<i>4,94</i>	<i>12,17</i>				

18/10 1977

Kaare M. Heym

MALMBEREGNING I

Lokalitet: *FORSERINGSØRT
PROFIL 44.397*

Borehull: *490*

Boredato : *OKT. 1977*
Koordinater : *X: 925.469.7 Y: 44.396.9*
Retning : *S*
Helling/stigning : *÷ 65°*
Høyde : *÷ 64.9 m*

Dybde	Lengde (m)	Analyser							
		% Pb	% Cu	% Zn	% Fe	% Al	% Ca	% Mg	% Si
<i>8.35 - 9.40</i>	<i>1.05</i>	<i>0.09</i>	<i>0.14</i>	<i>0.34</i>	<i>8.30</i>	<i>0.0945</i>	<i>0.147</i>	<i>0.357</i>	<i>8.715</i>
<i>9.40 - 10.55</i>	<i>1.15</i>	<i>0.45</i>	<i>0.20</i>	<i>0.99</i>	<i>8.48</i>	<i>0.5175</i>	<i>0.230</i>	<i>1.1385</i>	<i>9.752</i>
<i>10.55 - 11.45</i>	<i>0.90</i>	<i>1.75</i>	<i>0.17</i>	<i>1.89</i>	<i>3.46</i>	<i>1.575</i>	<i>0.153</i>	<i>1.701</i>	<i>3.114</i>
<i>11.45 - 12.60</i>	<i>1.15</i>	<i>0.02</i>	<i>0.03</i>	<i>0.07</i>	<i>1.90</i>	<i>0.023</i>	<i>0.0345</i>	<i>0.0805</i>	<i>2.185</i>
<i>12.60</i>									
<i>21.75 - 23.20</i>	<i>1.45</i>	<i>0.06</i>	<i>0.06</i>	<i>0.11</i>	<i>2.60</i>	<i>0.087</i>	<i>0.087</i>	<i>0.1595</i>	<i>3.770</i>
<i>23.20 - 24.00 TOPPÅSLØS</i>	<i>0.80</i>	<i>0.03</i>	<i>0.04</i>	<i>0.07</i>	<i>2.80</i>	<i>0.024</i>	<i>0.032</i>	<i>0.056</i>	<i>2.240</i>
<i>24.00 - 24.40</i>	<i>0.40</i>	<i>0.01</i>	<i>0.03</i>	<i>0.03</i>	<i>3.29</i>	<i>0.004</i>	<i>0.012</i>	<i>0.012</i>	<i>1.316</i>
<i>24.40 - 24.60</i>	<i>0.20</i>	<i>2.01</i>	<i>0.49</i>	<i>3.36</i>	<i>11.77</i>	<i>0.402</i>	<i>0.098</i>	<i>0.672</i>	<i>2.354</i>
<i>24.60 - 26.20</i>	<i>0.60</i>	<i>0.38</i>	<i>0.30</i>	<i>1.02</i>	<i>6.92</i>	<i>0.228</i>	<i>0.180</i>	<i>0.612</i>	<i>4.152</i>
<i>26.20 - 26.50</i>	<i>0.30</i>	<i>0.86</i>	<i>0.25</i>	<i>4.91</i>	<i>14.02</i>	<i>0.258</i>	<i>0.075</i>	<i>1.473</i>	<i>4.206</i>
<i>26.50 - 26.65</i>	<i>0.15</i>	<i>0.10</i>	<i>0.16</i>	<i>0.59</i>	<i>5.71</i>	<i>0.015</i>	<i>0.024</i>	<i>0.0885</i>	<i>0.8565</i>
<i>26.65 - 27.00</i>	<i>0.35</i>	<i>0.63</i>	<i>0.15</i>	<i>8.60</i>	<i>16.79</i>	<i>0.2205</i>	<i>0.0525</i>	<i>3.010</i>	<i>5.8765</i>
<i>27.00 - 27.35</i>	<i>0.35</i>	<i>0.06</i>	<i>0.48</i>	<i>0.93</i>	<i>2.60</i>	<i>0.021</i>	<i>0.168</i>	<i>0.3255</i>	<i>0.910</i>
<i>27.35 - 27.55</i>	<i>0.20</i>	<i>0.91</i>	<i>2.70</i>	<i>7.56</i>	<i>10.56</i>	<i>0.182</i>	<i>0.540</i>	<i>1.512</i>	<i>2.112</i>
<i>27.55 - 27.83</i>	<i>0.28</i>	<i>0.38</i>	<i>0.61</i>	<i>1.62</i>	<i>4.29</i>	<i>0.1064</i>	<i>0.1708</i>	<i>0.4536</i>	<i>1.2012</i>
<i>27.83 - 28.05</i>	<i>0.22</i>	<i>1.24</i>	<i>0.21</i>	<i>8.89</i>	<i>9.55</i>	<i>0.2728</i>	<i>0.0462</i>	<i>1.9558</i>	<i>2.101</i>
<i>28.05 - 28.60</i>	<i>0.55</i>	<i>0.09</i>	<i>0.12</i>	<i>0.27</i>	<i>1.91</i>	<i>0.0495</i>	<i>0.066</i>	<i>0.1485</i>	<i>1.0505</i>
<i>28.60 - 29.20</i>	<i>0.60</i>	<i>0.08</i>	<i>0.09</i>	<i>0.28</i>	<i>2.30</i>	<i>0.048</i>	<i>0.054</i>	<i>0.168</i>	<i>1.380</i>
<i>29.20 - 29.40</i>	<i>0.20</i>	<i>0.58</i>	<i>0.16</i>	<i>1.70</i>	<i>4.98</i>	<i>0.116</i>	<i>0.032</i>	<i>0.340</i>	<i>0.996</i>
<i>29.40 - 30.00</i>	<i>0.60</i>	<i>0.05</i>	<i>0.06</i>	<i>0.12</i>	<i>1.84</i>	<i>0.03</i>	<i>0.036</i>	<i>0.072</i>	<i>1.104</i>
<i>10.55 - 11.45</i>	<i>0.90</i>	<i>1.75</i>	<i>0.17</i>	<i>1.89</i>	<i>3.46</i>				
<i>24.40 - 28.05</i>	<i>3.65</i>	<i>0.47</i>	<i>0.37</i>	<i>2.77</i>	<i>6.51</i>				

19/10 1977

Kare M. Heggen

MALMBEREGNING I

Lokalitet: *FORSERINGSØRT
PROFIL 44.390*

Borehull: *489*

Boredato : *OKT. 1977*
Koordinater : *X: 925 470.7 Y: 44.390,6*
Retning :
Helling/stigning : *+ 90°*
Høyde : *+ 62,2 m*

Dybde	Lengde (m)	Analyser							
		% Pb	% Cu	% Zn	% Fe	% Pt	% Co	% Ni	% Mn
<i>0.00 - 0.90</i>	<i>0.90</i>	<i>0.08</i>	<i>0.16</i>	<i>0.36</i>	<i>9.05</i>	<i>0.072</i>	<i>0.144</i>	<i>0.324</i>	<i>8.145</i>
<i>0.90 - 1.80</i>	<i>0.90</i>	<i>0.05</i>	<i>0.06</i>	<i>0.28</i>	<i>2.76</i>	<i>0.045</i>	<i>0.054</i>	<i>0.252</i>	<i>2.484</i>
<i>1.80 - 3.00</i>	<i>1.20</i>	<i>1.92</i>	<i>0.15</i>	<i>7.77</i>	<i>14.59</i>	<i>2.304</i>	<i>0.180</i>	<i>0.324</i>	<i>17.508</i>
<i>3.00 - 4.00</i>	<i>1.00</i>	<i>0.69</i>	<i>0.31</i>	<i>3.51</i>	<i>14.91</i>	<i>0.690</i>	<i>0.310</i>	<i>3.510</i>	<i>14.910</i>
<i>4.00 - 5.15</i>	<i>1.15</i>	<i>0.26</i>	<i>0.33</i>	<i>1.14</i>	<i>12.35</i>	<i>0.299</i>	<i>0.3795</i>	<i>1.311</i>	<i>14.2025</i>
<i>5.15 - 6.70</i>	<i>1.55</i>	<i>1.31</i>	<i>0.14</i>	<i>6.29</i>	<i>9.69</i>	<i>2.0305</i>	<i>0.217</i>	<i>0.7495</i>	<i>15.0195</i>
<i>6.70 - 7.00 TAP. ANAL. %</i>	<i>0.30</i>	<i>0.70</i>	<i>0.20</i>	<i>3.50</i>	<i>4.50</i>	<i>0.210</i>	<i>0.060</i>	<i>1.050</i>	<i>1.350</i>
<i>7.00 - 8.50</i>	<i>1.50</i>	<i>0.29</i>	<i>0.28</i>	<i>0.75</i>	<i>6.18</i>	<i>0.435</i>	<i>0.420</i>	<i>1.125</i>	<i>9.270</i>
<i>8.50 - 9.65</i>	<i>1.15</i>	<i>0.09</i>	<i>0.06</i>	<i>0.17</i>	<i>6.07</i>	<i>0.1035</i>	<i>0.069</i>	<i>0.1955</i>	<i>6.9805</i>
<i>9.65 - 10.00</i>	<i>0.35</i>	<i>1.10</i>	<i>0.20</i>	<i>2.88</i>	<i>6.50</i>	<i>0.385</i>	<i>0.070</i>	<i>1.008</i>	<i>2.275</i>
<i>10.00 - 10.65 TAP. ANAL. %</i>	<i>0.65</i>	<i>0.60</i>	<i>0.15</i>	<i>1.50</i>	<i>4.40</i>	<i>0.390</i>	<i>0.0975</i>	<i>0.975</i>	<i>2.860</i>
<i>10.65 - 11.00</i>	<i>0.35</i>	<i>0.15</i>	<i>0.03</i>	<i>0.25</i>	<i>2.28</i>	<i>0.0525</i>	<i>0.0105</i>	<i>0.0875</i>	<i>0.798</i>
<i>11.00 - 11.40</i>	<i>0.40</i>	<i>0.55</i>	<i>0.31</i>	<i>3.27</i>	<i>6.50</i>	<i>0.220</i>	<i>0.124</i>	<i>1.308</i>	<i>2.600</i>
<i>11.40 - 12.55</i>	<i>1.15</i>	<i>0.29</i>	<i>0.23</i>	<i>0.71</i>	<i>5.64</i>	<i>0.3335</i>	<i>0.2645</i>	<i>0.8165</i>	<i>6.486</i>
<i>12.55 - 14.00</i>	<i>1.45</i>	<i>0.18</i>	<i>0.09</i>	<i>0.35</i>	<i>6.39</i>	<i>0.261</i>	<i>0.1305</i>	<i>0.5075</i>	<i>9.2655</i>
<i>✓ 1.80 - 6.70</i>	<i>4.90</i>	<i>1.09</i>	<i>0.22</i>	<i>4.88</i>	<i>12.58</i>				
<i>1.80 - 7.00</i>	<i>5.20</i>	<i>1.06</i>	<i>0.22</i>	<i>4.80</i>	<i>12.11</i>				
<i>✓ 9.65 - 11.40</i>	<i>1.75</i>	<i>0.60</i>	<i>0.17</i>	<i>1.93</i>	<i>4.88</i>				

13/10 1977

Kare M. Heysum

MALMBEREGNING I

Lokalitet: *FORSERINGSORT*
PROFIL 44.180

Borehull: 487

Boredato : *Sørp. 77*
Koordinater : *x: 925.415,0 y: 44.173,4*
Retning : *W*
Helling/stigning : *+78°*
Høyde : *÷ 68,7m*

Dybde	Lengde (m)	Analyser							
		% Pb	% Cu	% Zn	% Fe	% Pt	% Co	% Mn	% Fc
0.00 - 0.45	0.45	0.16	0.27	0.75	5.37	0.072	0.1215	0.3375	2.4165
0.45 - 1.00	0.55	1.53	0.78	6.93	11.22	0.8415	0.429	3.8115	6.171
1.00 - 1.50	0.50	6.42	0.21	2.80	3.09	3.210	0.105	1.400	1.545
1.50 - 2.10	0.60	0.56	0.35	1.37	9.43	0.336	0.210	0.822	5.658
2.10 - 2.55	0.45	0.58	0.19	0.23	2.77	0.261	0.0855	0.1035	1.2465
2.55 - 3.70	1.15	0.21	0.09	0.28	3.04	0.2415	0.1035	0.322	3.496
7.50 - 9.00	1.50	0.00	0.05	0.04	7.48	0.000	0.075	0.060	11.220
9.00 - 9.65	0.65	0.03	0.06	0.31	2.11	0.0195	0.039	0.2015	1.3715
9.65 - 10.05	0.40	5.82	0.71	10.89	7.81	2.328	0.284	4.356	3.124
10.05 - 11.00	0.95	0.77	0.30	1.85	6.69	0.7315	0.285	1.7575	6.3555
11.00 - 12.50	1.50	0.37	0.32	1.11	5.04	0.555	0.480	1.665	7.560
12.50 - 13.45	0.95	1.17	0.40	3.30	6.51	1.115	0.380	3.135	6.1845
13.45 - 15.00	1.55	0.17	0.14	0.62	7.32	0.2635	0.219	0.961	11.346
0.45 - 1.50	1.05	3.86	0.51	4.96	7.35				
9.65 - 13.45	3.80	1.24	0.38	2.87					

Kopied 23/9 - 77

Yvan M. Koyum

Lokalitet: FOSSEKINGSORT
PROFIL 44.100

Borehull: 486

Høyde : 69,0 m

Dybde	Lengde (m)	Analyser							
		% Pb	% Cu	% Zn	% Fe	% Pt	% Co	% Ni	% Fz
0.00 - 1.50	1.50	0.45	0.17	0.94	4.17	0.675	0.255	1.410	6.255
1.50 - 2.75	1.25	0.41	0.31	0.80	3.79	0.5125	0.3875	1.000	4.7375
2.75 - 4.00	1.25	0.80	0.48	2.57	6.82	1.000	0.600	3.2125	8.525
4.00 - 5.15	1.15	2.27	0.25	4.26	7.58	2.6105	0.2875	4.899	8.717
5.15 - 6.45	1.30	2.00	0.80	11.03	13.64	2.600	1.040	14.339	17.732
6.45 - 6.80	0.35	0.35	1.10	2.66	9.28	0.1225	0.385	0.931	3.248
6.80 - 7.35	0.55	1.55	0.20	17.81	14.78	0.8525	0.110	9.7955	8.129
7.35 - 7.60	0.25	0.25	0.76	3.02	5.68	0.0625	0.065	0.755	1.420
7.60 - 9.00	1.40	0.00	0.19	0.16	9.11	0.000	0.266	0.224	12.754
2.75 - 7.60	4.85	1.49	0.51	7.00	9.85				

22/9 - 1977

1/19 Keyman

MALMBEREGNING I

Lokalitet: *FORSERINGSØRT
PROFIL 44,100*

Borehull: *485*

Boredato : *AUG-SEPT. 1977*
Koordinater : *X: 925.384,3 Y: 44.099,9*
Retning : *W*
Helling/stigning : *+72°*
Høyde : *÷68,9m*

Dybde	Lengde (m)	Analyser							
		% Pb	% Cu	% Zn	% Fe	m% Pt	m% Co	m% Ni	m% Fe
<i>0.00 - 0.80</i>	<i>0.80</i>	<i>0.77</i>	<i>0.55</i>	<i>2.46</i>	<i>7.39</i>	<i>0.616</i>	<i>0.440</i>	<i>1.968</i>	<i>5.912</i>
<i>0.80 - 1.70</i>	<i>0.90</i>	<i>0.39</i>	<i>0.86</i>	<i>1.63</i>	<i>8.33</i>	<i>0.351</i>	<i>0.774</i>	<i>1.467</i>	<i>7.497</i>
<i>1.70 - 2.50</i>	<i>0.80</i>	<i>1.43</i>	<i>0.60</i>	<i>2.84</i>	<i>8.15</i>	<i>1.144</i>	<i>0.480</i>	<i>2.272</i>	<i>6.520</i>
<i>2.50 - 3.55</i>	<i>1.05</i>	<i>0.65</i>	<i>0.72</i>	<i>3.96</i>	<i>12.13</i>	<i>0.6825</i>	<i>0.756</i>	<i>4.158</i>	<i>12.7365</i>
<i>3.55 - 3.85 TAP ANK. %</i>	<i>0.30</i>	<i>0.70</i>	<i>0.60</i>	<i>3.50</i>	<i>8.50</i>	<i>0.210</i>	<i>0.180</i>	<i>1.050</i>	<i>2.550</i>
<i>3.85 - 4.00</i>	<i>0.15</i>	<i>0.72</i>	<i>0.50</i>	<i>3.40</i>	<i>5.12</i>	<i>0.108</i>	<i>0.075</i>	<i>0.510</i>	<i>0.968</i>
<i>4.00 - 5.30</i>	<i>1.30</i>	<i>0.13</i>	<i>0.27</i>	<i>0.14</i>	<i>6.63</i>	<i>0.169</i>	<i>0.351</i>	<i>0.182</i>	<i>8.619</i>
<i>0.00 - 4.00</i>	<i>4.00</i>	<i>0.78</i>	<i>0.68</i>	<i>2.86</i>	<i>9.00</i>				

12/9 - 77

Harald M. Heymann

MALMBEREGNING I

Lokalitet: KOM. ORT
PROFIL 43400

Borehull: 483

Boredato : JUL 1977
Koordinater : X: 925 428,5 Y: 43 399
Retning : S
Helling/stigning : $\div 45^\circ$
Høyde : $\div 31.2m$

Dybde	Lengde (m)	Analyser							
		% Pb	% Cu	% Zn	% Fe	% Pb	% Cu	% Zn	% Fe
6.00 - 7.55	1.55	0.05	0.33	0.17	7.65	0.0775	0.5115	0.2635	11.8575
7.55 - 7.75	0.20	0.03	0.08	0.14	3.00	0.066	0.616	0.028	0.600
7.75 - 8.05	0.30	5.09	0.06	12.76	7.95	1.527	0.018	3.828	2.385
8.05 - 9.15	1.10	0.07	0.15	0.19	2.85	0.077	0.165	0.209	3.135
9.15 - 9.50	0.35	1.25	1.36	2.24	7.95	0.4375	0.476	0.784	2.7825
9.50 - 10.50	1.00	0.82	1.43	9.01	8.85	0.820	1.430	9.010	8.850
10.50 - 11.50	1.00	2.40	1.84	14.80	13.80	2.400	1.840	14.800	13.800
11.50 - 12.50	1.00	4.94	0.19	17.26	13.80	4.940	0.190	17.260	13.800
12.50 - 13.80	1.30	4.27	0.34	16.88	11.55	5.551	0.442	21.944	15.015
13.80 - 15.00	1.20	2.24	0.15	4.82	11.55	2.688	0.180	5.784	13.860
15.00 - 16.00	1.00	1.67	0.24	5.45	7.65	1.670	0.240	5.450	7.650
16.00 - 17.00	1.00	2.26	0.17	10.80	6.75	2.260	0.170	10.800	6.750
17.00 - 18.00	1.00	2.68	0.70	6.51	3.15	2.680	0.700	6.510	3.150
18.00 - 19.00	1.00	2.02	0.38	7.09	4.65	2.020	0.380	7.090	4.650
19.00 - 19.70	0.70	2.10	0.40	7.04	4.80	1.470	0.280	4.928	3.360
19.70 - 20.60	0.90	1.27	0.60	2.95	3.23	1.143	0.540	2.655	2.907
20.60 - 21.60	1.00	1.37	0.82	4.76	5.38	1.370	0.820	4.760	5.380
21.60 - 22.60	1.00	1.60	0.50	5.12	7.23	1.600	0.500	5.120	7.230
22.60 - 23.60	1.00	1.90	0.31	8.31	6.15	1.900	0.310	8.310	6.150
23.60 - 24.60	1.00	0.77	0.49	3.33	7.38	0.770	0.490	3.330	7.380
24.60 - 26.00	1.40	1.69	0.53	8.29	10.31	2.366	0.742	11.606	14.434
26.00 - 27.30	1.30	2.47	0.16	8.77	10.77	3.211	0.208	11.408	14.001
27.30 - 28.80	1.50	0.36	0.75	0.85	8.31	0.540	1.125	1.275	12.465
28.80 - 30.30	1.50	0.76	0.46	3.82	11.85	1.140	0.690	5.730	17.775
30.30 - 31.70	1.40	0.08	0.05	2.39	2.65	0.112	0.070	3.346	3.710
7.75 - 30.30	22.55	1.89	0.53	7.21	8.29				
0.00 - 30.30	30.30	1.41	0.39	5.37	6.17				

6/9 - 1977

Harald M. Kjørstam

MALMBEREGNING I

KOM.ORT
Lokalitet: PROFIL 43400
Borehull: 482

Boredato : JUL 1977
Koordinater : X: 925.428,5 Y: 43.399
Retning : S
Helling/stigning : $\div 55^\circ$
Høyde : $\div 31.3$ m

Dybde	Lengde (m)	Analyser							
		% Pb	% Cu	% Zn	% Fe	m% Pb	m% Cu	m% Zn	m% Fe
0.00 - 1.85	1.85	0.02	0.02	0.13	6.88	0.037	0.037	0.2405	12.728
1.85 - 2.80	1.05	0.13	0.06	0.03	8.72	0.1365	0.063	0.0315	9.156
2.80 - 3.90	1.10	0.86	1.13	1.49	10.06	0.946	1.243	1.639	11.066
3.90 - 4.30	0.40	0.26	0.20	1.03	4.53	0.104	0.080	0.412	1.812
4.30 - 5.70	1.40	3.99	0.13	19.07	18.11	5.586	0.182	26.698	25.354
5.70 - 7.20	1.50	5.35	0.17	13.71	13.92	8.025	0.255	20.565	20.88
7.20 - 8.00	0.80	0.93	0.29	1.86	4.86	0.744	0.232	1.488	3.888
8.00 - 9.00	1.00	1.47	0.43	1.49	4.36	1.470	0.430	1.490	4.360
9.00 - 10.00	1.00	1.55	0.26	6.62	7.68	1.550	0.260	6.620	7.680
10.00 - 11.00	1.00	0.35	0.31	3.22	8.87	0.350	0.310	3.220	8.870
11.00 - 11.75	0.75	0.52	0.74	5.62	3.19	0.390	0.555	4.215	2.3925
11.75 - 13.35	1.60	0.03	0.05	0.11	1.09	0.048	0.080	0.176	1.744
13.35 - 15.00	1.65	0.46	0.56	1.97	8.94	0.759	0.924	3.2505	14.454
15.00 - 16.55	1.55	0.78	0.41	3.14	8.94	1.209	0.6355	4.867	13.857
16.55 - 17.50	0.95	0.05	0.13	0.31	4.01	0.0475	0.1235	0.2945	3.8095
17.50 - 18.45	0.95	0.10	0.10	0.24	3.83	0.095	0.095	0.228	3.6385
18.45 - 20.00	1.55	1.81	0.69	6.03	8.94	2.8055	1.0695	9.3465	13.857
20.00 - 21.00	1.00	2.27	0.06	8.24	10.40	2.270	0.060	8.240	10.400
21.00 - 22.00	1.00	3.06	0.83	10.20	10.95	3.060	0.830	10.200	10.950
22.00 - 23.00	1.00	2.77	1.36	8.24	7.66	2.770	1.360	8.240	7.660
23.00 - 23.60	0.60	3.08	1.38	8.30	18.22	1.848	0.828	4.980	6.132
23.60 - 25.00	1.40	0.03	0.04	0.14	1.28	0.042	0.056	0.196	1.792
2.80 - 4.30	1.50	0.70	0.88	1.37	8.59				
4.30 - 7.20	2.90	4.69	0.15	16.30	15.94				
7.20 - 9.00	1.80	1.23	0.37	1.65	4.58				
9.00 - 11.75	2.75	0.83	0.41	5.11	6.96				
11.75 - 13.35	1.60	0.03	0.05	0.11	1.09				
13.35 - 16.55	3.20	0.62	0.49	2.54	8.85				
16.55 - 18.45	1.90	0.08	0.12	0.28	3.92				
18.45 - 23.60	5.15	2.48	0.81	7.96	7.77				
2.80 - 23.60	20.80	1.64	0.46	5.59	7.88				
0.00 - 23.60	23.60	1.45	0.41	4.93	7.88				

9/9 - 1977
G. Lunde M. Høy

MALMBEREGNING I

Lokalitet: *FORSERINGSØRT
PROFIL 44.370*

Borehull: *481*

Boredato : *JUN. 1977*

Koordinater : *X: 925.451,7 Y: 44.367,2*

Retning : *N*

Helling/stigning : *+5°*

Høyde : *÷ 65,4 m*

Dybde	Lengde (m)	Analyser							
		% Pb	% Cu	% Zn	% Fe	m% Pb	m% Cu	m% Zn	m% Fe
<i>1.50 - 3.00</i>	<i>1.50</i>	<i>0.02</i>	<i>0.13</i>	<i>0.29</i>	<i>11.19</i>	<i>0.030</i>	<i>0.195</i>	<i>0.435</i>	<i>16.785</i>
<i>3.00 - 4.40</i>	<i>1.40</i>	<i>0.01</i>	<i>0.45</i>	<i>0.12</i>	<i>19.13</i>	<i>0.014</i>	<i>0.630</i>	<i>0.168</i>	<i>26.782</i>
<i>4.40 - 5.50</i>	<i>1.10</i>	<i>0.01</i>	<i>0.34</i>	<i>0.09</i>	<i>13.73</i>	<i>0.011</i>	<i>0.374</i>	<i>0.099</i>	<i>15.103</i>
<i>5.50 -</i>									
<i>10.00 - 11.15</i>	<i>1.15</i>	<i>0.01</i>	<i>0.08</i>	<i>0.03</i>	<i>8.75</i>	<i>0.015</i>	<i>0.092</i>	<i>0.0345</i>	<i>10.0625</i>
<i>11.15 - 12.00</i>	<i>0.85</i>	<i>0.02</i>	<i>0.22</i>	<i>0.48</i>	<i>13.94</i>	<i>0.017</i>	<i>0.187</i>	<i>0.408</i>	<i>11.849</i>
<i>12.00 - 13.00</i>	<i>1.00</i>	<i>0.51</i>	<i>0.34</i>	<i>3.71</i>	<i>18.49</i>	<i>0.510</i>	<i>0.340</i>	<i>3.710</i>	<i>18.490</i>
<i>13.00 - 14.00</i>	<i>1.00</i>	<i>0.23</i>	<i>0.32</i>	<i>1.94</i>	<i>18.16</i>	<i>0.230</i>	<i>0.320</i>	<i>1.940</i>	<i>18.160</i>
<i>14.00 - 15.00</i>	<i>1.00</i>	<i>0.06</i>	<i>0.30</i>	<i>1.65</i>	<i>16.54</i>	<i>0.060</i>	<i>0.300</i>	<i>1.650</i>	<i>16.540</i>
<i>15.00 - 16.00</i>	<i>1.00</i>	<i>0.05</i>	<i>0.37</i>	<i>0.89</i>	<i>19.07</i>	<i>0.050</i>	<i>0.370</i>	<i>0.890</i>	<i>19.070</i>
<i>16.00 - 17.00</i>	<i>1.00</i>	<i>0.04</i>	<i>0.54</i>	<i>1.89</i>	<i>20.50</i>	<i>0.040</i>	<i>0.540</i>	<i>1.890</i>	<i>20.500</i>
<i>17.00 - 17.60</i>	<i>0.60</i>	<i>0.05</i>	<i>0.31</i>	<i>2.09</i>	<i>15.70</i>	<i>0.050</i>	<i>0.310</i>	<i>2.090</i>	<i>15.700</i>
<i>17.60 - 18.00</i> TAP ANSL. %	<i>0.40</i>	<i>0.06</i>	<i>0.30</i>	<i>1.30</i>	<i>15.00</i>	<i>0.024</i>	<i>0.120</i>	<i>0.520</i>	<i>6.00</i>
<i>18.00 - 19.00</i>	<i>1.00</i>	<i>0.07</i>	<i>0.50</i>	<i>1.27</i>	<i>14.27</i>	<i>0.070</i>	<i>0.500</i>	<i>1.270</i>	<i>14.270</i>
<i>19.00 - 19.60</i>	<i>0.60</i>	<i>0.07</i>	<i>0.13</i>	<i>0.46</i>	<i>6.74</i>	<i>0.042</i>	<i>0.078</i>	<i>0.276</i>	<i>4.044</i>
<i>3.00 - 5.50</i>	<i>2.50</i>	<i>0.01</i>	<i>0.40</i>	<i>0.11</i>	<i>16.75</i>				
<i>12.00 - 19.00</i>	<i>7.00</i>	<i>0.15</i>	<i>0.40</i>	<i>1.99</i>	<i>18.37</i>				

25/9 1977

Kare M. Hegrum

MALMBEREGNING I

Lokalitet: ~~STOFF FORSEAINESORT~~
PROFIL 44370

Borehull: 480

Boredato : JUN. 1977
Koordinater : X. 925.451,1 Y. 44367,3
Retning : N
Helling/stigning : $\div 60^\circ$
Høyde : -66,2m

Dybde	Lengde (m)	Analyser							
		% Pb	% Cu	% Zn	% Fe	m% Pt	m% Co	m% Ni	m% Fe
9.40 - 10.35	0.95	0.02	0.05	0.27	4.04	0.019	0.0475	0.2565	3.838
10.35 - 12.00	1.65	0.03	0.06	0.13	6.90	0.0495	0.099	0.2145	11.385
12.00 - 12.45	0.45	0.95	0.35	2.82	5.90	0.4275	0.1575	1.269	2.655
12.45 - 13.70	1.25	0.03	0.04	0.06	2.14	0.0375	0.050	0.075	2.675
12.00 - 12.45	0.45	0.95	0.35	2.82	5.90				

25/8 1977

Harald M. Høyum

MALMBEREGNING I

Lokalitet: ~~SEITE~~ FORSEHRINGSORT
PROFIL 44 370

Borehull: 479

Boredato : JUN. 1977
Koordinator : X. 925.449,7 Y. 44.370,6
Retning : E
Helling/stigning : +68°
Høyde : ÷ 640 m

Dybde	Lengde (m)	Analyser							
		% Pb	% Cu	% Zn	% Fe	µ% Pb	µ% Cu	µ% Zn	µ% Fe
1.00 - 1.65	0.65	0.16	0.07	0.64	3.53	0.104	0.0455	0.416	2.2945
1.65 - 2.00	0.35	1.19	0.28	3.45	6.06	0.4165	0.098	1.2075	2.121
2.00 - 2.40	0.40	0.07	0.03	0.22	3.20	0.028	0.012	0.088	1.280
2.40 - 2.55	0.15	0.29	0.25	1.35	6.90	0.0435	0.0375	0.2025	1.035
2.55 - 3.10	0.55	0.01	0.02	0.06	1.34	0.0055	0.011	0.033	0.737
3.10 - 4.45	1.35	0.03	0.03	0.07	2.86	0.0405	0.0405	0.0945	3.861
4.45 - 4.65	0.20	1.02	0.26	1.70	4.37	0.204	0.052	0.340	0.874
4.65 - 5.00	0.35	0.10	0.09	0.32	2.94	0.035	0.0315	0.112	1.029
5.00 - 5.50	0.50	0.59	0.22	1.24	6.22	0.295	0.110	0.620	3.110
5.50 - 5.90	0.40	0.41	0.17	0.96	4.79	0.164	0.068	0.384	1.916
5.90 - 6.15	0.25	0.77	0.15	1.56	5.89	0.1925	0.0375	0.390	1.4725
6.15 - 7.50	1.35	0.06	0.04	0.23	4.71	0.081	0.054	0.3105	6.3585
1.65 - 6.15	4.50	0.32	0.11	0.77	3.87				
25/8 1977 Y. A. J. J. J.									

MALMBEREGNING I

Lokalitet: KOM ORT, PROFIL 43.400

Borehull: 478

Boredato : Jun. 1977
Koordinater : x. 925.428,5 y. 43.399
Retning : S
Helling/stigning : $\div 65^\circ$
Høyde : $\div 314m$

[illegible]

MALMBEREGNING I

Lokalitet: *KOM. 025*
PROFIL 43 400

Borehull: *477*

Boredato : *JUN 1977*
Koordinater : *X: 925.428,5 Y: 43 399*
Retning : *S*
Helling/stigning : *÷ 75°*
Høyde : *÷ 314 m*

Dybde	Lengde (m)	Analyser							
		% Pb	% Cu	% Zn	% Fe	m% Pb	m% Cu	m% Zn	m% Fe
<i>0.00 - 1.00</i>	<i>1.00</i>	<i>0.17</i>	<i>0.05</i>	<i>0.52</i>	<i>7.50</i>	<i>0.170</i>	<i>0.050</i>	<i>0.520</i>	<i>7.500</i>
<i>1.00 - 1.50</i>	<i>0.50</i>	<i>0.02</i>	<i>0.12</i>	<i>0.09</i>	<i>7.50</i>	<i>0.010</i>	<i>0.060</i>	<i>0.045</i>	<i>3.750</i>
<i>1.50 - 2.50</i>	<i>1.00</i>	<i>1.89</i>	<i>0.60</i>	<i>6.04</i>	<i>8.50</i>	<i>1.890</i>	<i>0.600</i>	<i>6.040</i>	<i>8.500</i>
<i>2.50 - 3.50</i>	<i>1.00</i>	<i>0.68</i>	<i>0.15</i>	<i>1.45</i>	<i>3.33</i>	<i>0.680</i>	<i>0.150</i>	<i>1.450</i>	<i>3.330</i>
<i>3.50 - 4.65</i>	<i>1.15</i>	<i>0.66</i>	<i>0.62</i>	<i>2.32</i>	<i>9.50</i>	<i>0.759</i>	<i>0.713</i>	<i>2.668</i>	<i>10.925</i>
<i>4.65 - 5.80</i>	<i>1.15</i>	<i>0.02</i>	<i>0.05</i>	<i>0.08</i>	<i>2.67</i>	<i>0.023</i>	<i>0.0575</i>	<i>0.092</i>	<i>3.0705</i>
<i>7.00 - 8.15</i>	<i>1.15</i>	<i>0.13</i>	<i>0.28</i>	<i>0.49</i>	<i>2.83</i>	<i>0.1495</i>	<i>0.322</i>	<i>0.5635</i>	<i>3.2545</i>
<i>8.15 - 8.80</i>	<i>0.65</i>	<i>1.28</i>	<i>0.55</i>	<i>0.12</i>	<i>4.00</i>	<i>0.832</i>	<i>0.3575</i>	<i>0.078</i>	<i>2.600</i>
<i>8.80 - 9.35</i>	<i>0.55</i>	<i>0.56</i>	<i>0.31</i>	<i>1.54</i>	<i>1.67</i>	<i>0.308</i>	<i>0.1705</i>	<i>0.847</i>	<i>0.9185</i>
<i>9.35 - 10.00</i>	<i>0.65</i>	<i>0.36</i>	<i>0.19</i>	<i>0.08</i>	<i>3.17</i>	<i>0.234</i>	<i>0.1235</i>	<i>0.052</i>	<i>2.0605</i>
<i>10.00 - 10.80</i>	<i>0.80</i>	<i>0.82</i>	<i>0.50</i>	<i>2.27</i>	<i>7.67</i>	<i>0.656</i>	<i>0.400</i>	<i>1.816</i>	<i>6.136</i>
<i>10.80 - 12.00</i>	<i>1.20</i>	<i>0.00</i>	<i>0.03</i>	<i>0.07</i>	<i>2.17</i>	<i>0.000</i>	<i>0.036</i>	<i>0.084</i>	<i>2.604</i>
<i>20.00 - 21.65</i>	<i>1.65</i>	<i>0.19</i>	<i>0.16</i>	<i>0.57</i>	<i>2.50</i>	<i>0.3135</i>	<i>0.264</i>	<i>0.9405</i>	<i>4.125</i>
<i>21.65 - 22.15</i>	<i>0.50</i>	<i>1.46</i>	<i>0.39</i>	<i>5.02</i>	<i>11.83</i>	<i>0.730</i>	<i>0.195</i>	<i>2.510</i>	<i>5.915</i>
<i>22.15 - 23.45</i>	<i>1.30</i>	<i>0.28</i>	<i>0.10</i>	<i>0.68</i>	<i>3.00</i>	<i>0.364</i>	<i>0.130</i>	<i>0.884</i>	<i>3.900</i>
<i>23.45 - 25.25</i>	<i>1.80</i>	<i>2.73</i>	<i>0.49</i>	<i>8.20</i>	<i>12.67</i>	<i>4.914</i>	<i>0.882</i>	<i>14.760</i>	<i>22.806</i>
<i>25.25 - 25.45</i>	<i>0.20</i>	<i>0.82</i>	<i>0.33</i>	<i>3.57</i>	<i>7.83</i>	<i>0.164</i>	<i>0.066</i>	<i>0.714</i>	<i>1.566</i>
<i>25.45 - 25.65</i>	<i>1.20</i>	<i>0.11</i>	<i>0.05</i>	<i>0.68</i>	<i>0.85</i>	<i>0.132</i>	<i>0.060</i>	<i>0.816</i>	<i>1.020</i>
<i>1.50 - 4.65</i>	<i>3.15</i>	<i>1.06</i>	<i>0.46</i>	<i>3.22</i>	<i>7.22</i>				
<i>8.15 - 10.80</i>	<i>2.65</i>	<i>0.77</i>	<i>0.40</i>	<i>1.05</i>	<i>4.42</i>				
<i>21.65 - 25.45</i>	<i>3.80</i>	<i>1.62</i>	<i>0.34</i>	<i>4.97</i>	<i>9.00</i>				
<i>0.00 - 4.65</i>	<i>4.65</i>	<i>0.75</i>	<i>0.34</i>	<i>2.31</i>	<i>7.31</i>				

5/9 1977

Harv A. Høyen

MALMBEREGNING I

Lokalitet: *KOM.ORT
PROFIL 43.400*

Borehull: *476*

Boredato : *Juni 1977*
Koordinater : *x: 925.428,5 y: 43.399*
Retning : *5*
Helling/stigning : *-87°*
Høyde : *-31,4m*

Dybde	Lengde (m)	Analyser							
		% Pb	% Cu	% Zn	% S	% Pb	% Cu	% Zn	% Fe
<i>0.00 - 0.90</i>	<i>0.90</i>	<i>0.23</i>	<i>0.08</i>	<i>0.44</i>	<i>6.81</i>	<i>0.207</i>	<i>0.072</i>	<i>0.396</i>	<i>6.129</i>
<i>0.90 - 1.60</i>	<i>0.70</i>	<i>1.34</i>	<i>0.60</i>	<i>4.42</i>	<i>8.75</i>	<i>0.938</i>	<i>0.420</i>	<i>3.094</i>	<i>6.125</i>
<i>1.60 - 2.60</i>	<i>1.00</i>	<i>0.26</i>	<i>0.19</i>	<i>0.53</i>	<i>2.76</i>	<i>0.260</i>	<i>0.190</i>	<i>0.530</i>	<i>2.760</i>
<i>2.60 - 3.00</i>	<i>0.40</i>	<i>0.57</i>	<i>0.46</i>	<i>1.23</i>	<i>5.03</i>	<i>0.228</i>	<i>0.184</i>	<i>0.492</i>	<i>2.012</i>
<i>3.00 - 4.00</i>	<i>1.00</i>	<i>0.06</i>	<i>0.03</i>	<i>0.12</i>	<i>2.76</i>	<i>0.060</i>	<i>0.030</i>	<i>0.120</i>	<i>2.760</i>
<i>7.50 - 8.75</i>	<i>1.25</i>	<i>0.35</i>	<i>0.11</i>	<i>0.12</i>	<i>3.08</i>	<i>0.4375</i>	<i>0.1375</i>	<i>0.150</i>	<i>3.850</i>
<i>8.75 - 9.80</i>	<i>1.05</i>	<i>0.45</i>	<i>0.40</i>	<i>1.08</i>	<i>4.70</i>	<i>0.4725</i>	<i>0.420</i>	<i>1.134</i>	<i>4.935</i>
<i>9.80 - 11.00</i>	<i>1.20</i>	<i>0.00</i>	<i>0.01</i>	<i>0.03</i>	<i>1.62</i>	<i>0.000</i>	<i>0.012</i>	<i>0.036</i>	<i>1.944</i>
<i>22.50 - 23.70</i>	<i>1.20</i>	<i>0.06</i>	<i>0.20</i>	<i>0.09</i>	<i>2.27</i>	<i>0.072</i>	<i>0.240</i>	<i>0.108</i>	<i>2.724</i>
<i>23.70 - 24.00</i>	<i>0.30</i>	<i>0.24</i>	<i>1.28</i>	<i>0.82</i>	<i>10.37</i>	<i>0.072</i>	<i>0.384</i>	<i>0.246</i>	<i>3.111</i>
<i>24.00 - 24.40</i>	<i>0.40</i>	<i>0.12</i>	<i>0.13</i>	<i>0.26</i>	<i>2.76</i>	<i>0.048</i>	<i>0.052</i>	<i>0.104</i>	<i>1.104</i>
<i>24.40 - 25.35</i>	<i>0.95</i>	<i>0.42</i>	<i>0.69</i>	<i>0.67</i>	<i>9.99</i>	<i>0.399</i>	<i>0.6555</i>	<i>0.6365</i>	<i>9.4905</i>
<i>25.35 - 26.50</i>	<i>1.15</i>	<i>0.01</i>	<i>0.03</i>	<i>0.04</i>	<i>1.62</i>	<i>0.0115</i>	<i>0.0345</i>	<i>0.046</i>	<i>1.863</i>
<i>0.90 - 3.00</i>	<i>2.10</i>	<i>0.68</i>	<i>0.38</i>	<i>1.96</i>	<i>5.19</i>				
<i>0.90 - 1.60</i>	<i>0.70</i>	<i>1.34</i>	<i>0.60</i>	<i>4.42</i>	<i>8.75</i>				
<i>8.75 - 9.80</i>	<i>1.05</i>	<i>0.45</i>	<i>0.40</i>	<i>1.08</i>	<i>4.70</i>				
<i>23.70 - 25.35</i>	<i>1.65</i>	<i>0.31</i>	<i>0.95</i>	<i>0.60</i>	<i>8.31</i>				
<i>0.00 - 1.60</i>	<i>1.60</i>	<i>0.72</i>	<i>0.31</i>	<i>2.18</i>	<i>7.66</i>				

Mo 24/6 1977

Kare A. Hegrum

MALMBEREGNING I

Lokalitet: LINSE 2, STUFF 2
PROFIL 43 640

Borehull: 474

Boredato : 4/11/1977

Koordinater : X: 925.408,5 Y: 43643,0

Retning : 5

Helling/stigning : +60°

Høyde : 541

Dybde	Lengde (m)	Analyser							
		% Pb	% Cu	% Zn	% S	% P	% Ca	% Mg	% Fe
0,00 - 0,90	0,90	0,00	0,03	0,04	2,68	0,000	0,027	0,036	1,872
0,90 - 1,25	0,35	1,37	1,65	6,19	11,74	0,4795	0,5775	2,1665	4,109
1,25 - 2,40	1,15	1,19	0,49	4,70	10,90	1,3685	0,5635	5,405	12,535
2,40 - 3,80	1,40	0,07	0,07	0,36	1,73	0,098	0,098	0,504	2,422
3,80 - 4,40	0,60	0,57	0,37	3,61	8,65	0,342	0,222	2,166	5,190
4,40 - 5,10	0,70	1,26	0,44	3,11	9,87	0,882	0,308	2,177	6,909
5,10 - 6,65	1,55	3,26	0,23	16,79	11,94	5,053	0,3565	26,0245	18,507
6,65 - 7,35	0,70	0,17	0,41	0,39	8,48	0,119	0,287	0,273	5,936
7,35 - 8,80	1,15	0,00	0,06	0,04	6,58	0,000	0,069	0,046	7,567
✓ 0,90 - 2,40	1,50	1,23	0,76	5,05	11,10				
✓ 3,80 - 6,65	2,85	2,20	0,31	10,66	10,74				
• 0,90 - 6,65	5,75	1,43	0,37	6,69	8,64				
20/5 1977									
Kare M. Hørum									

MALMBEREGNING I

Lokalitet: *LINSE 2. STUFF 2*
PROFIL 43.640

Borehull: *473*

Boredato : *APRIL 1977*
Koordinater : *X: 925.414,6 Y: 43.644,1*
Retning : *N*
Helling/stigning : *+60°*
Høyde : *÷ 53,9 m*

Dybde	Lengde (m)	Analyser							
		% Pb	% Cu	% Zn	% Fe	m% Pb	m% Cu	m% Zn	m% Fe
<i>2.50 - 3.35</i>	<i>0.85</i>	<i>0.09</i>	<i>0.02</i>	<i>0.25</i>	<i>2.77</i>	<i>0.0765</i>	<i>0.017</i>	<i>0.2125</i>	<i>2.3545</i>
<i>3.35 - 3.70</i>	<i>0.35</i>	<i>2.53</i>	<i>0.40</i>	<i>5.91</i>	<i>5.54</i>	<i>0.8855</i>	<i>0.140</i>	<i>2.0685</i>	<i>1.939</i>
<i>3.70 - 5.00</i>	<i>1.30</i>	<i>0.00</i>	<i>0.02</i>	<i>0.06</i>	<i>1.21</i>	<i>0.000</i>	<i>0.026</i>	<i>0.078</i>	<i>1.573</i>
<i>10.50 - 11.90</i>	<i>1.40</i>	<i>0.01</i>	<i>0.02</i>	<i>0.11</i>	<i>1.38</i>	<i>0.014</i>	<i>0.020</i>	<i>0.154</i>	<i>1.932</i>
<i>11.90 - 13.00</i>	<i>1.10</i>	<i>0.56</i>	<i>0.19</i>	<i>3.09</i>	<i>9.35</i>	<i>0.616</i>	<i>0.209</i>	<i>3.399</i>	<i>10.285</i>
<i>13.00 - 13.90</i>	<i>0.90</i>	<i>3.87</i>	<i>0.10</i>	<i>15.08</i>	<i>10.73</i>	<i>3.483</i>	<i>0.090</i>	<i>13.572</i>	<i>9.657</i>
<i>13.90 - 14.40</i>	<i>0.50</i>	<i>0.34</i>	<i>0.25</i>	<i>0.03</i>	<i>5.54</i>	<i>0.170</i>	<i>0.125</i>	<i>0.015</i>	<i>2.770</i>
<i>14.40 - 15.50</i>	<i>1.10</i>	<i>0.06</i>	<i>0.03</i>	<i>0.06</i>	<i>5.19</i>	<i>0.066</i>	<i>0.033</i>	<i>0.066</i>	<i>5.709</i>
<i>3.35 - 3.70</i>	<i>0.35</i>	<i>2.53</i>	<i>0.40</i>	<i>5.91</i>	<i>5.54</i>				
<i>11.90 - 13.90</i>	<i>2.00</i>	<i>2.05</i>	<i>0.15</i>	<i>8.49</i>	<i>5.47</i>				

20/5 1977

Haare G. Kjøpman

MALMBEREGNING I

Lokalitet: LINSE 2
PROFIL 43.450

Borehull: 472

Boredato : APRIL 1977
Koordinater : X 925 383,2 Y 43 449,2
Retning : N
Helling/stigning : $\div 75^{\circ}$
Høyde : $\div 58,6\text{m}$

Dybde	Lengde (m)	Analyser							
		% Pb	% Cu	% Zn	% Fe	% Pt	% Ca	% Zn	% Fe
1.75 - 3.20	1.45	0.06	0.13	0.22	7.39	0.090	0.190	0.320	10.720
3.20 - 4.20	1.00	0.21	0.19	1.85	11.73	0.210	0.190	1.850	11.730
4.20 - 4.60	0.40	0.55	0.13	2.01	7.21	0.220	0.050	0.800	2.880
4.60 - 4.80	0.20	0.42	0.34	7.97	17.20	0.080	0.070	1.570	3.440
4.80 - 6.00	1.20	0.03	0.03	0.13	1.61	0.040	0.040	1.160	1.930
17.00 - 18.40	1.40	0.00	0.02	0.06	2.09	0.000	0.030	0.080	2.930
18.40 - 18.95	0.55	1.06	0.33	3.26	7.55	0.580	0.130	1.790	4.150
18.95 - 19.40	0.45	0.06	0.11	0.41	2.25	0.030	0.050	0.180	1.010
19.40 - 19.65	0.25	1.10	0.39	5.30	10.46	0.280	0.100	1.330	2.620
19.65 - 20.30	0.65	0.85	0.34	0.39	3.70	0.550	0.220	0.250	2.410
20.30 - 20.65	0.35	0.57	0.59	1.13	10.61	0.200	0.210	0.400	3.710
20.65 - 21.15	0.50	0.89	0.21	2.88	6.11	0.450	0.110	1.440	3.060
21.15 - 22.00	0.85	2.32	0.41	4.66	12.54	4.970	0.350	3.460	10.660
22.00 - 22.35	0.35	0.87	0.41	0.83	5.14	0.300	0.140	0.290	1.800
22.35 - 23.75	1.40	0.07	0.05	0.19	5.62	0.100	0.070	0.270	7.870
3.20 - 4.80	1.60	0.320	0.480	2.640	11.210				
18.40 - 22.00	3.60	0.970	0.290	2.100	6.520				

20/5 1977

Kenneth A. Hegrum

MALMBEREGNING I

Lokalitet: *LINSE 2*
PROFIL 43 450

Borehull: *471*

Boredato : *APRIL 1977*
Koordinater : *X: 925.383,3 Y: 43.449,3*
Retning : *N*
Helling/stigning : *÷ 70°*
Høyde : *÷ 58,6 m*

Dybde	Lengde (m)	Analyser							
		% Pb	% Cu	% Zn	% Fe	% Pt	% Co	% Ni	% Mn
<i>1.00 - 1.60</i>	<i>0.60</i>	<i>0.01</i>	<i>0.15</i>	<i>0.20</i>	<i>7.32</i>	<i>0.006</i>	<i>0.090</i>	<i>0.120</i>	<i>4.392</i>
<i>1.60 - 1.80</i>	<i>0.20</i>	<i>0.62</i>	<i>0.36</i>	<i>2.54</i>	<i>8.37</i>	<i>0.124</i>	<i>0.072</i>	<i>0.508</i>	<i>1.674</i>
<i>1.80 - 3.40</i>	<i>1.60</i>	<i>0.02</i>	<i>0.15</i>	<i>0.41</i>	<i>7.95</i>	<i>0.032</i>	<i>0.240</i>	<i>0.656</i>	<i>12.720</i>
<i>3.40 - 4.10</i>	<i>0.70</i>	<i>0.11</i>	<i>0.24</i>	<i>1.80</i>	<i>11.51</i>	<i>0.077</i>	<i>0.168</i>	<i>1.260</i>	<i>8.057</i>
<i>4.10 - 4.60</i>	<i>0.50</i>	<i>0.14</i>	<i>0.26</i>	<i>0.56</i>	<i>4.19</i>	<i>0.070</i>	<i>0.130</i>	<i>0.280</i>	<i>2.095</i>
<i>4.60 - 4.80</i>	<i>0.20</i>	<i>0.31</i>	<i>0.62</i>	<i>6.08</i>	<i>11.93</i>	<i>0.062</i>	<i>0.124</i>	<i>1.216</i>	<i>2.386</i>
<i>4.80 - 5.50</i>	<i>0.70</i>	<i>0.01</i>	<i>0.01</i>	<i>0.18</i>	<i>1.61</i>	<i>0.007</i>	<i>0.007</i>	<i>0.126</i>	<i>1.127</i>
<i>7.50 - 8.15</i>	<i>0.65</i>	<i>0.03</i>	<i>0.02</i>	<i>0.08</i>	<i>1.59</i>	<i>0.0195</i>	<i>0.013</i>	<i>0.052</i>	<i>1.0335</i>
<i>8.15 - 8.30</i>	<i>0.15</i>	<i>2.28</i>	<i>0.35</i>	<i>5.66</i>	<i>8.58</i>	<i>0.342</i>	<i>0.0525</i>	<i>0.849</i>	<i>1.287</i>
<i>8.30 - 9.00</i>	<i>0.70</i>	<i>0.03</i>	<i>0.03</i>	<i>0.30</i>	<i>2.30</i>	<i>0.021</i>	<i>0.021</i>	<i>0.210</i>	<i>1.610</i>
<i>17.00 - 18.40</i>	<i>1.40</i>	<i>0.04</i>	<i>0.01</i>	<i>0.08</i>	<i>1.81</i>	<i>0.056</i>	<i>0.014</i>	<i>0.112</i>	<i>2.534</i>
<i>18.40 - 18.70</i>	<i>0.30</i>	<i>0.79</i>	<i>0.17</i>	<i>2.75</i>	<i>7.86</i>	<i>0.237</i>	<i>0.051</i>	<i>0.825</i>	<i>2.358</i>
<i>18.70 - 19.50</i>	<i>0.80</i>	<i>0.14</i>	<i>0.04</i>	<i>0.15</i>	<i>2.27</i>	<i>0.112</i>	<i>0.032</i>	<i>0.120</i>	<i>1.816</i>
<i>19.50 - 19.65</i>	<i>0.15</i>	<i>0.74</i>	<i>0.18</i>	<i>3.37</i>	<i>8.32</i>	<i>0.111</i>	<i>0.027</i>	<i>0.5055</i>	<i>1.248</i>
<i>19.65 - 19.95</i>	<i>0.30</i>	<i>0.23</i>	<i>0.07</i>	<i>0.71</i>	<i>2.27</i>	<i>0.069</i>	<i>0.021</i>	<i>0.213</i>	<i>0.681</i>
<i>19.95 - 20.35</i>	<i>0.40</i>	<i>0.97</i>	<i>0.19</i>	<i>2.16</i>	<i>4.26</i>	<i>0.388</i>	<i>0.076</i>	<i>0.864</i>	<i>1.704</i>
<i>20.35 - 21.00</i>	<i>0.65</i>	<i>0.17</i>	<i>0.07</i>	<i>0.41</i>	<i>2.42</i>	<i>0.1105</i>	<i>0.0455</i>	<i>0.2665</i>	<i>1.573</i>
<i>21.00 - 22.00</i>	<i>1.00</i>	<i>0.56</i>	<i>0.26</i>	<i>1.30</i>	<i>6.50</i>	<i>0.560</i>	<i>0.260</i>	<i>1.300</i>	<i>6.500</i>
<i>22.00 - 23.10</i>	<i>1.10</i>	<i>0.34</i>	<i>0.13</i>	<i>1.48</i>	<i>4.08</i>	<i>0.374</i>	<i>0.143</i>	<i>1.628</i>	<i>4.488</i>
<i>23.10 - 24.00</i>	<i>0.90</i>	<i>0.00</i>	<i>0.17</i>	<i>0.11</i>	<i>6.96</i>	<i>0.000</i>	<i>0.153</i>	<i>0.099</i>	<i>6.264</i>
<i>1.60 - 4.80</i>	<i>3.20</i>	<i>0.11</i>	<i>0.27</i>	<i>0.23</i>	<i>8.42</i>				
<i>3.40 - 4.80</i>	<i>1.40</i>	<i>0.55</i>	<i>0.30</i>	<i>1.97</i>	<i>8.46</i>				
<i>8.15 - 8.30</i>	<i>0.15</i>	<i>2.28</i>	<i>0.35</i>	<i>5.66</i>	<i>8.58</i>				
<i>19.50 - 23.10</i>	<i>3.60</i>	<i>0.45</i>	<i>0.16</i>	<i>1.33</i>	<i>4.50</i>				

18/5 - 1977

Hauk A. Høy

MALMBEREGNING I

Lokalitet: *FORSENINGEN - ØST*
PROFIL 44020

Borehull: *470*

Boredato : *APRIL 1977*
 Koordinator : *X: 925 397.5, Y: 44 015.6*
 Retning : *N*
 Helling/stigning : *+50'*
 Høyde : *÷ 66.3 m*

Dybde	Lengde (m)	Analyser							
		% Pb	% Cu	% Zn	% Fe	% Ni	% Co	% Mn	% S
3.50 - 5.00	1.50	0.13	0.05	0.30	2.47	0.195	0.075	0.450	3.705
5.00 - 6.50	1.50	0.85	0.35	2.76	7.69	1.275	0.525	4.140	11.535
6.50 - 7.50	1.00	0.72	0.31	3.89	8.13	0.720	0.310	3.890	8.130
7.50 - 8.25	0.75	1.46	0.11	6.57	9.73	1.095	0.0825	4.9275	7.2975
8.25 - 8.90	0.65	5.42	2.06	9.34	13.50	3.523	1.339	5.421	8.775
8.90 - 10.15	1.25	1.57	0.22	2.19	5.37	1.963	0.275	2.738	6.74
10.15 - 11.50	1.35	0.87	0.35	2.09	5.52	1.1745	0.4725	2.9215	7.452
11.50 - 12.45	0.95	1.39	0.36	5.17	8.85	1.3205	0.342	4.9115	8.407
12.45 - 13.15	0.70	0.14	0.09	0.41	2.76	0.649	0.063	0.287	1.932
13.15 - 14.25	1.10	0.58	0.18	2.04	6.46	0.618	0.198	2.244	7.91
14.25 - 15.40	1.15	1.09	0.39	3.68	10.72	1.2535	0.4485	4.232	12.328
15.40 - 16.50	1.10	0.32	0.42	7.07	8.79	0.352	0.462	7.777	9.669
16.50 - 17.50	1.00	0.31	0.39	5.51	9.37	0.310	0.390	5.510	9.370
17.50 - 18.50	1.00	1.62	0.47	7.78	7.97	1.620	0.470	7.780	7.970
18.50 - 19.35	0.85	2.49	0.38	7.81	7.93	2.1165	0.323	6.6385	6.655
19.35 - 20.25	0.90	4.46	0.70	17.16	12.92	4.014	0.630	15.444	11.628
20.25 - 20.70	0.45	0.91	0.30	2.58	7.83	0.4095	0.135	1.161	3.523
20.70 - 21.50	0.80	0.93	0.69	5.94	10.99	0.744	0.552	4.752	8.792
21.50 - 23.20	1.70	0.01	0.18	0.09	8.38	0.017	0.306	0.153	14.24
5.00 - 8.90	3.90	1.70	0.58	4.71	9.16	6.613	2.257	18.379	35.7
8.90 - 14.25	5.35	0.97	0.25	2.43	5.91	5.194	1.351	13.002	31.6
14.25 - 21.50	7.25	1.49	0.47	7.35	9.65	10.80	3.408	53.29	64.9
5.00 - 21.50	16.50	1.37	0.43	5.13	8.82	22.61	7.016	84.67	137

10/5 1977

Korrektur 12.79

MALMBEREGNING I

Lokalitet: FORSERINGS ÖRT
PROFIL 44 020

Borehull: 469

Boredato : APRIL 1977
Koordinator : X-925.394 Y-44013.7
Retning : W
Helling/stigning : +60°
Høyde : ÷ 66 m

Dybde	Lengde (m)	Analyser							
		% Pb	% Cu	% Zn	% Fe	% Pb	% Cu	% Zn	% Fe
2.00 - 3.55	1.55	0.00	0.02	0.02	1.96	0.000	0.031	0.031	3.038
3.55 - 3.80	0.25	0.74	0.34	1.64	4.69	0.185	0.085	0.410	1.1725
3.80 - 5.00	1.20	0.50	0.58	3.99	9.51	0.600	0.696	4.788	11.412
5.00 - 6.55	1.55	1.36	0.26	5.02	9.13	2.108	0.403	7.781	14.1515
6.55 - 7.50	1.05	0.78	0.44	4.25	10.39	0.819	0.462	4.4625	10.9095
7.50 - 8.50	1.00	1.48	0.61	10.52	10.52	1.480	0.670	10.520	10.520
8.50 - 9.10	0.60	2.45	0.16	19.06	11.28	1.470	0.096	11.436	6.768
9.10 - 10.20	1.10	0.21	0.29	2.49	6.72	0.231	0.319	2.739	7.392
10.20 - 11.45	1.25	0.74	0.34	12.06	9.29	0.925	0.425	15.075	11.625
11.45 - 12.60	1.15	0.06	0.21	0.65	5.81	0.069	0.2415	0.7475	6.6815
12.60 - 13.60	1.00	0.01	0.08	0.10	6.24	0.010	0.080	0.100	6.240
13.60 - 14.60	1.00	0.04	0.13	0.25	4.50	0.040	0.130	0.250	4.500
14.60 - 14.95	0.35	0.63	0.22	1.85	4.79	0.2205	0.077	0.6475	1.6765
14.95 - 15.75	0.80	0.06	0.09	0.82	8.27	0.048	0.072	0.656	6.616
3.80 - 11.45	7.65	1.00	0.40	7.43	9.51				
I OG MED AT HULLET STÅR 460° MOT W, BLIR SÅNE DYBDER OG LÆNGDE SOM FØLGER:									
3.29 - 9.92	6.63	1.00	0.40	7.43	9.51				
9/5 - 77 1/11 Kognium									

MALMBEREGNING I

Lokalitet: FORSEDERNES-ØRT
PROFIL 44020

Borehull: 468

Boredato : MARS - APRIL 1977
Koordinater : X: 925.397,3 Y: 44.015,9
Retning : N
Helling/stigning : $\div 45^\circ$
Høyde : $\div 68,1\text{m}$

Dybde	Lengde (m)	Analyser							
		% Pb	% Cu	% Zn	% Fe	% Pt	% Co	% Ni	% Mn
0.00 - 1.40	1.40	0.06	0.03	0.19	1.94	0.084	0.042	0.266	2.716
1.40 - 1.85	0.45	6.00	1.03	1.54	4.20	2.700	0.4635	0.693	1.896
1.85 - 2.75	0.90	0.18	0.05	0.09	1.33	0.162	0.045	0.081	1.197
2.75 - 3.50	0.75	1.08	0.56	3.97	7.75	0.810	0.420	2.9775	5.8125
3.50 - 4.60	1.10	2.73	0.16	6.25	8.41	3.003	0.176	6.875	9.251
4.60 - 6.00	1.40	0.12	0.05	0.25	2.14	0.168	0.070	0.350	2.946
6.00 - 7.00	1.00	0.64	0.38	3.95	12.22	0.640	0.380	3.950	12.220
7.00 - 8.20	1.20	0.92	0.90	4.19	12.22	1.104	1.080	5.028	14.664
8.20 - 9.00	0.80	0.49	0.29	2.07	8.01	0.392	0.232	1.656	6.408
9.00 - 10.65	1.65	0.32	0.67	2.11	15.37	0.528	1.1055	3.4815	25.3605
10.65 - 11.35	0.70	0.02	0.08	0.20	7.75	0.014	0.056	0.140	5.425
11.35 - 12.30	0.95	0.03	0.02	0.05	2.25	0.0285	0.019	0.0475	2.1375
15.50 - 16.70	1.20	0.02	0.09	0.04	2.02	0.024	0.108	0.048	2.424
16.70 - 17.70	1.00	0.02	0.45	1.60	15.37	0.020	0.450	1.600	15.370
17.70 - 18.50	0.80	0.02	0.03	0.10	3.00	0.016	0.024	0.080	2.400
21.50 - 22.60	1.10	0.00	0.07	0.06	3.17	0.000	0.077	0.066	3.487
22.60 - 23.50	0.90	0.60	0.28	0.80	10.27	0.540	0.252	0.720	9.243
23.50 - 24.40	0.90	0.30	0.48	3.05	11.15	0.270	0.432	2.745	10.035
24.40 - 24.70	0.30	1.17	0.63	6.92	12.55	0.351	0.189	2.076	3.765
24.70 - 25.10	0.40	0.71	0.19	0.44	3.93	0.284	0.076	0.176	1.572
25.10 - 25.25	0.15	1.60	0.53	7.35	7.48	0.240	0.0795	1.1025	1.122
25.25 - 26.35	1.10	0.05	0.06	0.10	5.70	0.055	0.066	0.110	6.270
2.75 - 8.20	5.45	1.08	0.40	3.53	8.47				
2.75 - 10.65	7.90	0.86	0.44	3.09	9.86				
16.70 - 17.70	1.00	0.02	0.45	1.60	15.37				
23.50 - 25.25	1.75	0.65	0.44	3.49	9.43				

6/5 1977

H. A. Nigam

MALMBEREGNING I

Lokalitet: FORSERINGSØRT
PROFIL 44020

Borehull: 467

MARS
Boredato : 1977
Koordinater : X: 925.385,8 Y: 44.012,7
Retning : S
Helling/stigning : $\div 60^\circ$
Høyde : $\div 68,8m$

Dybde	Lengde (m)	Analyser							
		% Pb	% Cu	% Zn	% Fe	% P	% S	% Mn	% Mg
0.00 - 1.60	1.60	0.06	0.03	0.32	2.44	0.096	0.048	0.512	3.904
1.60 - 2.10	0.50	0.79	0.12	1.30	2.44	0.395	0.060	0.65	1.220
2.10 - 2.85	0.75	0.06	0.08	0.14	3.56	0.045	0.060	0.105	2.670
2.85 - 4.20	1.35	0.64	0.27	2.22	6.89	0.864	0.3645	2.997	9.3015
4.20 - 4.85	0.65	1.92	0.14	4.51	6.00	1.248	0.091	2.9315	3.900
4.85 - 5.35	0.50	0.65	0.15	0.75	3.11	0.325	0.075	0.375	1.555
5.35 - 5.50	0.15	1.45	0.22	4.39	6.67	0.2175	0.033	0.6585	1.0005
5.50 - 6.70	1.20	0.02	0.03	0.10	1.78	0.024	0.036	0.120	2.136
6.70 - 8.00	1.30	0.55	0.26	1.04	5.11	0.715	0.338	1.352	6.643
8.00 - 9.00	1.00	0.79	0.37	2.25	6.00	0.790	0.370	2.250	6.000
9.00 - 10.00	1.00	0.56	0.38	1.45	5.89	0.560	0.380	1.450	5.890
10.00 - 11.00	1.00	0.71	0.79	1.59	7.06	0.710	0.790	1.590	7.060
11.00 - 11.55	0.55	0.82	0.44	4.30	10.43	0.451	0.242	2.365	5.7365
11.55 - 12.00 TAP. HNS%	0.45	0.60	0.30	3.00	9.00	0.270	0.135	1.350	4.050
12.00 - 13.25	1.25	0.58	0.27	2.16	7.74	0.725	0.3375	2.700	9.675
13.25 - 15.20	1.95	0.06	0.13	0.25	6.06	0.117	0.2535	0.4875	11.817
15.20 - 15.55	0.35	1.21	0.78	3.97	12.95	0.4235	0.273	1.3895	4.5325
15.55 - 16.00	0.45	0.14	0.28	0.55	6.73	0.063	0.126	0.2475	3.0285
16.00 - 16.30	0.30	0.26	0.85	1.95	10.43	0.078	0.255	0.585	3.129
16.30 - 17.30	1.00	0.05	0.11	0.27	4.04	0.050	0.110	0.270	4.040
17.30 - 17.50	0.20	1.24	0.45	4.03	8.07	0.248	0.090	0.806	1.614
17.50 - 18.70	1.20	0.04	0.02	0.11	2.69	0.048	0.024	0.132	3.228
1.60 - 2.10	0.50	0.79	0.12	1.30	2.44				
2.85 - 5.50	2.65	1.00	0.21	2.63	5.95				
8.00 - 13.25	5.25	0.67	0.43	2.23	7.32				
15.20 - 15.55	0.35	1.21	0.78	3.97	12.95				
17.30 - 17.50	0.20	1.24	0.45	4.03	8.07				

18/4. 1977

Heinrich M. Hög

MALMBEREGNING I

Lokalitet: FORSENINGS-ØRT
PROFIL 44020

Borehull: 466

Boredato : MARS 1977
Koordinater : X: 425.344,3 Y: 44.016,1
Retning : N
Helling/stigning : $\div 70^\circ$
Høyde : $\div 68,5_m$

Dybde	Lengde (m)	Analyser							
		% Pb	% Cu	% Zn	% S	% Pb	% Cu	% Zn	% S
0.00 - 1.40	1.40	0.48	0.10	0.54	2.52	0.672	0.140	0.756	3.528
1.40 - 1.65	0.25	1.50	1.79	4.00	8.28	0.375	0.4475	1.000	2.070
1.65 - 2.50	0.85	0.05	0.06	0.10	1.80	0.0425	0.051	0.085	1.530
2.50 - 2.75	0.25	3.11	0.55	5.32	9.90	0.7775	0.1375	1.330	2.475
2.75 - 3.40	0.65	0.81	0.23	1.95	6.48	0.5265	0.1495	1.2675	4.212
3.40 - 4.50	1.10	0.02	0.04	0.15	9.72	0.022	0.044	0.165	10.692
4.50 - 5.50	1.00	0.03	0.32	1.24	12.42	0.030	0.320	1.240	12.420
5.50 - 6.50	1.00	0.22	0.59	2.68	12.96	0.220	0.590	2.680	12.960
6.50 - 8.00	1.50	0.42	0.47	1.35	11.70	0.630	0.705	2.025	17.550
8.00 - 8.30	0.30	0.10	0.68	2.94	19.62	0.030	0.204	0.897	5.886
8.30 - 9.30	1.00	0.15	0.15	0.57	3.60	0.150	0.150	0.570	3.600
9.30 - 9.70	0.40	0.05	0.06	0.10	2.88	0.020	0.024	0.040	1.152
9.70 - 11.05	1.35	0.12	0.10	0.26	3.06	0.162	0.135	0.351	4.131
11.05 - 12.00	0.95	0.30	0.41	1.43	11.52	0.285	0.3895	1.3585	10.944
12.00 - 13.00	1.00	0.07	0.38	1.12	11.16	0.070	0.380	1.120	11.160
13.00 - 13.40 TAPANSK	0.40	0.50	0.30	1.20	8.00	0.200	0.120	0.480	3.200
13.40 - 14.50	1.10	0.87	0.26	1.55	6.48	0.957	0.286	1.705	7.120
14.50 - 15.50	1.00	0.53	0.39	3.41	10.32	0.530	0.390	3.410	10.320
15.50 - 16.60	1.10	0.60	0.61	3.55	9.36	0.660	0.671	3.905	10.296
16.60 - 17.80	1.20	0.05	0.09	0.23	6.00	0.060	0.108	0.276	7.200
17.80 - 18.00	0.20	1.84	0.31	8.22	6.00	0.368	0.062	1.644	1.200
18.00 - 20.00	2.00	0.02	0.03	0.11	4.32	0.040	0.060	0.220	8.640
1.40 - 3.40	2.00	0.86	0.39	1.84	5.14				
4.50 - 8.30	3.80	0.24	0.48	1.80	12.85				
11.05 - 14.50	3.45	0.44	0.34	1.35	9.40				
14.50 - 18.00	3.50	0.46	0.35	2.64	8.29				
14.50 - 16.60	2.10	0.57	0.51	3.48	9.82				

13/4 1977

Kaare G. Hegrum

MALMBEREGNING I

Lokalitet: *FORSERINGS-ØRT
PROFIL 44.280*

Borehull: *465*

Boredato : *MARS 1977*
Koordinater : *x: 925.419,6 y: 49.280,5*
Retning : *N*
Helling/stigning : *+35°*
Høyde : *-69,4 m*

Dybde	Lengde (m)	Analyser							
		% Pb	% Cu	% Zn	% S	m% Pb	m% Cu	m% Zn	m% Fe
9.20 - 10.30	1.10	0.14	0.14	0.26	6.17	0.154	0.154	0.286	6.787
10.30 - 11.05	0.75	5.14	0.31	6.96	11.19	3.855	0.2325	5.220	8.3925
11.05 - 11.75	0.70	0.31	0.45	0.43	7.84	0.217	0.315	0.301	5.488
11.75 - 12.10	0.35	2.34	1.13	3.16	10.41	0.819	0.3955	1.106	3.6435
12.10 - 12.50	0.40	0.17	0.26	0.24	4.37	0.068	0.104	0.096	1.748
12.50 - 13.50	1.00	4.74	0.28	7.72	6.30	4.740	0.280	7.720	6.300
13.50 - 14.75	1.25	2.53	0.44	4.88	6.69	3.1625	0.550	6.100	8.3625
14.75 - 17.00	2.25	0.34	0.16	0.48	4.11	0.765	0.360	1.080	9.2475
17.00 - 18.00	1.00	1.58	0.19	2.68	5.66	1.580	0.190	2.680	5.660
18.00 - 18.50	0.50	0.46	0.09	0.71	2.57	0.230	0.045	0.355	1.285
18.50 - 20.00	1.50	0.47	0.17	1.14	4.37	0.705	0.255	1.710	6.555
20.00 - 21.00	1.00	0.07	0.14	0.15	7.33	0.070	0.140	0.150	7.330
21.00 - 22.50	1.50	0.03	0.02	0.03	6.17	0.045	0.030	0.045	9.255
✓ 10.30 - 14.75	4.45	2.89	0.42	4.62	7.63				
✓ 17.00 - 20.00	3.00	0.84	0.16	1.58	4.50				
10.30 - 20.00	9.70	1.66	0.28	2.72	5.84				
10.30 - 18	7.70	1.97		3.16					

MALMBEREGNING I

Lokalitet: FORSERINGSÖRT
PROFIL 44280

Borehull: 464

Boredato : MARS 1977
Koordinater : X: 425.419,3 Y: 44280,3
Retning : N
Helling/stigning : +60°
Høyde : -67.5 m

Dybde	Lengde (m)	Analyser							
		% Pb	% Cu	% Zn	% Fe	% Pb	% Cu	% Zn	% Fe
5.40 - 6.00	0.60	0.05	0.03	0.02	7.20	0.030	0.018	0.012	4.32
6.00 - 7.20	1.20	0.02	0.06	0.04	4.32	0.024	0.072	0.048	5.184
7.20 - 8.70	1.50	2.47	0.37	6.39	8.10	3.705	0.555	9.585	12.15
8.70 - 10.50	1.80	0.00	0.03	0.09	7.38	0.000	0.054	0.162	13.284
7.20 - 8.70	1.50	2.47	0.37	6.39	8.10				

22/3 1977

Kaar A. Højum

MALMBEREGNING I

ARK 1

Lokalitet: FORSERINGS ØRT
PROFIL 44280

Borehull: 463

Boredato : FEB-MARS 1977
Koordinater : X. 925.419,2 Y. 44280,9
Retning : N
Helling/stigning : -30°
Høyde : -71,2 m

Dybde	Lengde (m)	Analyser							
		% Pb	% Cu	% Zn	% Fe	% Ni	% Co	% Mn	% Fe
0.00 - 0.30	0.30	0.21	0.13	0.65	5.76	0.063	0.039	0.195	1.728
0.30 - 1.25	0.95	0.04	0.12	1.30	7.02	0.038	0.114	1.235	6.669
1.25 - 2.30	1.05	0.04	0.21	0.12	9.00	0.042	0.2205	0.126	9.450
2.30 - 2.50	0.20	0.02	0.07	1.19	16.92	0.004	0.014	0.238	3.384
2.50 - 2.70	0.20	0.02	0.06	19.81	14.40	0.004	0.012	3.962	2.980
2.70 - 4.65	1.95	0.02	0.12	0.40	9.90	0.039	0.234	0.780	19.305
4.65 - 6.00	1.35	0.01	0.07	0.08	5.76	0.0135	0.0945	0.108	7.776
6.00 - 7.20	1.20	0.02	0.05	0.13	5.22	0.024	0.060	0.156	6.264
7.20 - 7.40 TAP. HÅSL. %	0.20	0.03	0.04	5.00	7.50	0.006	0.008	1.000	1.500
7.40 - 7.50	0.10	0.05	0.06	10.81	10.26	0.005	0.006	1.081	1.026
7.50 - 8.75	1.25	0.00	0.09	0.10	7.74	0.000	0.1125	0.125	9.675
15.00 - 15.50	0.50	0.04	0.12	0.08	8.64	0.020	0.060	0.040	4.320
15.50 - 16.00	0.50	0.04	0.05	0.04	3.42	0.020	0.025	0.020	1.710
16.00 - 16.40	0.40	0.03	0.10	1.98	12.24	0.012	0.040	0.792	4.896
16.40 - 16.70	0.30	0.02	0.17	0.11	9.36	0.006	0.051	0.033	2.808
16.70 - 17.65	0.95	0.03	0.13	0.08	16.20	0.0285	0.1235	0.076	15.39
17.65 - 19.60	1.95	0.04	0.05	0.05	4.50	0.010	0.0125	0.0125	1.125
19.60 - 19.85	0.25	0.04	0.05	0.05	4.50	0.010	0.0125	0.0125	1.125
19.85 - 21.00	1.15	0.02	0.09	0.41	7.20	0.023	0.1035	0.4715	8.280
21.00 - 23.15	2.15	0.00	0.03	0.04	1.33	0.000	0.0645	0.086	2.8595
23.15 - 24.80	1.65	0.84	0.42	2.49	13.14	1.386	0.693	4.1085	21.681
24.80 - 25.95	1.15	0.01	0.04	0.19	3.60	0.0115	0.046	0.2185	4.140
25.95 - 26.70	0.75	0.00	0.26	0.65	17.46	0.000	0.195	0.4875	13.695
26.70 - 28.50	0.80	0.03	0.12	0.30	5.40	0.024	0.096	0.240	4.32
28.50 - 29.00	0.50	0.21	0.16	0.88	7.56	0.105	0.080	0.440	3.78
29.00 - 29.50	0.50	0.05	0.05	0.41	2.70	0.025	0.025	0.205	1.350
29.50 - 31.15	1.65	1.00	0.35	2.84	11.52	1.650	0.5775	4.686	19.008
31.15 - 31.75	0.60	1.21	0.26	2.77	7.74	0.726	0.156	1.662	4.644

ARK 2

Boredato :
Koordinater :
Retning :
Helling/stigning :
Høyde :

Høyde :

Dybde	Lengde (m)	Analyser							
		% Pb	% Cu	% Zn	% Fe	% Pb	% Cu	% Zn	% Fe
31.75 - 34.20	2.45	0.15	0.20	0.29	5.22	0.3675	0.490	0.7105	12.789
34.20 - 34.40	0.20	0.24	0.44	0.60	9.72	0.048	0.088	0.120	1.944
34.40 - 35.60	1.20	0.23	0.37	4.08	14.04	0.276	0.444	4.896	16.848
35.60 - 36.75	1.15	0.00	0.10	0.14	3.60	0.000	0.115	0.161	4.14
36.75 - 37.40	0.65	0.13	0.30	0.48	9.36	0.0845	0.195	0.312	6.084
37.40 - 39.00	1.60	0.02	0.09	0.10	2.88	0.032	0.144	0.160	4.608
2.30 - 2.70	0.40	0.02	0.07	10.50	15.66				
7.20 - 7.50	0.30	0.04	0.05	6.94	8.42				
16.00 - 16.40	0.40	0.03	0.10	1.98	12.24				
23.15 - 24.80	1.65	0.84	0.42	2.49	13.14				
29.50 - 31.75	2.25	1.06	0.33	2.82	10.51				
34.40 - 35.60	1.20	0.23	0.37	4.08	14.04				
29.5 - 35.60	6.10	0.50	0.29	1.98					

22/3 1977

H. H. H. H.

MALMBEREGNING I

Lokalitet: *FORSERINGSØRT
PROFIL 44280*

Borehull: *462*

Boredato : *FEB 1977*
Koordinater : *X: 925.386,9 Y: 44.274,3*
Retning : *N*
Helling/stigning : *- 74°*
Høyde : *- 71.8 m*

Dybde	Lengde (m)	Analyser								
		% Pb	% Cu	% Zn	% S	% P	% Ca	% Zn	% Fe	
<i>3.50 - 5.00</i>	<i>1.50</i>	<i>0.05</i>	<i>0.03</i>	<i>0.16</i>	<i>7.71</i>	<i>0.075</i>	<i>0.045</i>	<i>0.240</i>	<i>11.565</i>	
<i>5.00 - 6.00</i>	<i>1.00</i>	<i>0.22</i>	<i>0.48</i>	<i>3.11</i>	<i>13.29</i>	<i>0.220</i>	<i>0.480</i>	<i>3.110</i>	<i>13.290</i>	
<i>6.00 - 6.70</i>	<i>0.70</i>	<i>0.14</i>	<i>0.29</i>	<i>2.03</i>	<i>9.64</i>	<i>0.098</i>	<i>0.203</i>	<i>1.421</i>	<i>6.748</i>	
<i>6.70 - 8.70</i>	<i>2.00</i>	<i>0.01</i>	<i>0.07</i>	<i>0.24</i>	<i>5.57</i>	<i>0.020</i>	<i>0.140</i>	<i>0.480</i>	<i>11.140</i>	
<i>5.00 - 6.70</i>	<i>1.70</i>	<i>0.19</i>	<i>0.40</i>	<i>2.67</i>	<i>11.79</i>					

22/3 1977

Harald A. Heggen

MALMBEREGNING I

Lokalitet: *FORSERINGS ØRT*
PROFIL 44280

Borehull: *461*

Boredato : *FEB. 1977*
Koordinater : *X: 925.401,5 Y: 44272,3*
Retning : *N*
Helling/stigning : *- 70°*
Høyde : *- 71,8 m*

Dybde	Lengde (m)	Analyser							
		% Pb	% Cu	% Zn	% S	m% Pt	m% Cu	m% Zn	m% Fe
<i>0,00 - 0,75</i>	<i>0,75</i>	<i>0,41</i>	<i>0,15</i>	<i>1,11</i>	<i>6,21</i>	<i>0,3075</i>	<i>0,1125</i>	<i>0,8325</i>	<i>4,6575</i>
<i>0,75 - 1,00</i>	<i>0,25</i>	<i>0,06</i>	<i>0,10</i>	<i>0,11</i>	<i>7,60</i>	<i>0,015</i>	<i>0,025</i>	<i>0,0275</i>	<i>1,900</i>
<i>1,00 - 1,25</i>	<i>0,25</i>	<i>0,41</i>	<i>0,17</i>	<i>1,70</i>	<i>7,91</i>	<i>0,1025</i>	<i>0,0425</i>	<i>0,425</i>	<i>1,9775</i>
<i>1,25 - 1,95</i>	<i>0,70</i>	<i>0,01</i>	<i>0,17</i>	<i>0,07</i>	<i>9,16</i>	<i>0,007</i>	<i>0,119</i>	<i>0,049</i>	<i>6,412</i>
<i>1,95 - 3,00</i>	<i>1,05</i>	<i>0,52</i>	<i>0,15</i>	<i>0,04</i>	<i>4,97</i>	<i>0,546</i>	<i>0,1575</i>	<i>0,042</i>	<i>5,2185</i>
<i>7,00 - 8,10</i>	<i>1,10</i>	<i>0,02</i>	<i>0,17</i>	<i>0,07</i>	<i>8,58</i>	<i>0,022</i>	<i>0,187</i>	<i>0,077</i>	<i>9,218</i>
<i>8,10 - 8,55</i>	<i>0,45</i>	<i>0,03</i>	<i>0,20</i>	<i>0,10</i>	<i>6,21</i>	<i>0,0135</i>	<i>0,090</i>	<i>0,045</i>	<i>2,7945</i>
<i>8,55 - 8,80</i>	<i>0,25</i>	<i>0,53</i>	<i>0,38</i>	<i>2,29</i>	<i>9,44</i>	<i>0,1325</i>	<i>0,095</i>	<i>0,5725</i>	<i>2,360</i>
<i>8,80 - 10,00</i>	<i>1,20</i>	<i>0,02</i>	<i>0,56</i>	<i>0,16</i>	<i>13,93</i>	<i>0,024</i>	<i>0,672</i>	<i>0,192</i>	<i>16,716</i>
<i>10,00 - 11,00</i>	<i>1,00</i>	<i>0,20</i>	<i>0,31</i>	<i>1,84</i>	<i>8,57</i>	<i>0,200</i>	<i>0,310</i>	<i>1,840</i>	<i>8,570</i>
<i>11,00 - 11,90</i>	<i>0,90</i>	<i>0,52</i>	<i>0,41</i>	<i>3,11</i>	<i>12,86</i>	<i>0,468</i>	<i>0,369</i>	<i>2,799</i>	<i>11,574</i>
<i>11,90 - 12,15 TAP, 1736,9%</i>	<i>0,25</i>	<i>0,50</i>	<i>0,30</i>	<i>2,00</i>	<i>10,00</i>	<i>0,125</i>	<i>0,075</i>	<i>0,500</i>	<i>2,500</i>
<i>12,15 - 12,40</i>	<i>0,25</i>	<i>0,47</i>	<i>0,21</i>	<i>1,64</i>	<i>8,57</i>	<i>0,1175</i>	<i>0,0525</i>	<i>0,410</i>	<i>2,1425</i>
<i>12,40 - 13,00</i>	<i>0,60</i>	<i>0,44</i>	<i>0,20</i>	<i>5,51</i>	<i>5,57</i>	<i>0,264</i>	<i>0,120</i>	<i>3,306</i>	<i>3,342</i>
<i>13,00 - 14,00</i>	<i>1,00</i>	<i>0,58</i>	<i>0,37</i>	<i>3,24</i>	<i>9,00</i>	<i>0,580</i>	<i>0,370</i>	<i>3,240</i>	<i>9,000</i>
<i>14,00 - 15,00</i>	<i>1,00</i>	<i>0,97</i>	<i>0,35</i>	<i>1,80</i>	<i>6,21</i>	<i>0,970</i>	<i>0,350</i>	<i>1,800</i>	<i>6,210</i>
<i>15,00 - 16,00</i>	<i>1,00</i>	<i>0,02</i>	<i>0,03</i>	<i>0,12</i>	<i>6,86</i>	<i>0,020</i>	<i>0,030</i>	<i>0,120</i>	<i>6,860</i>
<i>16,00 - 16,65</i>	<i>0,65</i>	<i>0,00</i>	<i>0,01</i>	<i>0,03</i>	<i>4,29</i>	<i>0,000</i>	<i>0,0065</i>	<i>0,0195</i>	<i>2,7885</i>
<i>16,65 - 17,00</i>	<i>0,35</i>	<i>1,08</i>	<i>0,11</i>	<i>2,46</i>	<i>3,64</i>	<i>0,378</i>	<i>0,0395</i>	<i>0,861</i>	<i>1,274</i>
<i>17,00 - 17,40</i>	<i>0,40</i>	<i>0,22</i>	<i>0,19</i>	<i>1,11</i>	<i>4,50</i>	<i>0,088</i>	<i>0,076</i>	<i>0,444</i>	<i>1,800</i>
<i>0,00 - 1,25</i>	<i>1,25</i>	<i>0,34</i>	<i>0,14</i>	<i>1,03</i>	<i>6,85</i>				
<i>10,00 - 15,00</i>	<i>5,00</i>	<i>0,54</i>	<i>0,33</i>	<i>2,78</i>	<i>8,67</i>				
<i>11,00 - 14,00</i>	<i>3,00</i>	<i>0,52</i>	<i>0,33</i>	<i>3,42</i>	<i>9,52</i>				

22/3 1977

Haar A. Heg-

MALMBEREGNING I

Lokalitet: *FORSENINGESORT
PROFIL 44 280*

Borehull: *460*

Boredato : *FEB 1977*
Koordinater : *X: 925 410 Y: 44 279.2*
Retning : *N*
Helling/stigning : *÷ 70°*
Høyde : *÷ 71,6 m*

Dybde	Lengde (m)	Analyser							
		% Pb	% Cu	% Zn	% Fe	% Pt	% Co	% Ni	% Mn
6.10 - 7.45	1.35	0.06	0.06	0.15	8.71	0.081	0.081	0.2025	11.7585
7.45 - 7.70	0.25	0.02	0.10	0.13	8.93	0.005	0.025	0.0325	2.2325
7.70 - 8.25	0.55	0.13	0.45	1.47	13.43	0.0715	0.1475	0.8085	7.3865
8.25 - 8.45	0.20	0.07	0.17	0.21	6.00	0.014	0.034	0.042	1.200
8.45 - 9.50	1.05	0.27	0.20	1.07	7.57	0.2835	0.210	1.1235	7.9405
9.50 - 10.50	1.00	0.48	0.35	2.79	12.86	0.480	0.350	2.710	12.860
10.50 - 11.50	1.00	0.42	0.50	2.03	9.71	0.420	0.500	2.030	9.710
11.50 - 12.15	<i>4.4 m</i> 0.65	0.78	0.17	4.42	6.57	0.507	0.1105	2.873	4.2705
12.15 - 12.85	0.70	0.12	0.59	2.23	13.86	0.084	0.413	1.561	9.702
12.85 - 13.35	0.50	0.04	0.15	0.51	4.50	0.020	0.075	0.255	2.250
13.35 - 15.80	2.45	0.03	0.05	0.09	1.30	0.0735	0.1225	0.2205	3.185
15.80 - 16.85	1.05	1.05	0.72	7.79	10.55	1.1025	0.756	8.1795	11.0775
16.85 - 17.25	0.40	0.04	0.06	0.24	1.06	0.016	0.024	0.096	0.424
17.25 - 17.85	0.60	0.19	0.35	4.29	10.40	0.114	0.210	2.574	6.240
17.85 - 18.05	0.20	<u>2.85</u>	0.24	5.99	5.74	0.570	0.048	1.198	1.148
18.05 - 18.25	0.20	<u>10.09</u>	0.18	16.42	11.17	2.018	0.036	3.284	2.234
18.25 - 19.10	0.85	0.18	0.13	0.31	3.06	0.153	0.1105	0.2635	2.601
19.10 - 19.65	0.55	<u>2.51</u>	0.45	4.78	8.38	1.3805	0.2475	2.629	4.609
19.65 - 21.05	1.40	0.07	0.02	0.06	1.99	0.098	0.028	0.084	2.786
7.70 - 12.85	5.15	0.36	0.36	2.18	10.31				
✓ 9.50 - 12.85	3.35	0.45	0.41	2.76	10.91				
✓ 15.80 - 19.65	3.85	1.39	0.37	4.73	7.36				
8.45 - 12.85	4.40	0.41	0.36	2.36					

Stjipellid 14/3 1977

Kaare M. Hognum

MALMBEREGNING I

Lokalitet: FÖRSGRINGSÖRT
PROFIL 44290

Borehull: 459

Boredato : FEB. 77
Koordinater : X: 925 414,4 Y: 44.282,5
Retning : E
Helling/stigning : +60°
Høyde : 68,6 m

Dybde	Lengde (m)	Analyser							
		% Pb	% Cu	% Zn	% Se	m% Pt	m% Cu	m% Zn	m% Fe
0.00 - 1.65	1.65	0.15	0.23	0.53	7.41	0.2475	0.3795	0.5745	2.1165
1.65 - 2.00	0.35	1.31	0.28	3.50	7.94	0.4585	0.098	1.225	2.779
2.00 - 2.20	0.20	0.11	0.05	0.26	2.65	0.022	0.010	0.052	0.530
2.20 - 2.35	0.15	0.63	0.43	1.28	9.26	0.0945	0.0645	0.192	1.389
2.35 - 3.05	0.70	5.04	0.33	14.65	9.53	3.528	0.231	10.255	6.671
3.05 - 3.35	0.30	1.57	1.03	5.15	9.66	0.471	0.309	1.545	2.898
3.35 - 4.25	0.90	0.03	0.08	0.11	6.09	0.027	0.072	0.099	5.481
4.25 - 5.50	1.25	0.02	0.03	0.08	8.47	0.025	0.0375	0.100	10.5875
0.00 - 3.35	3.35	1.44	0.33	4.22	7.91				
MULLET STAR +60° MOT E. VERTICAL LENGTH 1. PROFIL - PLANET BLUR 0.00 - 2.90 m									
No 2 3/2 1977 Harro M. Heytun									

[illegible]

MALMBEREGNING I

Lokalitet: FORSERINGS CRT
PROFIL 44.100

Borehull: 457

Boredato : FEB. 1977
Koordinater : X: 925 401 Y: 44110,1
Retning : N
Helling/stigning : $\div 70^\circ$
Høyde : $\div 69,3$ m

Dybde	Lengde (m)	Analyser							
		% Pb	% Cu	% Zn	% Fe	m% Pt	m% Cu	m% Zn	m% Fe
0.00 - 0.30	0.30	0.36	0.86	2.92	16.30	0.108	0.258	0.876	4.890
0.30 - 0.55	0.25	0.90	0.67	1.86	8.15	0.225	0.1675	0.465	2.0375
0.55 - 1.00	0.45	0.56	0.40	1.51	5.78	0.252	0.180	0.6795	2.601
1.00 - 2.55	1.55	0.38	0.47	3.54	8.83	0.589	0.7285	5.487	13.6865
2.55 - 3.25	0.70	0.32	0.11	3.39	5.77	0.224	0.077	2.373	4.039
3.25 - 4.50	1.25	0.06	0.04	0.07	5.26	0.075	0.050	0.0875	6.575
4.50 - 5.00	0.50	0.04	0.03	0.11	3.91	0.020	0.015	0.055	1.955
5.00 - 6.50	1.50	0.01	0.02	0.00	4.75	0.015	0.030	0.000	7.125
6.50 - 7.00	0.50	0.02	0.02	0.05	2.21	0.010	0.010	0.025	1.105
7.00 - 7.35	0.35	0.00	0.01	0.03	2.21	0.000	0.0035	0.0105	0.7735
7.35 - 9.10	1.75	0.00	0.01	0.03	3.91	0.000	0.0175	0.0525	6.8425
9.10 - 9.70	0.60	0.00	0.01	0.05	3.24	0.000	0.006	0.030	1.944
9.70 - 10.45	0.75	0.77	0.20	1.59	5.68	0.5775	0.150	1.1925	4.260
10.45 - 12.90	2.45	0.39	0.14	1.03	4.54	0.4555	0.343	2.5235	11.123
12.90 - 13.15	0.25	1.27	0.42	3.56	12.16	0.3175	0.105	0.890	5.040
13.15 - 14.15	1.00	0.68	0.25	3.88	13.95	0.680	0.250	3.880	13.950
✓ 0.00 - 3.25	3.25	0.43	0.43	3.04	8.39				
9.70 - 14.15	4.45	0.57	0.19	1.91	7.27				
✓ 12.90 - 14.15	1.25	0.80	0.28	3.82	13.59				
✓ 9.70 - 12.90	3.20	0.48	0.15	1.16	4.81				
№ 23/2 1974 Kare M. Hegrum									

MALMBEREGNING 1

Lokalitet: FORSRINGSÖRT
PROFIL 44250

Borehull: 456

Boredato : Feb. 1977
Koordinater : X: 925.394,8 Y: 44245,1
Retning : E
Helling/stigning : $\approx 70^\circ$
Høyde : $\approx 76,6\text{ m}$

Dybde	Lengde (m)	Analyser							
		% Pb	% Cu	% Zn	% Fe	m% Pb	m% Cu	m% Zn	m% Fe
0,00 - 0,30	0,30	0,53	0,21	1,28	5,40	0,159	0,063	0,384	1,620
0,30 - 0,50	0,20	3,76	0,16	17,76	6,75	0,752	0,032	3,552	1,350
0,50 - 0,80	0,30	0,46	0,30	2,43	5,18	0,138	0,090	0,729	1,554
0,80 - 2,40	1,60	0,03	0,02	0,00	2,25	0,048	0,032	0,000	3,600
2,40 - 3,00	0,60	0,02	0,05	0,00	5,65	0,012	0,030	0,000	3,390
3,00 - 3,80	0,80	0,02	0,14	0,00	4,21	0,016	0,112	0,000	3,368
3,80 - 5,00	1,20	0,00	0,02	0,00	7,38	0,000	0,024	0,000	8,856
5,00 - 6,10	1,10	0,00	0,03	0,09	6,98	0,000	0,033	0,099	7,678
6,10 - 6,70	0,60	0,07	0,12	0,12	5,40	0,042	0,072	0,072	3,240
6,70 - 8,55	1,85	0,00	0,04	0,03	7,65	0,000	0,074	0,0555	14,1525
8,55 - 9,00	0,45	0,03	0,45	3,06	16,88	0,0135	0,2025	1,377	7,596
9,00 - 9,45 TAP. ANAL. %	0,45	0,15	0,50	3,30	17,00	0,0675	0,225	1,485	7,650
9,45 - 11,30	1,85	0,30	0,74	3,59	17,10	0,555	1,369	6,6415	31,635
11,30 - 11,70	0,40	1,48	0,85	6,24	13,05	0,592	0,340	2,496	5,220
11,70 - 12,00	0,30	0,02	0,26	0,48	6,98	0,006	0,078	0,144	2,094
12,00 - 12,20	0,20	0,04	0,27	0,57	12,15	0,008	0,054	0,114	2,430
12,20 - 13,50	1,30	0,03	0,05	0,11	6,53	0,039	0,065	0,143	8,489
13,50 - 15,10	1,60	0,08	0,09	0,16	4,75	0,128	0,144	0,256	7,600
15,10 - 15,25 TAP. ANAL. %	0,15	0,05	0,08	0,10	5,00	0,0075	0,012	0,015	0,750
15,25 - 15,60	0,35	0,01	0,07	0,05	5,43	0,0035	0,0245	0,0175	1,9005
15,60 - 16,15	0,55	0,14	0,54	2,19	6,96	0,077	0,297	1,2045	3,828
16,15 - 17,00	0,85	0,53	0,55	1,99	7,30	0,4505	0,4675	1,6915	6,205
17,00 - 18,50	1,50	0,01	0,03	0,03	6,28	0,015	0,045	0,045	9,42
0,00 - 0,80		0,80	1,31	0,23	5,83	5,66			
8,55 - 11,70		3,15	0,39	0,68	3,81	16,54			
15,60 - 17,00		1,40	0,38	0,55	2,07	7,17			

No 22/2 1977
Kare M. Heyrton

MALMBEREGNING I

Lokalitet: *FORSBRINGSØRT
PROFIL 44180*

Borehull: *454*

Boredato : *JAN. 77*
Koordinater : *X: 925387.6 Y: 44180*
Retning : *S*
Helling/stigning : *÷ 45°*
Høyde : *÷ 71.3*

Dybde	Lengde (m)	Analyser							
		% Pb	% Cu	% Zn	% S	% P	% Ca	% Mg	% Fe
<i>0,00 - 1,25</i>	<i>1,25</i>	<i>1,46</i>	<i>0,40</i>	<i>5,18</i>	<i>11,14</i>	<i>1,825</i>	<i>0,500</i>	<i>6,475</i>	<i>13,925</i>
<i>1,25 - 2,50</i>	<i>1,25</i>	<i>0,70</i>	<i>0,32</i>	<i>4,29</i>	<i>6,37</i>	<i>0,875</i>	<i>0,400</i>	<i>5,3625</i>	<i>7,9625</i>
<i>2,50 - 3,00 TAP. 0,4329%</i>	<i>0,50</i>	<i>0,60</i>	<i>0,30</i>	<i>2,00</i>	<i>6,500</i>	<i>0,3000</i>	<i>0,050</i>	<i>1,000</i>	<i>3,250</i>
<i>3,00 - 4,00</i>	<i>1,00</i>	<i>0,54</i>	<i>0,29</i>	<i>1,89</i>	<i>7,48</i>	<i>0,540</i>	<i>0,290</i>	<i>1,890</i>	<i>7,480</i>
<i>4,00 - 5,00</i>	<i>1,00</i>	<i>0,45</i>	<i>0,43</i>	<i>2,86</i>	<i>8,12</i>	<i>0,450</i>	<i>0,430</i>	<i>2,860</i>	<i>8,120</i>
<i>5,00 - 5,50</i>	<i>0,50</i>	<i>0,62</i>	<i>0,21</i>	<i>1,30</i>	<i>3,66</i>	<i>0,310</i>	<i>0,105</i>	<i>0,650</i>	<i>1,830</i>
<i>5,50 - 6,05</i>	<i>0,55</i>	<i>0,02</i>	<i>0,17</i>	<i>0,85</i>	<i>7,48</i>	<i>0,011</i>	<i>0,0935</i>	<i>0,4675</i>	<i>4,114</i>
<i>6,05 - 6,50</i>	<i>0,45</i>	<i>0,77</i>	<i>0,37</i>	<i>3,66</i>	<i>6,53</i>	<i>0,3465</i>	<i>0,1665</i>	<i>1,647</i>	<i>2,9385</i>
<i>6,50 - 7,30</i>	<i>0,80</i>	<i>0,27</i>	<i>0,19</i>	<i>0,77</i>	<i>3,66</i>	<i>0,216</i>	<i>0,152</i>	<i>0,616</i>	<i>2,928</i>
<i>7,30 - 7,50</i>	<i>0,20</i>	<i>1,14</i>	<i>0,27</i>	<i>1,96</i>	<i>3,18</i>	<i>0,228</i>	<i>0,054</i>	<i>0,392</i>	<i>0,636</i>
<i>7,50 - 8,65</i>	<i>1,15</i>	<i>0,13</i>	<i>0,07</i>	<i>0,26</i>	<i>1,75</i>	<i>0,1405</i>	<i>0,0805</i>	<i>0,299</i>	<i>2,0125</i>
<i>8,65 - 9,65</i>	<i>1,00</i>	<i>0,86</i>	<i>0,16</i>	<i>2,25</i>	<i>3,50</i>	<i>0,860</i>	<i>0,160</i>	<i>2,250</i>	<i>3,500</i>
<i>9,65 - 10,15</i>	<i>0,50</i>	<i>0,36</i>	<i>0,13</i>	<i>0,61</i>	<i>2,23</i>	<i>0,180</i>	<i>0,065</i>	<i>0,305</i>	<i>1,115</i>
<i>10,15 - 10,80</i>	<i>0,65</i>	<i>1,19</i>	<i>0,46</i>	<i>3,61</i>	<i>9,87</i>	<i>0,7735</i>	<i>0,299</i>	<i>2,3465</i>	<i>1,4155</i>
<i>10,80 - 11,55 TAP. 0,4329%</i>	<i>0,75</i>	<i>0,10</i>	<i>0,03</i>	<i>0,30</i>	<i>5,50</i>	<i>0,075</i>	<i>0,0225</i>	<i>0,225</i>	<i>4,125</i>
<i>11,55 - 13,00</i>	<i>1,45</i>	<i>0,00</i>	<i>0,02</i>	<i>0,21</i>	<i>5,25</i>	<i>0,000</i>	<i>0,029</i>	<i>0,3045</i>	<i>7,6125</i>
<i>0,00 - 2,50</i>	<i>2,50</i>	<i>1,08</i>	<i>0,36</i>	<i>4,748</i>	<i>8,76</i>				
<i>0,00 - 5,00</i>	<i>5,00</i>	<i>0,80</i>	<i>0,35</i>	<i>3,52</i>	<i>8,15</i>				
<i>6,05 - 6,50</i>	<i>0,45</i>	<i>0,77</i>	<i>0,37</i>	<i>3,66</i>	<i>6,53</i>				
<i>8,65 - 10,80</i>	<i>2,15</i>	<i>0,84</i>	<i>0,24</i>	<i>2,28</i>	<i>5,13</i>				
<i>10,15 - 10,80</i>	<i>0,65</i>	<i>1,19</i>	<i>0,46</i>	<i>3,61</i>	<i>9,87</i>				
<i>0,00 - 10,80</i>	<i>10,80</i>	<i>0,65</i>	<i>0,27</i>	<i>2,46</i>	<i>6,13</i>				

No 4/2 - 77

Heidi M. Høyem

MALMBEREGNING I

Lokalitet: FORSERINGSØRT
PROFIL 44180

Borehull: 452

Boredato : JAN. 77
Koordinater : X: 925389,6 Y: 44179
Retning : N
Helling/stigning : ÷ 70°
Høyde : ÷ 71,3

Dybde	Lengde (m)	Analyser							
		% Pb	% Cu	% Zn	% Fe	% Pt	% Co	% Ni	% Fe
0,00 - 1,00	1,00	0,11	0,46	2,43	9,94	0,110	0,460	2,430	9,940
1,00 - 2,00	1,00	0,48	0,35	5,71	10,07	0,480	0,350	5,710	10,070
2,00 - 2,75	0,75	0,59	0,26	2,71	7,52	0,4425	0,195	2,0325	5,640
2,75 - 3,20	0,45	0,09	0,03	0,21	2,04	0,0405	0,0135	0,0945	0,918
3,20 - 3,45	0,25	0,02	0,36	0,16	12,63	0,005	0,090	0,040	3,1575
3,45 - 4,00	0,55	0,03	0,03	0,04	3,09	0,0165	0,0165	0,022	1,6495
4,00 - 4,45 TAP. ANSLUTT %	0,45	0,03	0,10	0,12	3,50	0,0135	0,045	0,054	1,575
4,45 - 4,90	0,45	0,03	0,21	0,22	14,51	0,0135	0,0945	0,099	6,5295
4,90 - 5,55	0,65	1,00	0,84	3,69	12,09	0,650	0,546	2,3985	7,8585
5,55 - 5,65 TAP. ANSLUTT %	0,10	0,60	0,50	2,20	8,50	0,060	0,050	0,220	0,850
5,65 - 6,30	0,65	0,15	0,33	0,82	6,72	0,0975	0,2145	0,533	4,368
6,30 - 7,40	1,10	0,61	0,30	2,78	6,45	0,671	0,330	3,058	7,095
7,40 - 8,50	1,10	0,44	1,25	6,69	15,85	0,484	1,375	7,359	17,435
8,50 - 9,65	1,15	0,12	1,48	8,01	16,93	0,138 1,702	1,702	9,2115	19,4695
9,65 - 11,00	1,35	0,04	0,10	0,30	5,13	0,054	0,135	0,405	6,4255
11,00 - 11,30	0,30	0,44	0,49	3,59	10,65	0,132	0,147	1,077	3,189
11,30 - 11,80	0,50	0,60	0,10	2,72	9,25	0,300	0,050	1,360	4,625
11,80 - 12,00 TAP. ANSLUTT %	0,20	0,40	0,12	1,50	7,50	0,080	0,024	0,300	1,500
12,00 - 13,55	1,55	0,33	0,29	1,35	6,88	0,5115	0,4495	2,0925	10,664
13,55 - 13,90	0,35	0,03	0,04	0,15	2,78	0,0105	0,014	0,0525	0,973
13,90 - 14,25	0,35	0,19	0,18	1,64	6,75	0,0665	0,063	0,574	2,3625
14,25 - 14,85	0,60	0,03	0,03	0,11	1,53	0,018	0,018	0,066	0,918
14,85 - 15,05	0,20	1,62	0,37	7,12	7,38	0,324	0,074	1,424	1,476
15,05 - 15,20 TAP. ANSLUTT %	0,15	0,03	0,02	0,15	1,50	0,0045	0,003	0,0225	0,225
15,20 - 16,50	1,30	0,03	0,02	0,13	1,93	0,039	0,026	0,169	1,859
0,00 - 2,75	2,75	0,38	0,37	3,70	9,33				
4,90 - 5,65	0,75	0,95	0,79	3,49	11,61				
6,30 - 9,65	3,35	0,39	1,02	5,86	13,13				
11,00 - 14,25	3,25	0,34	0,23	1,68	7,17				
0,00 - 14,25	14,25	0,31	0,45	2,75	8,90				

16 3/1 - 1977

Thane H. Kjørum

MALMBEREGNING I

Lokalitet: FORSERINGSÖRT
PROFIL 44180

Borehull: 451

Boredato : JAN. 77
Koordinater : x 925 416.7 y 44175.5
Retning : E
Helling/stigning : +50°
Høyde : = 68.8

Dybde	Lengde (m)	Analyser							
		% Pb	% Cu	% Zn	% Fe	% Pb	% Cu	% Zn	% Fe
0.00 - 1.20	1.20	0.13	0.49	1.37	11.60	0.156	0.588	1.644	13.920
1.20 - 1.70	0.50	0.31	0.12	0.33	3.36	0.155	0.060	0.165	1.680
1.70 - 2.50	0.80	4.20	0.19	9.84	8.24	3.360	0.152	7.872	6.592
2.50 - 3.80	1.30	0.19	0.18	0.52	9.92	0.247	0.234	0.676	12.896
3.80 - 4.25	0.45	0.94	0.51	3.36	9.42	0.423	0.2295	1.512	4.239
4.25 - 6.15	1.90	0.08	0.07	0.14	3.20	0.152	0.133	0.266	6.080
6.15 - 9.00									
9.00 - 10.45	1.45	0.08	0.32	0.24	8.41	0.116	0.464	0.348	12.1945
10.45 - 11.35	0.90	0.39	0.15	0.41	2.19	0.351	0.135	0.369	1.971
11.35 - 11.70	0.35	6.08	0.20	12.39	8.91	2.128	0.070	4.3365	3.1185
11.70 - 12.20	0.50	1.17	0.19	0.32	5.72	0.585	0.095	0.160	2.860
12.20 - 12.75	0.55	2.81	0.30	6.15	8.41	1.5455	0.165	3.3825	4.6255
12.75 - 14.15	1.40	0.25	0.22	0.61	5.72	0.350	0.308	0.854	8.008
14.15 - 15.00	0.85	1.08	0.30	2.51	8.58	0.918	0.255	2.1335	7.293
15.00 - 16.50	1.50	0.08	0.07	0.21	7.57	0.120	0.105	0.315	11.355
✓ 1.70 - 4.25	2.55	1.58	0.24	3.95	9.30				
0.00 - 4.25	4.25	1.02	0.30	2.79	9.25				
11.35 - 12.75	1.40	3.04	0.24	5.63	7.57				
✓ 11.35 - 15.00	3.65	1.51	0.24	2.98	7.10				

24/1 - 1977

Hans H. Nygaard

MALMBEREGNING I

Lokalitet: *FORSBRINGS-ØRT
PROFIL 44180*

Borehull: *450*

Boredato : *JAN. 77*

Koordinater : *X: 925422,5 Y: 44177,6*

Retning : *N*

Helling/stigning : *+ 60°*

Høyde : *÷ 68,3*

Dybde	Lengde (m)	Analyser							
		% Pb	% Cu	% Zn	% Fe	% Pb	% Cu	% Zn	% Fe
<i>0.00 - 0.20</i>	<i>0.20</i>	<i>0.07</i>	<i>0.04</i>	<i>0.19</i>	<i>2.38</i>	<i>0.014</i>	<i>0.008</i>	<i>0.038</i>	<i>0.476</i>
<i>0.20 - 1.25</i>	<i>1.05</i>	<i>0.02</i>	<i>0.10</i>	<i>0.37</i>	<i>8.98</i>	<i>0.021</i>	<i>0.105</i>	<i>0.3885</i>	<i>9.324</i>
<i>1.25 - 1.75</i>	<i>0.50</i>	<i>0.31</i>	<i>0.31</i>	<i>0.75</i>	<i>7.83</i>	<i>0.155</i>	<i>0.155</i>	<i>0.375</i>	<i>3.915</i>
<i>1.75 - 2.40</i>	<i>0.65</i>	<i>0.38</i>	<i>0.23</i>	<i>1.22</i>	<i>5.38</i>	<i>0.247</i>	<i>0.1495</i>	<i>0.793</i>	<i>3.497</i>
<i>2.40 - 4.00</i>	<i>1.60</i>	<i>0.20</i>	<i>0.20</i>	<i>0.57</i>	<i>7.60</i>	<i>0.320</i>	<i>0.320</i>	<i>0.912</i>	<i>12.16</i>
<i>4.00 - 5.55</i>	<i>1.55</i>	<i>0.12</i>	<i>0.11</i>	<i>0.22</i>	<i>5.73</i>	<i>0.186</i>	<i>0.1705</i>	<i>0.341</i>	<i>8.8615</i>
<i>5.55 - 6.20</i>	<i>0.65</i>	<i>0.02</i>	<i>0.02</i>	<i>0.06</i>	<i>1.22</i>	<i>0.013</i>	<i>0.013</i>	<i>0.039</i>	<i>0.793</i>
<i>6.20 - 7.00</i>	<i>0.80</i>	<i>0.02</i>	<i>0.05</i>	<i>0.06</i>	<i>2.13</i>	<i>0.016</i>	<i>0.040</i>	<i>0.048</i>	<i>1.704</i>
<i>1.25 - 4.00</i>	<i>2.75</i>	<i>0.26</i>	<i>0.23</i>	<i>0.76</i>	<i>7.12</i>				

No 29, 1977

Thore M. Hegrum

MALMBEREGNING I

Lokalitet: FORSERINGSØRT
PROFIL 44180

Borehull: 449

Boredato : JAN 77
Koordinater : X 925 421 Y 44177
Retning : N
Helling/stigning : $\div 70^\circ$
Høyde : $\div 70.7 \text{ m}$

Dybde	Lengde (m)	Analyser							
		% Pb	% Cu	% Zn	% Fe	% Pt	% Ca	% Mn	% Fc
3.65 - 5.15	1.50	0.01	0.04	0.05	2.97	0.015	0.060	0.075	4.455
5.15 - 6.60	1.45	0.03	0.39	0.29	14.37	0.0435	0.5655	0.4205	20.8365
6.60 - 8.20	1.60	0.00	0.03	0.04	2.31	0.000	0.048	0.064	3.696
8.20 - 8.80	0.60	0.05	0.08	0.23	7.60	0.030	0.048	0.138	4.560
8.80 - 10.50	1.70	0.03	0.06	0.08	3.96	0.051	0.102	0.136	6.732
10.50 - 11.10	0.60	1.56	0.19	3.78	9.08	0.436	0.114	2.268	5.448
11.10 - 13.05	1.95	0.09	0.96	1.76	18.17	0.1755	1.872	3.432	35.4315
13.05 - 13.35	0.30	0.00	0.12	0.07	3.14	0.000	0.036	0.021	0.942
13.35 - 13.70	0.35	0.01	0.18	0.24	9.63	0.0035	0.063	0.084	3.3705
13.70 - 13.90	0.20	0.06	0.04	0.24	9.63	0.012	0.008	0.048	1.926
13.90 - 14.30	0.40	0.18	0.52	0.48	12.75	0.072	0.208	0.192	5.100
14.30 - 14.80	0.50	0.01	0.08	0.11	2.55	0.005	0.040	0.055	1.275
14.80 - 15.80	1.00	0.56	0.29	3.22	6.94	0.560	0.290	3.220	6.940
15.80 - 16.80	1.00	2.61	0.65	3.77	10.34	2.610	0.650	3.770	10.340
16.80 - 17.80	1.00	1.27	0.37	3.78	10.06	1.270	0.370	3.780	10.060
17.80 - 18.80	1.00	1.20	0.81	7.25	15.73	1.200	0.810	7.250	15.730
18.80 - 20.00	1.20	0.29	0.37	0.50	6.09	0.348	0.444	0.600	7.308
20.00 - 21.70	1.70	0.62	0.24	1.39	5.95	1.054	0.408	2.363	10.115
21.70 - 22.50	0.80	0.20	0.07	0.56	2.13	0.160	0.056	0.448	1.704
✓ 10.50 - 13.05	2.55	0.44	0.78	2.24	16.03				
✓ 14.80 - 18.80	4.00	1.41	0.53	4.51	10.77				
14.80 - 21.70	6.90	1.02	0.43	3.04	8.77				

Mo 21/1 - 77

Hans G. Hegrum

MALMBEREGNING I

Lokalitet: *LINSE 3
PROFIL 43830*

Borehull: *448*

Boredato : *08. 76*
Koordinater : *K925.405 Y43833*
Retning : *N*
Helling/stigning : *+45°*
Høyde : *÷ 80,7*

Dybde	Lengde (m)	Analyser							
		% Pb	% Cu	% Zn	% Fe	% Pb	% Cu	% Zn	% Fe
3,50 - 5,00	1,50	0,02	0,05	0,08	2,88	0,030	0,075	0,120	4,320
5,00 - 5,45	0,45	0,18	0,30	1,03	8,67	0,081	0,135	0,4635	3,9015
5,45 - 5,90	0,45	0,00	0,02	0,07	3,12	0,000	0,009	0,0315	1,404
5,90 - 6,60	0,70	0,05	0,10	0,25	9,50	0,035	0,070	0,175	6,650
6,60 - 8,25	1,65	0,00	0,01	0,05	2,40	0,000	0,0165	0,0825	3,9600
8,25 - 10,00	1,75	0,00	0,15	0,16	11,50	0,000	0,2625	0,280	20,125
10,00 - 11,75	1,75	0,19	0,16	1,00	9,67	0,3325	0,280	1,750	16,9225
11,75 - 13,50	1,75	0,06	0,17	0,63	8,00	0,105	0,2975	1,1025	14,000
13,50 - 13,90	0,40	0,02	0,04	0,17	1,92	0,008	0,016	0,068	0,768
13,90 - 15,50	1,60	0,58	0,66	2,10	9,83	0,928	1,056	3,360	15,728
15,50 - 15,90	0,40	0,14	0,21	0,68	5,33	0,056	0,084	0,272	2,132
15,90 - 18,00	2,10	0,49	0,64	1,95	8,45	1,029	1,344	4,095	17,745
18,00 - 20,00	2,00	0,34	1,23	4,44	9,97	0,680	2,460	8,880	19,940
20,00 - 20,35	0,35	0,04	0,06	0,05	2,38	0,014	0,021	0,0175	0,833
20,35 - 20,50	0,15	0,43	1,22	1,06	9,97	0,0645	0,183	0,159	1,4955
20,50 - 20,95	0,45	0,04	0,03	0,08	2,30	0,018	0,0135	0,036	1,035
20,95 - 21,65	0,70	2,59	0,30	4,14	6,92	1,813	0,210	2,898	4,844
21,65 - 22,00	0,35	0,11	0,06	0,24	3,00	0,0385	0,021	0,084	1,050
22,00 - 23,30	1,30 0,75	0,93 0,18	0,18 2,17	2,17	4,57	1,209	0,234	2,821	5,941 2,821
23,30 - 25,00	1,70	0,04	0,03	0,08	2,15	0,068	0,051	0,136	3,655
25,00 - 26,60	1,60	0,05	0,05	0,08	2,44	0,080	0,080	0,128	3,904
26,60 - 26,80	0,20	0,64	0,29	2,67	13,63	0,128	0,058	0,534	2,726
26,80 - 27,95	1,15	0,06	0,05	0,09	2,43	0,069	0,0575	0,1035	2,7945
27,95 - 28,35	0,40	3,64	1,59	7,68	11,65	1,456	0,636	3,072	4,660
28,35 - 30,70	2,35	0,03	0,02	0,04	2,16	0,0705	0,047	0,094	5,076
30,70 - 31,30	0,60	0,23	0,46	3,66	9,13	0,138	0,276	2,196	5,478
31,30 - 32,70	1,40	0,02	0,02	0,06	2,04	0,028	0,028	0,084	2,856
32,70 - 32,90	0,20	0,04	0,15	2,35	5,43	0,008	0,030	0,470	1,086
32,90 - 34,50	1,60	0,04	0,02	0,12	2,09	0,064	0,032	0,192	3,344
13,90 - 20,50	6,60	0,42	0,78	2,54	8,77				
26,60 - 31,30	4,70	0,40	0,23	1,30	4,51				
27,95 - 31,30	3,35	0,50	0,29	1,60	4,54				
13,90 - 23,30	9,40	0,62	0,60	2,41	7,53				
18,00 - 21,65	3,65	0,71	0,72	3,70					

*17,1 - 107,7
Knut H. Høyem*

MALMBEREGNING I

Lokalitet:

Borehull: 447

Boredato : 1976
 Koordinator : 2529 Ø - 189 S
 Retning :
 Helling/stigning : -90°
 Høyde : -83
 Lengde : 18.00m

Dybde	Lengde (m)	Analyser							% Fe
		% Pb	% Cu	% Zn	% S	% Pb	% Cu	% Zn	
0.00 - 1.70	1.70	0.22	0.52	2.96	12.27	0.314	0.884	5.032	20.859
1.70 - 3.00	1.30	0.02	0.16	0.45	7.22	0.026	0.208	0.585	9.386
3.00 - 3.60	0.60	2.08	0.73	8.03	11.37	1.248	0.438	4.818	6.822
								10.435	
0.00 - 3.60	3.60			2.89					

MALMBEREGNING I

Lokalitet:

Borehull: 442

Boredato : 1976
 Koordinator : 2429 Ø - 110 S
 Retning :
 Helling/stigning : - 90°
 Høyde : - 86.7
 Lengde : 6.12 m

Dybde	Lengde (m)	Analyser							
		% Pb	% Cu	% Zn	% SFe	% Pb	% Cu	% Zn	% SFe
0.00 - 0.90	0.90	0.26	0.21	1.14	4.58	0.234	0.189	1.026	4.122
0.90 - 2.25	1.35	0.46	0.28	4.58	12.87	1.296	0.378	6.183	17.3245
2.70 - 3.15	0.45	0.37	0.22	3.72	9.16	0.1665	0.099	1.674	4.122
								8.883	
0.00 - 3.15	3.15			2.82					

MALMBEREGNING I

Lokalitet:

Borehull: 441

Boredato : 1976
 Koordinater : 2431 0 - 1645
 Retning :
 Helling/stigning : +90°
 Høyde : -87.5
 Lengde : 6.12 m

Dybde	Lengde (m)	Analyser							
		% Pb	% Cu	% Zn	% S	% Fe	m% Pb	m% Cu	m% Zn
2.90 - 4.30	1.40	2.93	0.40	7.48	10.71	4.102	0.560	10.472	14.994
								10.472	
2.90 - 4.30	1.40			7.48					

MALMBEREGNING I

Lokalitet: *Bilstoll*
 Profil *42.950*
 Borehull: *440*

Boredato : 1976
Koordinator : 1540 Ø 190 S
Retning : S
Helling/stigning : -60°
Høyde : -45m

Dybde	Lengde (m)	Analyser							
		% Pb	% Cu	% Zn	% Fe	m% Pb	m% Cu	m% Zn	m% Fe
1,00 - 2,05	1,05	0,04	0,03	0,05	7,29	0,042	0,031	0,052	7,633
2,05 - 3,00	0,95	1,57	0,27	2,93	7,71	1,491	0,256	2,783	7,324
3,00 - 4,30	1,30	1,89	0,19	1,05	8,36	2,457	0,247	1,365	10,868
4,30 - 5,75	1,45	0,14	0,16	0,83	7,29	0,203	0,232	1,203	10,570
5,75 - 6,35	0,60	0,57	0,10	1,34	3,43	0,342	0,060	0,804	2,058
6,35 - 7,35	1,00	0,03	0,01	0,06	2,36	0,030	0,010	0,060	2,360
20,00 - 20,35	0,35	0,88	0,24	3,45	9,86	0,308	0,084	1,207	3,451
20,35 - 22,20	1,85	0,07	0,06	0,19	2,14	0,129	0,111	0,351	3,959
22,20 - 23,50	1,30	0,08	0,25	0,71	8,78	0,104	0,325	0,923	11,414
23,50 - 27,35 24,50	1,00	0,02	0,03	0,07	7,71	0,020	0,030	0,070	7,710
✓ 2,05 - 4,30	2,25	1,75	0,22	1,84	8,08				
✓ 5,75 - 6,35	0,60	0,57	0,10	1,34	3,43				
Kasse 2. 10-20m Sarnes									
✓ 20,00 - 20,35	0,35	0,88	0,24	3,45	9,86				
14/3-78.									
Holger Pustdalst.									

MALMBEREGNING I

Lokalitet:

Borehull: 435

Boredato : 1976
 Koordinator : 2498 Ø - 207 S
 Retning : S
 Helling/stigning : +60°
 Høyde : -79.1
 Lengde : 21.35 m

Dybde	Lengde (m)	Analyser							
		% Pb	% Cu	% Zn	% S Fe	m % Pb	m % Cu	m % Zn	m % Fe
✓ 0.00 - 2.20	2.20	0.18	0.19	2.22	6.46	0.396	0.418	4.854	15.312
2.20 - 5.20	3.00	0.06	0.19	0.78	8.22	0.180	0.570	2.340	24.660
{ 5.20 - 7.40	2.20	1.55	0.44	3.35	11.57	3.410	0.968	7.370	25.454
{ 7.40 - 10.50	3.10	0.82	0.26	3.42	8.32	2.542	0.806	10.602	25.792
0.00 - 2.20	2.20			2.22					
5.20 - 10.50	5.30	1.1	0.35	3.39					

MALMBEREGNING I

Lokalitet:

Borehull: 434

Boredato : 1976
 Koordinater : 25178 Ø - 1946
 Retning : S
 Helling/stigning : +60°
 Høyde : -796
 Lengde : 21.44m

Dybde	Lengde (m)	Analyser							
		% Pb	% Cu	% Zn	% Fe	m% Pb	m% Cu	m% Zn	m% Fe
0.00 - 2.00	2.00	0.41	0.24	1.40	6.49	0.820	0.480	2.800	12.980
4.05 - 4.70	0.65	1.23	0.34	3.70	14.19	0.7995	0.221	2.405	9.2235
5.00 - 6.50	1.50	1.23	0.68	1.62	9.19	1.845	1.020	2.430	13.785
6.50 - 7.70	1.20	0.84	0.40	8.33	15.03	1.008	0.480	9.996	18.036
7.70 - 8.80	1.10	0.44	0.37	1.46	8.98	0.484	0.407	1.606	9.878
8.80 - 11.20	2.30	0.71	0.19	1.67	6.23	1.633	0.437	3.841	14.329
11.20 - 12.30	1.10	0.89	0.26	4.77	8.65	0.979	0.286	5.247	9.515
0.00 - 2.00	2.00			1.40					
4.05 - 12.30	8.25			3.09					

MALMBEREGNING I

Lokalitet:

Borehull: 433

Boredato : 1976
 Koordinater : 2517.28 - 191.25
 Retning :
 Helling/stigning : +90°
 Høyde : -796?
 Lengde : 27.39m

Dybde	Lengde (m)	Analyser							
		% Pb	% Cu	% Zn	% SFe	mg Pb	mg Cu	mg Zn	mg SFe
0.00 - 1.50	1.50	0.27	0.20	1.18	5.11	0.405	0.300	1.770	7.665
4.60 - 5.80	1.20	0.06	0.34	2.20	13.19	0.072	0.408	2.640	15.828
5.80 - 8.50	2.70	0.82	0.31	5.23	14.82	2.214	0.837	14.121	40.014
8.50 - 10.40	1.90	0.40	0.20	0.89	4.73	0.760	0.380	1.641	8.987
13.40 - 15.80	2.40	0.92	0.40	5.52	11.90	2.208	0.960	13.248	28.560
0.00 - 1.50	1.50			1.18					
4.60 - 8.50	3.90			4.29					
10.40 - 13.40	3.-	1.11	0.40	6.54	7.35				

MALMBEREGNING I

Lokalitet:

Borehull: 432

Boredato : 1976

Koordinater : 2517 24 - 190.6 S

Retning : N

Helling/stigning : +60°

Høyde : -79.9

lengde : 33.60 m

Dybde	Lengde (m)	Analyser							
		% Pb	% Cu	% Zn	% S	% Fe	% Pb	% Cu	% Zn
0.00 - 8.70, ikke analysert									
8.70 - 10.85	2.15	0.51	0.41	5.01	13.40	1.0965	0.8815	10.7715	28.810
10.85 - 11.60	0.85	0.72	0.25	2.55	6.16	0.612	0.2125	2.1675	5.236
11.60 - 14.10	2.30	0.67	0.38	1.43	6.49	1.541	0.824	3.289	14.927
14.10 - 17.30	3.20	1.31	0.21	3.59	10.05	4.192	0.672	11.488	32.160
17.30 - 19.40	2.10	0.15	0.41	0.62	8.32	0.315	0.861	1.302	17.472
19.40 - 20.00	0.60	2.80	0.22	15.96	4.84	1.680	0.132	9.576	5.904
20.00 - 21.70	1.20	0.96	0.73	6.76	11.57	1.152	0.876	8.112	13.884
8.70 - 17.30	8.60			3.22					
19.40 - 21.70	2.30			7.69					

MALMBEREGNING I

Lokalitet:

Borehull: 431

Boredato : 1975
 Koordinater : 2400 1555
 Retning :
 Helling/stigning : -90°
 Høyde : -83.2
 Lengde : 9.20m

Dybde	Lengde (m)	Analyser							
		% Pb	% Cu	% Zn	% SFe	% Pb	% Cu	% Zn	% Fe
0.00 - 1.00	1.00	0.74	0.27	2.75	9.34	0.740	0.270	2.750	9.340
1.00 - 2.00	1.00	0.92	0.38	3.36	11.65	0.920	0.380	3.360	11.650
2.00 - 3.00	1.00	1.75	0.63	5.46	13.68	1.750	0.630	5.460	13.680
3.00 - 4.80	1.80	0.07	0.14	0.17	8.00	0.126	0.252	0.306	14.400
4.80 - 5.40	1.10	1.17	0.63	5.39	14.00	1.287	0.693	6.479	15.400
0.00 - 3.00	3.00			3.85					

MALMBEREGNING I

Lokalitet:

Borehull: 429

Boredato : 1975
Koordinater : 24304 - 172 5
Retning :
Helling/stigning : - 90°
Høyde : -83.8

Lengde : 15.45 m

Dybde	Lengde (m)	Analyser							
		% Pb	% Cu	% Zn	% S Fe	% Pb	% Cu	% Zn	% S Fe
0.00 - 1.00	1.00	0.74	0.39	3.67	11.23	0.740	0.390	3.670	11.230
1.00 - 2.30	1.30	0.59	0.41	4.95	15.15	0.767	0.533	6.435	19.695
2.30 - 3.70	1.40	0.94	0.31	4.18	8.24	1.316	0.434	5.852	11.536
3.70 - 6.35	2.65	0.57	0.24	2.12	5.49	1.5105	0.636	5.618	15.6085
								21.575	
0.00 - 6.35	6.35			3.39					

MALMBEREGNING I

Lokalitet:

Borehull: 428

Boredato : 1975
 Koordinater : 2423 0 - 188 5
 Retning :
 Helling/stigning : -90°.
 Høyde : -84
 Lengde : 9.10m

Dybde	Lengde (m)	Analyser							
		% Pb	% Cu	% Zn	% S _{Fe}	% Pb	% Cu	% Zn	
0.00 - 1.00	1.00	0.67	0.34	2.75	9.87	0.670	0.340	2.750	9.870
1.00 - 1.80	0.80	0.89	0.57	5.95	11.53	0.712	0.456	4.760	9.224
								7.510	
0.00 - 1.80	1.80			4.17					

MALMBEREGNING I

Lokalitet:

Borehull: 426

Boredato : 1975
 Koordinater : 2474 0 - 2055
 Retning :
 Helling/stigning : - 90°
 Høyde : - 832
 Lengde : 10.35 m

Dybde	Lengde (m)	Analyser							
		% Pb	% Cu	% Zn	% S Fe	m % Pb	m % Cu	m % Zn	m % Fe
0.00 - 1.80	1.80	0.01	0.05	0.11	7.36	0.018	0.090	0.198	13.248
1.80 - 3.00	1.20	0.17	0.38	2.55	14.53	0.204	0.456	3.060	12.436
1.80 - 3.00	1.20			2.55					

MALMBEREGNING I

Lokalitet:

Borehull: 425

Boredato : 1975
 Koordinater : 24960 - 2005
 Retning :
 Helling/stigning : -90°
 Høyde : -83.2
 Lengde : 12.00m

Dybde	Lengde (m)	Analyser							
		% Pb	% Cu	% Zn	% SFe	% Pb	% Cu	% Zn	% SFe
✓ 0.00 - 0.90	0.90	0.77	0.62	4.58	10.55	0.693	0.558	4.122	9.495
3.40 - 4.75	1.35	0.04	0.08	0.15	9.91	0.054	0.108	0.2025	13.3785
✓ 4.75 - 6.55	1.80	0.58	0.21	3.72	8.07	1.044	0.378	6.896	14.526
0.00 - 0.90	0.90			4.58					
4.75 - 6.55	1.80			3.72					

MALMBEREGNING I

Lokalitet:

Borehull: 424

Boredato : 1975
 Koordinator : 2496 Ø - 267 S
 Retning :
 Helling/stigning : - 90°
 Høyde : - 83.2
 Lengde : 19.70 m

Dybde	Lengde (m)	Analyser							
		% Pb	% Cu	% Zn	% S Fe	% Pb	% Cu	% Zn	% Fe
0.00 - 0.80	0.80	1.79	0.38	0.65	8.59	1.432	0.304	0.520	6.872
0.80 - 2.90	2.10	0.05	0.22	0.48	10.28	0.105	0.462	1.008	21.588
2.90 - 5.00	2.10	0.05	0.05	0.10	9.30	0.105	0.105	0.210	19.530
0.00 - 2.90	2.90			0.52					

MALMBEREGNING I

Lokalitet:

Borehull: 423

Boredato : 1975
 Koordinator : 2496 9 - 191 S
 Retning :
 Helling/stigning : -90°
 Høyde : -83.2
 Lengde : 13.80 m

Dybde	Lengde (m)	Analyser							
		% Pb	% Cu	% Zn	% S Fe	% Pb	% Cu	% Zn	% S Fe
0.00 - 1.00	1.00	0.31	1.11	2.73	16.31	0.310	1.110	2.730	16.310
1.00 - 2.00	1.00	0.93	0.32	2.75	11.05	0.930	0.320	2.750	11.050
2.00 - 3.00	1.00	1.33	0.34	5.86	11.58	1.330	0.340	5.860	11.580
3.00 - 5.00	2.00	0.12	0.15	0.30	8.24	0.240	0.360	0.600	16.480
✓ 5.00 - 6.25	1.25	0.97	1.17	7.80	12.80	1.2125	1.4625	9.750	16.000
0.00 - 3.00	3.00			3.78					
5.00 - 6.25	1.25			7.80					

MALMBEREGNING I

Lokalitet:

Borehull: 422

Boredato : 1975
 Koordinater : 2379 60 - 195.55
 Retning :
 Helling/stigning : -90°
 Høyde : -85.9
 Lengde : 6.05 m

Dybde	Lengde (m)	Analyser							
		% Pb	% Cu	% Zn	% Fe	% Pb	% Cu	% Zn	% Fe
1.00-1.05	0.05	0.49	0.62	1.79	13.70	0.0245	0.031	0.0895	0.685
1.00-1.05	0.05			1.79					

MALMBEREGNING I

Lokalitet:

Borehull: 420

Boredato : 1975
 Koordinator : 2377 0 - 187 8 5
 Retning : N
 Helling/stigning : +65°
 Høyde : - 80 9
 Lengde 26.60 m

Dybde	Lengde (m)	Analyser							
		% Pb	% Cu	% Zn	% Fe	m% Pb	m% Cu	m% Zn	m% Fe
0.00 - 2.90	2.90	0.85	0.32	1.66	7.59	2.465	0.928	4.814	22.011
2.90 - 3.95	1.05	0.50	0.25	1.25	6.50	0.325	0.2625	1.3125	6.825
3.95 - 5.35	1.40	0.65	0.33	1.51	8.32	0.910	0.462	2.114	11.648
5.35 - 7.20	1.25	0.56	0.47	1.06	6.36	0.700	0.5875	1.325	7.950
9.65 - 11.40	1.75	1.24	0.48	4.50	9.54	2.170	0.840	7.875	16.695
11.40 - 13.30	1.90	1.95	0.34	4.15	10.28	3.705	0.646	7.885	19.532
13.30 - 15.25	1.95	2.62	0.28	9.88	13.46	5.109	0.546	19.266	26.247
15.25 - 17.20	1.95	1.53	1.32	6.06	12.72	2.9835	2.574	11.817	24.804
17.20 - 19.30	2.10	1.01	0.30	2.26	9.54	2.121	0.630	4.746	20.034
19.30 - 21.95	2.65	2.64	0.34	8.12	11.99	6.996	0.901	21.518	31.7735
0.00 - 7.20	7.20	0.64		1.32					
9.65 - 21.95	12.30	1.88		5.94					

MALMBEREGNING I

Lokalitet: 3.43.140

Borehull: 4/18

Boredato : 1975
 Koordinater : 1720 Ø - 197 S
 Retning :
 Helling/stigning : - 90 °
 Høyde : -60
 Lengde : 26.30 m

Dybde	Lengde (m)	Analyser							
		% Pb	% Cu	% Zn	% S Fe	m % Pb	m % Cu	m % Zn	
0.00 - 7.30 ingenus									
7.30 - 8.20	0.90	0.91	0.24	1.48	8.09	0.819	0.216	1.332	7.281
8.20 - 9.10	0.90	0.24	0.17	0.98	5.63	0.216	0.153	0.882	5.067
9.10 - 10.20	1.10	0.60	0.45	4.25	12.48	0.660	0.495	4.708	13.228
								8.922	
7.30 - 10.20	2.90	0.58	0.30	2.38					

MALMBEREGNING I

Lokalitet:

143.140

Borehull:

417

Boredato : 1975-12-10

Koordinater : 1720 Ø - 1985

Retning : S

Helling/stigning : -65°

Høyde : -60

Lengde : 30.00

Dybde	Lengde (m)	Analyser							
		% Pb	% Cu	% Zn	% Fe	% Pb	% Cu	% Zn	% Fe
0.00 - 7.85, ikke analysert									
7.85 - 9.00	1.15	0.79	0.21	1.33	6.85	0.9055	0.2415	1.5295	7.8775
9.00 - 10.05	1.05	1.06	0.36	7.72	8.56	1.113	0.378	8.106	8.983
10.05 - 10.80	0.75	0.96	0.27	2.16	9.54	0.720	0.2025	1.620	7.155
10.80 - 11.95	1.15	0.60	0.20	1.81	8.56	0.690	0.230	2.0815	9.844
9.00 - 11.95	2.95			4.00					
7.85 - 11.95	4.10	0.84	0.26	3.25					

12/2-8-88

MALMBEREGNING I

Lokalitet: 3143,140

Borehull: 416

Boredato : 1975
 Koordinater : 1720 0 - 1953
 Retning : S
 Helling/stigning : -40°
 Høyde : -60
 Lengde : 43.73 m

Dybde	Lengde (m)	Analyser							
		% Pb	% Cu	% Zn	% S	% Fe	% Pb	% Cu	% Zn
0.00 - 16.35, like analyse									
16.35 - 18.70	2.35	0.66	0.32	1.31	7.44	1.551	0.752	3.0785	17.484
18.70 - 20.00	1.30	0.41	0.42	6.83	10.02	0.533	0.546	8.879	13.026
20.00 - 22.45	2.45	0.35	0.40	1.89	8.59	0.8575	0.980	4.6305	21.0455
22.45 - 24.45	2.00	0.12	0.69	1.75	11.96	0.240	1.380	3.500	23.920
24.45 - 26.45	2.00	0.05	0.71	2.50	12.36	0.100	1.420	4.600	26.720
18.70 - 20.00	1.30			6.83					
20.00 - 26.45	6.45			1.92					
18.70 - 22.45	3.75	0.37	0.41	3.6					
18.70 - 24.45	5.75			2.95					
(18.70 - 23.45)	4.75			3.2)					
					1812-87	30			

MALMBEREGNING I

Lokalitet:

Borehull: 415

Boredato : 1975
 Koordinator : 2277 Ø - 209 S
 Retning : Ø
 Helling/stigning : +69°
 Høyde : -84
 Lengde : 22.90m

Dybde	Lengde (m)	Analyser							
		% Pb	% Cu	% Zn	% S Fe	% Pb	% Cu	% Zn	% Fe
0.00 - 0.60	0.60	1.55	0.18	7.08	12.66	0.930	0.108	4.248	7.596
0.60 - 2.00	1.40	1.01	0.46	1.88	9.35	1.414	0.644	2.632	13.090
2.00 - 3.00	1.00	2.14	0.56	3.80	4.83	2.140	0.560	3.800	4.830
12.40 - 14.30	1.90	0.43	0.33	1.22	7.66	0.817	0.627	2.313	14.554
14.30 - 16.30	2.00	1.64	0.30	5.84	8.78	5.280	0.600	11.680	13.560
16.30 - 17.30	1.00	1.02	0.29	2.90	7.31	1.020	0.290	2.900	7.310
0.00 - 3.00	3.00			3.56					
14.30 - 17.30	3.00			4.86					

MALMBEREGNING I

Lokalitet:

Borehull: 414

Boredato : 1975
 Koordinater : 2277 Ø - 207 S
 Retning : N
 Helling/stigning : +45°
 Høyde : -84
 Lengde : 43.50 m

Dybde	Lengde (m)	Analyser							m % Fe
		% Pb	% Cu	% Zn	% S	m % Pb	m % Cu	m % Zn	
0.00 - 2.35	2.35	0.73	0.30	2.63	9.00	1.7155	0.705	6.1805	21.150
2.35 - 4.70	2.35	1.44	0.32	3.30	7.29	3.384	0.752	7.755	17.1315
4.70 - 6.30	1.60	1.12	0.16	0.88	3.46	1.792	0.256	1.408	5.536
9.40 - 12.05	2.65	0.77	0.26	2.98	7.85	2.0405	0.689	7.897	20.2495
12.05 - 14.00	1.95	0.02	0.19	0.51	7.32	0.039	0.3705	0.9945	14.274
16.00 - 17.80	1.80	0.03	0.19	0.77	5.68	0.054	0.342	1.386	10.224
17.80 - 20.00	2.20	2.56	0.45	9.42	8.20	5.632	0.990	20.724	18.040
20.00 - 23.00	3.00	0.61	0.38	4.02	8.87	1.836	1.140	12.060	26.610
23.00 - 24.75	1.75	1.78	0.16	8.04	10.99	3.0625	0.280	14.070	19.2325
24.75 - 25.95	1.20	1.54	0.08	5.42	10.38	1.848	0.096	6.504	12.456
0.00 - 6.30	6.30			2.43					
9.40 - 12.05	2.65			2.98					
17.80 - 25.95	8.15			6.54					

MALMBEREGNING I

Lokalitet:

Borehull: 413

Boredato : 1975
 Koordinater : 22720 - 207 5
 Retning : N
 Helling/stigning : +68°
 Høyde : -84
 Lengde : 35.05m

Dybde	Lengde (m)	Analyser							
		% Pb	% Cu	% Zn	% 8Fe	% Pb	% Cu	% Zn	% 8Fe
0.00 - 1.60	1.60	0.51	0.45	2.30	11.07	0.816	0.720	3.680	17.712
1.60 - 3.20	1.60	0.70	0.35	3.22	8.14	1.120	0.560	5.152	13.024
12.80 - 13.40	0.60	0.49	0.34	3.24	8.44	0.276	0.204	1.944	5.064
13.40 - 15.05	1.65	1.85	0.08	9.57	11.04	3.0525	0.132	15.7905	15.216
15.05 - 16.45	1.40	2.41	0.49	5.52	7.75	3.374	0.686	10.8192	10.892
0.00 - 3.20	3.20			2.76					
12.80 - 16.45	3.65			7.82					

MALMBEREGNING I

Lokalitet:

Borehull:

412

Boredato : 1975
 Koordinater : 2277 Ø - 208 S
 Retning : S
 Helling/stigning : - 80°
 Høyde : - 88
 Lengde : 17.20 m

Dybde	Lengde (m)	Analyser							
		% Pb	% Cu	% Zn	% S Fe	% Pb	% Cu	% Zn	% Fe
{ 0.70 - 3.60 3.60 - 4.00	2.90	0.07	0.17	0.23	6.68	0.203	0.493	0.667	19.372
	0.40	0.15	0.57	0.49	12.81	0.060	0.228	0.196	5.124
								0.863	
0.70 - 4.00	3.30			0.22					

MALMBEREGNING I

Lokalitet:

Borehull: 411

Boredato : 1975
 Koordinater : 2273 0 - 195 5
 Retning :
 Helling/stigning : -90°
 Høyde : -89
 Lengde : 7.00m

Dybde	Lengde (m)	Analyser							
		% Pb	% Cu	% Zn	% S Fe	% Pb	% Cu	% Zn	% Fe
{ 0.00 - 0.60 0.60 - 1.30	0.60	0.93	0.32	6.67	9.79	0.558	0.192	4.002	5.874
	0.70	0.32	0.40	3.30	9.50	0.224	0.280	2.310	6.650
								6.312	
0.00 - 1.30	1.30			4.85					

MALMBEREGNING I

Lokalitet:

Borehull: 409

Boredato : 1975
 Koordinator : 2277 0 - 1845
 Retning : N
 Helling/stigning : +53°
 Høyde : -80
 Lengde : 49.00 m

Dybde	Lengde (m)	Analyser							
		% Pb	% Cu	% Zn	% SFe	% Pb	% Cu	% Zn	% SFe
0.00 - 1.25	1.25	1.03	0.67	1.82	6.44	1.2825	0.8325	2.275	8.050
✓ 2.10 - 3.65	1.55	0.60	0.58	2.46	6.25	0.930	0.899	3.813	9.6875
19.75 - 21.45	0.70	1.57	0.56	5.64	9.29	1.099	0.392	3.948	6.503
21.45 - 23.15	1.70	1.29	0.29	7.08	8.76	2.193	0.493	12.036	14.892
23.15 - 24.85	1.70	1.45	0.22	5.62	8.51	2.465	0.374	9.554	14.467
24.85 - 26.55	1.70	1.47	0.53	5.32	10.93	2.499	0.901	9.044	18.581
29.35 - 31.25	1.90	0.53	0.49	1.40	6.44	1.007	0.931	2.660	12.236
31.25 - 33.15	1.90	0.57	0.44	1.89	6.25	1.083	0.836	3.591	11.875
33.15 - 35.00	1.85	0.47	0.29	1.65	8.29	0.8695	0.5365	3.0525	15.3365
35.00 - 37.10	2.10	1.22	0.50	7.21	9.01	2.562	1.050	15.141	18.921
37.10 - 39.20	2.10	4.04	0.31	14.52	10.46	8.484	0.651	30.442	21.966
2.10 - 3.65	1.55			2.46					
19.75 - 26.85	6.80			5.08					
29.35 - 35.00	5.65			1.64					
✓ 35.00 - 39.20	4.20			10.86					

MALMBEREGNING I

Lokalitet:

Borehull: 408

Boredato : 1975
 Koordinater : 22770 - 1855
 Retning : N
 Helling/stigning : +68°
 Høyde : -86
 Lengde : 35.20 m

Dybde	Lengde (m)	Analyser							
		% Pb	% Cu	% Zn	% SFe	m% Pb	m% Cu	m% Zn	m% Pb
0.00 - 2.10, ingen analyse									
2.10 - 3.00	0.90	0.86	0.44	2.91	8.14	0.774	0.396	2.619	7.326
9.15 - 9.75	0.60	0.75	0.32	1.63	4.77	0.450	0.192	0.978	2.862
14.60 - 16.40	1.80	0.18	0.75	3.38	9.10	0.324	1.350	6.084	16.380
16.40 - 18.20	1.80	1.13	0.46	3.00	7.08	2.034	0.828	5.400	12.744
18.20 - 20.00	1.80	1.76	0.06	7.92	9.00	3.168	0.108	14.256	16.200
20.00 - 21.80	1.80	1.76	0.20	4.31	6.46	3.168	0.360	7.758	11.628
21.80 - 23.60	1.80	2.68	0.16	8.36	9.34	4.824	0.288	15.048	16.812
14.60 - 23.60	9.00			5.39					

MALMBEREGNING I

Lokalitet:

Borehull: 407

Boredato : 1974
 Koordinater : 2280 9 - 185 55 S
 Retning : N
 Helling/stigning : -60°
 Høyde :
 Lengde : 16.80 m

Dybde	Lengde (m)	Analyser							
		% Pb	% Cu	% Zn	% S Fe	% Pb	% Cu	% Zn	% Fe
0.00 - 1.50	1.50	1.09	0.38	5.36	9.46	1.635	0.570	8.040	14.190
8.10 - 8.25	0.15	0.16	0.17	8.00	14.37	0.024	0.0255	1.200	2.1555
0.00 - 1.50	1.50			5.36					
8.10 - 8.25	0.15			8.00					

MALMBEREGNING I

Lokalitet:

Borehull: 405

Boredato : 1974
 Koordinater : 22604 - 1275
 Retning : S
 Helling/stigning : -10°
 Høyde :
 Lengde 12.25 m

Dybde	Lengde (m)	Analyser							
		% Pb	% Cu	% Zn	% S Fe	mm % Pb	mm % Cu	mm % Zn	mm % Fe
0.00 - 38.25, ingen analyse									
38.25 - 38.55	0.30	0.17	0.35	5.80	30.29	0.051	0.099	1.740	9.087
52.10 - 52.90	0.80	0.67	0.26	3.11	12.45	0.536	0.208	2.488	9.960
38.25 - 38.55	0.30			5.80					
52.10 - 52.90	0.80			3.11					

MALMBEREGNING I

Lokalitet:

Borehull: 404

Boredato : 1974
 Koordinater : 2260 4 - 2275
 Retning : S
 Helling/stigning : +20°
 Høyde :
 Lengde 40.00m

Dybde	Lengde (m)	Analyser								
		% Pb	% Cu	% Zn	% S Fe	% Pb	% Cu	% Zn	% S Fe	% Pb
0.00 - 15.00, ingen analyse										
15.00 - 17.90	2.90	0.89	0.68	7.93	21.54	2.581	1.972	22.997	62.466	
31.55 - 32.55	1.00	2.54	0.22	6.37	6.36	2.540	0.220	6.370	6.360	
15.00 - 17.90	2.90			7.93						
31.55 - 32.55	1.00			6.37						

MALMBEREGNING I

Lokalitet:

Borehull: 403

Boredato : 1974

Koordinater : 22608 - 2265

Retning : S

Helling/stigning : -60°

Høyde :

Lengde : 28,70m

Dybde	Lengde (m)	Analyser							
		% Pb	% Cu	% Zn	% S Fe	m % Pb	m % Cu	m % Zn	m % Fe
0.00 - 11.30, ingen analyse									
11.30 - 12.50	1.20	0.65	0.28	2.23	9.72	0.780	0.336	2.676	11.664
11.30 - 12.50	1.20			2.23					

MALMBEREGNING I

Lokalitet:

Borehull: 402

Boredato : 1974
 Koordinater : 2260 - 227 S
 Retning : S
 Helling/stigning : +45°
 Høyde :

Lengde 59.00 m

Dybde	Lengde (m)	Analyser							
		% Pb	% Cu	% Zn	% S Fe	% Pb	% Cu	% Zn	% S Fe
0.00 - 1.60	1.60	0.25	0.11	0.60	9.72	0.400	0.176	0.960	15.552
7.30 - 8.45	1.15	0.25	0.32	1.48	6.06	0.2875	0.368	1.702	6.969
0.00 - 1.60	1.60			0.60					
7.30 - 8.45	1.15			1.48					

MALMBEREGNING I

Lokalitet:

Borehull: 381

Boredato : 1972
 Koordinater : 2173 0 - 1215
 Retning : N
 Helling/stigning : 0°
 Høyde : -33 m

Dybde	Lengde (m)	Analyser							
		% Pb	% Cu	% Zn	% Fe	m% Pb	m% Cu	m% Zn	m% Fe
0.00 - 10.70, ingen analyse									
10.70 - 12.10	1.40	0.13	0.09	0.39	2.83	0.182	0.126	0.516	3.962
10.70 - 12.10	1.40			0.54					

MALMBEREGNING I

Lokalitet:

Borehull: 380

Boredato : 1972
 Koordinater : 2175 ϕ - 122 S
 Retning : N
 Helling/stigning : +40°
 Høyde : -31 m

Dybde	Lengde (m)	Analyser							
		% Pb	% Cu	% Zn	% $\bullet$ Fe	m% Pb	m% Cu	m% Zn	m% Fe
0 00 - 53.30, ingen analyse									
53.30 - 53.75	0.45	1.37	0.22	3.77	4.87	0.6165	0.099	1.6465	2.1915
53.75 - 54.70	0.95	0.26	0.13	0.46	2.95	0.247	0.1235	0.437	2.8025
54.70 - 56.00	1.30	0.52	0.25	1.73	5.22	0.676	0.325	2.249	6.786
56.00 - 58.60	2.60	0.41	0.24	0.76	3.98	1.066	0.624	1.976	10.348
58.60 - 60.40	1.80	0.11	0.08	0.26	2.48	0.198	0.144	0.468	5.364
53.30 - 60.40	7.10			0.96					

MALMBEREGNING I

Lokalitet: 43.600

Borehull: 380

Boredato : 1971

Koordinater : X: 925.452 Y: 43.590

Retning : N

Helling/stigning : 40°

Høyde : - 27 m.o.h.

Dybde	Lengde (m)	% Pb	% Cu	% Zn	% S	% Fe
53.30 - 53.75	0.45	1.37	0.22	3.77		4.87
53.75 - 54.70	0.95	0.26	0.13	0.46		2.95
54.70 - 56.00	1.30	0.52	0.25	1.75		5.22
56.00 - 58.60	2.60	0.41	0.24	0.76		3.98
58.60 - 60.40	1.80	0.11	0.08	0.26		2.98

MALMBEREGNING 1

Lokalitet: 43.600

Borehull:

Boredato : 1971

Koordinater : X: 925.389 Y: 43.599

Retning : S

Helling/stigning : 78^o

Høyde : -29.5 m.o.h.

Dybde	Lengde (m)	Analyser						
		% Pb	% Cu	% Zn	% S	% Fe		
30.35 - 32.05	1.70	0.59	0.23	1.51		4.04		
32.05 - 33.75	1.70	1.41	0.31	9.35		7.98		
33.75 - 35.90	2.15	0.20	0.18	0.32		5.17		
35.90 - 38.05	2.15	0.37	0.44	2.10		7.22		
45.30 - 46.30	1.00	0.64	0.23	0.96		4.38		
49.00 - 49.80	0.80	0.37	0.15	0.71		3.24		
50.90 - 53.45	2.55	1.19	0.25	6.51		8.75		

MALMBEREGNING I

Lokalitet: 43.600

Borehull: 376

Boredato : 1971

Koordinater : X: 925.430 Y: 43.599

Retning : S

Helling/stigning : 50°

Høyde : -30.5 m.o.h.

Dybde	Lengde (m)	Analyser					
		% Pb	% Cu	% Zn	% S	% Fe	
15.40 - 18.55	3.15	1.57	0.41	8.64	5.62	5.62	
18.55 - 21.60	3.05	0.54	0.17	4.09	5.98	5.98	
21.60 - 24.60	3.00	0.91	0.51	4.14		5.20	
29.40 - 31.65	2.25	0.77	0.48	3.83		7.47	
31.65 - 33.90	2.25	0.58	0.51	4.19		7.62	
33.90 - 36.10	2.20	0.99	0.94	7.62		7.89	

MALMBEREGNING I

Lokalitet: 43.600

Borehull: 375

Boredato : 1971

Koordinater : X: 925.431 Y: 43.599

Retning : N

Helling/stigning : 65°

Høyde : -30.5 m.o.h.

[illegible]

MALMBEREGNING I

Lokalitet: 43.600

Borehull: 374

Boredato : 1971

Koordinater : X: 925.387 Y: 43.599

Retning : S

Helling/stigning : 35⁰

Høyde : -29.5 m.o.h

Dybde	Lengde (m)	% Pb	% Cu	% Zn	% S	% Fe
68.55 - 69.95	1.40	0.32	0.32	2.04		4.42
82.85 - 85.30	2.45	0.40	0.20	1.12		5.28
89.95 - 92.50	2.55	0.08	0.20	0.68		5.55
92.50 - 95.10	2.60	1.57	0.16	5.83		7.58

MALMBEREGNING I

Lokalitet: 43.600

Borehull: 373

Boredato : 1971

Koordinater : X: 925.387,5 Y: 43.599

Retning : S

Helling/stigning : 47°

Høyde : -29.5 m.o.h

Dybde	Lengde (m)	Analyser					
		% Pb	% Cu	% Zn	% S	% Fe	
34.80 - 35.10	0.90	0.77	0.37	0.58		5.25	
35.70 - 38.40	2.70	0.61	0.31	1.43		4.48	
38.40 - 39.25	0.85	0.09	0.04	0.11		4.67	
55.60 - 57.60	2.00	0.14	0.08	0.38		2.38	
57.60 - 59.00	1.40	0.64	0.43	2.07		4.20	
59.00 - 61.15	2.15	0.34	0.50	1.59		8.36	
61.15 - 62.65	1.50	0.14	0.09	0.34		4.67	
62.65 - 64.15	1.50	0.09	9.20	0.25		1.87	
64.15 - 65.65	1.50	0.07	0.23	0.36		5.34	

MALMBEREGNING I

Lokalitet: 43.600

Borehull: 372

Boredato : 1971

Koordinater : X: 925.432 Y: 43.599

Retning :

Helling/stigning : 90°

Høyde : -30.5 m.o.h.

Dybde	Lengde (m)	Analyser					
		% Pb	% Cu	% Zn	% S	% Fe	
8.55 - 9.60	1.05	0.41	0.26	1.23		5.78	
9.60 - 10.90	1.30	1.63	0.33	5.40		4.52	
26.85 - 27.90	1.05	0.45	0.22	1.56		3.34	
27.90 - 29.40	1.50	0.64	0.31	1.41		5.34	
47.70 - 48.70	1.00	1.38	0.68	3.65		3.85	
53.55 - 54.50	0.85	0.09	0.78	0.69		4.24	
56.20 - 57.75	1.55	0.05	0.07	0.12		3.34	

MALMBEREGNING I

Lokalitet: 43.600

Borehull: 371

Boredato : 1971

Koordinater : X: 925.388 Y: 43.599

Retning : S

Helling/stigning : 65°

Høyde : -29.5 m.o.h.

Dybde	Lengde (m)	Analyser					
		% Pb	% Cu	% Zn	% S	% Fe	
32.95 - 34.95	2.00	1.91	0.39	5.51		6.07	
34.95 - 36.45	1.50	0.00	0.06	0.05		4.33	
36.45 - 38.95	2.50	0.05	0.06	0.21		4.77	
47.15 - 49.40	2.25	0.05	0.15	0.64		3.24	
49.40 - 51.55	2.15	0.05	0.67	0.34		5.09	
51.55 - 53.45	1.90	0.23	0.45	2.24		5.69	
54.35 - 55.75	1.40	0.82	0.31	4.55		6.36	
55.75 - 56.65	0.90	2.58	0.63	12.28		8.62	
56.65 - 57.75	1.10	0.31	0.15	1.36		6.99	
57.75 - 57.85	0.10	0.09	9.12	14.58		12.63	
57.85 - 59.00	1.15	0.11	0.24	0.32		5.59	

MALMBEREGNING I

Lokalitet: 43.600

Borehull: 370

Boredato : 1971

Koordinater : X: 925.390,5 Y: 43.599

Retning : N

Helling/stigning : 60°

Høyde : -29.5 m.o.h

Dybde	Lengde (m)	Analyser				
		% Pb	% Cu	% Zn	% S	% Fe
28.00 - 30.35	2.35	1.09	0.30	3.76		5.04
30.35 - 32.70	2.35	0.95	0.24	6.29		7.66
32.70 - 35.05	2.35	1.38	0.53	6.53		5.96
54.05 - 55.50	1.45	0.44	0.19	1.09		2.76
55.50 - 57.40	1.90	1.21	0.75	4.26		5.51

MALMBEREGNING I

Lokalitet: 43.600

Borehull: 369

Boredato : 1971
Koordinater : X: 925.389 Y: 43.599
Retning : Nedover
Helling/stigning : 90°
Høyde : - 29,5 m.o.h.

Dybde	Lengde (m)	Analyser							
		% Pb	% Cu	% Zn	% S	% Fe			
28.40 - 30.10	1.70	1.24	0.67	9.15		8.84			
30.10 - 31.80	1.80	1.31	0.18	9.15		6.66			
31.80 - 33.50	1.70	1.17	0.35	6.99		6.93			
33.50 - 34.95	1.45	0.00	0.03	0.10		3.57			
34.95 - 36.15	1.20	0.33	0.43	2.34		5.41			
48.55 - 50.45	1.90	0.77	0.41	3.52		6.87			
50.45 - 51.95	1.50	0.30	0.63	3.66		5.44			
57.40 - 60.05	2.65	0.23	0.14	0.46		4.73			
60.05 - 62.30	2.25	0.07	0.16	1.78		5.27			

MALMBEREGNING 1

Lokalitet: 43.600

Borehull: 368

Boredato : 1971
Koordinater : 865 0 197 S
Retning : N (195 0 0)
Helling/stigning : 30 0
Høyde : + 35 m.o.h.

[illegible]

MALMBEREGNING I

Lokalitet: 43.600

Borehull: 367

Boredato : 1971

Koordinater : X: 925.436 Y: 43.317

Retning : N

Helling/stigning : 50°

Høyde : -29 m.o.h

Dybde	Lengde (m)	Analyser							
		% Pb	% Cu	% Zn	% S	% Fe			
0.00 - 2.70	2.70	1.84	0.66	6.09		9.10			
2.70 - 5.40	2.70	0.87	0.62	4.96		5.19			
5.40 - 8.10	2.70	0.67	0.45	2.57		5.41			
13.35 - 15.65	2.30	0.17	0.29	0.45		3.54			
19.00 - 22.00	3.00	0.17	0.12	0.37		2.67			
22.00 - 25.00	3.00	0.15	0.14	0.47		2.72			
25.00 - 28.00	3.00	0.35	0.22	1.07		4.12			
28.00 - 30.45	2.45	0.41	0.16	0.96		2.92			
30.45 - 32.90	2.45	0.41	0.25	1.19		5.35			
32.90 - 35.35	2.45	0.24	0.16	0.63		4.71			
35.35 - 37.80	2.45	0.26	0.28	0.95		4.77			
55.80 - 57.90	2.10	0.37	0.18	0.61		3.07			
57.90 - 60.00	2.10	0.61	0.37	1.13		3.57			
60.00 - 62.40	2.40	0.69	0.33	2.68		3.77			
62.40 - 64.80	2.40	0.38	0.72	2.58		5.21			
64.80 - 67.25	2.45	0.55	0.54	1.11		4.19			

MALMBEREGNING I

Lokalitet: 43.600

Borehull: 366

Boredato : 1971
Koordinater : 865 0 197 S
Retning : N195° S
Helling/stigning : 60°
Høyde : +35 m.o.h

Dybde	Lengde (m)	Analyser						
		% Pb	% Cu	% Zn	% S	% Fe		
3.15 - 6.80	3.65	0.18	0.35	0.60		4.25		

MALMBEREGNING I

Lokalitet: 43.600

Borehull: 365

Boredato : 1971

Koordinater : X: 925.430 Y: 43.136

Retning : N

Helling/stigning : 45°

Høyde : -34.5 m.o.h.

Dybde	Lengde (m)	Analyser					
		% Pb	% Cu	% Zn	% S	% Fe	
5.35 - 8.25	2.90	0.41	0.37	1.49		5.86	

MALMBEREGNING I

Lokalitet: 43.600

Borehull: 363

Boredato : 1971
Koordinater : 364 0 255 S
Retning : S
Helling/stigning : 50°
Høyde : +50 m.o.h

[illegible]

MALMBEREGNING I

Lokalitet: 43.600

Borehull: 362

Boredato : 1971

Koordinater : 364 0 255 S

Retning : S

Helling/stigning : 75°

Høyde : +50 m.o.h.

[illegible]

MALMBEREGNING I

Lokalitet: 43.600

Borehull: 360

Boredato : 1971

Koordinater : 49° 0' 227 N

Retning : S

Helling/stigning : 50°

Høyde : +43 m.o.h.

[illegible]

MALMBEREGNING I

Lokalitet: 43.600

Borehull: 359

Boredato : 1971

Koordinater : X: 925.430 Y: 43.136

Retning : N

Helling/stigning : 80

Høyde : -30.5 m.o.h.

Dybde	Lengde (m)	Analyser				
		% Pb	% Cu	% Zn	% S	% Fe
0.30 - 2.30	2.00	1.76	1.21	6.69		6.31
7.00 - 9.00	2.00	0.02	0.02	0.03		6.15
57.80 - 59.60	1.80	0.41	0.29	1.10		4.71
60.00 - 63.00	3.00	0.37	0.25	1.22		2.98
63.00 - 66.00	3.00	0.64	0.40	1.55		3.75
66.00 - 68.25	2.25	0.27	0.11	0.62		2.31

MALMBEREGNING I

Lokalitet: 43.600

Borehull: 356

Boredato : 1971

Koordinater : X: 925.430 Y: 43.136

Retning : N

Helling/stigning : 50°

Høyde : -34.0 m

Dybde	Lengde (m)	Analyser							
		% Pb	% Cu	% Zn	% S	% Fe			
4.90 - 5.70	0.80	0.56	0.37	5.03		4.13			
5.70 - 7.35	1.65	3.14	1.01	15.38		7.05			
7.35 - 8.35	1.00	0.49	0.37	4.49		5.56			
8.35 - 10.00	1.65	0.94	0.43	3.50		7.46			
10.00 - 11.05	1.05	0.22	0.06	0.16		2.89			
11.05 - 12.65	1.60	0.51	0.35	1.63		3.71			
12.65 - 14.45	1.80	0.02	0.06	1.97		1.55			
14.45 - 16.00	1.55	0.56	0.39	2.12		5.56			
32.35 - 33.45	1.10	0.67	0.42	1.97		4.95			
33.45 - 34.80	1.35	0.94	0.40	3.94		4.75			
34.80 - 36.65	1.85	0.45	0.36	2.61		4.34			
36.65 - 38.15	1.50	0.18	0.23	0.62		3.38			
39.30 - 40.25	0.95	0.18	0.27	0.78		2.15			
40.25 - 42.70	2.45	0.43	0.44	1.09		2.34			
42.70 - 45.10	2.40	0.34	0.61	1.97		4.04			
45.10 - 46.50	1.60	0.18	0.58	0.84		5.21			
56.85 - 58.60	1.75	0.16	0.12	0.17		4.06			
60.60 - 61.65	1.05	2.62	0.37	0.12		4.62			
61.65 - 63.50	1.85	0.29	0.13	2.51		6.21			
63.50 - 65.05	1.55	0.41	0.15	0.77		3.69			
70.00 - 71.70	1.70	0.29	0.16	0.47		2.83			

MALMBEREGNING I

Lokalitet: 43.600

Borehull: 353

Boredato : 1971

Koordinater : X: 925.430 Y: 43.146

Retning : N

Helling/stigning : 65°

Høyde : -30.5 m.o.h.

Dybde	Lengde (m)	Analyser							
		% Pb	% Cu	% Zn	% S	% Fe			
1.20 - 1.85	0.65	0.48	0.36	3.19		4.27			
1.85 - 2.65	0.80	3.37	0.82	10.91		7.98			
2.65 - 3.40	0.75	0.48	0.29	1.59		6.61			
3.40 - 4.43	1.03	1.44	0.42	6.52		6.25			
4.43 - 7.85	3.42	0.24	0.37	0.16		5.53			
7.85 - 8.85	1.00	0.37	0.57	3.52		6.40			
8.85 - 12.30	3.45	0.00	0.15	0.05		5.54			
12.30 - 14.25	1.95	1.71	0.77	5.12		6.96			
14.25 - 16.50	2.25	0.02	0.23	0.13		16.42			
16.50 - 18.85	2.35	0.60	0.75	5.11		6.61			
18.85 - 22.60	3.75	0.02	0.08	0.10		6.50			
22.60 - 25.10	2.50	0.55	0.11	3.19		5.72			
25.10 - 27.60	2.50	0.67	0.22	3.52		5.36			
27.60 - 29.35	1.75	0.24	0.14	0.53		2.49			
30.10 - 31.80	1.70	0.21	0.08	0.45		2.49			
35.05 - 37.20	2.15	0.21	0.10	0.83		2.49			
37.20 - 38.90	1.70	0.77	0.20	2.22		2.49			
38.90 - 39.75	0.85	1.01	0.27	2.21		3.56			
39.75 - 41.65	1.90	1.44	0.20	3.18		2.67			
45.20 - 47.90	2.70	0.72	0.50	1.59		5.14			
47.90 - 49.50	1.60	0.11	0.08	0.26		2.14			
50.10 - 52.55	2.45	1.29	0.67	3.52		6.44			
52.55 - 54.20	1.65	1.01	0.17	0.77		1.78			

MALMBEREGNING 1

Lokalitet: 43.600

Borehull: 350

Boredato : 1971
Koordinator : 490 0 227 S
Retning : S
Helling/stigning : 25°
Høyde :

Dybde	Lengde (m)	Analyser						
		% Pb	% Cu	% Zn	% S	% Fe		
0.40 - 1.25	0.85	1.29	0.06	7.30		4.36		

MALMBEREGNING 1

Lokalitet: 43.600

Borehull: 349

Boredato : 1971

Koordinater : 490 0, 227 S

Retning : S

Helling/stigning : 35⁰

Høyde : +45 m.o.h.

[illegible]

MALMBEREGNING I

Lokalitet: 43.600

Borehull: 348

Boredato : 1971
 Koordinater : X: 925.448 Y: 43.592
 Retning : S
 Helling/stigning : -30°
 Høyde : -30.5 m.o.h.

Dybde	Lengde (m)	Analyser							
		% Pb	% Cu	% Zn	% S	% Fe			
6.70 - 7.25	0.55	0.44	0.23	1.14		4.71			
18.55 - 19.55	1.00	4.02	0.14	16.09		4.62			
19.55 - 20.85	1.30	1.96	0.56	3.96		6.52			
20.85 - 21.65	0.80	3.33	0.31	13.09		9.97			
21.65 - 23.60	1.95	0.54	0.23	6.29		6.34			
23.60 - 25.35	1.75	0.48	0.36	2.02		4.16			
41.70 - 43.70	2.00	0.33	0.46	1.14		3.44			
43.70 - 45.70	2.00	0.33	0.58	0.97		5.07			
45.70 - 47.70	2.00	0.28	0.29	2.33		6.52			
47.70 - 49.70	2.00	0.48	0.24	5.54		10.69			
49.70 - 52.60	2.90	0.54	0.54	3.78		7.66			
52.60 - 55.50	2.90	0.92	0.25	7.60		7.66			
55.50 - 58.40	2.90	1.42	0.57	5.85		8.53			
58.40 - 61.30	2.90	0.65	0.41	3.65		6.89			

MALMBEREGNING I

Lokalitet:

Borehull: 348

Boredato : 1974
 Koordinater : 21754 - 1245
 Retning : S
 Helling/stigning : - 30°
 Høyde : - 34.5 m

Dybde	Lengde (m)	Analyser							
		% Pb	% Cu	% Zn	% S Fe	m% Pb	m% Cu	m% Zn	m% Fe
0.00 - 6.70, ingen analyse									
6.70 - 7.25	0.55	0.44	0.23	1.14	4.71	0.242	0.1265	0.627	2.5905
18.55 - 19.55	1.00	4.02	0.14	16.09	4.62	4.020	0.140	16.090	4.620
19.55 - 20.85	1.30	1.96	0.56	3.96	6.52	2.548	0.728	5.148	8.476
20.85 - 21.65	0.80	3.33	0.31	13.09	9.97	2.664	0.248	10.472	7.976
21.65 - 23.60	1.95	0.54	0.23	6.29	6.34	1.053	0.4485	12.2655	12.363
23.60 - 25.35	1.75	0.48	0.26	2.02	4.16	0.840	0.455	3.535	7.280
41.70 - 43.20	2.00	0.33	0.46	1.14	3.44	0.660	0.920	2.280	6.880
43.70 - 45.70	2.00	0.33	0.58	0.97	5.07	0.660	1.160	1.940	10.140
45.70 - 47.70	2.00	0.28	0.29	2.33	6.52	0.560	0.580	4.660	13.040
47.70 - 49.70	2.00	0.48	0.24	5.54	10.69	0.960	0.480	11.080	21.380
49.70 - 52.60	2.90	0.54	0.54	3.78	7.66	1.566	1.566	10.962	22.214
55.50 - 58.40	2.90	1.42	0.57	5.85	8.53	4.118	1.653	16.965	24.737
58.40 - 61.30	2.90	0.65	0.41	3.65	6.89	1.885	1.189	10.585	19.981
18.55 - 25.35	6.80			6.99					
41.70 - 47.70	6.00			1.48					
47.70 - 52.60	4.90			4.50					
55.50 - 61.30	5.80			4.75					

MALMBEREGNING I

Lokalitet:

Borehull: 347

Boredato : 1974
Koordinater : 21750 -1245
Retning : S
Helling/stigning : -15°
Høyde : 34.5m

Dybde	Lengde (m)	Analyser							
		% Pb	% Cu	% Zn	% S Fe	m % Pb	m % Cu	m % Zn	m % Fe
375 - 5.15	1.40	0.23	0.23	0.65	5.50	0.322	0.322	0.910	7.700
375 - 5.15	1.40			0.91					

MALMBEREGNING I

Lokalitet:

Borehull: 346

Boredato : 1971

Koordinater : 21 75 4 - 124 5

Retning : S

Helling/stigning : -250

Høyde : -34.5 m

Dybde	Lengde (m)	Analyser							
		% Pb	% Cu	% Zn	% S Fe	% Pb	% Cu	% Zn	% Fe
0.00 - 5.20, ingen analyse									
5.20 - 6.70	1.50	0.36	0.26	1.60	3.69	0.540	0.340	2.400	5.535
28.15 - 29.80	1.65	3.28	0.79	15.08	11.31	5.412	1.3035	24.882	18.6615
29.80 - 32.55	2.75	0.23	0.06	0.67	1.25	0.6325	0.165	1.8425	2.0625
32.55 - 35.20	2.65	0.95	0.31	3.43	5.66	2.5175	0.8215	9.0895	14.999
35.20 - 37.05	1.85	2.95	0.29	16.63	6.16	5.4575	0.5565	30.765	11.396
37.05 - 38.10	1.05	2.27	0.04	5.48	2.54	2.3835	0.042	5.754	2.667
38.10 - 39.70	1.60	4.53	0.45	17.76	7.41	7.248	0.720	28.368	11.856
39.70 - 41.00	1.30	1.83	0.28	13.98	11.64	2.379	0.364	18.174	15.132
41.00 - 42.00	1.00	1.05	0.71	4.25	4.93	1.050	0.710	4.250	4.930
66.90 - 68.25	1.35	0.99	0.70	4.43	4.85	1.3365	0.945	5.9805	6.5475
68.25 - 69.20	0.95	1.76	0.45	7.72	7.77	1.672	0.4275	7.334	7.3815
69.20 - 70.00	0.80	1.19	1.23	4.80	5.99	0.952	0.984	3.840	4.792
70.00 - 72.50	2.50	1.68	0.62	6.12	6.57	4.200	1.550	15.300	16.425
72.50 - 75.00	2.50	2.08	0.52	5.58	6.82	5.200	1.300	13.950	17.050
75.00 - 78.15	3.15	2.69	0.43	11.55	9.18	8.4735	1.3545	36.3825	28.917
78.15 - 80.20	2.05	0.23	0.16	0.41	4.59	0.4715	0.328	0.8405	9.4095
5.20 - 6.70	1.50								
28.15 - 42.00	13.85								
66.90 - 78.15	11.25								

MALMBEREGNING I

Lokalitet:

Borehull: 345

Boredato : 1970
Koordinater : 21750 - 1245
Retning : S
Helling/stigning : -350
Høyde : -34.5m

Dybde	Lengde (m)	Analyser							
		% Pb	% Cu	% Zn	% Fe	m % Pb	m % Cu	m % Zn	m % Fe
0.00 - 3.55, ingen analyse									
3.55 - 5.95	2.40	0.25	0.20	0.70	4.37	0.600	0.480	1.680	10.488
5.95 - 8.35	2.40	0.30	0.19	1.16	5.05	0.720	0.456	2.784	12.120
8.35 - 10.95	2.60	0.23	0.13	0.75	5.60	0.598	0.338	1.950	14.560
10.95 - 13.45	2.50	1.80	0.08	7.18	5.22	4.500	0.200	17.950	13.050
13.45 - 15.95	2.50	1.43	0.28	9.87	5.73	3.575	0.706	24.675	14.325
15.95 - 18.45	2.50	0.94	0.57	5.05	4.85	2.209	1.425	12.625	12.125
35.50 - 37.70	2.20	0.79	0.25	5.97	6.49	1.738	0.550	13.134	14.278
37.70 - 39.90	2.20	0.73	0.24	4.17	4.92	1.606	0.528	9.174	10.824
3.55 - 10.95	7.40			0.87					
10.95 - 18.45	7.50			7.37					
35.50 - 39.90	4.40			5.07					

MALMBEREGNING I

Lokalitet:

Borehull: 344

Boredato : 1970
 Koordinater : 2175 4 - 1245
 Retning : S
 Helling/stigning : - 50°
 Høyde : - 34.5 m

Dybde	Lengde (m)	Analyser							
		% Pb	% Cu	% Zn	% S Fe	m % Pb	m % Cu	m % Zn	m % Fe
0.00 - 2.25	2.25	0.09	0.06	0.10	5.34	0.2025	0.135	0.225	12.015
2.25 - 4.05	1.80	0.23	0.27	0.83	2.63	0.414	0.486	1.494	4.737
4.05 - 5.85	1.80	0.42	0.22	0.95	3.25	0.756	0.396	1.710	5.850
5.85 - 8.65	2.80	0.14	0.02	0.22	2.15	3.920	0.056	0.616	6.020
8.65 - 9.35	0.70	0.56	0.64	3.47	3.69	0.392	0.483	2.429	2.583
29.80 - 30.00	0.20	2.09	0.19	5.05	4.54	0.418	0.038	1.010	0.908
0.00 - 9.35	9.35			0.69					
29.80 - 30.00	0.20			1.012 (5.05)					

MALMBEREGNING I

Lokalitet:

Borehull: 343

Boredato : 1970
 Koordnater : 21750 - 1245
 Retning : S
 Helling/stigning : -40°
 Høyde : -34.5 m

Dybde	Lengde (m)	Analyser							
		% Pb	% Cu	% Zn	% S	m% Pb	m% Cu	m% Zn	m% Fe
0.00 - 3.30	3.30	0.14	0.06	0.19	4.20	0.462	0.198	0.627	13.860
3.30 - 5.45	2.15	0.56	0.21	1.95	3.39	1.204	0.4515	4.1925	7.2885
5.45 - 7.15	1.70	4.20	0.08	15.75	5.53	7.140	0.136	26.775	9.401
7.15 - 8.85	1.60	5.61	0.37	20.66	5.85	8.976	0.592	33.056	9.360
8.85 - 10.60	1.75	0.76	0.21	1.90	3.31	1.330	0.3675	3.325	5.7925
10.60 - 12.40	1.80	1.29	0.24	3.19	3.81	2.322	0.432	5.742	6.858
15.60 - 16.65	1.05	0.25	0.25	2.27	1.98	0.2625	0.2625	2.3835	2.079
29.90 - 31.75	1.85	0.61	0.26	1.99	4.20	1.1285	0.481	3.6815	7.770
0.00 - 12.40	12.40			5.90					
15.60 - 16.65	1.05			2.38					
29.90 - 31.75	1.85			3.68					

MEMBERSHIP
JUL 1 1968

MALMBEREGNING

Lokalitet: *Fagerås*

Borehull: 7805

Boredato :
Koordinator :
Retning : 5
Helling/signing : 55°
Høyde :

Dybde	Lengde (m)	Analyser			
		% Pb	% Cu	% Zn	% Ag
25.00 - 27.00	2.00	0.02	0.01	0.03	1.3
27.00 - 28.50	1.50	0.05	0.03	0.08	0.3
28.50 - 30.10	1.60	0.01	0.01	0.01	0.5
30.10 - 31.80	1.70	0.09	0.18	0.22	4.5
31.80 - 32.60	0.80	0.80	0.32	2.86	18.7
32.60 - 33.90	1.30	0.05	0.07	0.09	1.5
33.90 - 34.90	1.00	0.02	0.03	0.05	1.8
34.90 - 37.00	2.10	0.02	0.03	0.05	2.1
42.50 - 44.15	1.65	0.01	0.01	0.04	1.1
44.15 - 44.75	0.60	0.01	0.02	0.04	0.9
44.75 - 45.10	0.35	0.44	0.27	2.70	11.9
45.10 - 45.20	0.10	0.35	0.02	0.72	3.8
45.20 - 45.90	0.70	0.02	0.03	0.12	1.8
45.90 - 47.10	1.20	0.23	0.15	0.79	6.9
47.10 - 47.30	0.20	0.02	0.03	0.10	1.7
47.30 - 49.30	2.00	0.09	0.06	0.19	3.1
31.80 - 32.60	0.80	0.80	0.32	2.86	18.7
44.75 - 45.10	0.35	0.44	0.27	2.70	11.9

4-12-80.

H. Pundt dalski

MALMBEREGNING I

Lokalitet: *Fagerisen*

Borehull: 7804

Boredato : - 78.

Koordinater : x: 40.828 x: 925.250

Retning : Ladd

Helling/~~stigning~~ :

Høyde : 42 m.o.b.

Dybde	Lengde (m)	Analyser			
		% Pb	% Cu	% Zn	% S
16.65 - 18.70	2.05	0.07	0.04	0.30	2.9
18.70 - 20.70	2.00	0.06	0.02	0.22	2.5
20.70 - 22.70	2.00	0.07	0.06	0.26	2.8
22.70 - 23.70	1.00	0.10	0.15	0.34	6.7
23.70 - 24.60	0.90	1.20	0.31	1.82	35.6
24.60 - 26.90	2.30	0.09	0.15	0.22	6.0
26.90 - 28.55	1.65	0.01	0.02	0.02	0.7
28.55 - 30.50	1.95	0.01	0.03	0.04	0.6
23.70 - 24.60	0.90	1.20	0.31	1.82	35.6

4-12-80.

H. Pantdalsen

MALMBEREGNING I

Lokalitet: *Fagerås*

Borehull: *7803*

Boredato : *- 78.*
 Koordinator : *Y: 41.058 X: 925.268*
 Retning : *S*
 Helling/stigning : *65°*
 Høyde : *60 m o.h.*

Dybde	Lengde (m)	Analyser				
		% Pb	% Cu	% Zn	% S	
<i>71.00 - 71.40</i>	<i>0.40</i>	<i>0.05</i>	<i>0.06</i>	<i>0.21</i>	<i>2.3</i>	
<i>71.40 - 71.70</i>	<i>0.30</i>	<i>0.01</i>	<i>0.02</i>	<i>0.06</i>	<i>0.9</i>	
<i>71.70 - 71.95</i>	<i>0.25</i>	<i>0.01</i>	<i>0.01</i>	<i>0.04</i>	<i>0.1</i>	
<i>71.95 - 73.00</i>	<i>1.05</i>	<i>0.01</i>	<i>0.11</i>	<i>0.06</i>	<i>0.8</i>	
<i>73.00 - 75.75</i>	<i>2.75</i>	<i>0.01</i>	<i>0.16</i>	<i>0.08</i>	<i>2.1</i>	
<i>75.75 - 77.15</i>	<i>1.40</i>	<i>0.01</i>	<i>0.04</i>	<i>0.07</i>	<i>1.5</i>	
<i>77.15 - 78.15</i>	<i>1.00</i>	<i>0.02</i>	<i>0.05</i>	<i>0.05</i>	<i>1.5</i>	
<i>78.15 - 79.05</i>	<i>0.90</i>	<i>1.81</i>	<i>0.38</i>	<i>5.40</i>	<i>32.8</i>	
<i>79.05 - 80.00</i>	<i>0.95</i>	<i>0.15</i>	<i>0.05</i>	<i>0.05</i>	<i>2.5</i>	
<i>80.00 - 80.75</i>	<i>0.75</i>	<i>0.01</i>	<i>0.02</i>	<i>0.02</i>	<i>1.3</i>	
<i>80.75 - 80.90</i>	<i>0.15</i>	<i>0.02</i>	<i>0.02</i>	<i>0.01</i>	<i>1.6</i>	
<i>80.90 - 82.50</i>	<i>1.60</i>	<i>0.00</i>	<i>0.04</i>	<i>0.03</i>	<i>2.8</i>	
<i>82.50 - 82.70</i>	<i>0.20</i>	<i>0.10</i>	<i>0.04</i>	<i>0.61</i>	<i>3.0</i>	
<i>82.70 - 83.10</i>	<i>0.40</i>	<i>0.63</i>	<i>0.23</i>	<i>2.83</i>	<i>17.8</i>	
<i>83.10 - 83.35</i>	<i>0.25</i>	<i>0.24</i>	<i>0.06</i>	<i>0.62</i>	<i>5.2</i>	
<i>83.35 - 84.00</i>	<i>0.65</i>	<i>0.20</i>	<i>0.12</i>	<i>0.61</i>	<i>5.7</i>	
<i>84.00 - 84.50</i>	<i>0.50</i>	<i>0.21</i>	<i>0.04</i>	<i>0.21</i>	<i>5.5</i>	
<i>84.50 - 84.65</i>	<i>0.15</i>	<i>1.15</i>	<i>0.10</i>	<i>8.56</i>	<i>28.4</i>	
<i>84.65 - 86.40</i>	<i>1.75</i>	<i>0.14</i>	<i>0.07</i>	<i>0.72</i>	<i>5.3</i>	
<i>86.40 - 87.20</i>	<i>0.80</i>	<i>0.46</i>	<i>0.08</i>	<i>2.07</i>	<i>14.2</i>	
<i>87.20 - 89.60</i>	<i>2.40</i>	<i>0.03</i>	<i>0.03</i>	<i>0.10</i>	<i>12.7</i>	
<i>89.60 - 92.00</i>	<i>2.40</i>	<i>0.00</i>	<i>0.03</i>	<i>0.20</i>	<i>0.5</i>	
<i>92.00 - 93.15</i>	<i>1.15</i>	<i>0.28</i>	<i>0.06</i>	<i>1.36</i>	<i>3.8</i>	
<i>93.15 - 94.40</i>	<i>1.25</i>	<i>0.00</i>	<i>0.03</i>	<i>0.06</i>	<i>0.6</i>	
<i>94.40 - 94.70</i>	<i>0.30</i>	<i>0.00</i>	<i>0.02</i>	<i>0.05</i>	<i>0.0</i>	
<i>94.70 - 96.70</i>	<i>2.00</i>	<i>0.00</i>	<i>0.02</i>	<i>0.01</i>	<i>0.0</i>	
<i>96.70 - 98.70</i>	<i>2.00</i>	<i>0.00</i>	<i>0.02</i>	<i>0.02</i>	<i>0.0</i>	
<i>98.70 - 100.70</i>	<i>2.00</i>	<i>0.00</i>	<i>0.02</i>	<i>0.02</i>	<i>0.2</i>	
<i>100.70 - 102.70</i>	<i>2.00</i>	<i>0.00</i>	<i>0.02</i>	<i>0.01</i>	<i>0.0</i>	

MALMBEREGNING I

Lokalitet:

Borehull:

Boredato :

Koordinator :

Retning :

Helling/stigning :

Høyde :

Dybde	Lengde (m)	Analyser			
		% Pb	% Cu	% Zn	% S
78.15 - 79.05	0.90	1.81	0.38	5.40	32.8
82.70 - 83.10	0.40	0.63	0.23	2.83	17.8
84.50 - 84.65	0.15	1.15	0.10	8.56	28.4
86.40 - 87.20	0.80	0.46	0.08	2.07	14.2
92.00 - 93.15	1.15	0.28	0.06	1.36	3.8
4-12-80.					
H. Pantdalsli					

MALMBEREGNING I

Lokaliitet: *Fugiråsen*

Borehull: *7802*

Boredato : *- 78.*

Koordinater : *Y: 41.053.8 X: 925.264.8*

Retning : *Lodd*

Helling/stigning : *- 90°*

Høyde : *+ 62.6*

Dybde	Lengde (m)	Analyser						
		% Pb	% Cu	% Zn	% Ag			
20.30 - 22.10	1.80	0.04	0.10	0.28	2.6			
22.10 - 24.40	2.30	0.12	0.09	0.26	2.9			
24.40 - 27.90	3.50	0.40	0.24	1.00	11.6			
27.90 - 28.50	0.60	0.07	0.04	0.18	3.6			
28.50 - 30.50	2.00	0.04	0.03	0.13	1.6			
61.50 - 63.30	1.80	0.15	0.18	0.64	5.3			
63.30 - 64.50	1.20	0.36	0.32	1.03	12.7			
64.50 - 66.50	1.00	0.03	0.02	0.10	1.9			
24.40 - 27.90	3.50	0.40	0.24	1.00	11.6			
63.30 - 64.50	1.20	0.36	0.32	1.03	12.7			

MALMBEREGNING I

Lokalitet: *Fageråsen*

Borehull: 7710

Boredato : Nov. 1977
Koordinator : X: 925.273 Y: 41.252
Retning : -90°
Helling/stigning : -90°
Høyde :

[illegible]

MALMBEREGNING I

Lokalitet: *FAGERÅSEN*
PROFIL ca. 41.300

Borehull: *7707*

Boredato : *NOV. 1977*
Koordinater : *X: 925.390 Y: 41.300* *TATT FRA KARTET*
Retning : *S*
Helling/stigning : *÷ 55°*
Høyde : *39 m*

Dybde	Lengde (m)	Analyser							
		% Pb	% Cu	% Zn	% Fe	m% Pb	m% Cu	m% Zn	m% Fe
<i>24.00 - 25.25</i>	<i>1.25</i>	<i>0.04</i>	<i>0.07</i>	<i>0.16</i>	<i>2.14</i>	<i>0.050</i>	<i>0.088</i>	<i>0.200</i>	<i>2.675</i>
<i>25.25 - 25.30</i>	<i>0.05</i>	<i>0.07</i>	<i>0.18</i>	<i>5.56</i>	<i>11.25</i>	<i>0.003</i>	<i>0.009</i>	<i>0.278</i>	<i>0.563</i>
<i>25.30 - 25.55</i>	<i>0.25</i>	<i>0.08</i>	<i>0.26</i>	<i>1.60</i>	<i>3.38</i>	<i>0.020</i>	<i>0.065</i>	<i>0.400</i>	<i>0.845</i>
<i>25.55 - 26.40</i>	<i>0.85</i>	<i>0.84</i>	<i>0.35</i>	<i>4.82</i>	<i>10.80</i>	<i>0.714</i>	<i>0.298</i>	<i>4.092</i> <i>0.248</i>	<i>9.180</i>
<i>26.40 - 27.55</i>	<i>1.15</i>	<i>0.05</i>	<i>0.13</i>	<i>0.21</i>	<i>3.83</i>	<i>0.058</i>	<i>0.150</i>	<i>0.242</i>	<i>4.405</i>
<i>27.55 - 28.55</i>	<i>1.00</i>	<i>0.00</i>	<i>0.75</i>	<i>2.34</i>	<i>37.58</i>	<i>0.000</i>	<i>0.750</i>	<i>2.340</i>	<i>37.580</i>
<i>28.55 - 30.00</i>	<i>1.45</i>	<i>0.00</i>	<i>0.10</i>	<i>0.11</i>	<i>7.88</i>	<i>0.000</i>	<i>0.145</i>	<i>0.160</i>	<i>11.426</i>
<i>30.00 - 32.10</i>	<i>2.10</i>	<i>0.02</i>	<i>0.03</i>	<i>0.04</i>	<i>7.80</i>	<i>0.042</i>	<i>0.063</i>	<i>0.084</i>	<i>16.380</i>
<i>32.10 - 32.85</i>	<i>0.75</i>	<i>0.04</i>	<i>0.12</i>	<i>0.05</i>	<i>7.88</i>	<i>0.030</i>	<i>0.090</i>	<i>0.038</i>	<i>5.910</i>
<i>32.85 - 33.40</i>	<i>0.55</i>	<i>0.18</i>	<i>0.12</i>	<i>0.22</i>	<i>6.75</i>	<i>0.099</i>	<i>0.066</i>	<i>0.121</i>	<i>3.713</i>
<i>33.40 - 33.55</i>	<i>0.15</i>	<i>2.22</i>	<i>0.48</i>	<i>3.35</i>	<i>8.55</i>	<i>0.333</i>	<i>0.072</i>	<i>0.503</i>	<i>1.283</i>
<i>33.55 - 34.50</i>	<i>0.95</i>	<i>0.96</i>	<i>0.40</i>	<i>1.12</i>	<i>7.42</i>	<i>0.912</i>	<i>0.380</i>	<i>1.064</i>	<i>7.049</i>
<i>34.50 - 35.50</i>	<i>1.00</i>	<i>0.10</i>	<i>0.07</i>	<i>0.15</i>	<i>4.95</i>	<i>0.100</i>	<i>0.070</i>	<i>0.150</i>	<i>4.950</i>
<i>25.25 - 28.55</i>	<i>3.30</i>	<i>0.24</i>	<i>0.39</i>	<i>2.23</i>	<i>15.93</i>				
<i>33.40 - 34.50</i>	<i>1.10</i>	<i>1.13</i>	<i>0.41</i>	<i>1.42</i>	<i>7.57</i>				

13/2 1978

H. H. Hegrum

MALMBEREGNING I

Lokalitet: **FAGERÅSEN**
PROFIL

Borehall: 7706

Boredato :
Koordinater :
Retning :
Helling/stigning : $\div 90^\circ$
Høyde :

Dybde	Lengde (m)	Analyser							
		% Pb	% Cu	% Zn	% Fe	% Pb	% Cu	% Zn	% Fe
17.00 - 18.50	1.50	0.05	0.06	0.08	3.06	0.075	0.090	0.120	4.590
18.50 - 18.75	0.25	1.03	2.27	8.35	20.99	0.2575	0.5675	2.0875	5.2475
18.75 - 19.05	0.30	0.09	0.06	0.11	3.94	0.027	0.018	0.033	1.182
19.05 - 19.10	0.05	0.06	0.87	8.52	18.21	0.003	0.0435	0.426	0.9105
19.10 - 19.90	0.80	0.04	0.24	0.14	7.28	0.032	0.192	0.112	5.824
19.90 - 20.05	0.15	2.76	1.27	6.25	11.78	0.414	0.1905	0.9375	1.767
20.05 - 20.60	0.55	1.56	0.57	1.98	7.71	0.858	0.3135	1.089	4.2405
20.60 - 21.35	0.75	3.83	0.18	25.39	17.14	2.8725	0.135	19.0425	12.855
21.35 - 22.65	1.30	0.37	0.26	1.25	4.33	0.481	0.338	1.625	5.629
22.65 - 23.75	1.10	0.05	0.05	0.17	5.46	0.055	0.055	0.187	6.006
18.50 - 21.35	2.85	1.57	0.51	8.33	11.24				

26/1 1978
M. Hegrum

MALMBEREGNING I

ARK 1

Lokalitet: MOFJELLET

Borehull: 7604

Boredato : Nov. 76

Koordinater : 925.482,5X , 44.398,2Y

Retning : 510

Helling/stigning : ÷ 85°

Høyde : 189,7 m

Dybde	Lengde (m)	Analyser							
		% Pb	% Cu	% Zn	% Fe	% Pb	% Cu	% Zn	% Fe
221.00 - 222.60	1.60	0.02	0.03	0.09	6.11	0.032	0.048	0.144	9.776
222.60 - 223.70	1.10	0.00	0.01	0.03	7.87	0.000	0.011	0.033	8.657
223.70 - 224.30	0.60	0.30	0.07	0.45	7.55	0.180	0.042	0.270	4.530
224.30 - 224.80	0.50	0.80	0.03	1.58	6.75	0.400	0.015	0.790	3.375
224.80 - 226.00	1.20	0.07	0.01	0.22	2.09	0.084	0.012	0.264	2.508
244.00 - 245.40	1.40	0.01	0.01	0.05	4.98	0.014	0.014	0.070	6.972
245.40 - 246.00	0.60	0.00	0.01	0.03	3.70	0.000	0.006	0.018	2.220
246.00 - 247.15	1.15	0.65	0.25	1.52	8.87	0.7475	0.2875	1.748	10.2005
247.15 - 249.00	1.85	0.00	0.00	0.03	2.48	0.000	0.000	0.0555	4.588
249.00 - 250.40	1.40	0.00	0.02	0.03	2.61	0.000	0.028	0.042	3.654
250.40 - 250.70	0.30	0.54	0.43	2.70	6.78	0.162	0.129	0.810	2.034
250.70 - 250.95	0.25	0.00	0.08	0.14	3.13	0.000	0.020	0.035	0.7825
250.95 - 251.25	0.30	0.06	0.42	1.08	9.39	0.018	0.126	0.324	2.817
251.25 - 252.30	1.05	0.00	0.04	0.07	6.00	0.000	0.042	0.0735	6.300
252.30 - 252.70	0.40	0.31	0.29	2.28	12.00	0.124	0.116	0.912	4.800
252.70 - 253.00	0.30	0.04	0.42	0.29	8.22	0.012	0.126	0.087	2.466
253.00 - 254.25	1.25	0.17	0.37	3.16	14.47	0.2125	0.4625	3.950	18.0875
254.25 - 254.75	0.50	2.89	0.05	13.23	16.04	1.445	0.025	6.615	8.020
254.75 - 256.20	1.45	0.27	0.53	2.33	13.95	0.3915	0.7685	3.3785	20.2275
256.20 - 256.70	0.50	0.00	0.05	2.25	2.61	0.000	0.025	1.125	1.305
256.70 - 257.00	0.30	0.31	0.46	0.19	17.34	0.093	0.138	0.057	5.202
257.00 - 257.40	0.40	0.03	0.09	0.22	7.69	0.012	0.036	0.088	3.076
257.40 - 257.75	0.35	0.10	0.15	1.70	13.42	0.035	0.0525	0.595	4.697
257.75 - 259.00	1.25	0.00	0.10	0.04	5.05	0.000	0.125	0.050	6.3125

MALMBEREGNING I

ARK 2

Lokalitet:

Borehull: 7604

Boredato :
 Koordinater :
 Retning :
 Helling/stigning :
 Høyde :

Dybde	Lengde (m)	Analyser							
		% Pb	% Cu	% Zn	% Fe	% P	% Ca	% Mg	% S
262.00 - 262.50	0.50	0.00	0.05	0.04	7.42	0.000	0.025	0.020	3.710
262.50 - 263.10	0.60	0.00	0.17	0.38	15.00	0.000	0.102	0.228	9.000
263.10 - 264.00	0.90	0.00	0.02	0.01	7.90	0.000	0.018	0.009	7.110
264.00 - 264.85	0.85	0.02	0.04	0.09	6.47	0.017	0.034	0.0765	5.4995
264.85 - 265.10	0.25	0.39	0.13	2.43	9.32	0.0975	0.0325	0.6075	2.330
265.10 - 266.25	1.15	0.00	0.13	0.55	12.95	0.000	0.1495	0.6325	14.8925
266.25 - 267.00	0.75	0.00	0.04	0.05	6.79	0.000	0.030	0.0375	5.8925
267.00 - 267.35	0.35	0.17	0.15	2.15	15.79	0.0595	0.0525	0.7525	5.5265
267.35 - 268.75	1.40	0.00	0.13	0.83	5.84	0.000	0.182	1.162	8.176
268.75 - 270.00	1.25	0.00	0.01	0.04	3.16	0.000	0.0125	0.050	3.950
223.70 - 224.80	1.10	0.53	0.05	0.96	7.19				
221.00 - 226.00	5.00	0.14	0.03	0.30	5.77				
253.00 - 256.70	3.70	0.55	0.35	4.07	12.88				
252.30 - 256.70	4.40	0.50	0.35	3.65	12.48				
250.40 - 256.70	6.30	0.38	0.29	2.75	10.61				
244.00 - 259.00	15.00	0.22	0.17	1.34	7.58				
264.85 - 266.25	1.40	0.07	0.13	0.89	12.30				
264.85 - 267.35	2.50	0.06	0.11	0.81	11.14				
262.00 - 270.00	8.00	0.02	0.08	0.45	8.16				

MO 25/11 - 76

Hauke Y. Heyn

MALMBEREGNING I

Lokalitet: **MOFJELLET**

Borehull: **7603**

Boredato : **OKT. 76**

Koordinater : **925.482,5 X, 44.398,2 Y**

Retning : **~~305~~**

Helling/stigning : **÷ 90°**

Høyde : **189,7 m**

Dybde	Lengde (m)	Analyser							
		% Pb	% Cu	% Zn	% Fe	% Pt	% Co	% Zr	% Fe
218.00 - 219.40	1.40	0.17	0.03	0.11	6.83	0.238	0.042	0.154	9.562
219.40 - 219.60	0.20	1.94	0.47	5.07	8.67	0.388	0.094	1.014	1.734
219.60 - 220.35	0.75	0.04	0.03	0.31	2.23	0.030	0.0225	0.2325	1.6725
220.35 - 220.60	0.25	1.82	0.13	1.28	9.85	0.455	0.0325	0.320	2.4625
220.60 - 222.00	1.40	0.00	0.04	0.13	3.55	0.000	0.056	0.182	4.970
251.00 - 252.45	1.45	0.05	0.02	0.08	5.51	0.0725	0.029	0.116	7.9895
252.45 - 253.60	1.15	0.03	0.16	0.94	9.45	0.0345	0.184	1.081	10.8675
253.60 - 254.35	0.75	0.03	0.01	0.01	2.49	0.0225	0.0075	0.0075	1.8675
254.35 - 254.55	0.20	0.11	0.13	2.76	12.60	0.022	0.026	0.552	2.520
254.55 - 256.00	1.45	0.01	0.01	0.04	2.76	0.0145	0.0145	0.058	4.002
219.40 - 220.60	1.20	0.73	0.12	1.31	4.89				
218.00 - 222.00	4.00	0.28	0.06	0.48	5.10				
252.45 - 254.55	2.10	0.04	0.10	0.78	7.26				
251.00 - 256.00	5.00	0.03	0.05	0.36	5.45				

No 29/11 76

Kare M. Hegmann

MALMBEREGNING I

Lokalitet: Mofjell Grubefelt

Borehull: 7601

Boredato : 1975

Koordinater : 925.501.40X, 44.872.60Y

Retning :

Helling/stigning: lodd avviksmålt

Høyde : 193.70 m.o.h. Lengde 325.3 m

Dybde	Lengde (m)	Analyser							
		% Pb	% Cu	% Zn	% Fe	m. %Pb	m. %Cu	m. %Zn	m. %Fe
272.55 - 272.84	0.29	0.32	0.10	1.02	6.08	0.09	0.03	0.30	1.76
272.84 - 273.44	0.60	0.78	0.18	1.76	5.59	0.47	0.11	1.06	3.35
273.44 - 275.75	2.31	0.26	0.08	0.45	3.16	0.60	0.18	1.04	7.30
275.75 - 276.08	0.33	0.96	0.25	2.87	6.32	0.32	0.08	0.95	2.09
276.08 - 277.25	1.17	0.18	0.11	0.48	4.38	0.21	0.13	0.56	5.12
277.25 - 279.00	1.75	-	-	-	2.5	-	-	-	4.38
279.00 - 280.00	1.00	0.22	0.09	0.57	6.32	0.22	0.09	0.57	6.32
280.00 - 282.30	2.30	0.18	0.09	0.45	5.59	0.41	0.21	1.04	12.86
282.30 - 299.20	16.90								
299.20 - 300.20	1.00	0.52	0.16	1.61	3.16	0.52	0.16	1.61	3.16
300.20 - 301.00	0.80	-	-	-	2.5	-	-	-	2.00
301.00 - 301.90	0.90	0.39	0.08	0.81	4.62	0.35	0.07	0.73	4.16
301.90 - 310.45	8.55								
310.45 - 312.50	2.05	0.32	0.12	0.72	3.89	0.66	0.25	1.48	7.97
312.50 - 314.05	1.55	-	-	-	2.5	-	-	-	3.88
314.05 - 314.60	0.55	0.04	0.03	0.06	4.38	0.02	0.02	0.03	2.41
✓ 272.55 - 276.08	3.53	0.42	0.11	0.95	4.1	1.48	0.40	3.35	14.5
272.55 - 277.25	4.70	0.36	0.11	0.83	4.2	1.69	0.53	3.91	19.6
272.55 - 282.30	9.75	0.24	0.09	0.57	4.4	2.32	0.83	5.52	43.2
✓ 299.20 - 301.90	2.70	0.32	0.09	0.87	3.5	0.87	0.23	2.34	9.32
✓ 310.45 - 314.60	4.15	0.16	0.07	0.36	3.4	0.68	0.27	1.51	14.3

MALMBEREGNING I

Lokalitet: Mofjell Grubefelt

Borehull: 7502

Boredato : 1975

Koordinater : 925.430.35 X, 44.881.00 Y

Retning :

Helling/stigning: lodd avviksmålt

Høyde : 209.60 m.o.h. Lengde 334.5 m

Dybde	Lengde (m)	Analyser							m. %Fe
		% Pb	% Cu	% Zn	% Fe	m. %Pb	m. %Cu	m. %Zn	
311.70 - 314.40	2.70	0.35	0.31	0.85	4.14	0.95	0.84	2.30	11.2
314.40 - 315.20	0.80	2.84	0.36	7.56	9.97	2.27	0.29	6.05	8.0
315.20 - 316.70	1.50	0.39	0.45	0.78	7.54	0.59	0.68	1.17	11.3
311.70 - 315.20	3.50	0.92	0.32	2.39	5.5	3.22	1.13	8.35	19.2
✓ 314.40 - 316.70	2.30	1.24	0.42	3.14	6.4	2.86	0.97	7.22	19.3
311.70 - 316.70	5.00	0.76	0.36	1.90	6.1	3.81	1.81	9.52	30.5

MALMBEREGNING I

Lokalitet: Mofjell Grubefelt

Borehull: 7501

Boredato : 1975

Koordinater : 925.422.40 X, 44.404.20 Y

Retning :

Helling/stigning: lodd. Avviksmålt

Hoyde : 202.50 m.o.h. Lengde 340.0m

Dybde	Lengde (m)	Analyser							m%Fe
		% Pb	% Cu	% Zn	% Fe	m.%Pb	m.%Cu	m.%Zn	
280.10 - 280.75	0.65	0.04	0.02	0.05	7.78	0.03	0.01	0.03	5.06
280.75 - 281.20	0.45	0.92	0.20	2.12	6.81	0.41	0.09	0.95	3.06
281.20 - 281.80	0.60	0.09	0.14	0.12	8.27	0.05	0.03	0.07	4.96
281.80 - 282.90	1.10	0.21	0.09	0.42	6.81	0.23	0.10	0.46	7.49
280.75 - 282.90	2.15	0.32	0.13	0.69	7.21	0.69	0.27	1.48	15.51
280.10 - 282.90	2.80	0.26	0.10	0.54	7.35	0.72	0.28	1.51	20.57

MALMBEREGNING I

Lokalitet: Mofjell Grubefelt

Boreham 7101

Boredato : 1971

Koordinater : 24680, 171 S

Remainder : 925.408,25 x/43.900,55 %

Helling/stigning: loddhull. Avviksmålt

Hoyde + 211.14m.o.h.

	Dybde	spes. v d	Lengde (m)	Analyser							
				% Pb	% Cu	% Zn	% Fe	m. % Pb	m. % Cu	m. % Zn	m. % Fe
x	268.90 - 269.90	2.92	1.00	0.21	0.48	1.11	5.97	0.21	0.48	1.1	6.0
	269.90 - 271.00	3.42	1.10	1.53	0.22	13.14	6.88	1.68	0.24	14.5	7.6
	271.00 - 272.50	2.98	1.50	0.72	0.44	2.30	5.19	1.08	0.66	3.5	7.8
x	272.50 - 274.60	3.24	2.10	1.76	0.13	7.81	7.49	3.70	0.27	16.4	15.7
	274.60 - 275.90	2.88	1.30	0.49	0.62	1.29	4.83	0.64	0.81	1.7	6.3
	275.90 - 277.50	2.84	1.60	0.32	0.58	1.09	3.98	0.51	0.93	1.7	6.4
	277.50 - 278.75	2.93	1.25	0.35	0.29	2.72	4.47	0.44	0.36	3.4	5.6
	278.75 - 280.00	3.15	1.25	0.93	0.89	5.02	8.09	1.16	1.11	6.3	10.1
	280.00 - 281.30	3.00	1.30	0.25	0.48	3.21	5.97	0.33	0.62	4.2	7.8
	281.30 - 284.00	2.75	2.70	-	-	-	2.5				6.8
	284.00 - 285.55	2.85	1.55	0.14	0.27	0.62	4.76	0.22	0.42	1.0	7.4
	285.55 - 286.95	3.06	1.40	0.69	0.32	2.24	8.33	0.97	0.45	3.1	11.7
	286.95 - 288.35	2.75	1.40	-	-	-	2.5				3.5
	288.35 - 290.00	3.02	1.65	0.79	0.34	3.51	6.09	1.30	0.56	5.8	10.0
	290.00 - 291.55	2.90	1.55	0.32	0.33	0.97	5.43	0.50	0.51	1.5	8.4
x	291.55 - 292.90	3.21	1.35	0.90	0.73	7.39	7.19	1.22	0.99	10.0	9.7
	292.90 - 294.05	3.08	1.15	0.81	0.47	3.99	7.08	0.93	0.54	4.6	8.1
	294.05 - 296.30	2.96	2.25	0.65	0.36	1.82	6.21	1.46	0.81	4.1	14.0
x	268.90 - 281.30	3.04	12.40	0.79	0.44	4.26	5.91	9.75	5.48	52.8	73.3
	268.90 - 281.30	3.04	12.40	0.81	0.43	4.35	6.0	10.04	5.33	53.9	74.4
	288.35 - 294.05	3.04	5.70	0.69	0.46	3.84	6.35	3.95	2.60	21.9	36.2
x	288.35 - 294.05	3.04	5.70	0.69	0.46	3.87	6.4	3.95	2.60	22.1	36.5
	288.35 - 296.30	3.02	7.95	0.68	0.43	3.27	6.31	5.41	3.41	26.0	50.2
	268.90 - 296.30	2.98	27.40	0.61	0.35	3.07	5.6	16.64	9.61	84.0	154.0

K = gehalter korrigert for spes. vekt av avsnittene x

MALMBEREGNING I

Lokalitet: Mofjell Grubefelt

Borehull: GM 2

Boredato : 1961

Koordinater : 2375 Ø, 91.5 S ^x

Retning : rett nord

Helling/stigning : 80° Avviksmålt

Høyde : 195 m.o.h. Lengde 306.0 m

x tilsvare GM's nett 1244 Ø, 470 S

x tilsvareer økokart X 925.476.0/Y 43.790.0

Dybde	Lengde (m)	Analyser							
		% Pb	% Cu	% Zn	% S	m.% Pb	m.% Cu	m.% Zn	m.% S
196.25 - 196.90	0.65	0.01	0.10	0.26	4.59	0.01	0.07	0.17	2.98
196.90 - 199.10	2.20	-	-	-	-	-	-	-	-
199.10 - 199.60	0.50	0.16	0.60	1.59	5.63	0.08	0.30	0.80	2.82
199.60 - 200.10	0.50	sp.	0.05	0.29	3.02	-	0.03	0.15	1.51
200.10 - 206.80	6.70	-	-	-	-	-	-	-	-
206.80 - 207.90	1.10	0.10	0.12	0.55	2.86	0.11	0.13	0.61	3.15
207.90 - 212.00	4.10	-	-	-	-	-	-	-	-
212.00 - 213.00	1.00	sp.	0.10	0.54	9.90	-	0.10	0.54	9.90
213.00 - 213.60	0.60	0.10	0.12	0.48	3.54	0.06	0.07	0.29	2.12
213.60 - 219.55	5.95	-	-	-	-	-	-	-	-
219.55 - 220.05	0.50	0.69	0.30	1.23	10.03	0.35	0.15	0.62	5.02
220.05 - 220.65	0.60	-	-	-	-	-	-	-	-
220.65 - 221.20	0.55	1.98	0.10	6.07	7.41	1.09	0.06	3.34	4.08
221.20 - 221.65	0.45	-	-	-	-	-	-	-	-
221.65 - 222.00	0.35	0.26	0.44	0.32	4.47	0.09	0.15	0.11	1.56
222.00 - 223.10	1.10	-	-	-	-	-	-	-	-
223.10 - 223.80	0.70	0.78	0.68	0.40	4.80	0.55	0.48	0.28	3.36
265.60 - 266.14	0.54	0.16	0.07	0.38	2.83	0.09	0.04	0.21	1.53
266.14 - 266.60	0.46	0.12	0.10	0.66	2.81	0.06	0.05	0.30	1.29
266.60 - 267.80	1.20	1.15	0.21	3.07	5.57	1.38	0.25	3.68	6.68
267.80 - 268.10	0.30	sp.	0.12	0.24	5.89	-	0.04	0.07	1.77
219.55 - 221.20	1.65	0.87	0.13	2.40	5.52	1.44	0.21	3.96	9.10
219.55 - 221.20	1.65	0.90	0.13	2.51	5.52	1.49	0.21	4.14	9.10
219.55 - 222.00	2.45	0.64	0.15	1.73	4.35	1.58	0.36	4.25	10.66
219.55 - 223.80	4.25	0.50	0.20	1.07	3.30	2.13	0.84	4.53	14.02
265.60 - 268.10	2.50	0.61	0.15	1.70	4.51	1.53	0.38	4.26	11.27

X = gehalter korrigert for spes. vekt av avsnittet xx

MALMBEREGNING I

Lokalitet: Mofjell Grubefelt

Borehull: GM 1

Boredato : 1961

Koordinater : 2375 Ø, 91.5 S^x

Retning :

Helling/stigning : lodd Avviksmålt

Høyde : 195 m.o.h. lengde 347.73 m

x tilsvare GM's nett 12440,470S.

x tilsvare økokart X 925.476.0/Y 43.790.0

Dybde	Lengde (m)	Analyser							
		% Pb	% Cu	% Zn	% S	m.% Pb	m.% Cu	m.% Zn	m.% S
211.88 - 212.97	1.09	0.25	0.26	1.13	5.41	0.27	0.28	1.2	5.9
212.97 - 213.35	0.38	0.00	0.12	0.32	1.01	0.00	0.05	0.1	0.4
213.35 - 213.80	0.45	-	-	-	-	-	-	-	-
213.80 - 214.10	0.30	0.47	0.44	0.40	3.03	0.14	0.13	0.1	0.9
214.10 - 216.50	2.40	-	-	-	-	-	-	-	-
216.50 - 217.55	1.05	sp.	0.31	1.23	2.61	-	0.33	1.3	2.7
274.99 - 275.10	0.11	0.52	0.27	1.72	3.44	0.06	0.03	0.2	0.4
275.10 - 275.70	0.60	-	-	-	-	-	-	-	-
275.70 - 275.95	0.25	0.45	0.18	1.25	3.47	0.11	0.05	0.3	0.9
275.95 - 276.80	0.85	0.13	0.08	0.47	2.30	0.11	0.07	0.4	2.0
276.80 - 277.55	0.75	-	-	-	-	-	-	-	-
277.55 - 277.75	0.20	0.29	0.22	1.30	2.97	0.06	0.04	0.3	0.6
211.88 - 214.10	2.22	0.18	0.21	0.63	3.24	0.41	0.46	1.4	7.2
211.88 - 217.55	5.67	0.07	0.14	0.48	1.75	0.41	0.79	2.7	9.9
274.99 - 277.75	2.76	0.12	0.07	0.43	1.41	0.34	0.19	1.2	3.9