

Korsfjord, Område G


GA { Pr. nr. f.o.m. 4943 t.o.m. Pr. nr. 4983
hører til den minste Basis.

GB { Pr. nr. f.o.m. 4617 t.o.m. Pr. nr. 4699 og
Pr. nr. f.o.m. 4900 t.o.m. Pr. nr. 4942
hører til den største Basis.

Ni 15% HCl.


0.25
0.2
0.15
0.1
0.05
0.00

1 ppm 2 ppm 3 ppm 4 ppm 5 ppm



	Alus.	
1 ppm ^{5%}	0,031	0.030
2 - - -	0,062	0.061
3 -	0,092	0.088
4 -	0,117	0.116
5 -	0,143	0.142

Proven fra SI		van. tall	ppm.	Tall fra SI. ppm.
1 ●	0,017	0.65	0.57 - 0.61	0.5
2	0.094	3.2 3.1	3.10 - 3.12	2.8
3	0.063	2.1	2.10 - 2.12	1.9
4	0.073	2.4	2.40 - 2.45	2.2
5	0.150	5-	5.12 - 5.18	4.7



8

Ni
Lungevanne 1/2 t.

1.	0.139	4.9
2.	0.190	
3.	0.130	
4.	0.141	
5.	0.109	

Ni
HNO₃ 1/2 t.

1.	0.149
2.	0.198
3.	0.104
4.	0.146
5.	0.136

● Ni
Lungevanne 1 t.

1.	0.159
2.	0.214
3.	0.134
4.	0.140


Ni
HNO₃ 1 t.

1.	0.126
2.	0.199
3.	0.134
4.	0.140

Ni 5% HCL.

0.2
0.15
0.1
0.05

0.5 1 ppm 1.5 2 3 4 5 6 7



Tilpeldigt

TE-CO-PA OSLO ART.NR. 1520

Folldal Verk A/S

Repparfjord

Område: G.S. 30.8.78

Pr. nr.	Koordinat	Tinnv.	For- tynn.	p.p.m Cu	% Cu	p.p.m Ni	% Ni	p.p.m Pb	% Pb	p.p.m Zn	% Zn	p.p.m Co	% Co
34	B-1			19		4		2		17		3	
33	B-2			10		4		4		17		5	
32	B-3			6		4		3		15		3	
31	B-4			10		5		6		20		6	
30	B-5			10		4		3		19		4	
29	B-6			11		5		3		18		2	
28	B-7			14		4		3		14		2	
45	B-8			6		4		—		17		3	
44	B-9			4		—		2		12		—	
43	B-10			9		—		3		13		2	
42	B-11			7		1		—		14		3	
41	F-1			20		11		3		37		6	
40	F-2			8		8		1		37		9	
39	F-3			6		—		4		12		—	
38	F-4			11		6		2		23		6	
37	F-5			20		7		4		23		7	
52	F-6			28		8		—		86		8	
51	F-7			47		15		6		34		15	
50	F-8			25		4		2		134		4	
49	F-9			20		5		—		19		5	
48	F-10			12		5		4		18		5	
47	F-11			7		—		—		12		1	
46	F-12			8		—		—		12		2	

Folldal Verk A/S

Repparfjord

998-997 2-5

Område: 6.S 30.8.78

Vakgrunnsverdi for Pb. 988-996, 002-0.00

Pr. nr.	Koordinat	Imv.	For- tynn.	p.p.m Cu	% Cu	p.p.m Mn	% Ni	p.p.m Pb	% Pb	p.p.m Zn	% Zn	p.p.m Co	% Co
1	H-1	19	100	25		4		14		13		4	
2	H-2			15		8		12		19		6	
3	H-3			20		23		18		33		13	
4	H-4			24		23		17		37		13	
5	H-5			36		27		15		44		15	
6	H-6			16		2		10		8		3	
7	H-7			15		9		8		16		6	
8	H-8			11		1		11		8		-	
9	H-9			26		18		15		33		10	
10	H-10			21		14		15		29		11	
11	H-11			26		19		16		28		9	
12	H-12			11		2		7		9		1	
13	H-13			22		19		14		36		12	
14	H-14			16		10		11		25		8	
15	H-15			18		12		11		25		8	
16	H-16			15		10		5		24		6	
17	H-17			8		1		8		9		5	

Repparfjord

Område: G. S. 30.8.78

[illegible]

Folldal Verk A/S

Repparfjord

Område: A.R. 28.8.78

Pr. nr.	Koordinat	Immv.	For- tynn.	p.p.m Cu	% Cu	p.p.m Ni	% Ni	p.p.m Pb	% Pb	p.p.m Zn	% Zn	p.p.m Co	% Co
0-1m				16		8		3		15			
75"				6		3		—		12			
150"				8		2		—		10			
225"				11		2		—		32			
300"				8		3		—		7			
375"				6		2		—		8			
450"				9		3		3		16			
525"				8		3		2		12			
600"				5		2		—		9			
675"				6		5		1		16			
750"				7		5		—		13			
825"				9		11		—		25			
900"				10		3		2		10			
975"				11		6		—		11			
1050"				5		1		—		6			
1125"				8		6		—		11			
1200"				7		12		—		20			
1275"				10		5		—		20			
1500"				9		2		—(1)		9			
1425"				16		2		—		74			
1350"				17		15		4		58			

Folldal Verk A/S

Repparfjord

Område: GS. 28.8.78

Pr. nr.	Koordinat	Innv.	For- tynn.	p.p.m Cu	% Cu	p.p.m Ni	% Ni	p.p.m Pb	% Pb	p.p.m Zn	% Zn	p.p.m Co	% Co
pr. 1 A-1				6	-	-	-	3	-	10	-	-	-
A-2a				23	-	4	-	11	-	42	-	-	-
A-2b				13	-	1	-	7	-	13	-	-	-
A-3				8	-	-	-	6	-	7	-	-	-
A-4				14	-	2	-	2	-	17	-	-	-
A-5				27	-	16	-	10	-	30	-	-	-
A-6				30	-	11	-	11	-	26	-	-	-
A-7				23	-	10	-	11	-	22	-	-	-
A-8				21	-	14	-	10	-	28	-	-	-
A-9				16	-	2	-	8	-	12	-	-	-
brun A-10				61	-	16	-	8	-	30	-	-	-
Sort A-10	Integras.				-	52	-	12	-	52	-	-	-
A-11				12	-	7	-	-	-	13	-	-	-
A-12				27	-	18	-	8	-	33	-	-	-
A-13				19	-	15	-	4	-	49	-	-	-
A-14				28	-	16	-	4	-	32	-	-	-
A-15				14	-	4	-	1	-	13	-	-	-
A-16				13	-	3	-	4	-	11	-	-	-
A-17				3	-	3	-	-	-	5	-	-	-
A-18				10	-	5	-	2	-	15	-	-	-
A-19				16	-	14	-	2	-	28	-	-	-

Follidal Verk A/S
Repparfjord

Seinnalandsvatn
Område: 1K. 30.8.78

Pr. nr.	Koordinat	Innv.	For- tynn.	p.p.m Cu	% Cu	p.p.m Ni	% Ni	p.p.m Pb	% Pb	p.p.m Zn	% Zn	p.p.m Co	% Co
11-1		1g	100	23		25				43			
11-2				60		20				51			
11-3			100	11		15		47		38			
11-4				24		20		3		40			
11-5				24		20		11		41			
11-6				19		19		5		37			
11-7				9		12		2		30			
11-8				12		13		1		30			
11-9				18		22		3		41			
11-10				38		23		5		39			
11-11				40		23		6		46			
14-1				14		84		4		51			
14-2				15		14		5		36			
14-3				11		13		21		42			
14-4				15		23		6		48			
14-5				16		22		11		49			
14-6				10		8		4		27			
14-7				9		17		8		54			
14-8				9		8				29			

Repparfjord

Heim.

Område:

11.9.78

[illegible]

Folldal Verk A/S
Repparfjord

Område: J Kili 31 8 78

Pr. nr.	koordinat	Innv.	For- tynn.	p.p.m Cu	% Cu	p.p.m Ni	% Ni	p.p.m Pb	% Pb	p.p.m Zn	% Zn	p.p.m Co	% Co
15-1		19/100rd			21		6		23		34		
15-2		"			21		9		15		52		spor
15-3		"			11		6		8		30		"
15-4		"			10		6		10		38		"
15-5		"			12		9		19		37		"
15-6		"			12		3		16		42		"
15-7		"			20		8		13		39		"
15-8		"			15		7		13		36		"
15-9		"			13		7		9		60		"
15-10		"			20		11		12		41		"
15-11		"			17		10		12		84		"
15-12		"			21		11		11		80		"
15-13		"			25		23		20		58		"
15-14		"			31		10		22		50		13
17-1		"			13		5		9		40		spor
17-2		"			11		5		9		11		"
17-3		"			19		4		9		18		"
17-4		"			19		5		10		14		"
17-5		"			23		6		10		48		"
17-6		"			14		4		11		18		"
17-7		"			17		5		7		40		"
17-8		"			28		3		12		78		"
17-9		"			21		4		9		36		"
17-10		"			26		5		7		41		"
17-11		"			24		5		11		10		"
17-12		"			25		3		8				"

Repparfjord

29.8.78

Område:

Pr. nr.	koordinat	Timv	For- tyr	p.p.m Cu	% Cu	p.p.m Na	% Na	p.p.m Pb	% Pb	p.p.m Zn	% Zn	p.p.m Co	% Co
1		13	250ml		25				20		20		
2					15				30		35		
3					30				35		10		
4					90				40		65		
5					20				15		25		
6					15				20		15		
7					55				30		70		
8					20				10		20		

Omni A

Repparfjord

Grado: *A*

9. Volumen 250 ml wasserlösliche

25-7-78

Pr. nr.	Koordinat	Imv.	For- tynn.	p.p.m Cu	% Cu	p.p.m Ni	% Ni	p.p.m Pb	% Pb	p.p.m Zn	% Zn	p.p.m Co	% Co
3089	200v / 420 N			0.10	0.005	1.72	0.086					0.0	0
3090	200v / 475 N			0.41	0.020	3.81	0.190					0.26	0.013
3091	200v / 480 N			0.21	0.010	3.75	0.187					0.23	0.011
3092	200v / 485 N			0.17	0.008	1.40	0.070					0.21	0.010

Folldal Verk A/S

Repparfjord

15

Område: A

Rb-7-78

Pr. nr.	Koordinat	Timv.	For- tyv.	p.p.m Cu	% Cu	p.p.m Ni	% Ni	p.p.m Pb	% Pb	p.p.m Zn	% Zn	p.p.m Co	% Co
3500	0 00 N / 100 N			0.08	0.004	0.09	0.004					0.03	0.001
3501	/ 105 N			0.13	0.006	0.17	0.008					0.05	0.002
3502	/ 110 N			0.07	0.003	0.17	0.008					0.02	0.001
3503	/ 115 N			0.05	0.002	0.18	0.009					0.02	0.001
3504	/ 120 N			0.23	0.012	0.18	0.009					0.01	0.0005
3505	/ 125 N			0.10	0.005	0.25	0.012					0.06	0.003
3506	/ 130 N			0.05	0.002	0.30	0.015					0.01	0.0005
3507	/ 135 N			0.03	0.001	0.19	0.009					0.01	0.0005
3508	/ 140 N			0.07	0.003	0.38	0.019					0.03	0.001
3509	/ 145 N			0.05	0.002	0.21	0.010					0.01	0.0005
3510	/ 150 N			0.06	0.003	0.03	0.001					0.01	0.0005
3511	/ 155 N			0.05	0.002	0.19	0.009					0	0
3512	/ 160 N			0.03	0.001	0.06	0.003					0.01	0.0005
3513	/ 165 N			0.03	0.001	0.04	0.002					0	0
3514	/ 170 N			0.10	0.005	0.06	0.002					0.01	0.0005
3515	/ 175 N			0.10	0.005	0.04	0.002					0.02	0.001
3516	/ 180 N			0.10	0.005	0.05	0.002					0.03	0.001
3517	/ 185 N			0.05	0.0003	0.06	0.003					0.03	0.001
3518	/ 190 N			0.09	0.004	0.10	0.005					0.01	0.0005
3519	/ 195 N			0.15	0.007	0.07	0.003					0.01	0.0005
3520	/ 200 N			0.17	0.008	0.32	0.016					0.02	0.001
3521	/ 205 N			0.12	0.006	0.26	0.013					0.02	0.001
3522	/ 210 N			0.62	0.031	0.11	0.005					0.02	0.001
3523	/ 215 N			0.04	0.002	0.85	0.042					0.03	0.001
3524	/ 220 N			0.21	0.010	0.36	0.018					0.04	0.002

16

210-7-78

[illegible]

Folldal Verk A/S

Repparfjord

Område: A

1 Volum 250 ml.

20.7.78

Pr. nr.	Koordinat	Innv.	For- tyvnn.	p.p.m Cu	% Cu	p.p.m Ni	% Ni	p.p.m Pb	% Pb	p.p.m Zn	% Zn	p.p.m Co	% Co
3540	00V/300N	500mg		0.12	0.006	2.48	0.124						
3541	00V/305N	"		0.04	0.002	3.40	0.170						
3542	" 335N	"		0.16	0.008	2.20	0.110						
3542	" 305N	"		0.23	0.011	2.35	0.117						
3543	" 340N	"		0.11	0.005	2.37	0.118						
3543	" 315N	"		0.05	0.002	3.12	0.156						
3544	" 345N	"		0.22	0.011	3.29	0.164						
3545	" 350N	"		0.04	0.002	0.11	0.005						
3545	" 325N	"		0.17	0.008	3.76	0.188						
3546	" 330N	"		0.33	0.016	0.30	0.015						
3546	" 355N	"		0.29	0.014	2.99	0.149						
3547	" 360N	"		0.14	0.007	4.06	0.203						
3548	" 365N	"		0.06	0.003	3.61	0.180						
3549	" 370N	"		0.07	0.003	3.68	0.184						
3550	" 375N	"		0.07	0.003	3.34	0.167						
3551	" 380N	"		0.14	0.007	2.13	0.106						
3552	" 385N	"		0.07	0.003	2.60	0.130						
3553	" 390N	"		0.11	0.005	2.26	0.113						
3554	" 395N	"		0.11	0.005	2.10	0.105						
3555	" 400N	"		0.12	0.006	3.51	0.175						
3556	" 405N	"		0.15	0.007	1.52	0.076						
3557	" 410N	"		0.17	0.008	1.40	0.070						
3558	" 415N	"		0.13	0.006	1.87	0.093						
3559	" 420N	"		0.14	0.007	1.43	0.071						
3560	" 425N	"		0.16	0.008	1.17	0.058						
3562	" 435N	"		0.08	0.004	2.99	0.149						

Folldal Verk A/S

Repparfjord

2

Volum 250 ml.

Område: A

20-7-78

Pr. nr.	Koordinat	Tinnv.	For- tynn.	p.p.m Cu	% Cu	p.p.m Ni	% Ni	p.p.m Pb	% Pb	p.p.m Zn	% Zn	p.p.m Co	% Co
3563	081/440N	500mg		0.29	0.014	0.32	0.016						
3564	" 445N	"		0.11	0.005	0.36	0.018						
3565	" 450N	"		0.11	0.005	2.01	0.100						
3566	" 455N	"		0.14	0.007	2.23	0.111						
3567	" 460N	"		0.13	0.006	2.28	0.114						
3568	" 465N	"		0.17	0.008	2.80	0.140						
3569	" 470N	"		0.19	0.009	1.90	0.095						
3570	" 475N	"		0.19	0.009	1.64	0.082						
3571	" 480N	"		0.30	0.015	1.20	0.060						
3572	" 485N	"		0.20	0.010	0.21	0.010						
3573	" 500N	"		0.11	0.005	0.10	0.005						
3576	" 505N	"		0.14	0.007	0.12	0.006						
3577	" 510	"		0.03	0.001	1.21	0.06						
3578	" 515	"		0.03	0.001	0.10	0.005						
3579	" 520	"		0.58	0.029	0.34	0.017						

Folldal Verk A/S

Repparfjord

3

Volum 250 ml

Område: A

21-7-78

Pr. nr.	Koordinat	Innv.	For- tynn.	p.p.m Cu	% Cu	p.p.m Ni	% Ni	p.p.m Pb	% Pb	p.p.m Zn	% Zn	p.p.m Co	% Co
3580	C _{ev} /525 N			0.31	0.015	0.20	0.01					0.07	0.003
3581	C _{ev} /530 N			0.15	0.007	0.24	0.012					0.15	0.007
3582	C _{ev} /535 N			0.16	0.008	0.21	0.01					0.15	0.007
3583	C _{ev} /540 N			0.34	0.017	0.08	0.004					0.10	0.005
3584	/545 N			0.19	0.009	0.03	0.001					0.11	0.005
3585	/550 N			0.07	0.003	0.11	0.005					0.10	0.005
						0.08	0.004					0.12	0.006
						0						0	
3588	/865 N			0.14	0.007	0.05	0.002					0.03	0.004
3591	/585 N			0.18	0.009	0.03	0.001					0.06	0.003
3592	/585 N			0.19	0.009	0.03	0.001					0.05	0.002
3593	/590 N			0.10	0.005	0.12	0.006					0.1	0.005
3594	460 s / 0 v			0.23	0.011	0.62	0.031					0.0	0
3595	460 s / 50 v			0.56	0.028	1.25	0.062					0.1	0.005
3596	/80 v			1.24	0.062	0.41	0.02					0.0	0
3597	/90 v			0.40	0.020	1.22	0.06					0.1	0.005
3598	/100 v			1.25	0.062	0.35	0.01					0.1	0.005
3599	/115 v			0.34	0.017	0.70	0.035					0.1	0.005
3600	/155 v			0.24	0.012	2.70	0.135					0.2	0.010
3601	/160 v			0.27	0.013	1.39	0.069					0.1	0.005
3602	/250 v			0.25	0.012	1.16	0.058					0.1	0.005
3603	/255 v			0.32	0.016	1.66	0.083					0.1	0.005
3604	/260 v			0.23	0.011	1.84	0.090					0.2	0.010
3605	/265 v			0.29	0.014	1.46	0.073						

Folldal Verk A/S

Repparfjord

4

Volum 250 ml

Område: A

21-7-78

Pr. nr.	Koordinat	Inv.	For- tynn.	p.p.m Cu	% Cu	p.p.m Ni	% Ni	p.p.m Pb	% Pb	p.p.m Zn	% Zn	p.p.m Co	% Co
3606	4605/270 v			0.18	0.009	1.92	0.096					0.1	0.005
3607	1275 v			0.20	0.010	1.65	0.082					0.1	0.005
3608	1280 v			0.15	0.007	1.82	0.091					0.1	0.005
3610	4605/290 v			0.14	0.007	1.94	0.097					0.1	0.005
3611	1295 v			0.11	0.005	1.02	0.051					0.1	0.005
3612	1300 v			0.22	0.011	3.10	0.155					0.1	0.005
3613	1320 v			0.11	0.005	2.64	0.132					0.2	0.010
3614	1335 v			0.20	0.010	0.10	0.005					0.2	0.010
3615	1400 v			0.26	0.013	0.29	0.014					0.0	0
3616	7005/20 v			0.14	0.007	0.25	0.012					0.1	0.005
3617	155 v			0.24	0.012	2.94	0.147					0.0	0
3618	195 v			0.10	0.005	3.59	0.179					0.1	0.005
3619	1100 v			0.04	0.002	3.85	0.192					0.2	0.010
3620	1120 v			0.45	0.022	3.55	0.177					0.2	0.010
3621	1145 v			0.07	0.003	0.08	0.004					0.2	0.010
3622	1305 v			0.33	0.016	0.06	0.003					0.1	0.005
3623	1310 v			0.08	0.004	0.05	0.002					0.0	0
3624	1315 v			0.08	0.004	0.04	0.002					0.0	0
3625	1320 v			0.12	0.006	0.04	0.002					0.1	0.005
3626	1330 v			0.15	0.007	0.06	0.003					0.0	0
3627	1335 v			0.11	0.005	0.03	0.001					0.0	0.005
3628	1345 v			0.17	0.008	0.06	0.003					0.0	0
3629	1350 v			1.04	0.052	0.05	0.002					0.1	0.005
3630	1355 v			0.23	0.011	0.02	0.001					0.0	0
3631	1360 v			0.26	0.013	0.04	0.002					0.0	0

Folldal Verk A/S

Repparfjord

Område: A

5 Volume 250 ml

24-7-78

Pr. nr.	Koordinat	Innv.	For- tynn.	p.p.m Cu	% Cu	p.p.m Ni	% Ni	p.p.m Pb	% Pb	p.p.m Zn	% Zn	p.p.m Co	% Co
3632	700 s / 370 v			0.18	0.009	0.04	0.002					0.0	0
3633	375 v			0.15	0.007	0.03	0.001					0.1	0.005
3634	380 v			0.26	0.013	0.03	0.001					0.0	0
3635	390 v			0.22	0.011	0.02	0.001					0.1	0.005
3636	400 v			0.23	0.011	0.09	0.004					0.1	0.005
3637	405 v			0.24	0.012	0.07	0.003					0.1	0.005
3638	410 v			0.20	0.010	0.04	0.002					0.1	0.005
3639	700 s / 415 v			0.04	0.002	0.02	0.001					0.0	0
3640	420 v			0.22	0.010	0.02	0.001					0	0
3641	430 v			0.15	0.007	0.08	0.004					0.07	0.003
3642	435 v			0.22	0.010	0.09	0.004					0.10	0.005
3643	450 v			0.77	0.038	0.04	0.002					0.10	0.005
3644	455 v			0.33	0.016	0.08	0.004					0.13	0.006
3645	460 v			0.25	0.012	0.09	0.004					0.09	0.004
3646	200 v / 10 N			0.09	0.004	0.21	0.01					0.05	0.002
3647	135 N			0.11	0.005	0.22	0.011					0.02	0.001
3648	140 N			0.38	0.019	0.32	0.016					0.07	0.003
3649	105 N			0.10	0.005	0.08	0.004					0.04	0.002
3650	115 N			0.10	0.005	0.04	0.002					0.06	0.003
3651	155 N			0.31	0.015	2.08	0.104					0.17	0.008
3652	160 N			0.16	0.008	0.13	0.006					0.03	0.001
3653	165 N			0.09	0.004	0.07	0.003					0.09	0.004
3654	170 N			0.08	0.004	0.08	0.004					0.09	0.004
3655	175 N			0.10	0.005	0.08	0.004					0.04	0.002
3656	180 N			0.08	0.004	0.02	0.001					0.05	0.002
3657	200 N			0.16	0.008	0.08	0.004					0.05	0.002

Foildal Verk A/S

Repparfjord

Område: A

10 Volum 250 ml målekolbe

24-7-78

Pr. nr.	Koordinat	Imv.	For- tyrn.	p.p.m Cu	% Cu	p.p.m Ni	% Ni	p.p.m Pb	% Pb	p.p.m Zn	% Zn	p.p.m Co	% Co
3658	200V/220N			0.06	0.003	0.04	0.002					0.03	0.001
3659	1225N			0.10	0.005	0.06	0.003					0.07	0.003
3660	1235N			0.12	0.006	0.06	0.003					0	0
3661	1255N			0.09	0.004	0.03	0.001					0	0
3662	1295N			0.20	0.010	0.79	0.039					0.04	0.002
3663	1305N			0.29	0.014	0.29	0.014					0	0
3664	1310N			0.39	0.019	0.40	0.020					0	0
3665	1325N			0.18	0.009	2.40	0.12					0.14	0.007
3666	1340N			0.26	0.013	2.89	0.144					0.14	0.007
3667	1345N			0.22	0.011	2.87	0.143					0.13	0.006
3668	1355N			0.18	0.009	3.20	0.160					0.20	0.010
3669	1370N			0.20	0.010	3.88	0.194					0.22	0.012
3670	1375N			0.14	0.007	3.00	0.150					0.20	0.010
3671	1380N			0.14	0.007	3.60	0.180					0.25	0.012
3672	1385N			0.06	0.003	3.71	0.185					0.20	0.010
3673	1390N			0.14	0.007	4.10	0.205					0.20	0.010
3674	1395N			0.12	0.006	3.39	0.169					0.12	0.006
3675	1400N			0.19	0.009	3.34	0.167					0.16	0.008
3676	1405N			0.26	0.013	2.00	0.10					0.06	0.003
3677	1410N			0.15	0.007	3.40	0.17					0.17	0.008
3678	1415N			0.15	0.007	3.50	0.175					0.20	0.010
3679	1420N			0.21	0.010	3.68	0.184					0.21	0.010
3680	1425N			0.16	0.008	3.10	0.155					0.20	0.010
3681	1430N			0.13	0.006	2.73	0.136					0.09	0.004
3682	1435N			0.14	0.007	3.10	0.155					0.13	0.006
3683	1440N			0.12	0.006	2.70	0.135					0.10	0.005

Folldal Verk A/S

Repparfjord

Område: A

11 Volum 250 ml mäl.kolbe

24-7-78

Pr. nr.	Koordinat	Imv.	For- tynd.	p.p.m Cu	% Cu	p.p.m Ni	% Ni	p.p.m Pb	% Pb	p.p.m Zn	% Zn	p.p.m Co	% Co
3684	200°/445N			0.17	0.008	2.50	0.125					0.07	0.003
3685	150N			0.15	0.007	3.80	0.190					0.19	0.009
3686	145N			0.14	0.007	4.30	0.215					0.16	0.008
3687	1460N			0.14	0.007	3.05	0.152					0.18	0.009
3688	1465N			0.13	0.006	1.90	0.095					0.10	0.005
3693	1490N			0.40	0.020	2.75	0.137					0.15	0.007
3694	1495N			0.07	0.003	0.41	0.020					0.10	0.005
3695	1535N			0.11	0.005	0.12	0.006					0	0
3696	1510N			0.34	0.017	0.36	0.018					0	0
3697	1515N			0.45	0.022	0.45	0.022					0	0
3698	1520N			0.08	0.004	0.03	0.001					0	0
3699	1525N			0.13	0.006	0.04	0.002					0	0
3701	1150N			0.42	0.021	0.33	0.015					0	0

Folldal Verk A/S

Repparfjord

Område: A

p Volum 250 ml

Pr. nr.	Koordinat	Imv.	For- tynn.	p.p.m Cu	% Cu	p.p.m Ni	% Ni	p.p.m Pb	% Pb	p.p.m Zn	% Zn	p.p.m Co	% Co
3700	200 g / 20 N			0.17	0.008	0.04	0.002					0.0	0
3701	200 g / 25 N			0.18	0.009	0.02	0.001					0.06	0.003
3702	200 g / 120 N			0.43	0.021	0.031	0.001					0.04	0.002
3703	200 g / 130 N			0.48	0.024	0.48	0.024					0.01	0.0005
3704	200 g / 135 N			0.14	0.007	1.34	0.062					0.07	0.003
3705	200 g / 140 N			0.22	0.011	1.48	0.074					0.10	0.005
3706	200 g / 145 N			0.20	0.010	0.30	0.015					0.05	0.002
3707	200 g / 150 N			0.35	0.017	0.28	0.014					0.02	0.001
3708	200 g / 350 N			0.15	0.007	2.90	0.145					0.18	0.009
3709	200 g / 370 N			0.24	0.012	2.03	0.101					0.16	0.008
3710	200 g / 435 N			0.16	0.008	2.90	0.145					0.23	0.011
3711	200 g / 440 N			0.41	0.020	1.47	0.098					0.16	0.008
3712	200 g / 460 N			0.10	0.005	2.24	0.112					0.17	0.008
3713	200 g / 475 N			0.04	0.002	1.33	0.066					0.07	0.003
3714	200 g / 480 N			0.07	0.003	2.57	0.128					0.19	0.009
3715	200 g / 495 N			0.58	0.029	1.85	0.092					0.20	0.010
3716	200 g / 500 N			0.20	0.010	0.82	0.041					0.06	0.003
3717	200 g / 505 N			0.22	0.011	3.04	0.152					0.19	0.009
3718	200 g / 510 N			0.06	0.003	2.20	0.110					0.10	0.005
3719	200 g / 515 N			0.08	0.004	3.25	0.162					0.16	0.008
3720	200 g / 520 N			0.12	0.006	3.08	0.154					0.17	0.008
3720	200 g / 525 N			0.10	0.005	2.71	0.135					0.17	0.008
						0.24	0.012					0.0	0
3722	0 g / 80 v			0.08	0.004	0.09	0.004					0.0	0
3723	0 g / 170 v			0.13	0.006	0.34	0.012					0.0	0
3723	0 g / 50 v			0.35	0.017	0.02	0.001					0.0	0

Folldal Verk A/S

Repparfjord

Område: A

7

Pr. nr.	Koordinat	Innv.	For- tynn.	p.p.m Cu	% Cu	p.p.m Ni	% Ni	p.p.m Pb	% Pb	p.p.m Zn	% Zn	p.p.m Co	% Co
												0.04	
3725	0 _{av} / 55 v			0.09	0.004	0.04	0.002					0.04	0.002
3726	0 _{av} / 60 v			0.10	0.005	0.03	0.001					0.0	0
3726	300 s / 65 v			0.13	0.006	0.04	0.002					0.0	0
3727	300 s / 70 v			0.15	0.007	0	0					0.00	0
3728	300 s / 75 v			0.11	0.005	0.03	0.001					0.03	0.001
3729	300 s / 80 v			0.08	0.004	0.01	0.005					0.0	0
3730	300 s / 85 v			0.12	0.006	0	0					0.0	0
3731	300 s / 90 v			0.07	0.003	0.03	0.001					0.0	0
3732	300 s / 95 v			0.16	0.008	0.05	0.002					0.0	0
3733	300 s / 100 v			0.07	0.003	0.10	0.005					0.0	0
3734	300 s / 105 v			0.10	0.005	0.06	0.003					0.0	0
3735	300 s / 110 v			0.09	0.004	0.38	0.019					0.0	0
3736	300 s / 115 v			0.28	0.014	0.27	0.013					0.0	0
3737	300 s / 120 v			0.23	0.011	0.70	0.035					0.02	0.001
3738	300 s / 130 v			0.36	0.018	0.47	0.023					0.03	0.001
3739	300 s / 135 v			0.30	0.015	0.73	0.036					0.03	0.001
3740	300 s / 140 v			0.31	0.015	0.94	0.047					0.0	0
3740	300 s / 145 v			0.97	0.048	1.05	0.052					0.0	0
3741	300 s / 150 v			0.30	0.005	0.40	0.02					0.0	0
3742	300 s / 155 v			0.54	0.027	2.22	0.11					0.09	0.004
3743	300 s / 160 v			0.44	0.022	1.47	0.073					0.13	0.006
3744	300 s / 165 v			0.33	0.016	2.14	0.107					0.10	0.005
3745	300 s / 170 v			0.35	0.017							0.14	0.007
3													
A 3747	300 s / 180 v			0.06	0.003	2.70	0.135					0.14	0.007

Repparfjord

24.7.28

8. Volumen 250 ml. Kolben

[illegible]

Folldal Verk A/S

Repparfjord

Område: A

25-7-78

Pr. nr.	Koordinat	Innv.	For-tyr.	p.p.m Cu	% Cu	p.p.m Ni	% Ni	p.p.m Pb	% Pb	p.p.m Zn	% Zn	p.p.m Co	% Co
3800	100.0 / 10.0 N			0.13	0.006	0.05	0.002					0.10	0.005
3801	1.40 N			0.16	0.008	0.02	0.001					0.05	0.002
3802	1.45 N			0.12	0.008	0.04	0.002					0.10	0.005
3803	1.10 N			0.18	0.009	0.28	0.014					0.08	0.004
3804	1.115 N			0.18	0.009	0.34	0.017					0.04	0.002
3805	1.125 N			0.09	0.004	0.04	0.002					0.07	0.003
3806	1.150 N			0.26	0.013	0.38	0.019					0.08	0.004
3807	1.160 N			1.40	0.070	0.09	0.004					0.07	0.003
3808	1.165 N			0.10	0.005	0.13	0.006					0.06	0.003
3809	1.170 N			0.10	0.005	0.13	0.006					0.07	0.003
3810	1.175 N			0.02	0.001	0.59	0.029					0.12	0.006
3811	1.180 N			0.48	0.023	0.40	0.020					0.07	0.003
3812	1.185 N			0.10	0.005	0.80	0.040					0.19	0.009
3813	1.205 N			0.20	0.010	0.20	0.010					0.03	0.001
3814	1.220 N			0.26	0.013	0.28	0.014					0.05	0.002
3815	1.225 N			0.12	0.006	0.40	0.020					0.07	0.003
3816	1.250 N			0.06	0.003	0.53	0.026					0.09	0.004
3817	1.255 N			0.05	0.002	0.26	0.013					0.08	0.004
3818	1.260 N			0.12	0.006	0.25	0.012					0.08	0.004
3819	1.290 N			0.25	0.012	0.20	0.005					0.13	0.006
3820	1.300 N			0.22	0.011	1.46	0.073					0.09	0.004
3821	1.305 N			0.16	0.008	2.10	0.105					0.15	0.007
3822	1.315 N			0.09	0.004	2.66	0.133					0.21	0.010
3824	1.320 N			0.12	0.006	3.70	0.185					0.29	0.014
3825	1.325 N			0.09	0.004	3.50	0.175					0.26	0.013
3826	1.330 N			0.94	0.047	3.15	0.157						

Folldal Verk A/S

Repparfjord

Område: A

25-7-78

Pr. nr.	Koordinat	Innv.	For- tynn.	p.p.m Cu	% Cu	p.p.m Ni	% Ni	p.p.m Pb	% Pb	p.p.m Zn	% Zn	p.p.m Co	% Co
3827	1000 / 335N			0.12	0.006	3.69	0.184					0.22	0.011
3828	1340N			0.11	0.005	3.45	0.172					0.21	0.010
3829	1380N			0.36	0.018	3.20	0.160					0.16	0.008
3830	1355N			0.14	0.007	3.29	0.164					0.19	0.009
3831	1300N			0.12	0.006	2.48	0.124					0.14	0.007
3832	1300N			0.09	0.004	4.10	0.205					0.31	0.015
3833	1380N			0.06	0.003	2.40	0.120					0.16	0.008
3834	1390N			0.10	0.005	2.80	0.140					0.12	0.006
3835	1400N			0.38	0.019	2.28	0.114					0.14	0.007
3836	1410N			0.30	0.015	1.99	0.099					0.17	0.008
3837	1420N			0.10	0.005	1.70	0.085					0.16	0.008
3838	1400N			0.41	0.020	1.30	0.065					0.13	0.006
3839	1490N			0.18	0.009	0.90	0.045					0.08	0.004
3840	1500N			0.19	0.009	0.24	0.012					0.01	0.0005
3841	1515N			0.07	0.003	3.90	0.195					0.20	0.010
3842	1520N			0.06	0.003	3.85	0.192					0.21	0.010
3843	1530N			0.10	0.005	3.50	0.175					0.26	0.013
3844	1580N			0.25	0.012	0.26	0.013					0.06	0.003
3845	1590N			0.26	0.013	0.13	0.006					0.04	0.002
3846	1625N			0.24	0.012	0.21	0.010					0.04	0.002
3847	1630N			0.16	0.008	0.04	0.002					0.01	0.0005
3848	1640N			0.41	0.020	0.03	0.001					0.01	0.0005
3849	1650N			0.15	0.007	0.02	0.001					0	0
3850	1660N			0.28	0.014	0.12	0.006					0.09	0.004

12

25-7-78.

[illegible]

Folldal Verk A/S

Repparfjord

13

Område: A

25-7-78.

Pr. nr.	Koordinat	Imv.	For- tynn.	p.p.m Cu	% Cu	p.p.m Ni	% Ni	p.p.m Pb	% Pb	p.p.m Zn	% Zn	p.p.m Co	% Co
3900	200v / 530N			0.13	0.006	0	0					0	0.
3901	/ 535 N			0.05	0.002	0	0					0.01	0
3902	/ 540 N			0.03	0.001	0	0					0.02	0.001
3903	/ 600 N			0.11	0.005	0.68	0.034					0.09	0.004
3904	/ 660 N			0.27	0.013	0.08	0.004					0.0	0
3905	/ 670 N			0.19	0.009	0.04	0.002					0	0
3906	/ 830 N			0	0	0.0	0					0	0
3907	/ 840 N			0.03	0.001	0	0					0	0
3908	/ 900 N			0.25	0.012	0	0					0.02	0.001
3909	1205 / 10 V			0.02	0.001	0.60	0.03					0.04	0.002
3910	/ 15 V			0.08	0.004	0	0					0	0
3911	/ 20 V			0.04	0.002	2.10	0.105					0.10	0.005
3912	/ 40 V			0.02	0.001	0	0					0	0
3913	/ 50 V			0.08	0.004	0.02	0.001					0	0
3914	/ 55 V			0.02	0.001	0.10	0.005					0	0
3915	/ 70 V			0.02	0.001	0.10	0.005					0	0
3916	/ 75 V			0.04	0.002	0.10	0.005					0	0
3917	/ 80 V			0.07	0.003	0.15	0.007					0.01	0
3918	/ 90 V			0.74	0.037	0.15	0.007					0.02	0.001
3919	/ 100 V			0.10	0.005	0.98	0.049					0.12	0.006
3920	/ 110 V			0.05	0.002	0.05	0.002					0	0
3921	/ 115 V			0.03	0.001	0.55	0.027					0.08	0.004
3922	/ 120 V			1.64	0.082	0.88	0.044					0.05	0.002
3923	/ 130 V			0.57	0.028	0.53	0.026					0	0
3924	/ 150 V			0.33	0.016	0.40	0.020					0	0
3925	/ 170 V			0.28	0.014	0.41	0.020					0.07	0.003

Repparfjord

25-7-78

Pr. nr.	Koordinat	Env.	For- tunn.	p.p.m Cu	% Cu	p.p.m Mn	% Mn	p.p.m Pb	% Pb	p.p.m Zn	% Zn	p.p.m Co	% Co
3926	1205/135V			0.42	0.021	0.44	0.022					0.10	0.005

Omidade 7.

Folldal Verk A/S

Repparfjord

2,5g - 250ml

Område: F

Pr. nr.	Koordinat	Emv.	for- type	p.p.m. Cu	% Cu	p.p.m. Ni	% Ni	p.p.m. Pb	% Pb	p.p.m. Zn	% Zn	p.p.m. Co	% Co
1 5028	1600 / 110 S			219		42						20	
2 5029	1600 / 110 S			309		30						29	
3 5030	1600 / 115 S			258		25						26	
4 5031	400 / 55 n			14		1032						79	
5 5032	400 / 65 n			94		709						56	
6 5033	400 / 70 n			157		40						11	
7 5034	400 / 75 n			121		20						10	
8 5035	400 / 80 n			123		21						13	
9 5036	400 / 85 n			51		16						10	
10 5037	400 / 90 n			50		14						10	
11 5038	400 / 95 n			125		29						17	
12 5039	400 / 100 n			69		28						15	
13 5040	400 / 120 n			78		18						7	
14 5041	0ns / 25 v			10		1035						74	
15 5042	0ns / 30 v			34		21						4	
16 5043	0ns / 35 v			84		10						4	
17 5044	0ns / 40 v			50		19						8	
18 5045	0ns / 45 v			13		32						11	
19 5046	0ns / 110 v			24		32						9	
20 5047	0ns / 115 v			45		17						8	
21 5048	0ns / 160 v			76		30						10	
22 5049	120 v / 45 S			60		14						4	
23 5050	120 v / 60 S			88		12						6	
24 5051	120 v / 70 S			70		19						10	
25 5052	120 v / 80 S			64		16						6	

Folldal Verk A/S

Repparfjord

Område: **7**

Volum kolbe 250 ml

Fr. nr.	koordinat	Inv.	For tynn	p.p.m Cu	% Cu	p.p.m Ti	% Ti	p.p.m Pb	% Pb	p.p.m Zn	% Zn	p.p.m Co	% Co
26	4850	120 Ø-255	2.5g.	20		519						136	
27	4851	120 Ø-405		24		58						18	
28	4852	120 Ø-455		8		402						89	
29	4853	120 Ø-555		230		457						55	
30	4855	120 Ø-605		129		493						69	
31	4856	120 Ø-655		188		38						28	
32	4857	120 Ø-705		196		31						24	
33	4858	120 Ø-755		146		28						22	
34	4859	120 Ø-905		28		300						70	
35	4860	120 Ø-1105		170		48						33	
36	4861	120 Ø-1405		243		33						32	
37	4862	120 Ø-1455		202		30						26	
38	4863	120 Ø-2005		216		36						28	
39	4864	120 Ø-2105		120		30						23	
40	4865	120 Ø-2155		204		36						28	
41	4866	120 Ø-2205		103		46						40	
42	4868	120 Ø-2405		189		24						21	
46	4770	20 V - 120 h		6		378						78	
47	4772	20 V - 130 h		8		462						88	
49	4955	0.5 - 530 V		67		37						21	
				20		536						139	

Repparfjord

F

2.5g - 250 ml

[illegible]

Folldal Verk A/S

Repparfjord

Volum kolbe 250ml

Område: F

Pr. nr.	Koordinat	Innv.	For- tynn.	p.p.m Cu	% Cu	p.p.m Ni	% Ni	p.p.m Pb	% Pb	p.p.m Zn	% Zn	p.p.m Co	% Co
51	4803	1080V/85N		69		797						142	
52	4804	1080V/90N		20		768						129	
53	4805	1080V/95N		11		996						166	
54	4806	1080V/100N		13		588						90	
55	4807	1330V/15S		17		561						92	
56	4808	1330V/20S		25		611						99	
57	4809	1330V/55S		30		688						149	
58	4810	1330V/105S		23		670						129	
59	4811	1330V/130S		36		586						112	
60	4812	1330V/135S		203		686						152	
61	4813	1330V/140S		26		630						126	
62	4814	1330V/145S		66		750						163	
63	4815	1330V/155S		19		628						136	
64	4816	1330V/160S		15		680						146	
65	4817	1330V/170S		53		682						149	
66	4818	1330V/110S		24		500						121	
67	4819	1330V/15N		9		602						123	
68	4820	1330V/30N		99		13						10	
69	4821	1330V/35N		75		8						7	
70	4822	1330V/40N		36		15						10	
71	4823	1330V/45N		58		15						6	
72	4824	1330V/50N		63		16						8	
73	4825	900V/130S		9		641						136	
74	4826	1330V/60N		66		32						19	
75	4827	1330V/65N		34		15						10	

1 4,20
6 1,50
8 1,39

600ppm
750 u V V
695 u V

4839 - 5.8

4836 - 5.6

Handwritten vertical notes on the right margin, including a series of horizontal lines and some illegible characters.



Folldal Verk A/S

Repparfjord

Volum kalle 250 ml

Område: F.

Pr. nr.	Koordinat	Innv.	For- tynn.	p.p.m Cu	ppm Cu	p.p.m Ni	p.p.m Ni	p.p.m Pb	% Pb	p.p.m Zn	% Zn	p.p.m Co	% Co
26	4778	1080V/0NS	2.5g		8		588						135
27	4779	1080V/15S			6		412						107
28	4780	1080V/20S			6		530						132
29	4781	1080V/25S			30		560						140
					-								
31	4783	1080V/35S			8		420						111
32	4784	1080V/40S			64		360						105
33	4785	1080V/45S			5		350						96
34	4786	1080V/50S			5		342						95
35	4787	1080V/55S			7		380						98
36	4788	1080V/100S			14		18						4
37	4789	1080V/125S			8		650						146
38	4790	1080V/15N			12		796						154
39	4791	1080V/10S			7		940						162
40	4792	1080V/15N			219		850						156
41	4793	1080V/20N			54		766						143
42	4794	1080V/35N			126		480						120
43	4795	1080V/40N			16		508						123
44	4796	1080V/45N			8		526						123
45	4797	1080V/55N			74		709						130
46	4798	1080V/60N			6		520						100
47	4799	1080V/65N			9		660						144
48	4800	1080V/70N			14		590						130
49	4801	1080V/75N			44		790						174
50	4802	1080V/80N			6		720						156

Folldal Verk A/S

Repparfjord

Område: F

Pr. nr.	Koordinat	Innv.	For- tynn.	p.p.m Cu	% Cu	p.p.m Ni	% Ni	p.p.m Pb	% Pb	p.p.m Zn	% Zn	p.p.m Co	% Co
25	4752	1080V/ 30S		18			93					20	
26	4752	20V/ 30N		30		700						109	
27	4751	20V/ 25N		38		600						110	
28	4750	20V/ 20N		100		58						15	
29	4749	20V/ 15N		13		479						109	
30	4753	20V/ 35N		109		57						19	
31	4754	20V/ 40N		119		59						17	
32	4755	20V/ 45N		84		82						32	
33	4756	20V/ 50N		29		22						5	
34	4757	20V/ 55N		24		30						11	
35	4762	20V/ 80N		24		210						50	
36	4761	20V/ 75N		20		230						139	
37	4760	20V/ 70N		14		600						160	
38	4759	20V/ 65N		5		620						141	
39	4758	20V/ 60N		8		570						130	
40	4763	20V/ 85N		6		560						151	
41	4764	20V/ 90N		8		630						140	
42	4765	20V/ 95N		6		570						126	
43	4766	20V/ 100N		8		510						126	
44	4767	20V/ 105N		5		480						108	
45	4772	20V/ 130N		26		560						136	
	477												
46	4770	20V/ 120N		4		487						126	
47	4769	20V/ 115N		9		366						72	
48	4768	20V/ 110N		14		357						70	

Folldal Verk A/S

Repparfjord

Område: F.

Pr. nr.	Koordinat	Innv.	For- tynn.	p.p.m Cu	% Cu	p.p.m Ni	% Ni	p.p.m Pb	% Pb	p.p.m Zn	% Zn	p.p.m Co	% Co
1	4724	20V/ 130S	1g	100ml	44		28	2				6	
2	4725	20V/ 135S			34		29					6	
3	4726	20V/ 140S			23		23					7	
4	4727	20V/ 145S			22		14					4	
5	4728	20V/ 150S			32		29					8	
6	4729	20V/ 195S			34		27					6	
7	4730	20V/ 200S			33		25					5	
8	4731	20V/ 205S			39		19					9	
9	4732	20V/ 210S			26		11					8	
10	4733	20V/ 215S			38		16					7	
11	4734	20V/ 220S			33		16					12	
12	4735	20V/ 225S			9		16					14	
13	4736	20V/ 230S			12		18					15	
14	4737	20V/ 235S			32		21					10	
15	4738	20V/ 240S			34		17					7	
16	4743	20V/ 265S			13		14					7	
17	4				23							4	
18	4741	20V/ 255S			23		10					6	
19	4740	20V/ 250S			133		18					10	
20	4739	20V/ 245S			97		13					7	
21	4744	20V/ 270S			42		14					7	
22	4745	20V/ 275S			38		22					10	
23	4746	20V/ 280S			56		28					17	
24	4747	20V/ 5N			133		70					21	
25	4748	20V/ 10N			18		580					109	

Folldal Verk A/S

Repparfjord

Volium koller

Område:

7

Pr. nr.	Koordinat	Innv.	For- tynn.	als Cu	ppm Cu	als Ni	ppm Ni	p.p.m Pb	% Pb	p.p.m Zn	% Zn	als Co	ppm Co
26	4596	1400 V	2.5g		90		574						109
27	4700	20V/05			134		50						18
28	4701	20V/55			85		40						18
29	4702	20V/105			134		50						18
30	4703	20V/155			94		63						28
31	4704	20V/205			16		524						107
32	4705	20V/255			30		600						120
33	4706	20V/305			8		419						88
34	4707	20V/355			44		720						160
35	4708	20V/405			16		478						103
36	4709	20V/455			23		536						115
37	4710	20V/555			42		406						94
38	4711	20V/605			106		550						110
39	4712	20V/655			34		153						28
40	4713	20V/755			20		22						7
41	4714	20V/805			116		70						41
42	4715	20V/855			277		33						22
43	4716	20V/905			106		29						14
44	4717	20V/955			10		18						10
45	4718	20V/1005			10		14						3
46	4719	20V/1055			37		26						12
47	4720	20V/1105			45		26						9
48	4721	20V/1155			30		26						10
49	4722	20V/1205			29		20						11
50	4723	20V/1255			32		20						10

Folldal Verk A/S

Repparfjord

Område: F.

Vol. kolbe 250ml

Pr. nr.	Koordinat	Innv.	For- tynn.	p.p.m. Cu	p.p.m. Cu	p.p.m. Ni	% Ni	p.p.m. Pb	% Pb	p.p.m. Zn	% Zn	p.p.m. Co	p.p.m. Co
25. 4596	ONS/58	2.5g			198	33							30
16. 4597	ONS/108				13	680							155
17. 4598	ONS/158				19	670							124
18. 4599	ONS/308				22	600							140
19. 4600	ONS/358				18	344							85
20. 4601	ONS/658				105	68							30
11. 4602	ONS/708				11	461							129
12. 4603	ONS/858				17	710							150
13. 4604	ONS/908				20	190							72
14. 4605	ONS/958				11	700							156
15. 4606	ONS/1008				13	635							150
6. 4607	ONS/1058				23	753							155
7. 4608	ONS/1108				15	723							165
8. 4609	ONS/4258				14	720							17
9. 4610	ONS/4308				96	50							12
10. 4611	ONS/4358				12	17							10
1. 4612	ONS/4408				20	30							17
2. 4613	ONS/4458				16	42							25
3. 4614	ONS/4508				16	25							12
4. 4615	ONS/4558				13	7							8
5. 4616	ONS/4608				11	5							5

	C ₁	C ₂	N ₁
21	0,20	1,14	0,26
22	0,33	2,10	0,39
23	0,45	1,06	0,48
24	0,25	1,90	0,21

Repparfjord

2,5 g ~ 250 ml

Område:

f

[illegible]

Folldal Verk A/S

Repparfjord

2,5g - 250 ml

Område: F

Pr. nr.	Repparfjord	Innv.	For- tykt	p.p.m. Cu	% Cu	p.p.m. Fe	% Fe	p.p.m. Pb	% Pb	p.p.m. Zn	% Zn	p.p.m. Co	% Co
4546	ons / 995			8		356						76	
4547	ons / 1000			34		800						128	
4548	ons / 1005			7		440						72	
4549	ons / 1010			27		748						112	
4550	ons / 1015			8		428						78	
4551	ons / 1025			18		696						128	
4552	ons / 1030			8		570						110	
4553	ons / 1035			28		585						126	
4554	ons / 1040			8		463						102	
4555	ons / 1045			8		496						100	
4556	ons / 1050			7		430						103	
4557	ons / 1055			6		615						124	
4558	ons / 1060			8		525						116	
4559	ons / 1065			10		430						86	
4560	ons / 1070			7		482						90	
4561	ons / 1075			5		547						104	
4562	ons / 1080			16		540						122	
4563	ons / 1085			7		500						88	
4564	ons / 1090			9		612						116	
4565	ons / 1095			6		720						120	
4566	ons / 1100			7		610						112	
4567	ons / 1103			8		362						70	
4568	ons / 1110			6		315						66	
4569	ons / 1115			14		600						126	
4570	ons / 1120			14		530						112	

Follidal Verk 4/S

Repparfjord

Områder:

F

2.5g-250ml

Pr. nr.	koordinat	Innv.	For- tykt	p.p.m Cu	% Cu	p.p.m Zn	% Zn	p.p.m Pb	% Pb	p.p.m Zn	% Zn	p.p.m Co	% Co
4522	900 V / 1155			124		946						276	
4523	900 V / 6205			18		446						113	
4524	900 V / 1255			15		484						126	
4526	900 V / 1605			6		408						85	
4527	900 V / 1655			7		754						133	
4528	900 V / 1705			9		475						112	
4529	900 V / 1245			12		680						136	
4530	900 V / 2505			18		506						100	
4531	900 V / 2555			12		641						125	
4532	900 V / 2605			74		580						118	
4534	900 V / 2755			13		644						136	
4534	0 ns / 925V			17		535						122	
4535	0 ns / 930 V			6		360						80	
4536	0 ns / 935 V			8		520						115	
4537	0 ns / 940 V			12		686						148	
4538	0 ns / 945 V			16		376						84	
4539	0 ns / 950V			31		208						56	
4540	0 ns / 955V			32		062						13	
4541	0 ns / 960V			22		512						7	
4542	0 ns / 970V			30		245						66	
4543	0 ns / 975V			16		432						94	
4544	0 ns / 985V			16		580						104	
4545	0 ns / 990V			11		620						116	

Folldal Verk A/S

Repparfjord

Vol. kolbe 250ml

Område: F

Pr. nr.	Koordinat	Innv.	For- tynn.	p.p.m Ab. Cu	ppm. Cu	p.p.m avg. Ni	ppm. Ni	p.p.m Pb.	% Pb	p.p.m Zn	% Zn	p.p.m avg. Co	ppm. Co
25. 4097	900V / 135N	0.59		0,17	85	0,03	15					0,02	10
26. 4098	900V / 140N			0,16	80	—	—					0,02	10
27. 4098	900V / 145N			0,14	70	0,10	50					0,04	20
28. 4500	900V / 5 S			0,03	15	1,82	910					0,29	145
29. 4501	900V / 10 S			0,04	20	1,40	700					0,26	130
30. 4502	900V / 15 S			0,03	15	1,06	530					0,18	90
31. 4503	900V / 20 S			0,04	20	1,06	530					0,22	110
32. 4504	900V / 25 S			0,13	65	1,32	660					0,30	150
33. 4505	900V / 30 S			0,04	20	1,17	585					0,27	135
34. 4506	900V / 35 S			0,05	25	0,96	480					0,22	110
35. 4507	900V / 40 S			0,06	30	0,34	170					0,06	30
36. 4508	900V / 45 S			0,03	15	1,30	650					0,24	120
37. 4509	900V / 50 S			0,03	15	1,42	710					0,26	130
38. 4510	900V / 55 S			0,07	35	1,00	500					0,18	90
39. 4511	900V / 60 S			0,15	75	0,98	490					0,17	85
40. 4512	900V / 65 S			0,04	20	1,05	525					0,19	95
41. 4513	900V / 70 S			0,10	50	0,95	475					0,20	100
42. 4514	900V / 75 S			0,06	30	1,26	630					0,29	145
43. 4515	900V / 80 S			0,04	20	0,85	425					0,18	90
44. 4516	900V / 85 S			0,02	10	1,00	500					0,24	120
45. 4517	900V / 90 S			0,03	15	1,19	595					0,28	140
46. 4518	900V / 95 S			0,04	20	1,15	575					0,27	135
47. 4519	900V / 100 S			0,05	25	1,15	575					0,26	130
48. 4520	900V / 105 S			0,10	50	0,76	380					0,17	85
49. 4521	900V / 110 S			0,03	15	0,83	415					0,22	110

Folldal Verk A/S

Repparfjord

Område: F.

Vol. Koll. 250ml

Pr. nr.	Koordinat	Innv.	For- tynn.	p.p.m Cu	% Cu	p.p.m Ni	% Ni	p.p.m Pb	% Pb	p.p.m Zn	% Zn	p.p.m Co	% Co
1. 4072	700V/210S	0.5g		0.03	15	1.49	745					0.28	140
2. 4073	700V/265S			0.04	20	0.02	10					0.01	5
3. 4074	700V/270S			0.06	30	0.91	455					0.24	120
												0.26	130
4. 4076	700V/280S			0.05	25	0.84	670					0.26	130
5. 4077	700V/285S			0.04	20	0.64	320					0.12	60
6. 4078	700V/290S			0.03	15	0.52	260					0.14	70
7. 4079	700V/300S			0.13	65	1.20	600					0.29	145
8. 4080	700V/305S			0.05	25	0.06	30					0.02	10
9. 4081	900V/0N			0.03	15	1.42	710					0.25	125
10. 4082	900V/5N			0.04	20	1.50	750					0.26	130
11. 4083	900V/10N			0.12	60	1.47	735					0.26	130
12. 4084	900V/18N			0.38	190	1.60	800					0.26	130
13. 4085	900V/20N			0.06	30	1.22	610					0.24	120
14. 4086	900V/25N			0.05	25	0.73	365					0.11	55
15. 4087	900V/30N			0.04	20	0.86	430					0.12	60
16. 4088	900V/35N			0.03	15	1.28	640					0.11	55
17. 4089	900V/40N			0.14	70	0.13	65					0.02	10
18. 4090	900V/100N			0.03	15	0.02	10					0.02	10
19. 4091	900V/105N			0.30	150	0.03	15					—	—
20. 4092	900V/110N			0.21	105	0.01	5					—	—
21. 4093	900V/115N			0.23	115	0.08	40					0.02	10
22. 4094	900V/120N			0.13	65	0.16	80					0.03	15
23. 4095	900V/125N			0.20	100	0.13	65					0.06	30
24. 4096	900V/130N			0.35	175	0.10	50					0.02	10

Folldal Verk A/S

Repparfjord

Vol. kalke 250ml

Område: F. 10.10.78

Pr. nr.	koordinat	Tidv.	For- tynn.	abs. p.p.m. Cu	ppm. Cu	abs. p.p.m. Ni	ppm. Ni	abs. p.p.m. Pb	ppm. Pb	p.p.m. Zn	g Zn	abs. p.p.m. Co	ppm. Co
26	4051	700V/70N	0.5g	0,19	95	0,02	10					0,02	10
27	4052	700V/75N		0,15	75	0,05	25					0,03	15
28	4053	700V/80N		0,17	85	0,08	40					0,04	20
29	4054	700V/85N		0,07	35	0,01	5					0,02	10
30	4055	700V/90N		0,15	75	0,04	20					0,01	5
31	4055	700V/95N		0,10	50	0,06	30					0,04	20
32	4056	700V/40S		0,09	45	1,05	525					0,16	90
33	4057	700V/45S		0,09	45	0,69	345					0,11	55
34	4058	700V/50S		0,07	35	1,06	530					0,14	70
35	4059	700V/55S		0,03	15	1,50	750					0,20	100
36	4060	700V/60S		0,06	30	1,48	740					0,22	110
37	4061	700V/65N		0,10	50	0,95	475					0,13	65
38	4062	700V/70S		0,09	45	1,27	635					0,17	85
39	4063	700V/75S		0,06	30	1,82	910					0,24	120
40	4064	700V/80S		0,09	45	1,76	880					0,23	115
41	4065	700V/85S		0,16	80	1,59	795					0,20	100
42	4066	700V/90S		0,12	60	1,42	710					0,21	105
43	4067	700V/100S		0,09	45	1,43	715					0,20	100
44	4069	700V/190S		0,14	70	1,30	650					0,18	90
45	4070	700V/200S		0,11	55	1,22	610					0,19	95
46	4070	700V/205S		0,06	30	0,66	330					0,13	65
47	4070	700V/275S		0,14	70	1,03	515					0,20	100

Folldal Verk A/S

Repparfjord

Vol. 100 lbc 250

Område: F.

10.10.78

Pr. nr.	koordinat	Innv.	For- tynn.	abs. Cu	ppm Cu	abs. Ni	ppm Ni	p.p.m Pb	% Pb	p.p.m Zn	% Zn	abs. Co	ppm Co
1	4025	340V 270S	0.5g	0.21	105	0.06	30					0.04	20
2	4027	340V 280S		0.09	45	0.07	35					0.05	25
3	4028	340V 285S		0.11	55	0.03	15					0.05	25
4	4029	340V 290S		0.10	50	0.06	30					0.02	10
5	4030	340V 295S		0.10	50	0.06	30					0.05	25
6	4031	340V 300S		0.13	65	0.06	30					0.04	20
7	4032	340V 305S		0.11	55	0.05	25					0.05	25
8	4033	340V 310S		0.08	40	0.08	40					0.04	20
9	4034	340V 315S		0.07	35	0.04	20					0.03	15
10	4035	340V 320S		0.10	50	0.11	55					0.06	30
11	4036	340V 325S		0.13	65	0.12	60					0.05	25
12	4037	340V 330S		0.18	90	0.08	40					0.06	30
13	4038	340V 335S		0.07	35	0.04	20					0.04	20
14	4039	340V 340S		0.07	35	0.03	15					0.04	20
15	4040	340V 345S		0.11	55	0.03	15					0.03	15
16	4041	340V 350S		0.14	70	0.04	20					0.03	15
17	4042	340V 355S		0.07	35	0.05	25					0.03	15
18	4043	340V 360S		0.06	30	0.03	15					0.04	20
19	4044	580V 0S		0.32	160	0.06	30					0.07	35
20	4045	580V 5S		0.19	95	0.03	15					0.03	15
21	4046	580V 10S		0.09	45	0.02	10					0.01	5
22	4047	700V 50N		0.23	115	0.06	30					0.03	15
23	4048	700V 55N		0.32	160	0.03	15					0.03	15
24	4049	700V 60N		0.29	145	0.01	5					0.04	20
25	4050	700V 65N		0.24	120	0.01	5					0.02	10

Område: $\bar{F}$, 2.10.78

Pr. nr.	Koordinat	Innv.	For- tynn.	p.p.m Cu	p.p.m Cu	p.p.m Ni	% Ni	p.p.m Pb	% Pb	p.p.m Zn	% Zn	p.p.m Co
4007	340V/ 60S	2.5g			24	29						4
4008	340V/ 65S				29	26						5
4009	340V/ 70S				14	10						—
4011	340V/ 80S				22	9						—
4012	340V/ 85S				31	18						3
4013	340V/ 90S				17	14						—
4014	340V/ 95S				20	30						4
4015	340V/ 100S				16	15						1
4016	340V/ 195S				23	33						4
4017	340V/ 200S				20	69						20
4018	340V/ 215S				29	43						10
4019	340V/ 220S				19	36						7
4020	340V/ 225S				23	38						6
4021	340V/ 250S				27	30						6
4022	340V/ 255S				24	26						4
4023	340V/ 260S				23	34						6
4024	340V/ 265S				12	35						7

Folldal Verk A/S

Repparfjord

Vol kalbe 250ml

Område: F 2.10.78

Pr. nr.	Koordinat	Innv.	For- tynn.	p.p.m Cu	ppm Cu	p.p.m Ni	% Ni	p.p.m Pb	% Pb	p.p.m Zn	% Zn	p.p.m Co	% Co
3983	0NS/ 910V	2.5g			20	640						112	
3984	0NS/ 915V				20	589						111	
3985	0NS/ 920V				29	700						146	
3986	155V/ 0S				25	540						121	
3987	155V/ 10S				106	620						135	
3988	155V/ 15S				15	497						109	
3989	155V/ 20S				266	720						152	
3990	155V/ 25S				24	638						138	
3991	155V/ 30S				19	495						110	
3992	155V/ 35S				12	570						121	
3993	155V/ 40S				110	726						158	
3994	155V/ 45S				10	667						143	
3995	155V/ 50S				36	515						105	
3996	155V/ 80S				45	39						16	
3997	155V/ 200S				42	104						24	
3998	155V/ 210S				36	28						7	
3999	155V/ 215S				34	26						5	
4000	155V/ 220S				36	20						3	
4001	155V/ 225S				29	21						8	
4002	155V/ 230S				40	64						23	
4003	155V/ 235S				29	14						4	
4004	155V/ 240S				41	20						5	
4005	340V/ 50S				16	19						1	
4005	340V/ 45S				17	23						2	
4006	340V/ 55S				31	17						1	

Folldal Verk A/S

Repparfjord

Vol kolle 250ml

Område: F

Pr. nr.	Koordinat		Innv.	For- tynn.	p.p.m Cu	% Cu	p.p.m Ni	% Ni	p.p.m Pb	% Pb	p.p.m Zn	% Zn	p.p.m Co	% Co
28	3953	0431	575V	25g.	19		23						10	
29	3954	0431	520V		49		39						15	
30	3956	0431	580V		54		43						20	
31	3957	0431	575V		40		14						7	
32	3958	0431	530V		174		70						31	
33	3959	0431	515V		74		26						17	
34	3960	0431	560V		152		25						13	
35	3961	0431	565V		186		43						32	
36	3962	0431	570V		50		48						18	
37	3963	0431	575V		110		45						18	
38	3964	0431	580V		58		49						17	
39	3965	0431	585V		144		54						27	
40	3966	0431	590V		77		42						14	
41	3967	0431	595V		134		44						12	
42	3968	0431	600V		248		39						21	
43	3969	0431	610V		40		16						7	
44	3970	0431	800V		118		3						7	
45	3971	0431	805V		49		4						6	
46	3972	0431	815V		89		10						16	
47	3973	0431	825V		238		8						15	
48	3974	0431	870V		57		613						140	
49	3974	0431	885V		10		646						143	
50	3975	0431	450V		27		565						127	

Folldal Verk A/S

Repparfjord

Volum kolle 250ml

Område: F. 3.10.78

Pr. nr.	Koordinat	Innv.	For- tynn.	p.p.m Cu	% Cu	p.p.m Ni	% Ni	p.p.m Pb	% Pb	p.p.m Zn	% Zn	p.p.m Co	% Co
1	3697	00V/ 0NS	2.5g	43		494						122	
2	3929	00V/ 5NS		20		634						140	
3	3929	04V/ 10NS		36		74						10	
4	3930	00V/ 15NS		96		79						21	
5	3931	0NS/ 25V		130		66						18	
6	3932	0NS/ 30V		39		337						80	
7	3933	0NS/ 35V		16		132						22	
8	3934	0NS/ 40V		10		431						100	
10	3936	0NS/ 500V		9		545						104	
11	3937	0NS/ 550V		113		678						140	
12	3938	00V/ 60V		37		609						140	
13	3938	0NS/ 100V		14		548						129	
14	3939	00V/ 65V		16		526						118	
15	3940	0NS/ 150V		10		480						109	
16	3941	0NS/ 155V		135		510						126	
18	3943	0NS/ 165V		10		569						113	
19	3944	0NS/ 170V		13		697						129	
20	3945	0NS/ 175V		13		525						117	
21	3946	0NS/ 190V		32		558						124	
22	3947	0NS/ 195V		32		452						100	
23	3948	0NS/ 490V		59		22						11	
24	3949	0NS/ 495V		127		22						23	
25	3950	0NS/ 500V		14		15						8	
26	3951	0NS/ 505V		34		80						20	
27	3952	0NS/ 510V		86		39							

Folldal Verk A/S

Repparfjord

Vol. kaller 250 ml

Område: F.

29.8.78

Pr. nr.	Koordinat	Env.	For- tynn.	p.p.m Cu	% Cu	p.p.m Ni	% Ni	p.p.m Pb	% Pb	p.p.m Zn	% Zn	p.p.m Co	% Co
3789	400φ / 75S	500mg		0.07	35	2.78	1390						
3790	400φ / 80S			0.05	25	3.92	1960						
91	400φ / 85S			0.04	20	3.46	1730						
92	400φ / 90S			0.05	25	3.91	1955						
93	400φ / 95S			0.04	20	3.43	1715						
94	400φ / 100S			0.04	20	3.38	1690						
95	400φ / 105S			0.03	15	3.21	1605						
96	400φ / 130S			0.04	20	2.62	1310						
97	400φ / 140S			0.05	25	3.94	1970						
98	120V / 100N			0.10	50	0.20	100						
99	120V / 115N			0.36	180	0.26	130						
5003	6 / 920			0.05	25	0.18	90						
5015	560φ / 70S			0.04	20	0.12	60						
16	360φ / 80S			0.26	130	0.18	90						
17	360φ / 85S			0.06	30	0.14	70						
18	160φ / 10S			0.05	25	2.90	1450						
19	160φ / 15S			0.05	25	3.00	1500						
20	160φ / 20S			0.04	20	2.64	1320						
21	160φ / 25S			0.06	30	3.29	1645						
22	160φ / 30S			0.06	30	2.64	1320						
23	160φ / 35S			0.05	25	2.90	1450						
24	160φ / 40S			0.05	25	3.17	1585						
25	160φ / 45S			0.06	30	2.80	1400						
26	160φ / 50S			0.05	25	1.96	845						
27	160φ / 85S			0.15	750	0.21	105						

Foildal Verk A/S

Repparfjord

Vol. kolbe 250ml.

Område: F 29-8-78

Pr. nr.	Koordinat	Løst.	For- tynn.	abs. Cu	ppm Cu	abs. Ni	ppm Ni	p.p.m Pb	% Pb	p.p.m Zn	% Zn	p.p.m Co	% Co
3764	ONS/100 Ø	500mg		0,27	135	2,74	1370						
3765	ONS/105 Ø	500mg		0,16	180	2,79	1395						
3766	ONS/145 Ø	500mg		0,09	80	2,80	1400						
3767	ONS/150 Ø	500mg		0,09	80	2,70	1350						
3768	2600/45 S	500mg		0,11	55	1,82	910						
3769	2600/50 S	500mg		0,35	175	0,16	80						
3770	2600/55 S	500mg		0,10	50	0,16	80						
3771	2600/60 S	500mg		0,09	45	0,09	45						
3772	2600/65 S	500mg		0,35	175	0,07	35						
3773	2600/90 S	500mg		0,04	20	0,10	50						
3774	1400/20 N	500mg		0,06	30	3,58	1790						
3775	1400/25 N	500mg		0,06	30	3,23	1615						
3776	1400/30 N	500mg		0,06	30	3,32	1660						
3776	1400/35 N	500mg		0,06	30	3,04	1520						
3778	1400/40 N	500mg		0,08	40	0,24	120						
3779	1400/45 N	500mg		0,14	70	0,09	45						
3780	1400/50 N	500mg		0,20	100	0,09	45						
3781	1400/55 N	500mg		0,22	110	0,03	15						
3782	1400/60 N	500mg		0,14	70	0,04	20						
3783	1400/65 N	500mg		0,24	120	0,04	20						
3784	1400/70 N	500mg		0,23	115	0,06	30						
3785	1400/75 N	500mg		0,14	70	0,02	60						
3786	400/50 S	500mg		0,04	20	1,46	730						
3787	400/60 S	500mg		0,04	20	2,86	1430						
3788	400/70 S	500mg		0,05	25	3,14	1570						

REPORT 7-5891

Amber 7

Line	Location	Dist.	Time	Alt.	Temp.	Wind	Clouds	Remarks
1	5028	1600 / 1100 S	219	42				20
2	5029	1600 / 1100 S	309	30				29
3	5030	1600 / 1150 S	258	25				26
4	5031	400 / 55 n	14	1032				79
5	5032	400 / 65 n	94	709				56
6	5033	400 / 70 n	157	40				11
7	5034	400 / 75 n	121	20				10
8	5035	400 / 80 n	123	21				13
9	5036	400 / 85 n	57	16				10
10	5037	400 / 90 n	50	14				10
11	5038	400 / 95 n	125	29				17
12	5039	400 / 100 n	62	28				15
13	5040	400 / 130 n	78	18				7
14	5041	0ns / 25° v	10	1035				74
15	5042	0ns / 30° v	34	21				4
16	5043	0ns / 35° v	84	10				4
17	5044	0ns / 40° v	50	19				8
18	5045	0ns / 45° v	13	32				11
19	5046	0ns / 110° v	24	32				9
20	5047	0ns / 115° v	40	17				8
21	5048	0ns / 160° v	76	30				10
22	5049	120° / 45 S	60	14				4
23	5050	120° / 60 S	88	12				6
24	5051	120° / 70 S	70	19				10
25	5052	120° / 80 S	64	16				6

Report of

Quintus F

[illegible]

Reprinted from:

2.5g - 250 ml

Om. d. 2. F

[illegible]

Folldal Verk A/S

Repparfjord

Volumn kalle 250 ml

Område: F

Pr. nr.	Koordinat	Innv.	For- tynn.	p.p.m Cu	% Cu	p.p.m Ni	% Ni	p.p.m Pb	% Pb	p.p.m Zn	% Zn	p.p.m Co	% Co
51	4803	1080V/85N		67		797						142	
52	4804	1080V/90N		20		768						129	
53	4805	1080V/95N		11		996						166	
54	4806	1080V/100N		13		588						90	
55	4807	1330V/15S		17		561						92	
56	4808	1330V/20S		25		611						99	
57	4809	1330V/55S		30		688						149	
58	4810	1330V/105S		23		670						129	
59	4811	1330V/130S		36		586						112	
60	4812	1330V/135S		203		686						152	
61	4813	1330V/140S		26		630						126	
62	4814	1330V/145S		66		750						163	
63	4815	1330V/155S		19		628						136	
64	4816	1330V/160S		15		680						146	
65	4817	1330V/170S		53		682						149	
66	4818	1330V/110S		24		500						121	
67	4819	1330V/15N		9		602						123	
68	4820	1330V/30N		99		13						10	
69	4821	1330V/35N		75		8						7	
70	4822	1330V/40N		36		15						10	
71	4823	1330V/45N		58		15						6	
72	4824	1330V/50N		63		16						8	
73	4825	900V/130S		9		641						136	
74	4826	1330V/60N		66		32						19	
75	4827	1330V/65N		34		15						10	

Folldal Verk A/S

Repparfjord

Volum kolle 250 ml

Område: F.

Pr. nr.	Koordinat	Innv.	For- tynn.	p.p.m Cu	p.p.m Cu	p.p.m Ni	p.p.m Ni	p.p.m Pb.	% Pb	p.p.m Zn	% Zn	p.p.m Co	% Co
26	4778	1080V/0NS	2.5g		8		588						135
27	4779	1080V/15S			6		412						107
28	4780	1080V/20S			6		530						132
29	4781	1080V/25S			30		560						140
31	4783	1080V/35S			8		420						111
32	4784	1080V/40S			64		360						105
33	4785	1080V/45S			5		350						96
34	4786	1080V/50S			5		342						95
35	4787	1080V/55S			7		380						98
36	4788	1080V/100S			14		18						4
37	4789	1080V/125S			8		650						146
38	4790	1080V/15N			12		796						154
39	4791	1080V/10S			7		940						162
40	4792	1080V/15N			219		850						156
41	4793	1080V/20N			54		766						143
42	4794	1080V/35N			126		480						120
43	4795	1080V/40N			16		508						123
44	4796	1080V/45N			8		526						123
45	4797	1080V/55N			74		709						130
46	4798	1080V/60N			6		520						100
47	4799	1080V/65N			9		660						144
48	4800	1080V/70N			14		590						130
49	4801	1080V/75N			44		790						174
50	4802	1080V/80N			6		720						150

Folldal Verk A/S

Repper'sjord

F

25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45

46
47
48

Follidal Verk A/S
Repparfjord

Området: F.

Pr. nr.	Koordinat	Innv.	For- tynn.	p.p.m Cu	% Cu	p.p.m Ni	% Ni	p.p.m Pb	% Pb	p.p.m Zn	% Zn	p.p.m Co	% Co
1	4724	20V/ 130S	1g	100ml	44	28	2						
2	4725	20V/ 135S			34	29						6	
3	4726	20V/ 140S			23	23						7	
4	4727	20V/ 145S			22	14						4	
5	4728	20V/ 150S			32	29						8	
6	4729	20V/ 195S			34	27						6	
7	4730	20V/ 200S			33	25						5	
8	4731	20V/ 205S			39	19						9	
9	4732	20V/ 210S			26	11						8	
10	4733	20V/ 215S			38	16						7	
11	4734	20V/ 220S			33	16						12	
12	4735	20V/ 225S			9	16						14	
13	4736	20V/ 230S			12	18						15	
14	4737	20V/ 235S			32	21						10	
15	4738	20V/ 240S			34	17						7	
16	4743	20V/ 265S			13	14						7	
17	4				23							7	
18	4741	20V/ 255S			23	10						6	
19	4740	20V/ 250S			133	18						10	
20	4739	20V/ 245S			97	13						7	
21	4744	20V/ 270S			42	14						7	
22	4745	20V/ 275S			38	22						10	
23	4746	20V/ 280S			56	28						17	
24	4747	20V/ 5N			133	70						21	
25	4748	20V/ 10N			18	580						109	

Folldal Verk A/S

Repparfjord

Volcan katter

Område:

F

Pr. nr.	koordinat	Innv.	For- tynn.	akt Cu	ppm Cu	akt p.p.m Ni	ppm Ni	p.p.m Pb	% Pb	p.p.m Zn	% Zn	akt Co	ppm Co
26	4516 1405 V	2.5g			90		574						109
27	4700 20 V/05				134		50						18
28	4701 20 V/55				85		40						18
29	4702 20 V/105				134		50						18
30	4703 20 V/155				94		63						28
31	4704 20 V/205				16		524						107
32	4705 20 V/255				30		600						120
33	4706 20 V/305				8		419						88
34	4707 20 V/355				44		720						160
35	4708 20 V/405				16		478						103
36	4709 20 V/455				23		536						115
37	4710 20 V/555				42		406						94
38	4711 20 V/605				106		550						110
39	4712 20 V/655				34		153						28
40	4713 20 V/755				20		22						7
41	4714 20 V/805				116		70						41
42	4715 20 V/855				277		33						22
43	4716 20 V/905				106		29						14
44	4717 20 V/955				10		18						10
45	4718 20 V/1005				10		14						3
46	4719 20 V/1055				37		26						12
47	4720 20 V/1105				45		26						9
48	4721 20 V/1155				30		26						10
49	4722 20 V/1205				29		20						11
50	4723 20 V/1255				32		20						10

Folldal Verk A/S

Repparfjord

Vol. kolbe 250ml

Område: F.

Pr. nr.	Koordinat	Innv.	For- tynn.	p.p.m Cu	p.p.m Cu	p.p.m Ni	% Ni	p.p.m Pb	% Pb	p.p.m Zn	% Zn	p.p.m Co	p.p.m Co
25. 4596	CNS/50	2.5g			198	33							30
16. 4597	CNS/100				13	680							155
17. 4598	CNS/150				19	670							124
18. 4599	CNS/300				22	600							140
19. 4600	CNS/350				18	344							85
20. 4601	CNS/650				105	68							30
11. 4602	CNS/700				11	461							129
12. 4603	CNS/850				17	710							150
13. 4604	CNS/900				20	190							72
14. 4605	CNS/950				11	700							156
15. 4606	CNS/1000				13	635							150
6. 4607	CNS/1050				23	753							155
7. 4608	CNS/1100				15	723							165
8. 4609	CNS/4250				14	720							17
9. 4610	CNS/4300				96	50							12
10. 4611	CNS/4350				12	17							10
1. 4612	CNS/4400				20	30							17
2. 4613	CNS/4450				16	42							25
3. 4614	CNS/4500				16	25							12
4. 4615	CNS/4550				13	7							8
5. 4616	CNS/4600				11	5							5

2,5 g - 250 ml

Omreide:

[illegible]

Dependence of

Conclusions

F

[illegible]

2.5g-250ml

Unit 123 F

4522	900V / 1155	124	946	276
4523	900V / 6205	18	446	113
4524	900V / 1255	15	484	120
4526	900V / 1605	6	408	85
4527	900V / 1655	7	754	133
4528	900V / 1705	9	475	112
4529	900V / 1245	12	680	136
4530	900V / 2505	18	506	100
4531	900V / 2755	12	641	125
4532	900V / 2605	74	580	118
15340	900V / 2755	13	644	136
1534	0ns / 1925V	17	535	122
1535	0ns / 930V	6	360	80
1536	0ns / 935V	8	520	115
1537	0ns / 440V	12	686	148
4538	0ns / 945V	16	376	84
1539	0ns / 950V	31	208	50
1540	0ns / 955V	32	062	13
1541	0ns / 960V	22	512	7
1542	0ns / 970V	30	245	66
1543	0ns / 975V	16	432	94
1544	0ns / 985V	16	580	104
1545	0ns / 990V	11	620	116

Vol. kolbe 250 ml

Område: A

[illegible]

Vol Roller 250ml

Område: F

[illegible]

Neupert 1984

Our date: F. 10.10.78

Pr.	Temp.	Time	abs.	ppm	abs.	ppm	abs.	ppm	abs.	ppm
26	4051	700V/70N	0.5g	0.19	95	602	10			
27	4052	700V/75N		0.15	75	0.05	25			
28	4053	700V/80N		0.17	85	0.08	40			
29	4054	700V/85N		0.07	35	0.01	5			
30	4055	700V/90N		0.15	75	0.04	20			
31	4055	700V/95N		0.10	50	0.06	30			
32	4056	700V/40S		0.09	45	1.05	525			
33	4057	700V/45S		0.09	45	0.69	345			
34	4058	700V/50S		0.07	35	1.06	530			
35	4059	700V/55S		0.03	15	1.50	750			
36	4060	700V/60S		0.06	30	1.48	740			
37	4061	700V/65N		0.10	50	0.95	475			
38	4062	700V/70S		0.09	45	1.27	635			
39	4063	700V/75S		0.20	30	1.82	910			
40	4064	700V/80S		0.09	45	1.76	880			
41	4065	700V/85S		0.16	80	1.59	795			
42	4066	700V/90S		0.12	60	1.42	710			
43	4067	700V/100S		0.09	45	1.43	715			
44	4069	700V/190S		0.14	70	1.30	650			
45	4070	700V/200S		0.11	55	1.22	610			
46	4070	700V/205S		0.06	30	0.66	330			
47	4070	700V/275S		0.14	70	1.03	515			

Folldal Verk A/S

Repparfjord

Vol. 100 ltr 250

Område: F.

10.10.78

Pr. nr.	Adresse	Indv.	Par. type	abs. g/l	ppm =	abs. g/l	ppm =	p.p.m.	%	p.p.m.	%	abs. g/l	ppm =
1	4025	340V 270S	0.5g	0.21	105	0.06	30					0.04	20
2	4027	340V 280S		0.09	45	0.07	35					0.05	25
3	4028	340V 255S		0.11	55	0.03	15					0.05	25
4	4029	340V 290S		0.10	50	0.06	30					0.02	10
5	4030	340V 295S		0.10	50	0.06	30					0.05	25
6	4031	340V 300S		0.13	65	0.06	30					0.04	20
7	4032	340V 305S		0.11	55	0.05	25					0.05	25
8	4033	340V 310S		0.08	40	0.08	40					0.04	20
9	4034	340V 315S		0.07	35	0.04	20					0.03	15
10	4035	340V 320S		0.10	50	0.11	55					0.06	30
11	4036	340V 325S		0.13	65	0.12	60					0.05	25
12	4037	340V 330S		0.18	90	0.08	40					0.06	30
13	4038	340V 335S		0.07	35	0.04	20					0.04	20
14	4039	340V 340S		0.07	35	0.03	15					0.04	20
15	4040	340V 345S		0.11	55	0.03	15					0.03	15
16	4041	340V 350S		0.14	70	0.04	20					0.03	15
17	4042	340V 355S		0.07	35	0.05	25					0.03	15
18	4043	340V 360S		0.06	30	0.03	15					0.04	20
19	4044	580V 0S		0.32	160	0.06	30					0.07	35
20	4045	580V 5S		0.19	95	0.03	15					0.03	15
21	4046	580V 10S		0.09	45	0.02	10					0.01	5
22	4047	700V 50N		0.23	115	0.06	30					0.03	15
23	4048	700V 55N		0.32	160	0.03	15					0.03	15
24	4049	700V 60N		0.29	145	0.01	5					0.04	20
25	4050	700V 65N		0.24	120	0.01	5					0.02	10

Repparfjord

Område: F. 2.10.78

[illegible]

Folldal Verk A/S

Repparfjord

Vol kolbe 250ml

Område: F 2.10.78

Pr. nr.	Koordinat	Innv.	For- tynn.	p.p.m Cu	ppm Cu	p.p.m Ni	% Ni	p.p.m Pb	% Pb	p.p.m Zn	% Zn	p.p.m Co	% Co
3983	0NS/910V	2.5g			20	640						112	
3984	0NS/915V				20	589						111	
3985	0NS/920V				29	700						146	
3986	155V/ 0S				25	540						121	
3987	155V/ 10S				106	620						135	
3988	155V/ 15S				15	497						109	
3989	155V/ 20S				266	720						152	
3990	155V/ 25S				24	638						138	
3991	155V/ 30S				19	495						110	
3992	155V/ 35S				12	570						121	
3993	155V/ 40S				110	726						158	
3994	155V/ 45S				10	667						143	
3995	155V/ 50S				36	515						105	
3996	155V/ 80S				45	39						16	
3997	155V/ 200S				42	104						24	
3998	155V/ 210S				36	28						7	
3999	155V/ 215S				34	26						5	
4000	155V/ 220S				36	20						3	
4001	155V/ 225S				29	21						8	
4002	155V/ 230S				40	64						23	
4003	155V/ 235S				29	14						4	
4004	155V/ 240S				41	20						5	
4005	340V/ 50S				16	19						1	
4005	340V/ 45S				17	23						2	
4006	340V/ 55S				31	17						1	

Reproduction

On the day

+

[illegible]

Folldal Verk A/S

Repparfjord

Vol kolbe 250ml

Område:

Pr. nr.	Koordinat	Innv.	For- tynn.	p.p.m Cu	% Cu	p.p.m Ni	% Ni	p.p.m Pb	% Pb	p.p.m Zn	% Zn	p.p.m Co	% Co
28	3953	0.45/	575V	2.5g.	19	23						10	
29	3954	0.45/	520V		49	39						15	
30	3956	0.45/	576V		54	43						20	
31	3957	0.45/	570V		40	14						7	
32	3958	0.45/	530V		174	70						31	
33	3959	0.45/	535V		74	26						17	
34	3960	0.45/	570V		152	25						13	
35	3961	0.45/	575V		186	43						32	
36	3962	0.45/	570V		50	48						18	
37	3963	0.45/	575V		110	45						18	
38	3964	0.45/	580V		58	49						17	
39	3965	0.45/	585V		144	54						27	
40	3966	0.45/	590V		77	42						14	
41	3967	0.45/	595V		134	44						12	
42	3968	0.45/	600V		248	39						21	
43	3969	0.45/	610V		40	16						7	
44	3970	0.45/	800V		118	3						7	
45	3971	0.45/	805V		49	4						6	
46	3972	0.45/	815V		89	10						16	
47	3973	0.45/	825V		238	8						15	
48	3974	0.45/	870V		57	613						170	
49	3974	0.45/	885V		10	646						143	
50	3975	0.45/	450V		27	565						127	

Folldal Verk A/S

Repparfjord

Volum Kotte 250ml

Område: F. 3. 10. 78

Pr. nr.	Koordinat	Innv.	For- tynn.	p.p.m Cu	% Cu	p.p.m Ni	% Ni	p.p.m Pb	% Pb	p.p.m Zn	% Zn	p.p.m Co	% Co
3697	00V/ 0NS	2,5g		43		494						122	
3929	00V/ 5NS			20		634						140	
3929	00V/ 10NS			36		74						10	
3930	00V/ 15NS			96		79						21	
3931	0NS/ 25V			130		66						18	
3932	0NS/ 30V			39		337						80	
3933	0NS/ 35V			16		132						22	
3934	0NS/ 40V			10		431						100	
3936	0NS/ 500V			9		545						104	
3937	0NS/ 550V			113		678						140	
3938	00V/ 60V			37		609						140	
3938	0NS/ 160V			14		548						129	
3939	02V/ 65V			16		526						118	
3940	0NS/ 150V			10		480						109	
3941	0NS/ 155V			135		510						126	
3943	0NS/ 165V			10		569						113	
3944	0NS/ 170V			13		697						129	
3945	0NS/ 175V			13		525						117	
3946	0NS/ 190V			32		558						124	
3947	0NS/ 195V			32		452						100	
3948	0NS/ 490V			59		22						11	
3949	0NS/ 495V			127		22						23	
3950	0NS/ 500V			14		15						8	
3951	0NS/ 505V			34		80						20	
3952	0NS/ 510V			86		39							

Volldal Verk A/S
Reparasjon

2.5g - 250 ml

Gravert G.

Pr. nr	Sammenheng	Pr. nr	P p m Cu	P p m Ni	P p m Co
26. 5057	5/910		14	38	13
27. 5058	5/915		11	26	14
28. 5059	5/940		18	28	12
29. 5060	5/945		7	13	7
30. 5061	5/950		13	50	32
31. 5062	5/960		9	52	20
32. 5063	5/970		29	8	6
33. 5064	5/975		105	34	12
34. 5065	5/980		17	46	12
35. 5066	5/990		67	48	16
36. 5067	5/1000		11	40	13
37. 5067	5/1070		8	6	1
38. 5068	5/1075		7	6	3
39. 5069	5/1080		6	4	1
40. 5070	5/1125		7	4	1
41. 5071	5/1130		6	2	2
42. 5072	5/1135		6	6	2
43. 5073	5/1140		4	4	1
44. 5074	5/1150		6	4	1
45. 5075	5/1155		6	7	1
46. 5076	5/1200		25	98	20

Folldal Verk A/S

Reparasjon

2.5g-250ml

Område: G.

Pr. nr.	koordinat	for tynn	p.p.m Cu	p.p.m Cu	p.p.m Mn	p.p.m Pb	% Pb	p.p.m Zn	% Zn	p.p.m Co	% Co
2. 4964	300v / 75M		16		17					22	
3. 4965	200v / 10N		27		64					13	
4. 4966	200v / 20N		33		78					15	
5. 4967	200v /		10		26					16	
6. 4968	200v / 15 S		18		58					5	
7. 4969	200v / 20 S		11		140					22	
8. 4970	20v / 115 S		12		742					71	
9. 4971	20v / 120 S		63		558					80	
10. 4972	20v / 125 S		18		420					53	
11. 4973	20v / 130 S		6		616					70	
12. 4974	20v / 135 S		5		872					98	
13. 4975	20v / 140 S		6		813					94	
14. 4976	20v / 145 S		6		446					46	
15. 4977	20v / 150 S		7		435					47	
16. 4978	20v / 155 S		36		572					88	
17. 4979	80v / 110 S		6		1125					116	
18. 4980	80v / 120 S		6		860					100	
19. 4981	80v / 125 S		10		640					80	
20. 4982	80v / 140 S		16		654					84	
21. 4983	80v / 145 S		12		652					81	
22. 5053	5 / 830		32		46					11	
23. 5054	5 / 834		72		48					14	
24. 5055	5 / 840		78		20					13	
25. 5056	5 / 850		71		15					10	

Folldal Verk A/S

Repparfjord

Område: G.

2.5g - 250ml

Pr. nr.	Neoplasmat	Time	For tyan.	p.p.m Cu	% Cu	p.p.m Ni	% Ni	p.p.m Pb	% Pb	p.p.m Zn	% Zn	p.p.m Co	% Co
26. 4939	400/150N			10		0.36						17	
27. 4940	400/10S			4		5.98						43	
28. 4941	400/35S			3		9.50						70	
29. 4942	400/40S			4		9.54						68	
30. 4943	ONS/45V			2		0.68						13	
31. 4944	ONS/65V			75		0.88						15	
32. 4945	ONS/80V			51		0.97						21	
33. 4946	ONS/120V			35		0.93						18	
34. 4947	ONS/140V			26		0.40						11	
35. 4948	ONS/160V			22		0.60						14	
36. 4949	ONS/185V			16		0.95						18	
37. 4950	ONS/190V			27		0.72						14	
38. 4951	ONS/205V			18		0.56						11	
39. 4952	ONS/210V			20		0.36						6	
40. 4953	ONS/215V			10		0.58						8	
41. 4954	ONS/280V			23		0.49						8	
42. 4955	ONS/285V			33		0.58						10	
43. 4956	ONS/325V			18		0.54						11	
44. 4957	ONS/330V			28		0.61						10	
45. 4958	ONS/			15		0.43						7	
46. 4959	ONS/340V			19		0.83						17	
47. 4960	300V/20N			26		0.34						8	
48. 4961	300V/30N			23		4.30						56	
49. 4962	300V/35N			8		6.25						36	
50. 4963	300V/70N			15		0.33						6	

Folldal Verk A/S

Repparfjord

2.5g - 250 ml

Område: G

Pr. nr.	Koordinat	Dim.	For. type	P.p.m. Cu	% Cu	P.p.m. Hg	% Hg	P.p.m. Pb	% Pb	P.p.m. Zn	% Zn	P.p.m. Co	% Co
1. 4914	ONS/1650			83		31						19	
2. 4915	ONS/1700			1580		49						64	
3. 4916	ONS/1750			43		50						22	
4. 4917	ONS/1800			26		24						16	
5. 4918	2200/20S			8		43						20	
6. 4919	2200/25S			35		47						35	
7. 4920	2200/30S			34		48						20	
9. 4922	1400/20N			26		25						11	
10. 4923	1400/25N			12		26						18	
11. 4924	1400/30N			19		37						24	
12. 4925	1400/35N			31		28						17	
13. 4926	1400/40N			36		20						19	
14. 4927	1400/50N			76		32						27	
15. 4928	1400/80N			12		40						25	
16. 4929	1400/140N			30		33						12	
17. 4930	1400/145N			9		19						10	
18. 4931	1400/170N			59		51						27	
19. 4932	1400/75N			39		69						36	
20. 4933	1400/80N			58		55						21	
21. 4934	400/45N			57		19						18	
22. 4935	400/50N			50		31						17	
23. 4936	400/95N			43		24						9	
24. 4937	400/105N			46		25						16	
25. 4938	400/145N			9		41						26	

8 1
7 8
6 1
5 1
4 1
3 1
2 1
1 1

Fellidal Verk A/S

Rapparfjord

2.5g - 250ml

Område: G

Pr. nr.	Koordinat	Intv.	For. type	p.p.m. Cu	% Cu	p.p.m. Zn	% Zn	p.p.m. Pb	% Pb	p.p.m. Cd	% Cd	p.p.m. Ni	% Ni
4642	025/510 V			18		14					2		16
4643	025/515 V			10		33					10		27
4644	025/520 V			11		33					18		28
4645	025/525 V			18		55					11		29
4646	025/560 V			14		26					19		30
4647	025/565 V			47		100					22		32
4648	025/470 V			22		186					20		32
4649	025/580 V			15		77					12		33
4650	025/600 V			35		136					31		34
4651	020/5 S			4		846					79		35
4652	020/10 S			4		1180					102		38
4653	020/15 S			7		1200					106		37
4654	020/20 S			6		1120					80		38
4655	020/25 S			13		1178					114		39
4656	020/50 S			3		1363					118		40
4657	80 V/10 S			3		1180					110		41
4658	80 V/15 S			6		1156					108		42
4659	80 V/20 S			5		1100					100		43
4660	80 V/40 S			15		1640					128		44
4661													45
4662	80 V/55 S			5		1268					110		46
4663	80 V/5 n			5		714					60		47
4664	80 V/25 n			6		820					80		48
4665	80 V/30 n			5		840					64		49
4666	80 V/120 W			14		33					8		50

NR:

26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50

Folldal Verk 4/8

Repparfjord

2.5g-250ml

Område: G

Pr. nr.	Koordinat	Inv.	Por. tynn.	P.p.m. Cu	% Cu	P.p.m. Zn	% Zn	P.p.m. Pb	% Pb	P.p.m. Cd	% Cd	P.p.m. Co	% Co
1. 4667	260V / 30S			21		597						64	
2. 4668	260V / 35V			8		978						84	
3. 4669	260V / 40S			4		1054						105	
4. 4670	260V / 20N			5		825						80	
5. 4671	260V / 30N			4		791						55	
6. 4672	260V / 40N			9		804						92	
7. 4673	260V / 85N			23		231						25	
8. 4674	260V / 90N			8		188						24	
9. 4675	260V / 95N			11		263						28	
10. 4676	260V / 100N			72		216						23	
11. 4677	260V / 120N			6		234						25	
12. 4677	260V / 155N			10		295						32	
13. 4678	490V / 10N			11		34						3	
14. 4679	490V / 15N			6		22						2	
15. 4680	490V / 20N			27		37						5	
16. 4681	490V / 25N			10		28						4	
17. 4682	490V /			15		29						1	
18. 4683	490V / 50N			21		49						7	
19. 4684	490V / 55N			8		38						3	
20. 4685	490V / 60N			12		65						7	
21. 4686	490V / 65N			6		49						6	
22. 4687	490V / 70N			3		829						64	
23. 4688	490V / 75N			8		68						10	
24. 4689	520V / 10S			4		05						1	
25. 4690	520V / 15S					20						3	

Folldal Verk A/S

Repparfjord

2,5g - 250ml

Område: G.

Pr. nr.	Koordinat	Inv.	For tynn	p.p.m Cu	% Cu	p.p.m Ni	% Ni	p.p.m Fe	% Fe	p.p.m Zn	% Zn	p.p.m Co	% Co
26. 4691	520V / 20S			11		38						11	
27. 4692	520V / 25S			27		19						5	
28. 4693	520V / 30S			18		42						8	
29. 4694	520V / 40S			17		11						1	
31. 4696	565V / 20N			98		73						10	
32. 4696	565V / 5N			32		74						14	
33. 4697	565V / 25N			14		58						9	
34. 4698	565V / 30N			21		54						9	
35. 4699	565V / 105N			8		55						7	
36. 4900	565V / 110N			15		49						6	
37. 4901	565V / 115N			22		60						9	
38. 4902	565V / 120N			16		60						11	
39. 4903	565V / 125N			7		90						15	
40. 4904	565V / 130N			23		42						8	
41. 4905	565V / 135N			16		26						7	
42. 4906	565V / 145N			23		40						8	
43. 4907	565V / 150N			19		32						7	
44. 4908	565V / 155N			16		17						3	
45. 4909	565V / 160N			9		28						5	
46. 4910	ONS / 50V			7		634						61	
47. 4911	ONS / 250			8		445						44	
48. 4912	ONS / 300			11		475						34	
49. 4913	ONS / 1250			13		845						63	


Folldal Verk A/S

Repparfjord

Volum kaller 250ml

Område: G

Pr. nr.	koordinat	Inv.	for- tyen	p.p.m Cu	% Cu	p.p.m Mn	% Mn	p.p.m Pb	% Pb	p.p.m Zn	% Zn	p.p.m Co	% Co
4617	ONS/0	2.5g.		4		745						78	
4618	ONS/20 V			4		840						95	
4619	ONS/40			4		965						97	
4620	ONS/43 V			6		1100						132	
4621	ONS/55 V			3		800						100	
4622	ONS/60 V			5		1130						109	
4623	ONS/65 V			4		1200						120	
4624	ONS/70 V			4		1200						110	
4625	ONS/80 V			6		1710						226	
4626	ONS/90 V			3		955						84	
4627	ONS/290 V			3		870						71	
4628	ONS/330 V			2		860						72	
4629	ONS/340 V			3		875						62	
4630	ONS/345 V			3		955						62	
4631	ONS/380 V			3		1020						69	
4632	ONS/420 V			3		610						76	
4633	ONS/425 V			3		470						61	
4634	ONS/430 V			4		665						83	
4635	ONS/435 V			4		667						82	
4636	ONS/440 V			3		680						83	
4637	ONS/450 V			3		740						73	
4638	ONS/455 V			2		635						68	
4639	ONS/465 V			3		650						56	
4640	ONS/500 V			42		78						27	
4641	ONS/505			10		21						5	

- 
- 
- 1
 - 2
 - 3
 - 4
 - 5
 - 6
 - 7
 - 8
 - 9
 - 10
 - 11
 - 12
 - 13
 - 14
 - 15
 - 16
 - 17
 - 18
 - 19
 - 20
 - 21
 - 22
 - 23
 - 24
 - 25

2.5g - 250 ml

G.

		P P m Cu	P P m Ni			P P m Co
26. 5057	5/910	14	38			13
27. 5058	5/915	11	26			14
28. 5059	5/940	18	28			12
29. 5060	5/945	7	13			7
30. 5061	5/950	13	50			32
31. 5062	5/960	9	52			20
32. 5063	5/970	29	8			6
33. 5064	5/975	105	34			12
34. 5065	5/980	17	46			12
35. 5066	5/990	67	48			16
36. 5067	5/1000	11	40			13
37. 5067	5/1070	8	6			1
38. 5068	5/1075	7	6			3
39. 5069	5/1080	6	4			1
40. 5070	5/1125	7	4			1
41. 5071	5/1130	6	2			2
42. 5072	5/1135	6	6			2
43. 5073	5/1140	4	4			1
44. 5074	5/1150	6	4			1
45. 5075	5/1155	6	7			1
46. 5076	5/1200	25	98			20

References

2.5g - 25cm

$$0m \cdot \bar{a}m \in$$
[illegible]

2.59-250m/

Summary G

[illegible]

Report 102A

2.5g - 250 ml

Quartz: G

[illegible]

Report to:

2.5g - 250ml

Order: G.

No.	Description	Qty	Unit Price	Total Price
26. 4691	520V / 20S	11	38	
27. 4692	520V / 25S	17	19	
28. 4693	520V / 30S	18	42	
29. 4694	520V / 40S	17	11	
31. 4696	565V / 20N	98	73	
32. 4696	565V / 5N	32	74	
33. 4697	565V / 25N	14	58	
34. 4698	565V / 30N	21	54	
35. 4699	565V / 105N	8	55	
36. 4900	565V / 110N	15	49	
37. 4901	565V / 115N	22	60	
38. 4902	565V / 120N	16	60	
39. 4903	565V / 125N	7	90	
40. 4904	565V / 130N	23	42	
41. 4905	565V / 135N	16	26	
42. 4906	565V / 145N	23	40	
43. 4907	565V / 150N	19	32	
44. 4908	565V / 155M	16	17	
45. 4909	565V / 160N	9	28	
46. 4910	CNS / 50V	7	634	
47. 4911	CNS / 250	8	445	
48. 4912	CNS / 300	11	475	
49. 4913	CNS / 1250	13	845	

2.5g - 2.50ml

Chrysomelids G

[illegible]

Revised for:

Conclusões G

No.	Description	Unit	Price	Total
4642	0.2S / 510 V	18	17	
4643	0.2S / 515 V	10	33	2
4644	0.2S / 520 V	11	33	10
4645	0.2S / 525 V	18	55	18
4646	0.2S / 560 V	14	26	11
4647	0.2S / 565 V	47	100	19
4648	0.2S / 470 V	22	186	22
4649	0.2S / 580 V	15	77	30
1650	0.2S / 600 V	35	136	12
1651	0.2V / 5 S	4	846	31
1652	0.2V / 10 S	4	1180	79
1653	0.2V / 15 S	7	1200	102
1654	0.2V / 20 S	6	1120	106
1655	0.2V / 25 S	13	1178	80
1656	0.2V / 50 S	3	1363	114
1657	80 V / 10 S	3	1180	118
1658	80 V / 15 S	6	1156	110
1659	80 V / 20 S	5	1100	108
1660	80 V / 40 S	15	1640	100
1661	80 V / 55 S	5	1268	128
1662	80 V / 5 n	5	714	110
1663	80 V / 25 n	6	820	60
1664	80 V / 30 n	5	840	80
1665	80 V / 120 n	14	33	64
				81

Volum kalte 250ml

Don't miss **G**

[illegible]