

GRIMSDALEN

Analysen diamanthorhull
1969 - 1985.

Sted: *GRIMSDALEN* Borhull nr.: *161* Koord. *3600V-325N* Fall: *50°S*

Retn.:

[illegible]

Sted: GRIMSDALEN

Borhull nr.: 163

Koord. 2735/375 N Fall: 60° 5'

Retn.:

[illegible]

Sted: GRIMSDALLEN Borhull nr.: 163 Koord. 2735V-375N Fall: 60'S

Retn.:

[illegible]

Sted: GRIMSDALEN

Borhull nr.: 164

Koord. 2500V-425N Fall: 50° S

Retn.:

Nr.	Meter	Mekt. m		Cu %	Zn %	S %	Fe %	Pb %	Ni %	Ag ppm.	Au ppm.		
1	60.25 - 61.00	0.75		0.40	3.40	27.50							
2	61.00 - 61.40	0.40		0.06	0.35	2.00							
3	61.40 - 62.45	1.05		0.42	2.70	35.21							
4	62.45 - 62.80	0.35		0.10	0.40	8.35							
5	62.80 - 63.70	0.90		0.34	4.10	37.41							
6	63.70 - 63.95	0.25		0.04	0.40	2.00							
7	63.95 - 64.10	0.15		0.33	4.20	39.06							
8	64.10 - 64.60	0.50		0.15	1.20	6.80							
9	64.60 - 64.68	0.08		0.57	1.10	44.55							
10	64.68 - 65.40	0.72		0.04	0.35	1.30							
11	65.40 - 65.60	0.20		0.24	4.20	39.33							
12	65.60 - 66.05	0.45		-	0.65	4.00							
13	66.05 - 66.75	0.70		0.40	4.80	38.50							
14	66.75 - 67. -	0.25		0.07	2.00	9.62							
15	67. - 67.35	0.35		0.18	5.80	42.35							
Σ	60.25 - 67.35	7.10		0.23	2.53	22.96							

Sted: GRIMSDALEN

Borhull nr.: 165

Koord. 800 V - 560 N Fall: 50° S

Retn.:

Nr.	Meter	Mekt. m		Cu %	Zn %	S %	Fe %	Pb %	Ni %	Ag ppm.	Au ppm.		
1	60.86 - 61.06	0.20	*	0.38	3.00	35.21	120						0.20 -
2	61.06 - 61.25	0.19		0.18	0.80	6.33							0.9 -
3	61.25 - 62.12	0.87	*	0.44	3.20	35.21							
4	62.12 - 62.50	0.38		0.08	0.85	4.68							
5	62.50 - 63.78	1.23	*	0.53	3.70	40.44							
6	63.73 - 64.05	0.32		0.10	0.30	3.00							
7	64.05 - 64.65	0.60	*	0.64	2.10	29.45							
8	64.65 - 66.30	1.65		0.14	0.70	8.50							
9	70.15 - 72.75	2.60		0.03	0.40	3.70							
10	72.75 - 74.60	1.85	*	0.30	2.60	34.90							
11	74.60 - 76.65	2.05		0.06	0.20	2.20							
Σ 1-8	60.86 - 66.30	5.44		0.33	2.00	22.61							
Σ 9-11	70.15 - 76.65	6.50		0.11	0.96	12.10							

Sted: GRIMSDALEN

Borhull nr.: 166

Koord. 2920 V-380 N Fall: 60° S

Retn.:

[illegible]

Sted: GRIMSDALEN Borhull nr.: 167. Koord. 3900 V-125 N Fall: 50° S

Retn.:

[illegible]

Sted: GRIMSDALEN

Borhull nr.: 168

Koord. 3400 V - 375 N Fall: 50° S

Retn.:

[illegible]

Sted: GRIMSDALEN Borhull nr.: 169 Koord. 2906 V-450 N Fall: 50° S Retn.:

Nr.	Meter	Mekt. m	Cu %	Zn %	S %	Fe %	Pb %	Ni %	Ag ppm.	Au ppm.		
1	146.40 - 147.00	0.60	0.27	2.75	38.75		0.15		14			
2	147.00 - 147.15	0.15	0.10	0.90	2.75		0.16		8			
3	147.15 - 147.30	0.15	0.25	3.60	38.50		0.22		19			
4	147.30 - 147.60	0.30	0.07	1.60	3.50		0.08		9			
5	147.60 - 147.90	0.30	0.43	5.40	37.75		0.29		19			
6	147.90 - 148.40	0.50	0.35	3.00	18.00		0.15		19			
7	148.40 - 148.75	0.35	0.55	3.20	32.50		0.19		31			
8	148.75 - 150.05	1.30	—	—	1.00		0.02		2			
9	150.05 - 151.15	1.10	1.17	2.30	17.00		0.08		3			
10	151.15 - 151.30	0.15	0.52	3.40	38.50		0.16		8			
11	151.30 - 151.65	0.35	0.10	1.00	20.00		0.14		4			
12	151.65 - 153.00	1.35	0.05	0.20	1.5		0.02		3			
Σ 1-7	146.40 - 148.75	2.35	0.29	2.99	26.45		0.15		17.3			
Σ 9-11	146.40 - 151.65	1.60	0.86	2.11	19.66		0.08		3.68			
Σ 9-12	150.05 - 153.00	2.95	0.48	1.24	11.35		0.05		3.37			
Σ 1-10	146.40 - 151.30	4.90	0.41	2.05	17.68							

Sted: GRIMDANEN

Borhull nr.: 180

Koord. 2900 V-515 N Fall: 55°S

Retn.:

[illegible]

Retn.:

TRQVE NR. 3-5.

Retn.:

[illegible]

Sted: GRIMSDALEN

Borhull nr.: 183

Koord. 2670 V - 500 N Fall:

Retn.:

Nr.	Meter	Mekt. m	Cu %	Zn %	S %	Fe %	Pb %	Ni %	Ag ppm.	Au ppm.
2	209.40 - 209.50	0.10	0.30	4.40	38.65					
3	209.50 - 209.70	0.20	0.33	1.60	15.00					
4	209.70 - 211.00	1.30	—	—	0.55					
5	211.00 - 211.20	0.20	0.22	2.30	23.65					
PROVE NR. 2-3										
Σ	209.40 - 209.70	0.30	0.32	2.53	22.88					
PROVE NR. 2-3-4-5										
Σ	209.40 - 211.20	1.80	0.08	0.68	6.83					

Sted: GRIMSDALEN

Borhull nr.: 184

Koord. 3100 V-365 N Fall: 60° S

Retn.:

[illegible]

Sted: GRIMODANEN

Borhull nr.: 185

Koord. 3100 V - 437 N Fall: 60° S

Retn.:

Nr.	Meter	Mekt. m	Cu %	Zn %	S %	Fe %	Pb %	Ni %	Ag ppm.	Au ppm.
1	154.40 - 154.80	0.40	0.21	3.80	33.25					
2	154.80 - 155.05	0.25	—	0.20	4.10					
3	155.05 - 155.30	0.25	0.20	4.40	32.00					
4	155.30 - 156.25	0.95	0.58	2.90	16.90					
5	156.25 - 156.50	0.25	0.57	4.20	39.45					
6	156.50 - 156.70	0.20	0.27	1.40	11.30					
7	156.70 - 156.90	0.20	0.55	3.60	38.75					
Σ	154.40 - 156.90	2.50	0.40	2.99	23.30					

Sted: GRIMSBYEN

Borhull nr.: 184

Koord. 3417 V - 429 N

Fall: $60^{\circ} S$

Retn.:

Nr.	Meter	Mekt. m	Cu %	Zn %	S %	Fe %	Pb %	Ni %	Ag ppm.	Au ppm.
1	17.40 - 180.25	0.50	1.33	3.80	31.20		0.18		16	
2	180.25 - 180.50	0.25	0.05	1.30	6.50		0.05		5	
3	180.50 - 181.25	0.75	0.35	4.50	39.90		0.38		31	
4	181.25 - 182.25	1.-	0.39	3.10	31.90		0.21		57	
5	182.25 - 182.40	0.15	0.21	1.20	8.70		0.08			
6	182.40 - 182.60	0.20	0.80	5.20	37.90		0.23			
Σ	179.40 - 182.60	3.20	0.36	3.52	30.90		0.22			

Sted: Grimso Park

Borhull nr.: 187

Koord. 3400 V - 515 N Fall: 65° S

Retn.:

Nr.	Meter	Mekt. m	Cu %	Zn %	S %	Fe %	Pb %	Ni %	Ag ppm.	Au ppm.
1	258.25 - 259. -	1.75	0.13	4.40	1.13		0.19		13	
2	259. - - 259.40	0.40	0.47	8. -	36.50		0.17		10	
Σ	258.25 - 259.40	1.15	0.247	4.60	33.13		0.17		14.04	

Sted: GRIMSDALEN

Borhull nr.: 188

Koord. 2500 V-532N Fall: 60° S

Retn.:

[illegible]

Retn.:

Nr.	Meter	Mekt. m		Cu %	Zn %	S %	Fe %	Pb %	Ni %	Ag ppm.	Au ppm.		
17	181.40 - 181.90	0.50		—	0.10	2.00		0.02			0.05		
18	181.90 - 183.45	1.55		0.36	3.20	33.15		0.26			0.36		
19	183.45 - 183.80	0.35		—	0.10	2.00		0.02			0.05		
20	183.80 - 181.40	0.65		0.25	4.20	36.50		0.36			0.15		
21	184.45 - 184.90	0.45		0.05	0.60	10.30		0.14			0.05		
22	184.90 - 187.70	2.80		0.50	3.00	34.00		0.21			0.19		
PROVE NR. 1-9. SONE 1.													
Σ	165.85 - 169.60	3.75		0.31	2.57	27.44		0.13			0.37		
PROVE NR. 10-22. SONE 2													
Σ	179.00 - 187.70	8.70		0.31	2.26	25.33		0.18			0.18		

Sted: GRIMSDALEN

Borhull nr.: 189

Koord. 2100 V-500 N

Fall: 55° S

Retn.:

Nr.	Meter	Mekt. m		Cu %	Zn %	S %	Fe %	Pb %	Ni %	Ag ppm.	Au ppm.		
1	165.85 - 166.00	0.15		0.36	0.60	31.90		0.01		18	0.72		
2	166.00 - 166.40	0.40		0.08	0.10	2.50		0.01		12	0.24		
3	166.40 - 166.60	0.20	x	0.32	0.70	31.35		0.03		31	0.37		
4	166.60 - 166.85	0.25		0.05	0.05	1.50		0.01		11	0.05		
5	166.85 - 167.10	0.25	x	0.33	2.10	35.60		0.08		10	0.36		
6	167.10 - 167.40	0.30		0.06	0.15	3.00		0.04		10	0.11		
7	167.40 - 168.40	1.00	x	0.68	3.00	34.90		0.38		8	0.49		
8	168.40 - 168.50	0.10		0.05	0.80	4.00		0.10		9	0.24		
9	168.50 - 169.60	1.10		0.18	5.20	41.25		0.05		16	0.42		
10	179.00 - 179.30	0.30		0.28	2.00	35.50		0.14			0.45		
11	179.30 - 180.20	0.90		-	0.10	1.50		0.02			0.05		
12	180.20 - 180.35	0.15		0.32	1.80	34.00		0.12			0.22		
13	180.35 - 180.50	0.15		-	0.10	2.00		0.02			0.05		
14	180.50 - 180.65	0.15		0.27	2.60	38.00		0.11			0.12		
15	180.65 - 181.00	0.35		0.85	1.40	21.75		0.015			0.22		
16	181.00 - 181.40	0.40		0.18	4.00	36.30		0.42			0.03		

Sted: GRIMDALEN Borbuil nr.: 193 Koord. 200 V - 555 Nall: 50° S Retn.:

Nr.	Meter	Mekt. m	Cu %	Zn %	S %	Fe %	Pb %	Ni %	Ag ppm.	Au ppm.
1	19.55 - 19.50	0.15	0.11	5.20	37.40					
2	19.50 - 19.60	0.10	0.31	1.40	11.30					
3	19.60 - 19.80	0.20	0.27	5.60	40.45					
4										
5	24.80 - 24.90	0.10	0.50	2.60	32.65					
6	24.90 - 25.10	0.25	0.03	0.60	6.00					
7	25.10 - 26.80	1.65	0.51	1.50	37.70					
PROVE NR. 1-3										
Σ	19.35 - 19.80	0.45	0.23	4.53	32.96					
PROVE NR. 5-7										
Σ	24.80 - 26.80	2.00	0.45	1.44	33.79					

Sted: GRIMEDALEN

Borhull nr.: 194

Koord. 400 V - 530 H Fall: 50° S

Retn.:

[illegible]

Sted: GRIMDALEN

Borhull nr.: 195

Koord. 20 V - 600 N Fall: 50° S

Retn.:

Nr.	Meter	Mekt. m		Cr %	Zn %	S %	Fe %	Pb %	Ni %	Ag ppm.	Au ppm.	
1	11.25 - 11.65	0.40		0.32	5.40	43.75		0.23				
2	11.65 - 12.05	0.40		0.39	0.80	21.70		0.01				
3	47.45 - 47.70	0.25		0.40	3.60	34.40		0.22				
4	47.70 - 49.35	1.65		0.85	1.80	34.10		0.12				
5	49.35 - 50.35	1.00		0.45	5.00	31.90		0.26				
6	50.35 - 51.00	0.65		0.66	4.80	29.40		0.32				
PROVE NR. 1-2 SONE 1.												
Σ	11.25 - 12.05	0.80		0.39	3.10	32.73		0.12				
PROVE NR. 3-6 SONE 2.												
Σ	47.45 - 51.00	3.55		0.81	3.38	32.69		0.20				

Sted: GRIMDHUEN

Borhull nr.: 196

Koord. $700\phi - 625N$ Fall: $50^{\circ} S'$

Retn.:

[illegible]

Retn.:

Nr.	Meter	Mekt. m	Cu %	Zn %	S %	Fe %	Pb %	Ni %	Ag ppm.	Au ppm.
1	175.20 - 176.20	1.00	0.96	0.45	34.25		0.02			
2	176.20 - 177.20	1.00	0.50	3.40	43.45		0.37			
3	177.20 - 178.20	1.00	0.49	4.50	45.65		0.23			
4	178.20 - 179.05	0.85	0.65	0.60	38.75		0.02			
5	179.05 - 180.00	0.95	0.03	0.10	0.50		0.03			
6	180.00 - 181.00	1.00	0.02	0.20	1.00		0.02			
7	181.00 - 182.00	1.00	0.04	0.15	1.00		0.02			
8	182.00 - 183.00	1.00	0.01	0.10	0.70		0.02			
Σ 1-4	175.20 - 179.05	3.85	0.65	2.30	40.59		0.16			
Σ 5-8	179.05 - 183.00	3.95	0.02	0.14	0.80		0.02			

Sted: GRIMDALEN

Borhull nr.: 222.

Koord. 2000 4-67N Fall:

Retn.:

Nr.	Noter	Mekt. m	Cu %	Zn %	S %	Fe %	Pb %	Ni %	Ag ppm.	Au ppm.
1	35.65 - 36.40	0.75	0.52	1.86	35.1					
2	36.40 - 37.10	0.70	0.51	3.50	40.6					
3	37.10 - 37.85	0.75	0.088	0.92	1.5					
4	37.85 - 38.30	0.45	1.06	0.25	35.4					
5	38.30 - 39.00	0.70	0.085	0.26	2.0					
6	39.00 - 39.80	0.80	0.057	0.20	-					
7	39.80 - 40.20	0.40	0.089	0.36	34.0					
8	40.20 - 41.20	1.00	0.107	0.42	2.1					
9	41.20 - 42.00	0.80	1.05	0.56	36.3					
10	42.00 - 43.00	1.00	0.95	0.47	39.0					
11	43.00 - 44.00	1.00	0.89	0.32	40.2					
12	44.00 - 45.00	1.00	0.69	0.46	38.3					
13	45.00 - 46.15	0.85	1.18	1.34	36.4					
14	46.15 - 47.00	0.85	0.51	2.54	10.0					
15	47.00 - 47.60	0.60	0.42	0.83	4.4					
Σ		11.65	0.55	0.90	23.82					

Sted: GRIMDANEN

Borhull nr.: 223

Koord. $1100^{\circ} - 750^{\circ}N$ Fall: $50^{\circ} S$

Retn.:

[illegible]

Retn.:

Nr.	Meter	Mekt. m		Cu %	Zn %	S %	Fe %	Pb %	Ni %	Ag ppm.	Au ppm.		
	PROVE	NR.	1-8										
Σ	48.67 - 54.20	5.53		0.40	2.79	40.19		0.14		15.25			
	PROVE	NR.	9-10										
Σ	54.20 - 60.70	6.45		0.06	0.22	1.44		0.01		2.07			
	PROVE	NR.	11-13										
Σ	64.13 - 65.95	1.82		0.03	0.09	3.07		0.01		2.00			
	PROVE	NR.	14.										
Σ	99.15 - 100.15	1.00		0.065	0.20	1.4		0.01		2			
	PROVE	NR.	1-10.										
Σ	48.67 - 60.65	11.98		0.22	1.41	19.33		0.07		8.16			

Sted: GRIMSDALEN

Forhull nr.: 226

Koord. 1000 - 650 N Fall: 49° S

Retn.:

[illegible]

Sted: GRIMSDALEN

Forhull nr.: 232

Koord. 1675V-525N Fall: 60°S

Retn.:

Nr.	Meter	Mekt. m		Cu %	Zn %	S %	Fe %	Pb %	Ni %	Ag ppm.	Au ppm.		
1	111.80 - 112.50	0.70		0.56	1.40	30.16	30.52						
2	112.50 - 112.70	0.20		0.38	3.59	43.77	40.80						
3	112.80 - 113.30	0.50		0.20	5.68	42.83	39.30						
4	114.35 - 114.55	0.20		0.44	0.58	40.09	38.66						
5	135.10 - 135.70	0.60		0.10	3.80	30.28	27.79						
6	135.90 - 136.50	0.60		0.34	2.35	38.54	36.13						
7	136.70 - 137.50	0.80		0.35	4.27	40.39	37.65						
8	137.50 - 138.00	0.50		0.60	3.83	36.54	35.94						
PROVE NR. 1-4.													
Σ	111.80 - 114.55	2.75		0.41	2.91	37.06	35.57						
PROVE NR. 5-8.													
Σ	135.10 - 138.00	2.90		0.34	3.61	36.75	34.55						

Sted: GRIMSDALEN

Borhull nr.: 233

Koord. 1525 V - 480 N Fall: 60° S

Retn.:

[illegible]

Sted: Grimsdalen

Borhull nr.: 88-02

Koord. 1100V-530N Fall: 60°

Retn.: 5

[illegible]

Sted: Grimsdalen

Borhull nr.: 85-03

Koord. 1100 V-630N Fall: 68°0

Retn.: 5

[illegible]

Sted: Grimsdalen

Borhull nr.: 85-04

Koord. 600 V - 560 N

Fall: 50°

Retn.: S

Nr.	Meter	Mekt. m	Cu %	Zn %	S %	Fe %	Pb %	Ni %	Ag ppm.	Au ppm.
	51.00-52.00	1.00	0.18	0.21	2.33					
	52-53.00	1.00	0.51	1.25	11.60					
	53-54.00	1.00	0.06	1.00	4.31					
	54-55.00	1.00	0.40	3.27	28.9					
	55-56.00	1.00	0.39	2.67	20.4					
	56-57.00	1.00	0.12	0.49	1.97					
	52.00-56.00	4.00	0.34	2.04	16.3					
	58-59.00	1.00	0.12	0.44	1.98					
	59-60.00	1.00	0.38	4.27	27.3					
	60-61.00	1.00	0.07	0.20	0.57					
	61-62.00	1.00	0.12	0.21	2.38					
	94-95.00	1.00	0.22	3.92	19.4					
	95-96.00	1.00	0.04	0.12	-					
	96-97.00	1.00	0.20	4.48	17.8					
	94-97.00	3.00	0.15	2.84	12.4					

Sted: Grimsdalen

Borhull nr.: 85-04 for fs.

Fall:

Retn.:

[illegible]