



Bergvesenet

Postboks 3021, N-7441 Trondheim

Rapportarkivet

Bergvesenet rapport nr 4623	Intern Journal nr 1535/99	Internt arkiv nr	Rapport lokalisering	Gradering Åpen
Kommer fra ..arkiv	Ekstern rapport nr	Oversendt fra Geologiske Tjenester a.s.	Fortrolig pga	Fortrolig fra dato:

Tittel

1998 Soil sampling program in the Kautokeino area, Finnmark, Norway

Forfatter
Pierce, Garth

Dato **År**
juli 1999

Bedrift (Oppdragsgiver og/eller oppdragstaker)
Baltic Resources Inc
Geologiske Tjenester AS
BCLK Consulting LTD

Kommune
Kautokeino

Fylke
Finnmark

Bergdistrikt

1: 50 000 kartblad
18332 18333 18334

1: 250 000 kartblad
Nordreisa

Fagområde
Geokjemi

Dokument type

Forekomster (forekomst, gruvefelt, undersøkesfelt)
Bidjovagge Njivlu Mikkujavrit Roavazat Caskjas
Stalluværri Jalgescårøt

Råstoffgruppe
Malm/metall

Råstofftype
Cu Au

Sammendrag, innholdsfortegnelse eller innholdsbeskrivelse

Målet for undersøkelsene er kobber-gullmineraliseringer i dette området knyttet til vulkanske og sedimentære bergarter i Kautokeino grunnsteinsbelte.

Det ble analysert på jordprøver fortrinnsvis fra B-horisonen i jordprofilen.

Kobber-gull responsen var ikke god nok grunn for Baltic Resources til å gå videre med undersøkelsene.

Oslo 06.08.1999

Bergvesenet
Postboks 3021 Lade
7441 TRONDHEIM

BERG	
1535/99	nei
PR	09 AUG 1999
	BL
	925 B

**RAPPORTERING AV PROSPEKTERINGS ARBEIDER I KARASJOK OG
KAUTOKEINO UTFØRT I 1998.**

På vegne av Baltic Resources Ltd. oversender vi to rapporter
fra arbeider i Karasjok og Kautokeino 1998.

BU 4622 og 4623

Arbeidene er utført på mutinger som holdes av Norway Gold
Exploration A/S.

Med vennlig hilsen

Boye Flood

Vedl.

BV 4623

BILAG TIL JR.NR.
1535/99

Baltic Resources Inc.

*1998 Soil sampling program in the
Kautokieno area, Finnmark, Norway*

*BCLX Consulting Ltd.
Garth Pierce, President
July, 1999*


A. Introduction :

This report summarizes a regional geochemical exploration program undertaken by Baltic Resources Inc. and Geologiske Tjenester in the summer of 1998 in the Kautokieno greenstone belt part of the Precambrian shield of northern Norway. Baltic Resources initiated the survey following its acquisition of a large claim holding including the Bidjovagge Cu-Au prospect and a large package land surrounding this past producing copper gold mine. Geochemical surveys undertaken by a related company MCK Mining Inc. in 1996/97 clearly showed the ores at Bidjovagge have a distinct copper /gold signature which can be detected by regional soil sampling programs .


This report documents the results of Baltic Resources soil sampling program on the Roavazat license northeast of Bidjovagge and the Staluværri and Caskejás mutings on the southern extension of the mine stratigraphy. (figure 1)

The survey work was carried out under the supervision of Boye Flood of Geologiske Tjenester and Garth Pierce of Bclx Consulting Ltd., the principle consultant for Baltic Resources. Field work was undertaken by both supervisors as well as geologist Arnie Reinsbakken and field assistants Jergen Gaup of Kautokieno and Brent Pierce , a Canadian student. Sampling was carried out intermittently from June 15th to August 20th, 1998. The survey crew setup camp at a cabin in Kautokieno .

The sampling program collected and tested B horizon soils . Samples were shipped to SGS Labs in Lulea , Sweden. The Lulea lab prepared all samples and then shipped pulps to France for Cu-Au analysis using an ICAP method .



- County Boundary
- Road
- Track
- Sampling Line



BALTIC RESOURCES INC.

KAUTOKEINO PROJECT, NORWAY

Location of Soil Sampling Lines

Figure #1

DATE: 99/07/06

UTM ZONE 34

B. Property Description , Location and Access

During the survey Baltic's primary Kautokieno projects comprised three separate properties covering highly prospective Precambrian volcanic and sedimentary rocks of Kautokeino Greenstone Belt. The projects include the Caskejas and Stalluvarri licenses which host the southern strike extension of the Bidjovagge stratigraphy . Previous airborne surveys in this area clearly show the magnetic anomalies and airborne conductors which host the copper gold ores trend south and cross both these land holdings. The current survey covered the southern end of the main Bidjovagge license and an attempt was made to overlap the current geochemistry with the more extensive survey coverage made on the mine site in 1996.

Finally a large block of land ,Roavazat, northeast of Bidjovagge was surveyed. The Roavazat license is off the mine trend but has geological and geophysical characteristics, which appear to be similar to Bidjovagge.

The terrain throughout the project area is typically open tundra with scrub brush and an irregular drainage pattern. To the south on the Caskejas and Stalluvarri properties the elevation drops and small birch and alder cover much of the area. Overburden is highly variable but typically 2 to 10 meters in thickness although depressions or low lying area have much greater thickness of glacial till and are typically wet. Bogs and/or open water cover about 10 to 15% of the survey area.

The Caskejas and Stalluvarri properties straddle the main all weather road to the Bidjovagge mine site and access is very easy. The Roavazat project is accessible by foot using a network of all-terrain vehicle trails utilized by the local Saami people. These trails lead east from the "B pit" on the mine site and the Roavazat grids can be reached with an easy 1 hour walk.

C. Field Program

The field methods for the survey were straightforward. A three to four man crew established a grid system and carried out the soil-sampling program. The grid was typically established only a few kilometers in advance of the soil sampling and crew members alternated between grid work and sampling.

Grids were established using a single baseline and wing-lines were established using a turning board to avoid the magnetic problems experienced with compass lines on the Bidjovagge grid in 1996. The open terrain together with the detailed topographic maps available for this area allowed the baselines to be established with accuracy. Grids were laid out with wing-lines at 200 to 400-meter intervals. All baselines and wing-lines were chained with hip chains. Pickets were placed and flagged at 50-meter centers along baselines. Sampling stations were placed on wing-lines at 50-meter intervals but these were marked only with flagging tape. All stations were labeled.


The grid location sketches are appended as figures # 2,3 and 4.

At each location 400 to 700 grams of soil were collected and placed in plastic sample bags; plastic was used, as paper sample bags did not prove to be durable enough. Soil samples were taken to the Kautokieno campsite and dried, if possible, before shipment by bus to SGS's prep lab in Lulea, Sweden.

Details of the soil sampling program are included in Appendix # 1.

D. Geochemical Analysis

SGS France S.A. prepared the samples in Lulea, Sweden under the supervision of Hakan Bakman. The samples were then sent to France for ICAP analysis. The data package selected was SGS method ICP 70; detection limits for the various elements are shown on the cover sheets which are included with assay results in Appendix # 2.



ORIGIN = 8000E / 9000N

9000N

Staluvarri

9200N

Cievra-njunni 7800N Gårpes-tuohlat


6800N Stakkas-njunni 7400N

6800N

6400N


STALUVARRI
GRID LAYOUT.

BIOGEOGRAPHY HWY.



Joalntoav

8000 N / 6000 E.



Ruosša-
gødaš

CASKEJAS
Gødaščåkka
GRID LOCATION

unna
Gødaščåkka

FILUCE #4

Njoaske-
varri

35

Guor'bavarri

Saiv

92
Guor'baunobmi

**STALUARI
GRID**

ORIGIN =

115
QUON




E. Results /Conclusions

Complete results are tabulated in appendix # 2 . Copper results where are plotted by grid and included as maps 1 through 3 in back pocket.

The overall copper gold response was not as encouraging as that at Bidjovagge . The north part of Caskejas has several attractive anomalies however and copper anomalies east of the Bidjovagge highway on the Stalugarri grid look encouraging. Roavazat results were very discouraging despite the shallow overburden cover and presence of graphitic conductors and occasionally abundant copper flower on this grid.

Anomalies on the Caskejas and Stalugarri grids merit follow-up. If the geochemical results cannot be explained from geological reconnaissance, wing-line spacing should be decreased to 100 meters from the original 400 meter sampling pattern and samples should be taken at 25 meter intervals along the axis of the original anomalies.

Respectfully submitted by;



Garth Pierce, President, BCLX Consulting Ltd.

July 5th , 1999

Appendix # 1 :

Survey details , GPS locations

01.12.2000

page 5 of 10

Project	GPS Easting		GPS Northing		Line No.		from		to		Total Samples taken		Samples not taken		Sent to SGS		Stored at Kautskine		
	DEBIT A ₁	KREDIT A ₂	DEBIT B ₁	KREDIT B ₂	DEBIT C ₁	KREDIT C ₂	DEBIT D ₁	KREDIT D ₂	DEBIT E ₁	KREDIT E ₂	DEBIT F ₁	KREDIT F ₂	DEBIT G ₁	KREDIT G ₂	DEBIT H ₁	KREDIT H ₂			
Caskejas					7600 N														
BL - 7600N - 6000E	559355 E	7682770 N					5400 E	6000 E			18		0		0		18		
7600N - 6350E	559747 E	7682937 N					6000 E	6350 E			7		1		7		0		
													-6300E						
Caskejas					7400 N														
BL - 7400N - 6000E	559406 E	7682469 N					5425 E	6375 E			21		0		21		0		
7400N - 6375E	559789 E	7682785 N					+5825 @ Bonus?												
Caskejas					7200 N														
BL - 7200N - 6000E	559512 E	7682472 N					5400 E	6350 E			19		1		19		0		
7200N - 6350E	559868 E	7682572 N											-6300E						
Caskejas					7000 N														
BL - 7000N - 6000E	559760 E	7682268 N					5425 E	6325 E			17		2		17		0		
7000N - 6325E	559867 E	7682398 N											-5875E						
													-6225E						
Caskejas					6800 N														
BL - 6800N - 6000E	559737 E	7682039 N					5350 E	6400 E			22		0		22		0		
6800N - 6400E	560057 E	7682243 N																	
Caskejas					6600 N														
BL - 6600N - 6000E	559815 E	7681930 N					5250 E	6400 E			23		1		23		0		
6600N - 6400E	560072 E	7682056 N											-5900E						
Sum DEBIT	31																		
Sum KREDIT	32																		

31 Sum DEBIT

32 Sum KREDIT

Project	GPS Easting	GPS Northing	Line No.		from	to	Total Samples taken		Samples not taken		sent to SGS		stored at Kautekino		
			DEBIT B ₁	KREDIT B ₂			DEBIT C ₁	KREDIT C ₂	DEBIT D ₁	KREDIT D ₂	DEBIT E ₁	KREDIT E ₂	DEBIT F ₁	KREDIT F ₂	
Staluvanni			6600 N		6850 E	8000 E						X	?		1
					8050 E	8550 E									2
															3
															4
															5
Staluvanni			6200 N		7700 E	8600 E			7850	7900		X			6
					8650 E	9150 E			+ 8050	- 7830			X		7
					9200 E	9700 E			2 (9350, 9600E)			X			8
															9
															10
Roovaset			5400 N		1700 E	1950 E	6					X	X		11
BL -	5400N - 2000E	559714E	7691030 N		2050 E	2500 E			1 (2350E)						12
East end	5400 N - 2500E	560172 E	7691285 N						HN' (2000E - missing)						13
															14
															15
Roovaset			5100 N		1675 E	1925 E	6					X	X		16
West end	5100 N - 1675E	559449 E	7690804 N		1975 E	2425 E			1 (2225E)						17
															18
															19
															20
Roovaset			4700 N		1700 E	1850 E	3					X	X		21
East end	4700N - 2400E	560203 E	7690572 N		1900E	2400E									22
West end	4700N - 1700E	559523 E	7690427 N												23
															24
															25
															26
Roovaset			4400 N		1815 E	2925 E						X			27
East end -	4400N - 2925E	560843 E	7690373 N												28
															29
															30

Appendix # 2 :

Assay Results ; Lab Sheets



SGS France S.A.
Filab Division Minerais

rue Nicolas Cugnot - 133
1303 Chenôve cedex 03 - France
téléphone : 03 80 52 32 05
fax : 03 80 52 01 11
e-mail : 1148@compuserve.com

GEOLOGISKE TJENSTER AS
Mr A REINSBAKKEN

REPORT N° 119030

HOVFARET 8
0275 OSLO
SWEDEN

Customer Ref. :
Project :
Number of samples : 98

Date submitted : 03/08/98
Date partial report :
Date final report : 14/08/98
Number of pages : 11

MULTI ELEMENT ANALYSIS

Method code : ICP 70
performed in Chenôve
As 5 - 100 ppm
Pb 1 - 10000 ppm
Cu 1 - 10000 ppm
Zn 1 - 5000 ppm
Mn 1 - 5000 ppm
Be 0.1 - 1000 ppm

95 sample
Na 0.005 - 5 %
Mg 0.005 - 2 %
Al 0.005 - 5 %
P 0.005 - 2 %
K 0.005 - 2 %
Ca 0.005 - 10 %
Fe 0.005 - 30 %
Ti 0.005 - 0.5 %

Analytical range
W O P-0621
V 1 - 5000 ppm
Cr 1 - 5000 ppm
Mn 1 - 10000 ppm
Co 1 - 5000 ppm
Ni 1 - 5000 ppm
Sr 1 - 1000 ppm
Y 1 - 1000 ppm
Zr 1 - 1000 ppm

CC list below:
Mo 1 - 5000 ppm
Cd 1 - 1000 ppm
Sn 1 - 5000 ppm
Ba 1 - 10000 ppm
La 1 - 1000 ppm
W 1 - 5000 ppm
Bi 1 - 5000 ppm
Tl 1 - 1000 ppm

Approved by :
Guy SIMON
Julie GAUDIER

*** UNLESS INSTRUCTED OTHERWISE WE WILL DISCARD SAMPLES IN 90 DAYS FROM THE DATE OF THIS REPORT ***

Membre du Groupe SGS (Société Générale de Surveillance)
Société Anonyme au capital de 53 000 000 F - Siège social : 191, Avenue Aristide Briand - 94237 Cachan cedex
Téléphone 01 41 24 88 88 - Télex 632410F - Télécopieur 01 41 24 88 88 - RCS Creteil B 352 791 495

Report N° 119030

	Au ppb	Au ppm	Ag ppm	As ppm	Sb ppm	Cu ppm	Pb ppm	Zn ppm
10	5200N-5475E		0.9	<3	5	<1	<1	28
10	5200N-5525E		<0.5	<3	5	<1	<1	27
10	5200N-5575E		<0.5	<3	7	<1	<1	20
10	5200N-5625E		2.6	<3	5	<1	<1	10
10	5200N-5675E		<0.5	<3	4	<1	<1	13
10	5200N-5725E		<0.5	<3	4	<1	<1	28
10	5200N-5775E		<0.5	<3	4	<1	<1	51
10	5200N-5825E		<0.5	<3	5	<1	<1	19
10	5200N-5875E		0.8	<3	5	<1	12	52
10	5200N-5925E		0.6	<3	<3	<1	<1	60
10	5200N-5975E		<0.5	<3	11	<1	<1	56
10	5200N-6025E		1.2	<3	7	<1	<1	18
10	5200N-6075E		1.1	<3	6	<1	<1	16
10	5200N-6125E		<0.5	<3	9	<1	<1	30
10	5200N-6175E		0.8	<3	4	<1	<1	18
10	5400N-5500E		<0.5	<3	4	<1	<1	14
10	5400N-5550E		<0.5	<3	3	<1	<1	21
10	5400N-5600E		<0.5	<3	4	<1	<1	18
10	5400N-5650E		<0.5	<3	<3	<1	<1	40
10	5400N-5700E		1.1	<3	6	<1	<1	41
10	5400N-5750E		0.8	<3	<3	<1	<1	22
10	5400N-5800E		1.1	<3	5	<1	<1	69
10	5400N-5850E		0.8	<3	9	<1	<1	106
10	5400N-5900E		<0.5	<3	9	<1	<1	56
10	5400N-5950E		<0.5	<3	9	<1	<1	14
10	5400N-6000E		<0.5	<3	6	<1	<1	30
10	5400N-6050E		<0.5	<3	6	<1	<1	17
10	5400N-6100E		<0.5	<3	6	<1	8	6
10	5400N-6150E		<0.5	<3	4	5	<1	37
10	5400N-6200E		<0.5	<3	6	<1	<1	12
10	6400N-5275E		1.1	<3	11	<1	5	26
10	6400N-5325E		0.9	<3	<3	<1	<1	14
10	6400N-5375E		<0.5	<3	<3	7	<1	12
10	6400N-5425E		<0.5	<3	8	1	<1	26
10	6400N-5475E		1.3	<3	5	<1	<1	17
10	6400N-5525E		<0.5	<3	<3	<1	<1	20
10	6400N-5575E		1.9	<3	<3	<1	<1	16
10	6400N-5625E		<0.5	<3	<3	<1	<1	16
10	6400N-5775E		<0.5	<3	7	<1	<1	16
10	6400N-5875E		<0.5	<3	<3	<1	<1	8
10	6400N-5925E		0.9	<3	5	<1	<1	16
10	6400N-5975E		0.5	<3	4	<1	<1	8
10	6400N-6025E		<0.5	<3	3	<1	3	12
10	6400N-6075E		<0.5	<3	4	22	<1	54
10	6400N-6125E		<0.5	<3	8	<1	1	13
10	6400N-6175E		<0.5	<3	24	130	44	262
10	6400N-6325E		<0.5	<3	4	<1	<1	9
10	6400N-6275E		<0.5	<3	5	<1	<1	7
10	6400N-6325E		<0.5	<3	16	100	<1	71
10	6400N-6375E		<0.5	<3	10	<1	<1	12
10	6800N-5350E		<0.5	<3	5	<1	<1	6
10	6800N-5400E		<0.5	<3	6	132	<1	216
10	6800N-5450E		<0.5	<3	<3	<1	<1	6
10	6800N-5500E		<0.5	<3	10	<1	6	6
10	6800N-5550E		<0.5	<3	4	<1	2	6
10	6800N-5600E		<0.5	<3	4	<1	2	7
10	6800N-5650E		<0.5	<3	<3	<1	<1	6
10	6800N-5700E		<0.5	<3	4	<1	<1	7
10	6800N-5750E		<0.5	<3	<3	<1	1	8



	Au ppb	Au ppm	Ag ppm	As ppm	Sb ppm	Cu ppm	Pb ppm	Zn ppm
MO 6800N-5800E			<0.5	<3	<3	<1	<1	10
MO 6800N-5850E			<0.5	<3	<3	<1	1	7
MO 6800N-5900E			<0.5	<3	<3	<1	<1	6
MO 6800N-5950E			<0.5	<3	<3	<1	2	5
MO 6800N-6000E			<0.5	<3	3	<1	<1	6
MO 6800N-6050E			<0.5	<3	11	<1	<1	19
MO 6800N-6100E			<0.5	<3	<3	2	5	7
MO 6800N-6150E			<0.5	<3	<3	<1	<1	6
MO 6800N-6200E			<0.5	<3	<3	<1	<1	11
MO 6800N-6250E			<0.5	<3	<3	<1	<1	7
MO 6800N-6300E			<0.5	<3	<3	<1	<1	9
MO 6800N-6350E			<0.5	<3	4	<1	<1	7
MO 6800N-6400E			<0.5	<3	5	<1	<1	11
MO 7600N-6000E			<0.5	<3	5	<1	<1	8
MO 7600N-6050E			<0.5	<3	<3	<1	<1	9
MO 7600N-6100E			<0.5	<3	3	<1	5	9
MO 7600N-6150E			<0.5	<3	5	<1	<1	11
MO 7600N-6200E			<0.5	<3	5	2	<1	9
MO 7600N-6250E			<0.5	<3	<3	<1	<1	11
MO 7600N-6350E			<0.5	<3	<3	<1	2	9
MO 7200N-5400E			<0.5	<3	<3	<1	<1	13
MO 7200N-5450E			<0.5	<3	8	<1	<1	7
MO 7200N-5500E			<0.5	<3	<3	<1	<1	8
MO 7200N-5550E			<0.5	<3	4	11	<1	7
MO 7200N-5600E			<0.5	<3	<3	4	<1	6
MO 7200N-5650E			1.2	<3	4	<1	<1	7
MO 7200N-5700E			<0.5	<3	6	<1	<1	14
MO 7200N-5750E			1.2	<3	5	<1	15	10
MO 7200N-5800E			<0.5	<3	3	<1	<1	9
MO 7200N-5850E			<0.5	<3	6	3	<1	9
MO 7200N-5900E			<0.5	<3	4	<1	<1	10
MO 7200N-5950E			<0.5	<3	<3	<1	<1	8
MO 7200N-6000E			<0.5	<3	<3	<1	<1	9
MO 7200N-6050E			<0.5	<3	<3	<1	<1	14
MO 7200N-6100E			<0.5	<3	<3	<1	8	8
MO 7200N-6150E			<0.5	<3	5	<1	<1	10
MO 7200N-6200E			<0.5	<3	<3	<1	<1	14
MO 7200N-6250E			<0.5	<3	<3	19	4	12
MO 7200N-6350E			<0.5	<3	<3	<1	<1	10

DUPLICATES

IO D 5200N-5475E			0.9	<3	4	<1	<1	19
IO D 5200N-6175E			<0.5	<3	5	<1	<1	9
IO D 5400N-6150E			<0.5	<3	4	<1	<1	29
IO D 6800N-5500E			<0.5	<3	<3	<1	5	6
IO D 6800N-6200E			<0.5	<3	6	<1	<1	11
IO D 7200N-5500E			<0.5	<3	<3	<1	<1	9

Report N° 119030

		Li ppm	Ba ppm	Na %	Mg %	Al %	P %	K %	Ca %
MO	5200N-5475E	4	0.4	0.035	0.194	0.476	0.011	0.080	0.060
MO	5200N-5525E	6	0.4	0.039	0.280	0.740	0.015	0.067	0.100
MO	5200N-5575E	10	0.6	0.039	0.450	1.390	0.025	0.102	0.094
MO	5200N-5625E	7	0.5	0.236	0.176	1.116	0.035	0.039	0.119
MO	5200N-5675E	7	0.4	0.024	0.245	1.059	0.058	0.046	0.161
MO	5200N-5725E	5	0.6	0.027	0.161	1.385	0.032	0.043	0.068
MO	5200N-5775E	5	0.4	0.024	0.158	0.909	0.035	0.038	0.132
MO	5200N-5825E	4	0.4	0.023	0.141	1.261	0.050	0.037	0.110
MO	5200N-5875E	6	0.4	0.019	0.174	1.622	0.045	0.029	0.100
MO	5200N-5925E	7	0.4	0.033	0.290	1.293	0.029	0.056	0.112
MO	5200N-5975E	8	0.5	0.037	0.354	1.507	0.037	0.045	0.107
MO	5200N-6025E	8	0.4	0.026	0.252	1.384	0.026	0.040	0.111
MO	5200N-6075E	7	0.4	0.030	0.242	1.077	0.033	0.042	0.119
MO	5200N-6125E	10	0.4	0.028	0.436	1.197	0.064	0.097	0.169
MO	5200N-6175E	6	0.3	0.021	0.218	0.851	0.037	0.044	0.115
MO	5400N-5500E	5	0.3	0.022	0.133	0.782	0.065	0.035	0.143
MO	5400N-5550E	8	0.4	0.032	0.254	0.975	0.051	0.064	0.157
MO	5400N-5600E	8	0.3	0.026	0.273	0.840	0.068	0.068	0.212
MO	5400N-5650E	<1	0.5	0.025	0.142	0.751	0.127	0.021	0.304
MO	5400N-5700E	4	0.3	0.020	0.118	0.602	0.061	0.034	0.138
MO	5400N-5750E	4	0.3	0.021	0.136	0.898	0.046	0.035	0.115
MO	5400N-5800E	4	0.3	0.027	0.140	0.768	0.035	0.037	0.103
MO	5400N-5850E	8	0.4	0.034	0.241	1.149	0.042	0.063	0.135
MO	5400N-5900E	11	0.4	0.041	0.428	0.924	0.070	0.087	0.275
MO	5400N-5950E	9	0.4	0.038	0.310	1.033	0.059	0.065	0.209
MO	5400N-6000E	8	0.3	0.024	0.287	1.155	0.045	0.041	0.153
MO	5400N-6050E	8	0.4	0.037	0.267	0.991	0.029	0.053	0.116
MO	5400N-6100E	10	0.4	0.029	0.432	1.245	0.064	0.070	0.206
MO	5400N-6150E	7	0.4	0.038	0.255	1.051	0.048	0.052	0.168
MO	5400N-6200E	10	0.4	0.039	0.348	1.217	0.028	0.061	0.157
MO	6400N-5275E	10	1.0	0.035	0.400	1.560	0.151	0.045	1.463
MO	6400N-5325E	2	0.5	0.034	0.157	0.530	0.101	0.045	1.544
MO	6400N-5375E	9	0.3	0.033	0.314	0.791	0.058	0.060	0.227
MO	6400N-5425E	12	0.6	0.043	0.342	1.088	0.055	0.066	0.262
MO	6400N-5475E	14	0.7	0.043	0.426	1.097	0.071	0.076	0.300
MO	6400N-5525E	13	0.5	0.041	0.466	1.198	0.068	0.095	0.314
MO	6400N-5575E	12	0.6	0.036	0.346	1.125	0.087	0.078	0.361
MO	6400N-5625E	<1	0.7	0.027	0.107	0.978	0.157	0.026	1.810
MO	6400N-5775E	11	0.4	0.026	0.316	0.865	0.079	0.037	0.345
MO	6400N-5875E	10	0.4	0.034	0.378	1.152	0.051	0.071	0.199
MO	6400N-5925E	14	0.5	0.039	0.490	1.359	0.070	0.099	0.240
MO	6400N-5975E	21	0.6	0.040	0.773	1.801	0.064	0.176	0.275
MO	6400N-6025E	8	0.4	0.023	0.298	0.863	0.040	0.063	0.129
MO	6400N-6075E	13	0.6	0.024	0.497	1.796	0.056	0.090	0.152
MO	6400N-6125E	9	0.5	0.019	0.358	1.311	0.029	0.103	0.097
MO	6400N-6175E	29	1.5	0.034	1.070	4.656	0.058	0.211	0.180
MO	6400N-6325E	7	0.3	0.016	0.303	0.991	0.031	0.062	0.105
MO	6400N-6275E	6	0.3	0.011	0.246	0.949	0.030	0.068	0.095
MO	6400N-6325E	<1	<0.1	<0.005	0.051	0.847	0.036	0.041	0.028
MO	6400N-6375E	11	0.6	0.018	0.330	1.749	0.031	0.048	0.118
MO	6800N-5350E	6	0.3	0.009	0.195	1.494	0.059	0.035	0.148
MO	6800N-5400E	7	1.0	0.025	0.171	1.179	0.026	0.051	0.117
MO	6800N-5450E	4	0.3	0.011	0.145	0.788	0.029	0.042	0.083
MO	6800N-5500E	3	0.3	0.012	0.135	0.645	0.021	0.047	0.068
MO	6800N-5550E	5	0.3	0.014	0.168	0.483	0.050	0.045	0.182
MO	6800N-5600E	5	0.4	0.014	0.162	0.951	0.043	0.053	0.120
MO	6800N-5650E	4	0.4	0.007	0.099	1.774	0.028	0.038	0.045
MO	6800N-5700E	4	0.3	0.011	0.148	1.244	0.046	0.037	0.115
MO	6800N-5750E	8	0.4	0.009	0.193	0.991	0.046	0.037	0.108

	Li ppm	Be ppm	Na %	Mg %	Al %	P %	K %	Ca %
MO 6800N-5800E	7	0.4	0.007	0.173	1.546	0.061	0.051	0.092
MO 6800N-5850E	3	0.5	0.009	0.108	1.146	0.058	0.051	0.119
MO 6800N-5900E	3	0.4	0.010	0.113	0.821	0.027	0.046	0.143
MO 6800N-5950E	3	0.3	0.009	0.100	1.101	0.058	0.034	0.133
MO 6800N-6000E	5	0.3	0.012	0.158	0.826	0.052	0.043	0.203
MO 6800N-6050E	14	0.4	0.022	0.363	1.314	0.054	0.053	0.234
MO 6800N-6100E	6	0.4	0.014	0.164	0.817	0.056	0.039	0.226
MO 6800N-6150E	3	0.3	0.013	0.113	0.567	0.058	0.042	0.138
MO 6800N-6200E	10	0.4	0.016	0.320	1.253	0.050	0.076	0.162
MO 6800N-6250E	7	0.3	0.014	0.198	1.078	0.046	0.045	0.109
MO 6800N-6300E	6	0.6	0.016	0.143	1.552	0.041	0.045	0.083
MO 6800N-6350E	6	0.5	0.011	0.120	1.471	0.036	0.039	0.078
MO 6800N-6400E	11	0.3	0.015	0.383	1.270	0.040	0.073	0.139
MO 7600N-6000E	5	0.3	0.010	0.153	0.770	0.065	0.047	0.143
MO 7600N-6050E	7	0.3	0.014	0.343	0.972	0.054	0.061	0.163
MO 7600N-6100E	7	0.5	0.017	0.265	1.113	0.041	0.064	0.166
MO 7600N-6150E	8	0.4	0.019	0.334	0.900	0.018	0.065	0.175
MO 7600N-6200E	7	0.3	0.018	0.218	0.780	0.064	0.066	0.186
MO 7600N-6250E	6	0.6	0.020	0.206	1.319	0.099	0.058	0.121
MO 7600N-6350E	5	0.4	0.022	0.225	0.712	0.035	0.057	0.118
MO 7200N-5400E	8	0.6	0.026	0.304	0.840	0.054	0.085	0.117
MO 7200N-5450E	4	0.5	0.022	0.149	0.867	0.036	0.046	0.091
MO 7200N-5500E	5	0.4	0.020	0.155	0.782	0.039	0.045	0.078
MO 7200N-5550E	6	0.4	0.023	0.263	0.879	0.061	0.047	0.159
MO 7200N-5600E	5	0.3	0.023	0.180	0.665	0.053	0.041	0.146
MO 7200N-5650E	5	0.4	0.028	0.241	0.874	0.013	0.065	0.051
MO 7200N-5700E	10	0.6	0.024	0.310	1.653	0.045	0.105	0.088
MO 7200N-5750E	6	0.8	0.020	0.202	2.049	0.040	0.038	0.068
MO 7200N-5800E	4	0.5	0.026	0.198	0.602	0.022	0.047	0.074
MO 7200N-5850E	9	0.5	0.021	0.254	1.236	0.044	0.038	0.125
MO 7200N-5900E	6	0.8	0.025	0.155	2.059	0.067	0.045	0.188
MO 7200N-5950E	6	0.5	0.029	0.227	0.809	0.066	0.067	0.252
MO 7200N-6000E	7	0.4	0.025	0.240	0.817	0.030	0.060	0.246
MO 7200N-6050E	13	0.7	0.036	0.326	1.190	0.058	0.065	0.302
MO 7200N-6100E	6	0.5	0.040	0.238	0.903	0.025	0.059	0.090
MO 7200N-6150E	7	0.5	0.042	0.264	0.749	0.053	0.059	0.264
MO 7200N-6200E	13	0.9	0.052	0.402	1.004	0.054	0.044	0.295
MO 7200N-6250E	11	0.9	0.053	0.251	0.996	0.027	0.039	0.087
MO 7200N-6350E	8	1.0	0.051	0.239	1.360	0.049	0.057	0.207

DUPLICATES

MO D 5200N-5475E	4	0.3	0.024	0.207	0.517	0.012	0.078	0.067
MO D 5200N-6175E	6	0.3	0.022	0.227	0.835	0.039	0.041	0.114
MO D 5400N-6150E	7	0.4	0.035	0.262	1.067	0.049	0.053	0.172
MO D 6800N-5500E	3	0.3	0.013	0.141	0.654	0.020	0.038	0.069
MO D 6800N-6200E	10	0.5	0.022	0.316	1.214	0.049	0.077	0.148
MO D 7200N-5500E	5	0.7	0.051	0.162	0.765	0.048	0.051	0.085

Report N° 119030

		Ti %	V ppm	Cr ppm	Mn ppm	Fe %	Co ppm	Ni ppm	Sr ppm
AO	5200N-5475E	0.089	37	7	82	0.998	3	10	4
AO	5200N-5525E	0.092	22	12	76	0.739	4	5	8
AO	5200N-5575E	0.109	33	20	107	1.159	5	11	8
AO	5200N-5625E	0.063	22	14	50	0.831	2	<1	7
AO	5200N-5675E	0.052	22	15	68	1.023	2	2	7
AO	5200N-5725E	0.080	32	18	38	1.209	<1	3	4
AO	5200N-5775E	0.064	23	11	47	0.862	2	<1	6
AO	5200N-5825E	0.047	16	11	43	0.659	2	<1	5
AO	5200N-5875E	0.065	34	25	37	1.656	<1	16	5
AO	5200N-5925E	0.083	26	14	65	1.058	3	<1	6
AO	5200N-5975E	0.085	40	27	74	1.365	3	15	6
AO	5200N-6025E	0.083	27	17	62	1.029	4	<1	7
AO	5200N-6075E	0.079	31	16	67	1.091	5	<1	7
AO	5200N-6125E	0.079	33	15	107	1.340	5	<1	7
AO	5200N-6175E	0.055	18	12	53	0.700	3	2	6
AO	5400N-5500E	0.041	16	12	38	0.603	1	9	7
AO	5400N-5550E	0.063	22	17	69	0.798	3	3	9
AO	5400N-5600E	0.053	20	15	87	0.855	4	1	10
AO	5400N-5650E	0.035	8	19	2	0.646	<1	9	45
AO	5400N-5700E	0.047	13	7	38	0.354	2	<1	6
AO	5400N-5750E	0.055	21	10	46	0.729	2	3	6
AO	5400N-5800E	0.068	27	9	49	0.930	2	<1	6
AO	5400N-5850E	0.086	27	16	72	0.950	3	6	9
AO	5400N-5900E	0.075	29	27	200	1.158	11	16	11
AO	5400N-5950E	0.078	27	18	102	1.007	6	3	9
AO	5400N-6000E	0.056	26	20	75	1.129	5	<1	7
AO	5400N-6050E	0.088	30	18	71	1.045	5	<1	7
AO	5400N-6100E	0.064	28	26	112	1.393	7	<1	9
AO	5400N-6150E	0.075	27	21	73	0.943	5	15	10
AO	5400N-6200E	0.101	33	20	94	1.255	5	2	10
AO	6400N-5275E	0.057	170	39	734	9.142	4	13	27
AO	6400N-5325E	0.045	14	34	193	1.105	11	1	35
AO	6400N-5375E	0.057	23	16	105	0.901	6	26	8
AO	6400N-5425E	0.079	33	19	106	1.538	4	<1	9
AO	6400N-5475E	0.078	36	20	148	1.796	4	<1	10
AO	6400N-5525E	0.081	29	28	191	1.280	6	<1	13
AO	6400N-5575E	0.080	33	18	111	1.290	4	<1	12
AO	6400N-5625E	0.034	17	59	40	0.830	1	18	25
AO	6400N-5775E	0.050	24	23	91	0.920	6	15	9
AO	6400N-5875E	0.070	27	23	90	1.047	4	6	11
AO	6400N-5925E	0.086	33	30	119	1.513	5	26	12
AO	6400N-5975E	0.123	38	40	174	1.528	10	<1	17
AO	6400N-6025E	0.066	18	19	64	0.779	4	11	5
AO	6400N-6075E	0.079	24	45	114	1.378	6	17	7
AO	6400N-6125E	0.105	25	24	80	0.963	5	10	5
AO	6400N-6175E	0.170	52	150	335	5.153	16	45	14
AO	6400N-6325E	0.073	19	24	60	0.810	4	11	5
AO	6400N-6275E	0.062	17	20	45	0.616	3	8	4
AO	6400N-6325E	0.019	17	302	516	14.899	<1	89	3
AO	6400N-6375E	0.079	21	26	86	1.148	7	13	5
AO	6800N-5350E	0.039	14	14	39	0.823	2	6	3
AO	6800N-5400E	0.062	15	70	137	1.678	7	7	7
AO	6800N-5450E	0.053	15	15	33	0.600	2	2	3
AO	6800N-5500E	0.065	14	11	29	0.405	2	<1	4
AO	6800N-5550E	0.040	12	8	53	0.483	3	4	4
AO	6800N-5600E	0.052	13	12	41	0.642	2	3	4
AO	6800N-5650E	0.052	17	11	23	0.864	<1	<1	2
AO	6800N-5700E	0.044	16	14	52	0.691	3	6	3
AO	6800N-5750E	0.048	15	17	39	0.429	3	6	3

Report N° 119030

		Ti %	V ppm	Cr ppm	Mn ppm	Fe %	Co ppm	Ni ppm	Sr ppm
AO	6800N-5800E	0.068	22	14	48	1.028	2	4	3
AO	6800N-5850E	0.054	14	13	88	0.568	3	3	4
AO	6800N-5900E	0.064	17	7	34	0.573	2	<1	3
AO	6800N-5950E	0.043	14	12	45	0.688	2	3	3
AO	6800N-6000E	0.042	11	9	39	0.531	2	4	4
AO	6800N-6050E	0.060	20	25	79	1.008	7	15	5
AO	6800N-6100E	0.042	9	20	37	0.297	3	7	5
AO	6800N-6150E	0.042	13	10	48	0.528	2	2	3
AO	6800N-6200E	0.061	19	21	94	0.976	5	12	5
AO	6800N-6250E	0.052	16	16	47	0.809	3	7	3
AO	6800N-6300E	0.064	20	17	33	0.975	3	1	4
AO	6800N-6350E	0.056	18	12	30	0.790	3	1	3
AO	6800N-6400E	0.068	21	23	72	1.021	5	11	4
AO	7600N-6000E	0.047	18	20	52	0.929	2	27	4
AO	7600N-6050E	0.065	18	17	63	0.897	4	10	4
AO	7600N-6100E	0.062	15	16	56	0.667	3	7	5
AO	7600N-6150E	0.095	23	16	81	1.110	4	7	6
AO	7600N-6200E	0.050	14	20	73	0.638	5	16	4
AO	7600N-6250E	0.075	27	24	86	1.267	2	9	4
AO	7600N-6350E	0.060	18	15	47	0.594	2	5	4
AO	7200N-5400E	0.096	30	9	82	1.296	3	5	4
AO	7200N-5450E	0.064	19	13	35	0.952	1	2	3
AO	7200N-5500E	0.061	17	10	59	0.745	3	3	3
AO	7200N-5550E	0.043	15	14	55	0.702	5	16	3
AO	7200N-5600E	0.044	11	9	41	0.465	2	4	4
AO	7200N-5650E	0.097	21	10	41	0.796	3	5	2
AO	7200N-5700E	0.076	23	14	82	1.340	1	4	4
AO	7200N-5750E	0.075	29	18	64	2.385	<1	6	3
AO	7200N-5800E	0.084	26	8	44	0.948	2	<1	3
AO	7200N-5850E	0.058	19	16	57	0.961	4	11	3
AO	7200N-5900E	0.061	24	17	37	1.274	1	12	4
AO	7200N-5950E	0.052	15	15	60	0.687	3	<1	5
AO	7200N-6000E	0.071	20	13	52	1.011	3	<1	5
AO	7200N-6050E	0.062	21	20	101	1.004	6	2	5
AO	7200N-6100E	0.081	20	16	42	0.662	2	20	4
AO	7200N-6150E	0.058	15	15	52	0.574	3	9	5
AO	7200N-6200E	0.064	27	29	165	1.286	11	<1	5
AO	7200N-6250E	0.062	21	17	417	0.965	11	22	4
AO	7200N-6350E	0.067	20	15	48	1.205	3	3	5

DUPLICATES

AO	D 5200N-5475E	0.083	39	11	89	1.185	3	2	5
AO	D 5200N-6175E	0.049	18	13	53	0.733	3	<1	6
AO	D 5400N-6150E	0.071	26	17	73	0.950	4	31	10
AO	D 6800N-5500E	0.057	13	11	29	0.426	2	<1	4
AO	D 6800N-6200E	0.062	19	20	89	0.969	5	11	5
AO	D 7200N-5500E	0.071	18	9	60	0.802	3	<1	3

	Y ppm	Zr ppm	Mo ppm	Cd ppm	Sn ppm	Ba ppm	La ppm	W ppm
5200N-5475E	<1	<1	<1	3	<3	19	4	20
5200N-5525E	<1	<1	<1	3	<3	18	6	19
5200N-5575E	<1	<1	3	2	<3	37	7	22
5200N-5625E	2	<1	<1	1	<3	15	8	15
5200N-5675E	2	<1	<1	<1	<3	16	10	14
5200N-5725E	<1	<1	2	2	<3	15	4	21
5200N-5775E	2	<1	2	2	<3	12	3	19
5200N-5825E	<1	<1	<1	1	<3	11	4	14
5200N-5875E	1	<1	<1	<1	<3	11	6	26
5200N-5925E	<1	<1	<1	2	<3	14	8	19
5200N-5975E	<1	<1	1	3	<3	15	9	28
5200N-6025E	2	<1	<1	2	<3	16	8	22
5200N-6075E	<1	<1	<1	2	<3	15	4	24
5200N-6125E	2	<1	<1	1	<3	29	8	26
5200N-6175E	1	<1	2	1	<3	15	7	15
5400N-5500E	3	<1	<1	<1	<3	14	12	11
5400N-5550E	2	<1	<1	2	<3	24	15	13
5400N-5600E	3	<1	<1	<1	<3	25	12	15
5400N-5650E	2	<1	<1	3	<3	46	8	17
5400N-5700E	2	<1	<1	2	<3	11	7	15
5400N-5750E	1	<1	<1	1	<3	12	7	18
5400N-5800E	<1	<1	<1	2	<3	12	<1	25
5400N-5850E	<1	<1	1	2	<3	19	7	17
5400N-5900E	4	<1	<1	2	<3	30	16	24
5400N-5950E	3	<1	2	2	<3	22	6	18
5400N-6000E	2	<1	<1	<1	<3	15	8	22
5400N-6050E	<1	<1	<1	3	<3	16	10	24
5400N-6100E	3	<1	<1	<1	<3	27	13	20
5400N-6150E	2	<1	<1	2	<3	18	5	20
5400N-6200E	<1	<1	<1	1	<3	22	7	22
6400N-5275E	4	1	6	<1	<3	95	25	100
6400N-5325E	5	<1	4	3	<3	75	21	20
6400N-5375E	3	<1	<1	1	<3	26	9	21
6400N-5425E	2	<1	<1	2	<3	27	9	29
6400N-5475E	3	<1	<1	3	<3	29	8	31
6400N-5525E	3	<1	<1	2	<3	33	13	24
6400N-5575E	2	<1	1	2	<3	37	12	23
6400N-5625E	10	2	10	3	<3	30	45	11
6400N-5775E	4	<1	2	2	<3	27	18	20
6400N-5875E	2	<1	1	<1	<3	28	16	21
6400N-5925E	3	<1	1	2	<3	38	16	30
6400N-5975E	4	<1	1	2	<3	60	20	34
6400N-6025E	2	<1	1	<1	<3	20	2	13
6400N-6075E	2	<1	14	<1	6	172	8	16
6400N-6125E	<1	<1	1	<1	<3	26	6	14
6400N-6175E	4	9	134	<1	64	<1	17	65
6400N-6325E	2	<1	2	<1	<3	19	7	11
6400N-6275E	1	<1	2	<1	<3	16	4	13
6400N-6325E	10	8	<1	<1	<3	60	2	75
6400N-6375E	2	<1	3	<1	<3	26	7	17
6800N-5350E	2	<1	<1	<1	<3	13	6	8
6800N-5400E	<1	1	90	<1	27	184	8	18
6800N-5450E	<1	<1	1	<1	<3	11	3	11
6800N-5500E	<1	<1	3	<1	<3	14	<1	<1
6800N-5550E	2	<1	1	<1	<3	14	6	5
6800N-5600E	<1	<1	3	<1	<3	14	6	12
6800N-5650E	1	<1	3	<1	<3	9	5	11
6800N-5700E	2	<1	4	<1	<3	49	2	7
6800N-5750E	3	<1	2	<1	<3	20	9	6

Report N° 319030

	Y ppm	Zr ppm	Mo ppm	Cd ppm	Sn ppm	Ba ppm	La ppm	W ppm
MO 6800N-5800E	<1	<1	2	<1	<3	16	9	16
MO 6800N-5850E	3	2	2	<1	<3	13	2	11
MO 6800N-5900E	<1	<1	3	<1	<3	9	2	6
MO 6800N-5950E	3	<1	2	<1	<3	7	3	12
MO 6800N-6000E	1	<1	2	<1	<3	12	5	5
MO 6800N-6050E	4	<1	3	<1	5	60	10	13
MO 6800N-6100E	3	<1	3	<1	<3	28	7	3
MO 6800N-6150E	<1	<1	2	<1	<3	9	3	6
MO 6800N-6200E	2	<1	2	<1	<3	25	10	11
MO 6800N-6250E	2	<1	<1	<1	<3	14	3	12
MO 6800N-6300E	<1	<1	<1	<1	<3	19	4	9
MO 6800N-6350E	<1	<1	2	<1	<3	13	3	7
MO 6800N-6400E	2	<1	2	<1	<3	24	10	13
MO 7600N-6000E	<1	<1	1	<1	<3	13	7	15
MO 7600N-6050E	2	<1	<1	<1	<3	18	8	11
MO 7600N-6100E	2	<1	2	<1	<3	21	4	8
MO 7600N-6150E	1	<1	2	<1	<3	24	6	6
MO 7600N-6200E	2	<1	1	<1	<3	21	5	6
MO 7600N-6250E	<1	<1	4	<1	<3	17	<1	14
MO 7600N-6350E	<1	<1	<1	<1	<3	13	2	18
MO 7200N-5400E	<1	<1	3	<1	<3	21	6	16
MO 7200N-5450E	2	<1	1	<1	<3	11	3	15
MO 7200N-5500E	<1	<1	3	<1	<3	13	6	11
MO 7200N-5550E	1	<1	2	<1	<3	15	9	9
MO 7200N-5600E	1	<1	<1	<1	<3	15	3	7
MO 7200N-5650E	<1	<1	<1	<1	<3	13	<1	7
MO 7200N-5700E	1	<1	3	<1	<3	26	4	13
MO 7200N-5750E	1	<1	<1	<1	<3	15	4	20
MO 7200N-5800E	<1	<1	2	<1	<3	10	<1	5
MO 7200N-5850E	3	1	2	<1	<3	15	7	9
MO 7200N-5900E	<1	<1	1	<1	<3	13	2	18
MO 7200N-5950E	2	<1	1	<1	<3	20	11	14
MO 7200N-6000E	<1	<1	3	<1	<3	24	5	12
MO 7200N-6050E	3	<1	<1	<1	<3	24	8	20
MO 7200N-6100E	<1	<1	<1	<1	<3	19	<1	10
MO 7200N-6150E	1	<1	2	<1	<3	19	<1	13
MO 7200N-6200E	4	<1	2	<1	<3	24	7	11
MO 7200N-6250E	2	<1	2	<1	<3	21	8	8
MO 7200N-6350E	2	<1	3	<1	<3	23	<1	12

DUPLICATES

MO D 5200N-5475E	<1	<1	1	2	<3	19	<1	28
MO D 5200N-6175E	2	<1	<1	1	<3	15	4	15
MO D 5400N-6150E	2	<1	<1	2	<3	18	10	24
MO D 6800N-5500E	<1	<1	1	<1	<3	14	3	6
MO D 6800N-6200E	2	<1	<1	<1	<3	26	8	8
MO D 7200N-5500E	1	<1	<1	<1	<3	15	<1	12

Report N° 119030


	Bl ppm	Tl ppm
O 5200N-5475E	<3	<1
O 5200N-5525E	<3	<1
O 5200N-5575E	<3	<1
O 5200N-5625E	<3	<1
O 5200N-5675E	<3	<1
O 5200N-5725E	<3	<1
O 5200N-5775E	<3	<1
O 5200N-5825E	<3	<1
O 5200N-5875E	<3	<1
O 5200N-5925E	<3	<1
O 5200N-5975E	<3	<1
O 5200N-6025E	4	<1
O 5200N-6075E	<3	<1
O 5200N-6125E	<3	<1
O 5200N-6175E	<3	<1
O 5400N-5500E	<3	<1
O 5400N-5550E	<3	<1
O 5400N-5600E	<3	<1
O 5400N-5650E	<3	<1
O 5400N-5700E	<3	<1
O 5400N-5750E	<3	<1
O 5400N-5800E	<3	<1
O 5400N-5850E	<3	<1
O 5400N-5900E	<3	<1
O 5400N-5950E	<3	<1
O 5400N-6000E	<3	<1
O 5400N-6050E	<3	<1
O 5400N-6100E	4	<1
O 5400N-6150E	<3	<1
O 5400N-6200E	5	<1
O 6400N-5275E	<3	<1
O 6400N-5325E	<3	<1
O 6400N-5375E	<3	<1
O 6400N-5425E	<3	<1
O 6400N-5475E	<3	<1
O 6400N-5525E	<3	<1
O 6400N-5575E	<3	<1
O 6400N-5625E	<3	<1
O 6400N-5775E	<3	<1
O 6400N-5875E	<3	<1
O 6400N-5925E	<3	<1
O 6400N-5975E	7	<1
O 6400N-6025E	<3	<1
O 6400N-6075E	<3	<1
O 6400N-6125E	4	<1
O 6400N-6175E	7	<1
O 6400N-6325E	<3	<1
O 6400N-6275E	<3	<1
O 6400N-6325E	<3	<1
O 6400N-6375E	<3	<1
O 6800N-5350E	<3	<1
O 6800N-5400E	<3	<1
O 6800N-5450E	<3	<1
O 6800N-5500E	<3	<1
O 6800N-5550E	<3	<1
O 6800N-5600E	<3	<1
O 6800N-5650E	<3	<1
O 6800N-5700E	<3	<1
O 6800N-5750E	<3	<1

Report N° 119030

		Bi ppm	Tl ppm
MO	6800N-5800E	<3	<1
MO	6800N-5850E	<3	<1
MO	6800N-5900E	<3	<1
MO	6800N-5950E	<3	<1
MO	6800N-6000E	<3	<1
MO	6800N-6050E	<3	<1
MO	6800N-6100E	<3	<1
MO	6800N-6150E	<3	<1
MO	6800N-6200E	<3	<1
MO	6800N-6250E	<3	<1
MO	6800N-6300E	<3	<1
MO	6800N-6350E	<3	<1
MO	6800N-6400E	<3	<1
MO	7600N-6000E	<3	<1
MO	7600N-6050E	<3	<1
MO	7600N-6100E	<3	<1
MO	7600N-6150E	<3	<1
MO	7600N-6200E	<3	<1
MO	7600N-6250E	<3	<1
MO	7600N-6350E	<3	<1
MO	7200N-5400E	<3	<1
MO	7200N-5450E	<3	<1
MO	7200N-5500E	<3	<1
MO	7200N-5550E	<3	<1
MO	7200N-5600E	<3	<1
MO	7200N-5650E	<3	<1
MO	7200N-5700E	<3	<1
MO	7200N-5750E	<3	<1
MO	7200N-5800E	<3	<1
MO	7200N-5850E	<3	<1
MO	7200N-5900E	<3	<1
MO	7200N-5950E	<3	<1
MO	7200N-6000E	<3	<1
MO	7200N-6050E	<3	<1
MO	7200N-6100E	<3	<1
MO	7200N-6150E	<3	<1
MO	7200N-6200E	<3	<1
MO	7200N-6250E	<3	<1
MO	7200N-6350E	<3	<1

DUPLICATES

MO	D 5200N-5475E	7	<1
MO	D 5200N-6175E	<3	<1
MO	D 5400N-6150E	<3	<1
MO	D 6800N-5500E	<3	<1
MO	D 6800N-6200E	<3	<1
MO	D 7200N-5500E	<3	<1





SGS France S.A.
Filab Division Minerais

1, rue Nicolas Cugnot - BP133
21303 Chenôve cedex 03 - France
Téléphone : 03.80.52.32.05
Téléfax : 03.80.52.01.11
E-mail : 3801.1148@compuserve.com

GEOLOGISKE TJENSTER AS
Mr A.REINSBAKKEN

REPORT N° 119033

HOVFARET 8
0275 OSLO
NORWAY

Customer Ref. :
Project :
Number of samples : 55

Date submitted : 13/08/98
Date partial report :
Date final report : 26/08/98
Number of pages : 11

MULTI ELEMENT ANALYSIS

Method code : ICP 70

Performed in Chenôve

Ag 0.5 - 100 ppm
As 3 - 10000 ppm
B 3 - 10000 ppm
Ba 1 - 10000 ppm
Bi 1 - 10000 ppm
Br 1 - 5000 ppm
Ca 1 - 5000 ppm
Cd 0.1 - 1000 ppm

55 samples

Na 0.005 - 5 %
Mg 0.005 - 2 %
Al 0.005 - 5 %
P 0.005 - 2 %
K 0.005 - 2 %
Ca 0.005 - 10 %
Fe 0.005 - 30 %
Ti 0.005 - 0.5 %

Analytical range
WO : P-0633

CF list: below

V 1 - 5000 ppm
Cr 1 - 5000 ppm
Mn 1 - 10000 ppm
Co 1 - 5000 ppm
Ni 1 - 5000 ppm
Sr 1 - 1000 ppm
Y 1 - 1000 ppm
Zr 1 - 1000 ppm
Mo 1 - 5000 ppm
Cd 1 - 1000 ppm
Sn 1 - 5000 ppm
Ba 1 - 10000 ppm
La 1 - 1000 ppm
W 1 - 5000 ppm
Bi 3 - 5000 ppm
Tl 1 - 1000 ppm

Approved by :
Guy SIMON
Julie GAUDIER

*** UNLESS INSTRUCTED OTHERWISE WE WILL DISCARD SAMPLES IN 90 DAYS FROM THE DATE OF THIS REPORT ***

Membre du Groupe SGS (Société Générale de Surveillance)
Société Anonyme au capital de 53 000 000 F - Siège social : 191, Avenue Aristide Briand - 94237 Cachan cedex
Téléphone 01 41 24 88 88 - Télex 632410F - Télécopieur 01 41 24 89 98 - RCS Créteil B 352 791 488

part N° 119033

	Au ppb	Hg ppm	Ag ppm	As ppm	Sb ppm	Cu pppt	Pb ppm	Zn ppm
8400 N-5600E			0.9	<3	7	<1	<1	26
8400 N-5650E			3.4	<3	11	25	15	15
8400 N-5700E			1.8	<3	7	<1	<1	18
8400 N-5750E			<0.5	<3	8	<1	<1	29
8400 N-5800E			<0.5	<3	<3	<1	<1	19
8400 N-5850E			<0.5	5	4	<1	<1	109
8400 N-5900E			<0.5	3	<3	2	<1	18
8400 N-5950E			0.8	<3	10	<1	18	24
8400 N-6050E			<0.5	<3	5	<1	<1	14
8400 N-6150E			<0.5	<3	6	<1	13	33
8400 N-6200E			1.4	4	<3	5	<1	38
8400 N-6250E			2.1	4	<3	<1	<1	62
8400 N-6300E			1.3	<3	<3	<1	<1	35
8400 N-6350E			1.0	<3	8	<1	<1	37
8400 N-6400E			0.6	<3	5	<1	<1	71
8400 N-6450E			1.8	<3	7	<1	13	84
8400 N-6500E			<0.5	<3	8	26	17	85
8800 N-5600E			<0.5	<3	<3	3	<1	23
8800 N-5650E			<0.5	<3	<3	<1	<1	17
8800 N-5700E			1.2	<3	6	<1	<1	19
8800 N-5750E			<0.5	<3	<3	<1	<1	14
8800 N-5800E			1.0	<3	<3	<1	<1	17
8800 N-5850E			<0.5	5	4	<1	<1	41
8800 N-5950E			2.0	<3	<3	<1	<1	20
8800 N-6000E			<0.5	<3	4	<1	<1	33
8800 N-6050E			0.8	<3	<3	<1	<1	29
8800 N-6100E			2.7	<3	<3	5	<1	18
8800 N-6150E			0.9	3	5	<1	<1	12
8800 N-6200E			<0.5	4	<3	4	<1	23
8800 N-6300E			<0.5	<3	6	<1	<1	69
8800 N-6350E			1.3	3	<3	12	<1	43
8800 N-6400E			0.5	<3	5	8	<1	48
8800 N-6450E			<0.5	<3	4	<1	15	49
8800 N-6500E			0.6	4	3	2	<1	175
8800 N-6550E			1.4	<3	6	<1	<1	31
8800 N-6600E			0.7	3	11	<1	<1	29
9200 N-5800E			1.6	<3	<3	8	<1	125
9200 N-5850E			<0.5	<3	5	<1	<1	28
9200 N-5900E			<0.5	<3	4	3	<1	69
9200 N-5950E			<0.5	<3	4	<1	<1	103
9200 N-6000E			2.6	<3	3	2	<1	51
9200 N-6050E			0.9	<3	3	<1	<1	61
9200 N-6100E			<0.5	<3	13	772	19	114
9200 N-6150E			1.0	<3	5	<1	<1	37
9200 N-6200E			<0.5	<3	4	<1	<1	19
9200 N-6250E			<0.5	<3	5	<1	<1	46
9200 N-6300E			1.1	6	6	<1	<1	36
9200 N-6350E			1.1	<3	6	7	<1	49
9200 N-6400E			3.9	12	7	25	<1	69
9200 N-6450E			<0.5	<3	<3	280	24	119
9200 N-6500E			<0.5	<3	<3	96	<1	96
9200 N-6550E			<0.5	<3	<3	28	<1	48
9200 N-6600E			<0.5	<3	<3	7	<1	39
9200 N-6650E			<0.5	<3	<3	17	<1	46
9200 N-6700E			<0.5	<3	<3	113	19	42

Report N° 119033

	Au ppb	Hg ppm	Ag ppm	As ppm	Sb ppm	Cu ppm	Pb ppm	Zn ppm
DUPLICATES								
O D 8400 N-5950E			<0.5	<3	7	<1	18	43
O D 8800 N-5800E			1.0	<3	4	<1	<1	144
200 N-6450E			<0.5	<3	<3	275	17	59



Report N° 119033

		Li ppm	Be ppm	Na %	Mg %	Al %	P %	K %	Ca %
MO	8400 N-5600E	4	<0.1	<0.005	0.155	0.527	0.018	0.034	0.159
MO	8400 N-5650E	11	<0.1	0.019	0.571	1.478	0.043	0.081	0.231
MO	8400 N-5700E	9	<0.1	0.010	0.292	0.974	0.047	0.066	0.231
MO	8400 N-5750E	5	<0.1	<0.005	0.145	0.691	0.021	0.037	0.106
MO	8400 N-5800E	4	<0.1	0.007	0.154	0.365	0.054	0.049	0.259
MO	8400 N-5850E	11	<0.1	<0.005	0.282	1.107	0.081	0.061	0.134
MO	8400 N-5900E	6	<0.1	0.007	0.192	0.660	0.052	0.045	0.255
MO	8400 N-5950E	18	<0.1	0.015	0.578	1.595	0.059	0.156	0.537
MO	8400 N-6050E	6	<0.1	<0.005	0.269	0.532	0.036	0.042	0.205
MO	8400 N-6150E	10	<0.1	<0.005	0.336	0.977	0.030	0.067	0.111
MO	8400 N-6200E	2	<0.1	0.236	0.058	0.608	0.048	0.032	0.137
MO	8400 N-6250E	7	<0.1	<0.005	0.189	0.714	0.057	0.041	0.420
MO	8400 N-6300E	7	<0.1	<0.005	0.191	0.887	0.052	0.039	0.207
MO	8400 N-6350E	7	<0.1	0.005	0.331	0.801	0.051	0.049	0.231
MO	8400 N-6400E	7	<0.1	<0.005	0.164	1.126	0.073	0.040	0.295
MO	8400 N-6450E	9	<0.1	<0.005	0.355	0.948	0.039	0.044	0.126
MO	8400 N-6500E	12	<0.1	<0.005	0.545	1.373	0.051	0.061	0.183
MO	8800 N-5600E	8	<0.1	0.009	0.200	0.975	0.067	0.043	0.303
MO	8800 N-5650E	4	<0.1	<0.005	0.114	0.641	0.030	0.029	0.127
MO	8800 N-5700E	9	<0.1	0.012	0.229	1.065	0.060	0.047	0.276
MO	8800 N-5750E	6	<0.1	0.007	0.178	0.643	0.057	0.035	0.239
MO	8800 N-5800E	6	<0.1	<0.005	0.140	0.749	0.053	0.039	0.233
MO	8800 N-5850E	8	<0.1	<0.005	0.192	0.744	0.055	0.054	0.282
MO	8800 N-5950E	6	<0.1	0.014	0.140	0.608	0.066	0.035	0.316
MO	8800 N-6000E	6	<0.1	0.005	0.160	0.712	0.058	0.040	0.240
MO	8800 N-6050E	5	<0.1	<0.005	0.119	0.504	0.054	0.040	0.219
MO	8800 N-6100E	5	<0.1	0.009	0.162	0.496	0.049	0.039	0.229
MO	8800 N-6150E	6	<0.1	0.005	0.148	0.613	0.059	0.037	0.261
MO	8800 N-6200E	5	<0.1	<0.005	0.134	0.404	0.062	0.040	0.312
MO	8800 N-6300E	7	<0.1	<0.005	0.286	0.563	0.040	0.055	0.218
MO	8800 N-6350E	8	<0.1	0.007	0.272	0.700	0.057	0.057	0.311
MO	8800 N-6400E	14	<0.1	0.011	0.395	0.840	0.029	0.053	0.274
MO	8800 N-6450E	9	<0.1	<0.005	0.358	1.121	0.039	0.056	0.154
MO	8800 N-6500E	8	<0.1	<0.005	0.305	0.640	0.032	0.048	0.153
MO	8800 N-6550E	6	<0.1	0.008	0.228	0.458	0.037	0.050	0.220
MO	8800 N-6600E	9	<0.1	<0.005	0.459	0.898	0.028	0.065	0.149
MO	9200 N-5800E	7	<0.1	<0.005	0.232	0.820	0.031	0.053	0.144
MO	9200 N-5850E	10	<0.1	0.006	0.266	0.613	0.030	0.047	0.214
MO	9200 N-5900E	9	<0.1	0.006	0.245	0.883	0.037	0.038	0.202
MO	9200 N-5950E	6	<0.1	<0.005	0.153	0.770	0.058	0.041	0.228
MO	9200 N-6000E	8	<0.1	0.008	0.222	0.605	0.051	0.051	0.273
MO	9200 N-6050E	10	<0.1	<0.005	0.238	0.731	0.043	0.040	0.312
MO	9200 N-6100E	17	<0.1	0.389	0.877	1.302	0.088	0.185	3.767
MO	9200 N-6150E	6	<0.1	<0.005	0.176	0.662	0.060	0.049	0.263
MO	9200 N-6200E	6	<0.1	0.008	0.207	0.770	0.030	0.041	0.155
MO	9200 N-6250E	7	<0.1	<0.005	0.250	1.113	0.038	0.037	0.125
MO	9200 N-6300E	5	<0.1	<0.005	0.152	0.601	0.051	0.044	0.194
MO	9200 N-6350E	5	<0.1	<0.005	0.206	0.750	0.030	0.049	0.121
MO	9200 N-6400E	9	<0.1	<0.005	0.404	1.060	0.044	0.055	0.191
MO	9200 N-6450E	14	<0.1	0.022	0.683	2.226	0.064	0.063	0.192
MO	9200 N-6500E	10	<0.1	0.023	0.770	1.542	0.028	0.060	0.128
MO	9200 N-6550E	9	<0.1	0.018	0.586	1.298	0.050	0.049	0.162
MO	9200 N-6600E	5	<0.1	0.015	0.325	1.232	0.050	0.043	0.102
MO	9200 N-6650E	5	<0.1	0.016	0.308	0.882	0.025	0.040	0.074
MO	9200 N-6700E	10	<0.1	0.025	0.539	1.548	0.061	0.093	0.166

Report N° 119033

	Li ppm	Be ppm	Na %	Mg %	Al %	P %	K %	Ca %
DUPLICATES								
10 D 8400 N-5950E	18	<0.1	0.020	0.562	1.499	0.049	0.153	0.493
10 D 8800 N-5800E	8	<0.1	<0.005	0.133	0.725	0.051	0.037	0.215
10 9200 N-6450E	14	<0.1	0.022	0.669	2.131	0.060	0.055	0.178




ort N° 119033

	Ti %	V ppm	Cr ppm	Mn ppm	Fe %	Co ppm	Ni ppm	Sr ppm
8400 N-5600E	0.064	21	3	46	0.774	<1	<1	3
8400 N-5650E	0.085	40	41	97	1.915	11	23	2
8400 N-5700E	0.065	24	13	77	1.183	<1	<1	3
8400 N-5750E	0.059	19	3	41	0.844	<1	<1	2
8400 N-5800E	0.038	13	3	56	0.583	<1	<1	3
8400 N-5850E	0.065	30	2	60	1.247	<1	<1	4
8400 N-5900E	0.047	19	3	63	0.784	2	<1	3
8400 N-5950E	0.130	48	42	86	2.381	7	<1	5
8400 N-6050E	0.054	21	5	66	0.947	2	<1	3
8400 N-6150E	0.147	43	9	81	2.170	5	<1	3
8400 N-6200E	0.032	7	9	15	0.222	<1	<1	3
8400 N-6250E	0.045	16	<1	51	0.846	<1	<1	4
8400 N-6300E	0.044	17	5	54	0.925	<1	<1	3
8400 N-6350E	0.064	28	10	56	1.325	<1	<1	3
8400 N-6400E	0.050	22	5	90	1.197	<1	<1	4
8400 N-6450E	0.111	44	13	128	2.199	3	<1	2
8400 N-6500E	0.078	40	23	206	2.206	10	6	3
8800 N-5600E	0.043	17	11	61	0.918	2	<1	4
8800 N-5650E	0.046	17	4	32	0.826	<1	<1	2
8800 N-5700E	0.053	19	15	71	1.046	3	1	4
8800 N-5750E	0.044	16	4	79	0.824	<1	<1	3
8800 N-5800E	0.048	18	1	40	0.875	<1	<1	3
8800 N-5850E	0.044	18	6	47	0.738	<1	<1	4
8800 N-5950E	0.031	12	4	52	0.653	<1	<1	4
8800 N-6000E	0.040	15	3	56	0.748	<1	<1	3
8800 N-6050E	0.036	12	5	36	0.444	<1	<1	3
8800 N-6100E	0.038	17	3	53	0.752	<1	<1	3
8800 N-6150E	0.035	15	2	60	0.681	<1	<1	3
8800 N-6200E	0.032	14	1	51	0.594	<1	<1	3
8800 N-6300E	0.065	25	9	70	1.206	2	<1	3
8800 N-6350E	0.043	18	6	87	0.912	4	<1	3
8800 N-6400E	0.055	23	14	115	1.207	4	10	4
8800 N-6450E	0.104	47	18	654	2.392	10	4	3
8800 N-6500E	0.065	27	13	88	1.319	3	<1	3
8800 N-6550E	0.065	24	10	81	1.052	2	<1	3
8800 N-6600E	0.095	39	14	119	1.808	7	1	3
9200 N-5800E	0.065	23	5	93	1.088	2	<1	2
9200 N-5850E	0.044	18	8	71	1.029	1	<1	3
9200 N-5900E	0.046	17	6	61	0.998	<1	<1	3
9200 N-5950E	0.046	17	4	54	0.816	<1	<1	3
9200 N-6000E	0.044	17	5	76	0.831	2	<1	3
9200 N-6050E	0.045	24	4	63	1.128	<1	<1	3
9200 N-6100E	0.116	54	62	387	5.460	35	153	12
9200 N-6150E	0.042	15	2	54	0.749	<1	<1	3
9200 N-6200E	0.042	17	8	47	0.782	<1	<1	3
9200 N-6250E	0.059	20	12	44	0.916	<1	<1	2
9200 N-6300E	0.039	15	<1	63	0.664	<1	<1	3
9200 N-6350E	0.055	18	3	62	1.152	<1	<1	2
9200 N-6400E	0.077	39	15	143	1.791	7	<1	2
9200 N-6450E	0.072	46	36	585	3.443	15	32	4
9200 N-6500E	0.066	32	30	310	2.356	10	7	3
9200 N-6550E	0.069	37	25	322	2.425	8	<1	4
9200 N-6600E	0.076	38	20	115	2.126	2	<1	3
9200 N-6650E	0.071	34	14	111	1.982	4	<1	2
9200 N-6700E	0.063	40	38	193	2.673	16	30	3

Report N° 119033

		Ti %	V ppm	Cr ppm	Mn ppm	Fe %	Co ppm	Ni ppm	Sr ppm
DUPLICATES									
MO	D 8400 N-5950E	0.120	48	39	83	2.271	6	<1	4
MO	D 8800 N-5800E	0.046	17	<1	38	0.822	<1	<1	3
MC	9200 N-6450E	0.067	44	35	545	3.206	15	39	3



Report N° 119033

		Y ppm	Zr ppm	Mo ppm	Cd ppm	Sn ppm	Ba ppm	La ppm	W ppm
MO	8400 N-5600E	7	<1	<1	<1	<3	10	3	4
MO	8400 N-5650E	15	<1	<1	<1	<3	21	5	8
MO	8400 N-5700E	16	<1	<1	<1	<3	21	9	4
MO	8400 N-5750E	10	<1	<1	<1	<3	11	4	4
MO	8400 N-5800E	14	<1	<1	<1	<3	14	5	1
MO	8400 N-5850E	38	<1	<1	<1	<3	33	10	2
MO	8400 N-5900E	17	<1	<1	<1	<3	14	6	<1
MO	8400 N-5950E	32	<1	<1	<1	<3	52	9	2
MO	8400 N-6050E	13	<1	<1	<1	<3	12	4	4
MO	8400 N-6150E	15	<1	<1	<1	<3	22	4	11
MO	8400 N-6200E	17	<1	<1	<1	<3	57	5	<1
MO	8400 N-6250E	21	<1	<1	<1	<3	17	3	2
MO	8400 N-6300E	15	<1	<1	<1	<3	14	5	5
MO	8400 N-6350E	18	<1	<1	<1	<3	14	7	3
MO	8400 N-6400E	24	<1	<1	<1	<3	17	7	<1
MO	8400 N-6450E	10	<1	<1	<1	<3	19	3	7
MO	8400 N-6500E	16	<1	<1	<1	<3	21	3	5
MO	8800 N-5600E	22	<1	<1	<1	<3	19	7	3
MO	8800 N-5650E	11	<1	<1	<1	<3	9	4	2
MO	8800 N-5700E	22	<1	<1	<1	<3	20	8	2
MO	8800 N-5750E	20	<1	<1	<1	<3	13	6	4
MO	8800 N-5800E	20	<1	<1	<1	<3	14	8	3
MO	8800 N-5850E	24	<1	<1	<1	<3	20	7	<1
MO	8800 N-5950E	22	<1	<1	<1	<3	12	7	4
MO	8800 N-6000E	16	<1	<1	<1	<3	11	6	3
MO	8800 N-6050E	23	<1	<1	<1	<3	13	6	<1
MO	8800 N-6100E	17	<1	<1	<1	<3	14	6	<1
MO	8800 N-6150E	21	<1	<1	<1	<3	11	6	<1
MO	8800 N-6200E	19	<1	<1	<1	<3	11	5	<1
MO	8800 N-6300E	13	<1	<1	<1	<3	14	4	5
MO	8800 N-6350E	21	<1	<1	<1	<3	16	5	2
MO	8800 N-6400E	22	<1	<1	<1	<3	28	8	5
MO	8800 N-6450E	16	<1	<1	<1	<3	39	5	6
MO	8800 N-6500E	14	<1	<1	<1	<3	15	5	2
MO	8800 N-6550E	14	<1	<1	<1	<3	15	4	4
MO	8800 N-6600E	12	<1	<1	<1	<3	17	4	9
MO	9200 N-5800E	15	<1	<1	<1	<3	17	7	2
MO	9200 N-5850E	15	<1	<1	<1	<3	17	6	5
MO	9200 N-5900E	18	<1	<1	<1	<3	14	8	4
MO	9200 N-5950E	20	<1	<1	<1	<3	11	6	<1
MO	9200 N-6000E	18	<1	<1	<1	<3	15	8	4
MO	9200 N-6050E	19	<1	<1	<1	<3	22	6	2
MO	9200 N-6100E	55	<1	16	<1	<3	62	13	18
MO	9200 N-6150E	17	<1	<1	<1	<3	14	7	1
MO	9200 N-6200E	17	<1	<1	<1	<3	15	5	<1
MO	9200 N-6250E	17	<1	<1	<1	<3	11	8	3
MO	9200 N-6300E	21	<1	<1	<1	<3	11	3	<1
MO	9200 N-6350E	15	<1	<1	<1	<3	12	4	4
MO	9200 N-6400E	24	<1	<1	<1	<3	14	3	5
MO	9200 N-6450E	107	<1	<1	<1	<3	88	29	<1
MO	9200 N-6500E	19	<1	<1	<1	<3	64	5	<1
MO	9200 N-6550E	10	<1	<1	<1	<3	56	3	<1
MO	9200 N-6600E	9	<1	<1	<1	<3	26	2	<1
MO	9200 N-6650E	4	<1	<1	<1	<3	43	2	<1
MO	9200 N-6700E	11	<1	<1	<1	<3	52	5	<1

Report N° 119033

	Y ppm	Zr ppm	Mo ppm	Cd ppm	Sn ppm	Ba ppm	La ppm	W ppm
DUPLICATES								
10 D 8400 N-5950E	29	<1	<1	<1	<3	5	7	9
10 D 8800 N-5800E	22	<1	<1	<1	<3	14	4	2
9200 N-6450E	102	<1	1	<1	<3	71	28	<1



Report N° 119033

		Bi ppm	Ti ppm
MO	8400 N-5600E	<3	<1
MO	8400 N-5650E	<3	<1
MO	8400 N-5700E	<3	<1
MO	8400 N-5750E	<3	<1
MO	8400 N-5800E	<3	<1
MO	8400 N-5850E	<3	<1
MO	8400 N-5900E	<3	<1
MO	8400 N-5950E	<3	<1
MO	8400 N-6050E	<3	<1
MO	8400 N-6150E	<3	<1
MO	8400 N-6200E	<3	<1
MO	8400 N-6250E	<3	<1
MO	8400 N-6300E	<3	<1
MO	8400 N-6350E	<3	<1
MO	8400 N-6400E	<3	<1
MO	8400 N-6450E	<3	<1
MO	8400 N-6500E	<3	<1
MO	8800 N-5600E	<3	<1
MO	8800 N-5650E	<3	<1
MO	8800 N-5700E	<3	<1
MO	8800 N-5750E	<3	<1
MO	8800 N-5800E	<3	<1
MO	8800 N-5850E	<3	<1
MO	8800 N-5950E	<3	<1
MO	8800 N-6000E	<3	<1
MO	8800 N-6050E	<3	<1
MO	8800 N-6100E	<3	<1
MO	8800 N-6150E	<3	<1
MO	8800 N-6200E	<3	<1
MO	8800 N-6300E	<3	<1
MO	8800 N-6350E	<3	<1
MO	8800 N-6400E	<3	<1
MO	8800 N-6450E	<3	<1
MO	8800 N-6500E	<3	<1
MO	8800 N-6550E	<3	<1
MO	8800 N-6600E	<3	<1
MO	9200 N-5800E	<3	<1
MO	9200 N-5850E	<3	<1
MO	9200 N-5900E	<3	<1
MO	9200 N-5950E	<3	<1
MO	9200 N-6000E	<3	<1
MO	9200 N-6050E	<3	<1
MO	9200 N-6100E	<3	<1
MO	9200 N-6150E	<3	<1
MO	9200 N-6200E	<3	<1
MO	9200 N-6250E	<3	<1
MO	9200 N-6300E	<3	<1
MO	9200 N-6350E	<3	<1
MO	9200 N-6400E	<3	<1
MO	9200 N-6450E	<3	<1
MO	9200 N-6500E	<3	<1
MO	9200 N-6550E	<3	<1
MO	9200 N-6600E	<3	<1
MO	9200 N-6650E	<3	<1
MO	9200 N-6700E	<3	<1

Report N° 119033			
		Bi ppm	Tl ppm
DUPLICATES			
10	D 8400 N-5950E	<3	<1
10	D 8800 N-5800E	<3	<1
10	9200 N-6450E	<3	<1





SGS France S.A.
Filab Division Minerais

3, rue Nicolas Cugnot - BP133
21303 Chenôve cedex 03 - France
Téléphone : 03.80.52.32.05
Télécopie : 03.80.52.01.11

E-mail : 106601.1146@compuserve.com

~~Handwritten signature~~ ~~Handwritten signature~~

GEOLOGISKE TJENSTER AB
Mr A.REINSBAKKEN

Hovfaret 8
0275 OSLO

NORWAY

REPORT N° 142000

Customer Ref. :
Project :
Number of samples : 472

Date submitted : 23/09/98
Date partial report :
Date final report : 21/10/98
Number of pages : 21

GOLD

Method code : Au-Géo. 25g (AF73A)
Performed in Chenôve 472 samples

Analytical Range : 1 ppb - 3000 ppb Au
W.O : P-0644

COPPER :

Method : AAS Cu (AA70)
Performed in Chenôve 472 samples

Analytical Range : DL = 1 ppm Cu
W.O : P-0644

Approved by :
Guy SIMON
Annick BARREY

*** UNLESS UNSTRUCTED OTHERWISE WE WILL DISCARD SAMPLES IN 90 DAYS FROM THE DATE OF THIS REPORT ***

Report N°142000

	Cu ppm	
	Assay 1	Assay 2
8600N:7100 E	2	
8600N:7150 E	3	
8600N:7200 E	3	
8600N:7250 E	3	
8600N:7300 E	3	
8600N:7350 E	3	
8600N:7400 E	3	
8600N:7450 E	4	
8600N:7500 E	6	
8600N:7550 E	4	
8600N:7600 E	6	
8600N:7650 E	5	10
8600N:7700 E	5	
8600N:7750 E	5	
8600N:7800 E	12	
8600N:7850 E	22	
8600N:7900 E	12	13
8600N:7950 E	10	
8600N:8000 E	9	
8600N:8050 E	13	
8600N:8100 E	25	
8600N:8150 E	28	
8600N:8200 E	39	
8600N:8250 E	16	14
8600N:8300 E	30	
8600N:8350 E	20	
8600N:8400 E	46	
8600N:8450 E	115	104
8600N:8500 E	14	14
8600N:8550 E	28	
8600N:8600 E	32	
8600N:9400 E	110	
8600N:9450 E	59	
8600N:9500 E	18	
8600N:9600 E	260	
8600N:9650 E	625	
8600N:9700 E	70	
8600N:9750 E	12	
8600N:9800 E	5	
8600N:9850 E	14	
8600N:9900 E	25	
8600N:9950 E	8	
8600N:10000 E	28	
9000N:7400 E	5	
9000N:7450 E	6	
9000N:7500 E	5	
9000N:7550 E	6	
9000N:7600 E	6	
9000N:7650 E	4	
9000N:7700 E	12	

Report N°142000

	Cu ppm	
	Assay 1	Assay 2
9000N:7750 E	9	
9000N:7800 E	12	
9000N:7850 E	10	
9000N:7900 E	27	
9000N:7950 E	24	
9000N:8000 E	28	
9000N:9500 E	41	
9000N:9550 E	55	
9000N:9600 E	65	
9000N:9650 E	17	
9000N:9700 E	100	
9000N:9750 E	24	
9000N:9800 E	24	24
9000N:9850 E	30	42
9000N:9900 E	18	17
9000N:9950 E	18	
9000N:10000 E	21	
9000N:10050 E	21	
9000N:10100 E	20	
9000N:10150 E	14	
9000N:10200 E	74	
9000N:10250 E	90	
9000N:10300 E	118	

Report N°142000

	Cu ppm	
	Assay 1	Assay 2
7800N:8150 E	11	
7800N:8200 E	9	
7800N:8250 E	12	
7800N:8300 E	10	9
7800N:8350 E	98	
7800N:8400 E	78	75
7800N:8450 E	11	7
7800N:8500 E	20	21
7800N:8550 E	154	
7800N:8600 E	72	
7800N:9350 E	300	
7800N:9400 E	147	133
7800N:9450 E	26	
7800N:9500 E	33	
7800N:9550 E	35	
7800N:9600 E	19	
7800N:9650 E	40	
7800N:9700 E	48	
8200N:7000 E	10	
8200N:7050 E	6	
8200N:7100 E	6	
8200N:7150 E	7	
8200N:7200 E	4	
8200N:7250 E	4	
8200N:7300 E	5	
8200N:7350 E	5	
8200N:7400 E	5	
8200N:7450 E	4	
8200N:7500 E	5	
8200N:7550 E	5	
8200N:7600 E	5	
8200N:7650 E	5	5
8200N:7700 E	6	
8200N:7750 E	5	
8200N:7800 E	5	
8200N:7850 E	4	
8200N:7900 E	8	
8200N:7950 E	33	30
8200N:8000 E	21	17
8200N:8050 E	20	
8200N:8100 E	9	
8200N:8150 E	39	
8200N:8200 E	12	
8200N:8250 E	24	
8200N:8300 E	30	
8200N:8350 E	36	
8200N:8400 E	30	
8200N:8450 E	52	
8600N:7000 E	14	
8600N:7050 E	4	

Report N°142000

	Cu ppm	
	Assay 1	Assay 2
7400E:7450 E	6	
7400E:7500 E	5	
7400E:7550 E	3	
7400E:7850 E	6	
7400E:7900 E	29	
7400E:7950 E	8	
7400E:8000 E	13	
7400E:8050 E	21	
7400E:8100 E	13	
7400E:8150 E	17	
7400E:8200 E	33	
7400E:8250 E	28	21
7400E:8300 E	26	
7400E:8350 E	13	
7400E:8400 E	21	
7400E:8450 E	79	
7400E:8500 E	6	6
7400E:8550 E	8	
7400E:8600 E	50	
7400E:8650 E	49	35
7400E:8700 E	73	
7400E:8750 E	15	
7400E:8800 E	30	
7400E:8850 E	35	
7400E:8900 E	7	
7400E:9400 E	17	
7400E:9450 E	88	
7400E:9500 E	32	
7400E:9550 E	56	
7800N:6600 E	4	
7800N:6650 E	4	
7800N:6750 E	8	
7800N:6800 E	3	
7800N:6850 E	6	
7800N:7300 E	3	
7800N:7350 E	3	
7800N:7450 E	7	
7800N:7500 E	5	
7800N:7550 E	6	
7800N:7600 E	5	
7800N:7650 E	7	
7800N:7700 E	5	
7800N:7750 E	7	
7800N:7800 E	16	
7800N:7850 E	7	
7800N:7900 E	9	
7800N:7950 E	19	
7800N:8000 E	6	
7800N:8050 E	15	
7800N:8100 E	14	

Report N°142000

	Cu ppm	
	Assay 1	Assay 2
5100N:2425 E	5	
5400N:2050 E	7	
5400N:2100 E	16	
5400N:2150 E	7	
5400N:2200 E	17	
5400N:2250 E	20	
5400N:2300 E	37	
5400N:2400 E	19	
5400N:2450 E	9	
5400N:2500 E	14	
5400N:2550 E	missing	
6200N:7700 E	4	
6200N:7750 E	3	
6200N:7800 E	3	
6200N:7950 E	4	
6200N:8000 E	7	
6200N:8350 E	9	
6200N:8400 E	6	
6200N:8450 E	5	
6200N:8500 E	31	
6200N:8550 E	201	
6200N:8600 E	222	219
6200N:9200 E	15	19
6200N:9250 E	17	14
6200N:9300 E	13	
6200N:9400 E	32	
6200N:9450 E	30	
6200N:9500 E	27	
6200N:9550 E	14	
6200N:9650 E	10	
6200N:9700 E	65	
6600E:8050 E	18	
6600E:8100 E	5	
6600E:8150 E	9	
6600E:8200 E	24	
6600E:8250 E	8	
6600E:8300 E	92	
6600E:8350 E	13	14
6600E:8400 E	19	
6600E:8450 E	16	
6600E:8500 E	12	
6600E:8550 E	9	
7400E:6950 E	5	
7400E:7000 E	6	
7400E:7050 E	6	
7400E:7100 E	21	
7400E:7150 E	35	
7400E:7200 E	15	
7400E:7350 E	2	3
7400E:7400 E	10	8

Report N°142000

	Cu ppm	
	Assay 1	Assay 2
4000N:2500 E	10	
4000N:2550 E	11	
4000N:2600 E	8	
4000N:2650 E	6	
4000N:2700 E	5	
4000N:2750 E	6	
4000N:2800 E	8	
4000N:2850 E	15	
4000N:2900 E	8	
4000N:2950 E	6	
4400N:1875 E	16	
4400N:1925 E	15	
4400N:1975 E	6	
4400N:2025 E	5	
4400N:2075 E	4	
4400N:2125 E	7	
4400N:2175 E	7	
4400N:2225 E	9	
4400N:2275 E	20	
4400N:2325 E	8	6
4400N:2375 E	8	8
4400N:2425 E	6	
4400N:2475 E	5	
4400N:2525 E	10	
4400N:2575 E	11	
4400N:2625 E	10	
4400N:2675 E	30	
4400N:2725 E	24	22
4400N:2775 E	12	
4400N:2825 E	24	
4400N:2875 E	20	
4700N:1900 E	19	
4700N:1950 E	9	
4700N:2000 E	8	
4700N:2050 E	8	
4700N:2100 E	12	
4700N:2150 E	5	
4700N:2200 E	12	
4700N:2250 E	9	
4700N:2300 E	6	
4700N:2350 E	5	
4700N:2400 E	36	38
5100N:1975 E	54	54
5100N:2025 E	43	43
5100N:2075 E	42	
5100N:2125 E	22	
5100N:2175 E	152	
5100N:2275 E	31	
5100N:2325 E	7	
5100N:2375 E	14	

Report N°142000

	Cu ppm	
	Assay 1	Assay 2
3400N:3325 E	9	
3400N:3375 E	6	
3400N:3525 E	13	15
3400N:4075 E	8	
3400N:4125 E	7	
3400N:4175 E	3	6
3600N:1830 E	9	
3600N:1875 E	13	
3600N:1925 E	4	
3600N:1975 E	205	180
3600N:2025 E	14	13
3600N:2075 E	6	4
3600N:2125 E	7	
3600N:2175 E	13	
3600N:2225 E	13	
3600N:2275 E	14	
3600N:2325 E	3	
3600N:2375 E	7	
3600N:2425 E	5	
3600N:2475 E	7	
3600N:2525 E	4	
3600N:2575 E	10	
3600N:2625 E	7	
3600N:2675 E	8	
3600N:2725 E	14	
3600N:2775 E	2	
3600N:2825 E	5	
3600N:2875 E	8	6
3600N:2925 E	3	
3600N:2975 E	4	
3600N:3700 E	16	
3600N:3800 E	17	
3600N:3850 E	10	
3600N:3900 E	9	
3600N:3950 E	9	
3600N:4000 E	12	
3600N:4050 E	16	
3600N:4100 E	5	
3600N:4150 E	10	
3600N:4200 E	7	
4000N:2000 E	18	
4000N:2050 E	40	
4000N:2100 E	8	
4000N:2150 E	13	
4000N:2200 E	6	
4000N:2250 E	9	
4000N:2300 E	4	
4000N:2350 E	2	
4000N:2400 E	6	
4000N:2450 E	6	

Report N°142000

	Cu ppm	
	Assay 1	Assay 2
3000N:3750 E	6	
3000N:3800 E	5	
3000N:3850 E	17	
3200N:3500 E	10	
3200N:3550 E	5	
3200N:3600 E	22	21
3200N:3650 E	8	11
3200N:3700 E	11	
3200N:3800 E	22	
3200N:3850 E	3	
3200N:3900 E	4	
3200N:3950 E	4	
3200N:4000 E	3	
3200N:4050 E	5	
3200N:4100 E	8	
3200N:4150 E	8	
3200N:4200 E	6	
3200N:4250 E	6	
3200N:4300 E	8	
3200N:4350 E	29	
3200N:1900 E	9	
3200N:1950 E	16	
3200N:2000 E	16	
3200N:2050 E	8	
3200N:2100 E	11	
3200N:2150 E	6	
3200N:2200 E	5	
3200N:2250 E	7	
3200N:2300 E	7	
3200N:2350 E	14	
3200N:2400 E	5	
3200N:2450 E	10	
3200N:2500 E	9	
3200N:2550 E	8	
3200N:2600 E	12	
3200N:2650 E	10	
3200N:2700 E	9	
3200N:2750 E	10	
3200N:2800 E	5	
3200N:2850 E	4	
3200N:2900 E	4	
3400N:3575 E	8	
3400N:3625 E	9	
3400N:3675 E	14	
3400N:3775 E	9	
3400N:3825 E	7	
3400N:3875 E	6	
3400N:3925 E	6	
3400N:3975 E	4	
3400N:4025 E	5	

Report N*142000

	Cu ppm	
	Assay 1	Assay 2
2800N:2275 E	7	
2800N:2325 E	5	
2800N:2375 E	5	
2800N:2425 E	4	
2800N:2475 E	8	
2800N:2525 E	8	
2800N:2575 E	11	
2800N:2625 E	5	
2800N:2675 E	5	
2800N:2725 E	5	
2800N:2775 E	8	
2800N:2825 E	5	
2800N:2875 E	3	2
2800N:2925 E	7	
2800N:2975 E	4	
2800N:3025 E	7	
2800N:3075 E	8	
2800N:3125 E	5	
2800N:3525 E	9	
2800N:3575 E	9	
2800N:3675 E	5	
2800N:3725 E	10	
2800N:3775 E	12	
2800N:3825 E	9	
2800N:3875 E	5	
2800N:3925 E	9	
2800N:3975 E	9	
2800N:4025 E	5	
2800N:4075 E	16	
2800N:4125 E	11	
2800N:4175 E	8	
2800N:4225 E	19	
2800N:42325 E	14	
3000N:2000 E	16	
3000N:2050 E	8	
3000N:2100 E	8	
3000N:2200 E	11	
3000N:2250 E	8	
3000N:2300 E	7	
3000N:2350 E	6	
3000N:2400 E	5	
3000N:2450 E	10	
3000N:2550 E	20	
3000N:2600 E	6	11
3000N:2650 E	54	57
3000N:3500 E	10	10
3000N:3550 E	8	
3000N:3600 E	22	
3000N:3650 E	21	22
3000N:3700 E	5	

Report N°142000

	Cu ppm	
	Assay 1	Assay 2
2400N:1800 E	14	
2400N:1850 E	10	
2400N:1900 E	13	9
2400N:1950 E	15	
2400N:2000 E	9	
2400N:2050 E	11	
2400N:2100 E	8	
2400N:2150 E	10	
2400N:2200 E	8	
2400N:2250 E	10	
2400N:2300 E	7	
2400N:2350 E	10	
2400N:2400 E	15	
2400N:2450 E	5	7
2400N:2500 E	7	
2400N:2550 E	8	
2400N:2600 E	8	
2400N:2650 E	8	
2400N:2700 E	6	
2400N:2750 E	6	
2400N:2800 E	15	
2400N:2850 E	15	
2400N:2900 E	8	
2400N:2950 E	8	
2400N:3500 E	5	
2400N:3550 E	6	
2400N:3600 E	13	
2400N:3650 E	11	
2400N:3700 E	8	
2400N:3750 E	6	
2400N:3800 E	4	
2400N:3850 E	3	
2400N:3900 E	6	
2400N:3950 E	6	
2400N:4000 E	1	
2400N:4050 E	16	
2400N:4100 E	18	17
2400N:4150 E	13	
2400N:4200 E	17	
2400N:4250 E	15	
2400N:4300 E	8	
2400N:4275 E	13	
2800N:1875 E	13	
2800N:1925 E	11	
2800N:1975 E	7	
2800N:2025 E	10	16
2800N:2075 E	4	
2800N:2125 E	7	
2800N:2175 E	43	46
2800N:2225 E	11	

Report N*142000

Au ppb

	Assay 1	SC	Assay 2	SC	Assay 3	SC	Assay 4	SC
2400N:1800 E	<1							
2400N:1850 E	2							
2400N:1900 E	4							
2400N:1950 E	<1							
2400N:2000 E	<1							
2400N:2050 E	1							
2400N:2100 E	1							
2400N:2150 E	<1							
2400N:2200 E	<1							
2400N:2250 E	<1							
2400N:2300 E	<1							
2400N:2350 E	<1							
2400N:2400 E	<1							
2400N:2450 E	4							
2400N:2500 E	<1							
2400N:2550 E	<1							
2400N:2600 E	<1							
2400N:2650 E	<1							
2400N:2700 E	<1							
2400N:2750 E	<1							
2400N:2800 E	<1							
2400N:2850 E	<1							
2400N:2900 E	<1							
2400N:2950 E	<1							
2400N:3500 E	<1							
2400N:3550 E	<1		<1					
2400N:3600 E	<1							
2400N:3650 E	<1							
2400N:3700 E	<1							
2400N:3750 E	<1							
2400N:3800 E	<1							
2400N:3850 E	<1							
2400N:3900 E	<1							
2400N:3950 E	<1							
2400N:4000 E	<1							
2400N:4050 E	<1							
2400N:4100 E	<1							
2400N:4150 E	5							
2400N:4200 E	<1							
2400N:4250 E	<1							
2400N:4300 E	<1							
2400N:4275 E	<1							
2800N:1875 E	6							
2800N:1925 E	<1							
2800N:1975 E	<1							
2800N:2025 E	<1							
2800N:2075 E	<1							
2800N:2125 E	<1							
2800N:2175 E	<1							
2800N:2225 E	<1							
2800N:2275 E	<1							
2800N:2325 E	<1		1		1			
2800N:2375 E	<1							
2800N:2425 E	2							
2800N:2475 E	<1							
2800N:2525 E	3							
2800N:2575 E	3							
2800N:2625 E	<1							
2800N:2675 E	<1							

Au ppb

	Assay 1	SC	Assay 2	SC	Assay 3	SC	Assay 4	SC
2800N:2725 E	<1							
2800N:2775 E	<1							
2800N:2825 E	<1							
2800N:2875 E	<1							
2800N:2925 E	<1							
2800N:2975 E	<1							
2800N:3025 E	3							
2800N:3075 E	<1							
2800N:3125 E	<1							
2800N:3525 E	<1		1					
2800N:3575 E	<1							
2800N:3675 E	<1							
2800N:3725 E	<1							
2800N:3775 E	<1							
2800N:3825 E	<1							
2800N:3875 E	<1							
2800N:3925 E	<1							
2800N:3975 E	<1							
2800N:4025 E	<1							
2800N:4075 E	<1							
2800N:4125 E	<1							
2800N:4175 E	<1							
2800N:4225 E	<1							
2800N:42325 E	<1							
3000N:2000 E	<1							
3000N:2050 E	<1							
3000N:2100 E	<1							
3000N:2200 E	<1							
3000N:2250 E	<1							
3000N:2300 E	2							
3000N:2350 E	<1							
3000N:2400 E	<1							
3000N:2450 E	<1							
3000N:2550 E	7							
3000N:2600 E	<1							
3000N:2650 E	4							
3000N:3500 E	3							
3000N:3550 E	<1							
3000N:3600 E	<1							
3000N:3650 E	<1							
3000N:3700 E	<1							
3000N:3750 E	1							
3000N:3800 E	<1							
3000N:3850 E	<1							
3200N:3500 E	2							
3200N:3550 E	<1							
3200N:3600 E	<1							
3200N:3650 E	<1							
3200N:3700 E	<1							
3200N:3800 E	1							
3200N:3850 E	<1							
3200N:3900 E	<1							
3200N:3950 E	2							
3200N:4000 E	<1							
3200N:4050 E	<1							
3200N:4100 E	<1							
3200N:4150 E	<1							
3200N:4200 E	<1							
3200N:4250 E	<1							

Report N°142000

Au ppb

	Assay 1	SC	Assay 2	SC	Assay 3	SC	Assay 4	SC
3200N:4300 E	<1							
3200N:4350 E	<1							
3200N:1900 E	<1							
3200N:1950 E	<1							
3200N:2000 E	<1							
3200N:2050 E	<1							
3200N:2100 E	<1							
3200N:2150 E	<1		<1					
3200N:2200 E	<1							
3200N:2250 E	<1							
3200N:2300 E	<1							
3200N:2350 E	3							
3200N:2400 E	<1							
3200N:2450 E	<1							
3200N:2500 E	<1							
3200N:2550 E	<1							
3200N:2600 E	<1							
3200N:2650 E	<1							
3200N:2700 E	<1							
3200N:2750 E	<1							
3200N:2800 E	<1							
3200N:2850 E	<1							
3200N:2900 E	<1							
3400N:3575 E	<1							
3400N:3625 E	<1							
3400N:3675 E	<1							
3400N:3775 E	<1							
3400N:3825 E	<1							
3400N:3875 E	<1							
3400N:3925 E	<1							
3400N:3975 E	<1							
3400N:4025 E	<1							
3400N:3325 E	2							
3400N:3375 E	<1							
3400N:3525 E	<1							
3400N:4075 E	2							
3400N:4125 E	<1							
3400N:4175 E	<1		<1		<1			
3600N:1830 E	2							
3600N:1875 E	<1							
3600N:1925 E	<1							
3600N:1975 E	3							
3600N:2025 E	2							
3600N:2075 E	<1							
3600N:2125 E	<1							
3600N:2175 E	<1							
3600N:2225 E	<1							
3600N:2275 E	<1							
3600N:2325 E	<1							
3600N:2375 E	<1							
3600N:2425 E	<1							
3600N:2475 E	3							
3600N:2525 E	<1							
3600N:2575 E	<1							
3600N:2625 E	<1							
3600N:2675 E	<1							
3600N:2725 E	2							
3600N:2775 E	<1							
3600N:2825 E	<1							

Au ppb

	Assay 1	SC	Assay 2	SC	Assay 3	SC	Assay 4	SC
3600N:2875 E	<1							
3600N:2925 E	<1							
3600N:2975 E	<1							
3600N:3700 E	<1							
3600N:3800 E	<1							
3600N:3850 E	<1							
3600N:3900 E	<1							
3600N:3950 E	<1							
3600N:4000 E	<1							
3600N:4050 E	<1							
3600N:4100 E	<1							
3600N:4150 E	<1							
3600N:4200 E	<1							
4000N:2000 E	<1							
4000N:2050 E	<1							
4000N:2100 E	<1							
4000N:2150 E	<1							
4000N:2200 E	<1							
4000N:2250 E	<1							
4000N:2300 E	<1							
4000N:2350 E	<1							
4000N:2400 E	3							
4000N:2450 E	<1							
4000N:2500 E	<1							
4000N:2550 E	<1							
4000N:2600 E	<1							
4000N:2650 E	<1							
4000N:2700 E	28							
4000N:2750 E	<1							
4000N:2800 E	<1							
4000N:2850 E	1							
4000N:2900 E	<1							
4000N:2950 E	<1							
4400N:1875 E	1							
4400N:1925 E	<1							
4400N:1975 E	1							
4400N:2025 E	<1							
4400N:2075 E	<1							
4400N:2125 E	<1							
4400N:2175 E	<1							
4400N:2225 E	<1							
4400N:2275 E	<1							
4400N:2325 E	<1							
4400N:2375 E	5							
4400N:2425 E	<1							
4400N:2475 E	2							
4400N:2525 E	3							
4400N:2575 E	<1							
4400N:2625 E	<1							
4400N:2675 E	1							
4400N:2725 E	2							
4400N:2775 E	<1							
4400N:2825 E	7							
4400N:2875 E	1							
4700N:1900 E	3							
4700N:1950 E	<1							
4700N:2000 E	1							
4700N:2050 E	1							
4700N:2100 E	1							

Report N°142000

	Au ppb			
	Assay 1	SC Assay 2	SC Assay 3	SC Assay 4
4700N:2150 E	3			
4700N:2200 E	1			
4700N:2250 E	<1			
4700N:2300 E	<1			
4700N:2350 E	1			
4700N:2400 E	4			
5100N:1975 E	2			
5100N:2025 E	<1			
5100N:2075 E	1			
5100N:2125 E	<1			
5100N:2175 E	3			
5100N:2275 E	3			
5100N:2325 E	1			
5100N:2375 E	<1			
5100N:2425 E	1			
5400N:2050 E	1			
5400N:2100 E	5			
5400N:2150 E	2			
5400N:2200 E	<1			
5400N:2250 E	2			
5400N:2300 E	3			
5400N:2400 E	<1			
5400N:2450 E	<1			
5400N:2500 E	2			
5400N:2550 E	manquant			
6200N:7700 E	<1			
6200N:7750 E	<1			
6200N:7800 E	<1			
6200N:7950 E	<1			
6200N:8000 E	<1			
6200N:8350 E	<1			
6200N:8400 E	<1			
6200N:8450 E	<1			
6200N:8500 E	<1			
6200N:8550 E	3			
6200N:8600 E	2			
6200N:9200 E	1			
6200N:9250 E	<1			
6200N:9300 E	<1			
6200N:9400 E	2			
6200N:9450 E	2			
6200N:9500 E	<1			
6200N:9550 E	<1			
6200N:9650 E	<1			
6200N:9700 E	<1			
6600E:8050 E	52	50		
6600E:8100 E	<1			
6600E:8150 E	2			
6600E:8200 E	<1			
6600E:8250 E	<1			
6600E:8300 E	<1			
6600E:8350 E	<1			
6600E:8400 E	<1			
6600E:8450 E	1			
6600E:8500 E	1			
6600E:8550 E	1	<1		
7400E:6950 E	<1			
7400E:7000 E	<1			
7400E:7050 E	<1			

Au ppb

	Assay 1	SC	Assay 2	SC	Assay 3	SC	Assay 4	SC
7400E:7100 E	<1							
7400E:7150 E	<1							
7400E:7200 E	<1							
7400E:7350 E	<1							
7400E:7400 E	5							
7400E:7450 E	<1							
7400E:7500 E	<1							
7400E:7550 E	<1							
7400E:7850 E	<1							
7400E:7900 E	<1							
7400E:7950 E	<1							
7400E:8000 E	<1							
7400E:8050 E	<1							
7400E:8100 E	<1							
7400E:8150 E	2							
7400E:8200 E	1							
7400E:8250 E	2							
7400E:8300 E	<1							
7400E:8350 E	<1							
7400E:8400 E	<1							
7400E:8450 E	2							
7400E:8500 E	<1							
7400E:8550 E	1							
7400E:8600 E	1							
7400E:8650 E	1							
7400E:8700 E	<1							
7400E:8750 E	<1							
7400E:8800 E	<1							
7400E:8850 E	<1							
7400E:8900 E	<1							
7400E:9400 E	<1							
7400E:9450 E	2							
7400E:9500 E	<1							
7400E:9550 E	1							
7800N:6600 E	<1							
7800N:6650 E	<1							
7800N:6750 E	3							
7800N:6800 E	<1							
7800N:6850 E	<1							
7800N:7300 E	<1							
7800N:7350 E	<1							
7800N:7450 E	<1							
7800N:7500 E	<1							
7800N:7550 E	<1							
7800N:7600 E	<1							
7800N:7650 E	<1							
7800N:7700 E	<1							
7800N:7750 E	<1							
7800N:7800 E	<1							
7800N:7850 E	<1							
7800N:7900 E	<1							
7800N:7950 E	<1							
7800N:8000 E	<1							
7800N:8050 E	<1							
7800N:8100 E	<1							
7800N:8150 E	<1							
7800N:8200 E	<1							
7800N:8250 E	3							
7800N:8300 E	<1							

Report N°142000

	Au ppb							
	Assay 1	SC	Assay 2	SC	Assay 3	SC	Assay 4	SC
7800N:8350 E	4							
7800N:8400 E	1							
7800N:8450 E	<1							
7800N:8500 E	<1							
7800N:8550 E	1							
7800N:8600 E	1							
7800N:9350 E	2							
7800N:9400 E	2							
7800N:9450 E	<1							
7800N:9500 E	<1							
7800N:9550 E	1							
7800N:9600 E	2							
7800N:9650 E	<1							
7800N:9700 E	3							
8200N:7000 E	<1							
8200N:7050 E	<1							
8200N:7100 E	<1							
8200N:7150 E	<1							
8200N:7200 E	<1							
8200N:7250 E	<1							
8200N:7300 E	<1							
8200N:7350 E	2							
8200N:7400 E	<1							
8200N:7450 E	<1							
8200N:7500 E	<1							
8200N:7550 E	<1							
8200N:7600 E	<1							
8200N:7650 E	4		1					
8200N:7700 E	<1							
8200N:7750 E	<1							
8200N:7800 E	<1							
8200N:7850 E	<1							
8200N:7900 E	<1							
8200N:7950 E	2							
8200N:8000 E	<1							
8200N:8050 E	<1							
8200N:8100 E	<1							
8200N:8150 E	<1							
8200N:8200 E	1							
8200N:8250 E	1							
8200N:8300 E	<1							
8200N:8350 E	1							
8200N:8400 E	<1							
8200N:8450 E	<1							
8600N:7000 E	<1							
8600N:7050 E	<1							
8600N:7100 E	<1							
8600N:7150 E	<1							
8600N:7200 E	<1							
8600N:7250 E	<1							
8600N:7300 E	<1							
8600N:7350 E	<1							
8600N:7400 E	<1							
8600N:7450 E	<1							
8600N:7500 E	1							
8600N:7550 E	<1							
8600N:7600 E	<1							
8600N:7650 E	<1							<1
8600N:7700 E	<1							

	Au ppb							
	Assay 1	SC	Assay 2	SC	Assay 3	SC	Assay 4	SC
8600N:7750 E	<1							
8600N:7800 E	<1							
8600N:7850 E	<1							
8600N:7900 E	<1							
8600N:7950 E	<1							
8600N:8000 E	<1							
8600N:8050 E	<1							
8600N:8100 E	1							
8600N:8150 E	<1							
8600N:8200 E	<1							
8600N:8250 E	<1							
8600N:8300 E	<1							
8600N:8350 E	<1							
8600N:8400 E	<1							
8600N:8450 E	1							
8600N:8500 E	<1							
8600N:8550 E	<1							
8600N:8600 E	<1							
8600N:9400 E	<1							
8600N:9450 E	<1							
8600N:9500 E	<1							
8600N:9600 E	<1							
8600N:9650 E	<1							
8600N:9700 E	<1							
8600N:9750 E	<1							
8600N:9800 E	<1							
8600N:9850 E	<1							
8600N:9900 E	<1							
8600N:9950 E	<1							
8600N:10000 E	1							
9000N:7400 E	<1							
9000N:7450 E	<1							
9000N:7500 E	<1							
9000N:7550 E	<1							
9000N:7600 E	<1							
9000N:7650 E	<1							
9000N:7700 E	<1							
9000N:7750 E	<1							
9000N:7800 E	2							
9000N:7850 E	<1							
9000N:7900 E	1							
9000N:7950 E	<1							
9000N:8000 E	<1							
9000N:9500 E	1							
9000N:9550 E	<1							
9000N:9600 E	<1							
9000N:9650 E	1							
9000N:9700 E	1							
9000N:9750 E	<1							
9000N:9800 E	<1							
9000N:9850 E	<1							
9000N:9900 E	<1							
9000N:9950 E	<1							
9000N:10000 E	<1							
9000N:10050 E	<1							
9000N:10100 E	1							
9000N:10150 E	<1							
9000N:10200 E	2							
9000N:10250 E	<1							

Report N°142000

Au ppb

9000N:10300 E

Assay 1 SC Assay 2 SC Assay 3 SC Assay 4 SC
<1



SGS France S.A.
Filab Division Minerais

3, rue Nicolas Cugnot - BP133
21303 Chenôve cedex 03 - France
Téléphone : 03.80.52.32.05
Télécopie : 03.80.52.01.11

E-mail : 106601.1146@compuserve.com

GEOLOGISKE TJENSTER AB
Mr A.REINSBAKKEN

REPORT N° 142001

Hovfaret 8
0275 OSLO
SWEDEN

Customer Ref. :
Project :
Number of samples : 89

Date submitted : 23/09/98
Date partial report :
Date final report : 21/10/98
Number of pages : 5

GOLD

Method code : Au-Geo. 25g (AF73A)
Performed in Chenôve 89 samples

Analytical Range : 1 ppb - 3000 ppb Au
W.O : P-0656

COPPER :

Method : AAS Cu (AA70)
Performed in Chenôve 89 samples

Analytical Range : DL = 1 ppm Cu
W.O : P-0656

Approved by :

Guy SIMON
Annick BARREY

*** UNLESS UNSTRUCTED OTHERWISE WE WILL DISCARD SAMPLES IN 90 DAYS FROM THE DATE OF THIS REPORT ***

	Au ppb	SC	Assay 2	SC	Assay 3	SC	Assay 4	SC
2800N:1725 E	1							
2800N:1775 E	<1							
2800N:1825 E	2							
3000N:1900 E	1							
3000N:1950 E	<1							
3000N:2700 E	<1							
3000N:2750 E	<1							
3000N:2800 E	1							
3000N:2850 E	<1							
3000N:2900 E	<1							
3000N:2950 E	1							
3000N:3000 E	<1							
3000N:3050 E	<1							
3000N:3100 E	1							
3000N:3150 E	1							
3000N:3215 E	<1							
3200N:2950 E	1							
3200N:3000 E	<1							
3200N:3050 E	18							
3200N:3100 E	1							
3200N:3150 E	<1							
3200N:3200 E	1							
3400N:1900 E	<1							
3400N:1950 E	1							
3400N:2000 E	1							
3400N:2050 E	2							
3400N:2100 E	1							
3400N:2150 E	<1							
3400N:2200 E	<1							
3400N:2250 E	<1							
3400N:2300 E	1							
3400N:2350 E	<1							
3400N:2400 E	<1							
3400N:2450 E	1							
3400N:2500 E	<1							
3400N:2550 E	<1							
3400N:2600 E	<1							
3400N:2650 E	<1							
3400N:2700 E	<1							
3400N:2750 E	<1							
3400N:2800 E	<1							
3400N:2850 E	<1							
3400N:2900 E	<1							
3600N:3300 E	<1							
3600N:3350 E	<1							
3600N:3400 E	1							
3600N:3450 E	1							
3600N:3500 E	1							
3600N:3550 E	1							
3600N:3600 E	2							
3800N:1900 E	6		6					
3800N:1950 E	<1							
3800N:2000 E	<1							
3800N:2050 E	<1							
3800N:2055 E	1							
3800N:2100 E	<1							
3800N:2150 E	<1							
3800N:2200 E	<1							
3800N:2250 E	<1		1		<1			

Au ppb


	Assay 1	SC	Assay 2	SC	Assay 3	SC	Assay 4	SC
3800N:2300 E	3							
3800N:2350 E	1							
3800N:2400 E	<1							
3800N:2450 E	1							
3800N:2500 E	1							
3800N:2550 E	3							
3800N:2600 E	<1							
3800N:2650 E	<1							
3800N:2700 E	<1							
3800N:2750 E	<1							
3800N:2800 E	<1							
4200N:2000 E	1							
4200N:2100 E	<1							
4200N:2150 E	<1							
4200N:2200 E	<1							
4200N:2250 E	<1							
4200N:2300 E	<1							
4200N:2350 E	<1							
4200N:2400 E	4							
4200N:2450 E	<1							
4200N:2500 E	1							
4200N:2550 E	<1							
4200N:2600 E	<1							
4200N:3050 E	<1							
4200N:3100 E	<1							
4200N:3150 E	1							
4200N:3200 E	<1							
4200N:3250 E	<1							
4200N:3300 E	<1							
AR 98001	14							

Report N°142001

	Cu ppm	
	Assay 1	Assay 2
2800N:1725 E	14	
2800N:1775 E	18	16
2800N:1825 E	16	
3000N:1900 E	14	
3000N:1950 E	15	
3000N:2700 E	8	
3000N:2750 E	7	
3000N:2800 E	9	
3000N:2850 E	6	
3000N:2900 E	13	
3000N:2950 E	14	
3000N:3000 E	9	
3000N:3050 E	5	
3000N:3100 E	9	
3000N:3150 E	11	
3000N:3215 E	9	
3200N:2950 E	13	
3200N:3000 E	9	
3200N:3050 E	10	
3200N:3100 E	7	
3200N:3150 E	7	
3200N:3200 E	18	
3400N:1900 E	11	
3400N:1950 E	12	
3400N:2000 E	33	
3400N:2050 E	31	28
3400N:2100 E	18	
3400N:2150 E	10	
3400N:2200 E	11	
3400N:2250 E	11	
3400N:2300 E	14	
3400N:2350 E	6	
3400N:2400 E	6	
3400N:2450 E	6	
3400N:2500 E	8	
3400N:2550 E	6	
3400N:2600 E	18	
3400N:2650 E	12	
3400N:2700 E	14	
3400N:2750 E	8	
3400N:2800 E	12	
3400N:2850 E	9	
3400N:2900 E	8	
3600N:3300 E	8	
3600N:3350 E	15	
3600N:3400 E	15	
3600N:3450 E	12	
3600N:3500 E	15	
3600N:3550 E	15	
3600N:3600 E	19	

Report N°142001

	Cu ppm	
	Assay 1	Assay 2
3800N:1900 E	17	
3800N:1950 E	10	
3800N:2000 E	18	
3800N:2050 E	10	
3800N:2055 E	90	88
3800N:2100 E	22	
3800N:2150 E	15	
3800N:2200 E	10	
3800N:2250 E	18	
3800N:2300 E	13	
3800N:2350 E	18	
3800N:2400 E	8	
3800N:2450 E	26	
3800N:2500 E	23	
3800N:2550 E	18	
3800N:2600 E	20	
3800N:2650 E	23	
3800N:2700 E	10	
3800N:2750 E	6	
3800N:2800 E	8	
4200N:2000 E	7	
4200N:2100 E	22	
4200N:2150 E	24	
4200N:2200 E	11	
4200N:2250 E	14	15
4200N:2300 E	9	
4200N:2350 E	5	
4200N:2400 E	5	
4200N:2450 E	6	
4200N:2500 E	7	
4200N:2550 E	3	
4200N:2600 E	13	11
4200N:3050 E	22	
4200N:3100 E	18	
4200N:3150 E	26	
4200N:3200 E	15	
4200N:3250 E	13	
4200N:3300 E	8	
AR 98001	2165	2150



To Bidjovagge

LINE 9200N

LINE 8800N

LINE 8400N

LINE 7200N

LINE 6800N

LINE 6400N

LINE 5400N

LINE 5200N

LINE 6000E

FINNMARK

TROMS

To Kautokeino

BALTIC RESOURCES INC.

KAUTOKEINO PROJECT, NORWAY
 Caskejas Claims
 Copper (ppm) in Soils

- + Sample Point (No Value: <1 ppm)
- Diamond Drill Hole
- ⊙ GPS Control Point

UTM ZONE 34

DATE: 99/07/06 SCALE: 1/10000

59 60 61 62 63

91

90

89

88

91

90



89

88



BALTIC RESOURCES INC.
 KAUTOKEINO PROJECT, NORWAY
 Roavazat Claims
 Copper (ppm) in Soils
 ⊙ GPS Control Point
 ⊕ Diamond Drill Hole
 UTM ZONE 34
 DATE: 98/12/08 SCALE: 1/10000

59 60 61 62 63



BALTIC RESOURCES INC.

KAUTOKEINO PROJECT, NORWAY
 Stalvarri Claims
 Copper (ppm) in Soils

⊙ GPS Control Point

UTM ZONE 34

DATE: 98/12/02 SCALE: 1/10000