




Bergvesenet rapport nr BV 4985	Intern Journal nr 07/00313-4	Internt arkiv nr	Rapport lokalisering	Gradering Fortrolig
Kommer fra ..arkiv	Ekstern rapport nr	Oversendt fra Thor Corporation AS	Fortrolig pga Undersøkelsestillatelse	Fortrolig fra dato:
Tittel Rapportering fra Thor Corporation for 2008 Aktivitetsrapport, prøvetaking				
Forfatter Skoog, Kristina		Dato År 18.03 2009	Bedrift (Oppdragsgiver og/eller oppdragstaker) Thor Corporation AS Thor Energy AS	
Kommune Nome	Fylke Telemark	Bergdistrikt	1: 50 000 kartblad 17134	1: 250 000 kartblad Skien
Fagområde Kjemiske analyser	Dokument type		Forekomster (forekomst, gruvefelt, undersøkelsesfelt) Fen Tuftestollen Tuftehavna Gruveåsen	
Råstoffgruppe Malm/metall	Råstofftype Thorium			
Sammendrag, innholdsfortegnelse eller innholdsbeskrivelse Prøvetaking og analyser av borkjener fraNGUs borkjernearkiv på Løkken, med analyseresultater fra AcmeLabs				



Rapportering fra Thor Corporation AS – 2008

(tidligere Thor Energy AS)

Viser til mutinger gitt i brev datert 03.01.2007 med deres ref. 06/01217-2 AS samt håndgivelseavtale datert 04.08.2006 med deres ref. 06/00859-2 PZB/ESK gjeldende utmål i Fensfeltet, Nome kommune.

Virksomhetsrapportering 2008


Prøvetaking og analysering av borekjerne

Den 19.-20. februar 2008 ble det foretatt en befaring av NGU's borekjernelager på Løkken. Borekjerne fra Fensfeltet ble systematisk prøvetatt.

Totalt ble det tatt ut 183 prøver fra 9 borekjerne, hvorav 8 kommer fra Tuftestoll-området, og en kommer fra Tufteshavna, se tabell 1.

Tabell 1. Borekjerne fra NGU's borekjernelager på Løkken som har blitt reanalysert i 2008.

Borekjerne	Område	Antall prøver
TS1	Tuftestollen	32
TS55	Tuftestollen	27
T13	Dagprøver fra Tuftestollområdet	20
T16	Dagprøver fra Tuftestollområdet	17
T17	Dagprøver fra Tuftestollområdet	31
T18	Dagprøver fra Tuftestollområdet	17
T20	Dagprøver fra Tuftestollområdet	9
T21	Dagprøver fra Tuftestollområdet	3
TH12	Tufteshavna	27
SUM		183



**Thor
Corporation**
Scandinavian Advanced Technology

Den 11.-12. mars 2008 ble det foretatt en befaring av borekjemelageret på jernverket på Ulefoss. Borekjemene ble inspisert med Geigerteller, og systematisk prøvetatt.

Totalt ble det tatt 98 prøver fra 6 borekjemner, se tabell 2.

Tabell 2. Borekjemner lagrede på jernverket i Ulefoss som har blitt reanalysert i 2008.

Borekjerne	Område	Antall prøver
DDH2-81	Gruveåsen	41
BH7	Gruveåsen	11
F3	Gruveåsen	9
B2	Gruveåsen	9
F1	Gruveåsen	26
F2	Gruveåsen	2
SUM		98


Prøvene ble navngitt med borekjernenavn og det antall meter ned på borekjernen fra overflaten hvor prøven ble tatt.

Borekjemneprøvene ble sendt til analyse av REE, Nb og Th hos ACME Labs i Vancouver, Canada.

Analyseresultatene ligger som vedlegg.

Kommersiell utvikling/teknologi

Det er gjennomført en serie møter og befaringer i 2008 for å finne mulige samarbeidspartnere innen teknologi for utvinning. Finanskrisen har imidlertid ført til at interessen for feltet har falt noe blant potensielle samarbeidspartnere. Det antas at finanskrisen vil føre til tidsmessig forskyvning av noen aktuelle aktiviteter.



**Thor
Corporation**
Scandinavian Advanced Technology

Planlagte undersøkelser for 2009

Separasjonstester

Hovedfokus i 2009 er å finne industrialiserbare separasjonsmetoder for Fensmalmen. I den forbindelse har datterselskapet Fen Minerals etablert et samarbeid med asiatisk forskningsinstitutt rundt enkelte spørsmål knyttet til separasjon, og evaluerer i tillegg tilsvarende muligheter i USA.

I løpet av første halvår 2009 vil ca 2 000 kg stykkgoods malm bli sendt til Asia for oppredningsforsøk. Basert på erfaringene med disse testene vil videre utviklingsarbeid bli planlagt.

Prøvetaking

Det legges ikke opp til boring eller prøvetaking i 2009 – utover det som er knyttet til utskipningen av malm som nevnt tidligere.



AcmeLabs

ACME ANALYTICAL LABORATORIES LTD.

852 E. Hastings St. Vancouver BC V6A 1R6 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client:

Bergfald & co AS

Kongensgate 3
Oslo 0153 Norway

Submitted By:

Kristina Skoog

Receiving Lab:

Acme Analytical Laboratories (Vancouver) Ltd.

Received:

March 17, 2008

Report Date:

April 08, 2008

Page:

1 of 5

CERTIFICATE OF ANALYSIS

VAN08004700.1

CLIENT JOB INFORMATION

Project: Gruveaasen
Shipment ID:
P.O. Number
Number of Samples: 98

SAMPLE DISPOSAL

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status
R150	98	Crush split and pulverize drill core to 150mesh		
4B	98	LiBO2/Li2B4O7 fusion ICP-MS analysis	0.2	Completed

ADDITIONAL COMMENTS

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: Bergfald & co AS
Kongensgate 3
Oslo 0153
Norway

CC:



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only.

SKANNET

VEDLEGG...
J.nr. 07/00313-4
AV...
2



AcmeLabs

ACME ANALYTICAL LABORATORIES LTD.

852 E. Hastings St. Vancouver BC V6A 1R6 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client:

Bergfald & co AS

Kongensgate 3
Oslo 0153 Norway

Project:

Gruveaasen

Report Date:

April 08, 2008

Page:

2 of 5

Part 1

CERTIFICATE OF ANALYSIS

VAN08004700.1

	Method	Analyte	Unit	MDL	WGHT	4B	4B	4B	4B	4B	4B	4B	4B	4B	4B	4B	4B	4B	4B	4B	4B			
					Wgt	Ba	Be	Co	Cs	Ga	Hf	Nb	Rb	Sn	Sr	Ta	Th	U	V	W	Zr	Y	La	Ce
					kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
					0.01	1	1	0.2	0.1	0.5	0.1	0.1	0.1	1	0.5	0.1	0.2	0.1	8	0.5	0.1	0.1	0.1	0.1
DDH2 3M	Drill Core	0.04	1003	2	38.0	0.3	9.1	2.7	776.5	1.8	5	442.0	4.5	1191	11.6	87	20.0	49.1	255.8	1862	3856			
DDH2 8M	Drill Core	0.05	291	8	7.2	<0.1	6.2	1.0	1348	0.6	5	825.1	11.9	400.0	18.7	98	13.1	29.9	221.0	714.5	1286			
DDH2 16M	Drill Core	0.07	15955	2	72.0	0.1	4.9	0.5	978.3	0.4	2	722.4	3.3	750.0	8.3	36	5.8	23.4	289.1	3138	5899			
DDH2 23.8M	Drill Core	0.05	1045	3	15.5	0.1	9.2	2.1	1136	0.7	5	762.6	5.6	962.3	32.0	65	7.5	84.3	451.7	1314	2824			
DDH2 32M	Drill Core	0.04	13749	8	21.2	0.6	15.3	1.8	780.9	1.7	2	525.9	4.5	111.6	196.0	178	1.6	49.2	145.3	130.4	308.9			
DDH2 39.9M	Drill Core	0.03	7964	6	10.1	0.3	6.9	1.1	273.2	2.8	4	626.7	0.3	1575	8.9	102	15.7	162.0	258.6	1967	4400			
DDH2 47.9M	Drill Core	0.05	13687	3	16.3	0.1	4.8	0.3	289.4	1.1	<1	1366	0.2	621.1	4.7	36	1.9	47.6	195.1	1973	4287			
DDH2 56M	Drill Core	0.05	31797	3	71.3	1.9	8.7	3.6	1579	20.7	9	887.9	5.2	1125	21.7	76	2.9	108.3	486.9	3420	5501			
DDH2 64M	Drill Core	0.04	346	5	7.5	0.1	3.1	0.6	194.2	0.9	2	369.5	0.2	275.3	2.7	87	8.3	92.3	79.6	251.1	592.4			
DDH2 72M	Drill Core	0.03	1328	9	26.9	0.9	14.9	10.6	1148	5.2	3	84.3	10.7	121.1	8.9	141	20.7	179.5	144.4	119.9	221.0			
DDH2 75.8M	Drill Core	0.05	302	3	6.4	0.2	2.8	2.5	548.7	1.5	2	1847	2.6	1131	34.4	37	5.6	190.9	665.6	500.5	1024			
DDH2 80M	Drill Core	0.02	191	4	33.8	0.5	9.9	3.8	588.6	5.0	2	655.7	5.5	504.2	4.8	76	6.5	129.0	212.6	699.1	1211			
DDH2 88M	Drill Core	0.02	307	5	25.5	0.9	9.3	7.9	1052	17.8	8	535.3	8.1	454.9	10.9	99	5.4	215.1	174.3	509.5	969.9			
DDH2 96M	Drill Core	0.02	86	4	31.4	0.3	13.7	20.2	685.3	4.1	4	195.0	4.4	85.1	6.3	108	11.3	200.0	103.4	67.1	147.7			
DDH2 104M	Drill Core	0.02	393	<1	4.7	0.2	2.9	1.2	274.7	4.3	2	159.4	3.4	736.1	17.0	31	2.2	32.1	238.5	899.5	1684			
DDH2 112M	Drill Core	0.03	344	<1	13.1	0.2	5.2	2.9	408.3	1.6	2	1702	19.1	711.0	48.5	88	1.5	68.5	435.4	1345	2138			
DDH2 120M	Drill Core	0.02	961	2	23.3	1.1	9.5	3.7	479.9	7.8	4	301.2	5.3	208.7	3.7	80	2.7	54.2	93.5	295.1	697.1			
DDH2 128M	Drill Core	0.03	3188	3	14.2	0.3	3.3	1.2	996.6	1.4	13	492.9	6.6	823.2	9.4	135	6.4	48.7	363.8	3962	5932			
DDH2 136M	Drill Core	0.06	317	1	10.8	0.3	6.2	3.9	1257	3.6	9	468.0	8.2	555.0	10.9	92	8.4	82.6	223.8	993.5	1825			
DDH2 144M	Drill Core	0.03	36271	2	5.6	0.3	0.5	1.5	1347	1.7	2	1171	5.0	542.1	7.7	33	3.0	92.5	252.1	1655	3266			
DDH2 151.8M	Drill Core	0.03	501	4	18.4	0.9	6.7	4.3	562.9	2.0	3	404.6	5.9	105.1	4.9	86	7.4	134.2	75.3	285.9	559.5			
DDH2 159.8M	Drill Core	0.02	4401	3	13.3	0.4	4.3	1.1	561.4	1.7	7	599.4	3.0	559.0	20.0	64	3.8	44.9	209.7	1136	2241			
DDH2 168M	Drill Core	0.04	214	5	29.2	1.4	8.6	5.1	620.6	1.4	4	325.2	9.7	86.8	4.8	110	9.5	152.9	116.6	361.2	620.1			
DDH2 176M	Drill Core	0.05	9958	6	17.8	0.8	5.5	4.5	640.1	3.8	7	674.3	8.6	125.9	3.8	97	7.3	138.8	100.7	375.6	663.3			
DDH2 184M	Drill Core	0.01	634	3	11.5	0.5	4.0	1.6	832.7	0.9	4	528.9	5.5	447.4	14.2	75	8.5	45.4	178.5	1348	3141			
DDH2 186.7M	Drill Core	0.01	1194	<1	2.1	<0.1	1.5	0.4	64.3	0.5	1	183.1	0.8	18.9	0.7	12	2.4	14.0	24.3	65.9	126.5			
DDH2 192M	Drill Core	0.03	>50000	3	11.5	0.1	2.0	2.4	514.8	1.0	2	2835	1.9	412.2	21.4	64	6.5	133.9	310.8	574.5	1190			
DDH2 200M	Drill Core	0.02	1448	2	21.6	0.2	11.0	3.9	786.9	1.0	4	1419	5.0	100.6	2.8	95	9.5	70.7	119.4	344.7	691.3			
DDH2 208M	Drill Core	0.02	10545	<1	10.1	<0.1	<0.5	0.6	472.2	0.5	2	986.8	2.4	872.1	39.1	30	2.3	22.6	149.2	2683	5396			
DDH2 216M	Drill Core	0.03	40884	3	10.2	0.4	8.9	4.2	767.4	3.2	6	1706	11.7	429.3	9.4	86	8.0	67.3	202.0	536.5	1058			



ACME ANALYTICAL LABORATORIES LTD.
852 E. Hastings St. Vancouver BC V6A 1R6 Canada
Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client:

Bergfald & co AS

Kongensgate 3
Oslo 0153 Norway

Project:

Gruveaasen

Report Date:

April 08, 2008

Page:

2 of 5

Part 2

CERTIFICATE OF ANALYSIS

VAN08004700.1

Method	Analyte	Unit	MDL	4B Pr	4B Nd	4B Sm	4B Eu	4B Gd	4B Tb	4B Dy	4B Ho	4B Er	4B Tm	4B Yb	4B Lu	1DX Mo	1DX Cu	1DX Pb	1DX Zn	1DX Ag	1DX Ni	1DX As	1DX Au
				ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb
				0.02	0.3	0.05	0.02	0.05	0.01	0.05	0.02	0.03	0.01	0.05	0.01	0.1	0.1	0.1	1	0.1	0.1	0.5	0.5
DDH2 3M	Drill Core			601.6	2626	427.7	90.30	182.6	12.14	44.87	6.06	12.49	2.33	13.94	1.91	14.7	20.3	45.6	295	0.2	67.6	9.4	26.8
DDH2 8M	Drill Core			191.1	765.8	161.2	41.25	97.35	9.59	40.16	6.30	14.54	2.19	12.99	1.83	8.4	3.1	16.2	128	<0.1	15.8	0.9	32.4
DDH2 16M	Drill Core			709.0	2530	310.8	65.58	154.0	10.70	44.27	7.61	18.32	3.34	20.64	3.06	3.7	2.1	39.8	255	<0.1	34.4	39.6	58.5
DDH2 23.8M	Drill Core			474.1	2164	397.7	85.37	190.5	16.45	70.86	12.90	31.27	4.89	26.96	3.55	21.9	3.2	45.9	289	0.2	38.5	4.9	21.4
DDH2 32M	Drill Core			44.92	186.1	42.59	13.20	31.73	5.96	35.90	7.42	19.16	2.64	13.31	1.67	178.4	4.5	30.5	452	0.5	29.4	1.3	111.4
DDH2 39.9M	Drill Core			636.9	2601	389.1	75.28	167.0	10.35	41.50	6.31	14.50	2.44	13.98	1.88	23.1	1.3	88.0	601	0.2	13.0	12.6	26.2
DDH2 47.9M	Drill Core			602.1	2197	229.6	50.47	111.6	7.57	29.14	4.98	10.65	1.88	11.12	1.53	5.3	1.7	38.8	291	<0.1	8.2	13.7	24.2
DDH2 56M	Drill Core			663.1	2485	412.5	106.3	253.2	25.64	113.7	18.43	37.91	5.31	27.15	3.31	51.2	2.3	85.4	534	0.5	55.4	18.7	26.8
DDH2 64M	Drill Core			76.39	335.9	53.16	11.56	27.71	2.88	13.44	2.18	6.06	0.91	5.98	0.86	5.0	1.4	113.4	624	<0.1	16.6	2.5	14.3
DDH2 72M	Drill Core			30.67	131.4	33.84	10.62	30.45	5.28	29.70	5.56	16.01	2.35	13.20	1.85	11.9	3.3	43.9	488	<0.1	172.3	2.4	5.9
DDH2 75.8M	Drill Core			170.8	861.0	246.2	64.53	204.9	28.72	150.1	26.59	63.37	7.87	40.40	4.81	3.1	3.9	60.2	157	0.2	34.8	4.8	49.2
DDH2 80M	Drill Core			183.9	814.3	133.5	32.23	80.27	8.62	41.53	6.54	15.87	2.28	13.28	1.74	1.5	1.0	32.8	289	0.1	87.0	3.3	3.5
DDH2 88M	Drill Core			154.0	693.0	123.8	27.48	59.27	6.54	33.30	5.77	15.88	2.48	14.13	1.90	1.5	1.1	68.9	355	<0.1	70.8	2.9	8.7
DDH2 96M	Drill Core			20.34	85.5	22.36	8.04	21.35	3.77	20.48	3.72	10.45	1.54	9.50	1.41	0.9	0.4	11.9	350	<0.1	216.6	<0.5	123.5
DDH2 104M	Drill Core			249.4	1042	184.8	42.46	101.9	10.23	47.32	7.40	16.49	2.13	10.18	1.22	0.9	2.7	35.7	59	0.1	16.0	3.3	29.8
DDH2 112M	Drill Core			300.1	1225	265.5	70.57	203.0	23.90	103.8	15.56	32.86	4.04	21.81	2.85	64.9	17.5	67.6	90	0.8	35.2	2.6	56.5
DDH2 120M	Drill Core			79.51	330.2	53.36	13.44	35.32	4.22	18.65	2.92	7.09	0.99	5.26	0.70	1.1	9.3	11.6	873	<0.1	103.0	1.2	3.1
DDH2 128M	Drill Core			832.2	3168	428.5	99.25	260.2	20.86	80.80	11.34	24.34	3.21	17.64	2.11	1.8	0.8	73.7	449	<0.1	29.6	7.1	20.7
DDH2 136M	Drill Core			252.8	978.4	158.3	39.63	89.88	9.49	41.03	6.51	15.76	2.13	11.77	1.52	2.5	0.8	58.1	225	0.1	49.7	3.7	12.9
DDH2 144M	Drill Core			433.1	1660	229.0	53.94	128.4	11.35	46.16	6.59	16.00	2.41	14.03	1.91	12.5	2.7	46.0	206	0.4	17.8	4.6	53.6
DDH2 151.8M	Drill Core			58.85	218.8	38.97	10.59	27.21	3.25	14.38	2.33	6.09	0.99	5.88	0.84	0.5	13.7	12.5	335	<0.1	74.7	0.7	<0.5
DDH2 159.8M	Drill Core			322.5	1241	189.7	48.40	122.2	12.09	47.48	6.37	13.28	1.83	10.62	1.38	1.5	1.3	52.3	642	<0.1	32.0	5.8	7.4
DDH2 168M	Drill Core			74.67	318.2	59.58	14.11	39.07	4.68	21.46	3.81	10.19	1.49	8.53	1.15	0.4	3.2	17.0	395	<0.1	185.1	1.0	<0.5
DDH2 176M	Drill Core			77.95	297.6	49.35	13.67	36.61	4.37	19.54	3.04	7.52	1.28	6.60	1.01	0.6	2.7	15.4	215	<0.1	65.8	1.0	1.1
DDH2 184M	Drill Core			378.1	1421	170.8	37.80	91.20	8.51	36.68	5.42	12.90	1.88	10.79	1.41	0.5	2.4	52.9	219	0.1	68.4	6.9	17.2
DDH2 186.7M	Drill Core			15.44	54.9	9.45	2.60	6.48	0.82	3.87	0.63	1.57	0.24	1.23	0.24	0.3	1.8	4.4	26	<0.1	8.4	<0.5	5.9
DDH2 192M	Drill Core			169.1	686.2	120.5	34.67	95.82	13.21	63.20	10.45	25.72	3.50	19.48	2.48	2.1	1.1	30.8	87	0.4	27.2	9.9	56.5
DDH2 200M	Drill Core			89.29	352.8	61.31	17.41	42.72	5.00	21.85	3.34	8.63	1.25	7.13	1.07	0.2	263.8	12.8	803	0.2	110.0	<0.5	8.0
DDH2 208M	Drill Core			566.6	1953	235.7	57.37	141.8	11.29	41.19	4.54	8.18	1.23	7.07	0.84	19.2	5.8	35.4	73	0.6	29.9	12.1	259.4
DDH2 216M	Drill Core			139.8	579.4	107.1	29.07	85.45	11.72	54.50	8.35	18.22	2.27	11.48	1.45	11.4	3.3	24.5	261	<0.1	60.7	1.6	6.2

Client: **Bergfald & co AS**

Kongensgate 3
Oslo 0153 Norway

Project: Gruveaasen

Report Date: April 08, 2008

Page: 2 of 5 Part 3

CERTIFICATE OF ANALYSIS

VAN08004700.1

		Method	1DX	1DX	1DX	1DX	1DX	1DX
		Analyte	Cd	Sb	Bi	Hg	Tl	Se
		Unit	ppm	ppm	ppm	ppm	ppm	ppm
		MDL	0.1	0.1	0.1	0.01	0.1	0.5
DDH2 3M	Drill Core		<0.1	0.2	1.7	<0.01	<0.1	3.4
DDH2 8M	Drill Core		<0.1	0.2	0.2	<0.01	<0.1	3.7
DDH2 16M	Drill Core		0.2	1.1	3.1	0.02	<0.1	6.3
DDH2 23.8M	Drill Core		<0.1	0.3	5.7	<0.01	<0.1	5.1
DDH2 32M	Drill Core		<0.1	0.1	10.0	0.02	0.1	3.7
DDH2 39.9M	Drill Core		1.3	2.6	4.4	0.02	<0.1	2.3
DDH2 47.9M	Drill Core		0.6	1.4	0.9	<0.01	<0.1	1.6
DDH2 56M	Drill Core		0.3	1.3	10.8	0.02	0.3	8.3
DDH2 64M	Drill Core		0.4	1.4	2.5	0.02	<0.1	0.6
DDH2 72M	Drill Core		0.5	0.7	0.9	0.02	<0.1	2.0
DDH2 75.8M	Drill Core		0.3	0.8	4.4	<0.01	<0.1	12.1
DDH2 80M	Drill Core		0.1	0.4	1.6	<0.01	<0.1	2.9
DDH2 88M	Drill Core		0.2	1.2	1.6	<0.01	0.1	3.0
DDH2 96M	Drill Core		<0.1	0.2	0.2	<0.01	<0.1	1.3
DDH2 104M	Drill Core		<0.1	0.5	1.9	<0.01	<0.1	3.9
DDH2 112M	Drill Core		<0.1	0.3	17.6	0.03	0.1	5.9
DDH2 120M	Drill Core		0.4	0.1	0.7	<0.01	<0.1	1.1
DDH2 128M	Drill Core		0.3	1.1	0.9	<0.01	<0.1	3.4
DDH2 136M	Drill Core		<0.1	1.2	0.7	<0.01	<0.1	1.5
DDH2 144M	Drill Core		0.3	0.7	1.3	0.01	<0.1	1.3
DDH2 151.8M	Drill Core		0.2	0.3	0.6	<0.01	<0.1	0.6
DDH2 159.8M	Drill Core		1.5	1.9	2.8	<0.01	<0.1	2.2
DDH2 168M	Drill Core		0.4	0.5	2.8	<0.01	<0.1	1.6
DDH2 176M	Drill Core		0.4	0.4	0.5	<0.01	<0.1	1.3
DDH2 184M	Drill Core		0.3	2.5	1.4	<0.01	<0.1	1.0
DDH2 186.7M	Drill Core		<0.1	0.2	<0.1	<0.01	<0.1	<0.5
DDH2 192M	Drill Core		0.2	0.8	0.8	0.01	<0.1	3.9
DDH2 200M	Drill Core		0.5	0.1	0.3	<0.01	<0.1	1.6
DDH2 208M	Drill Core		0.3	0.2	2.3	0.02	<0.1	1.4
DDH2 216M	Drill Core		0.2	0.1	1.2	0.01	<0.1	1.9



AcmeLabs

ACME ANALYTICAL LABORATORIES LTD.

852 E. Hastings St. Vancouver BC V6A 1R6 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client:

Bergfald & co AS

Kongensgate 3

Oslo 0153 Norway

Project:

Gruveaasen

Report Date:

April 08, 2008

Page:

3 of 5

Part 1

CERTIFICATE OF ANALYSIS

VAN08004700.1

Method	Analyte	Unit	MDL	WGHT	4B	4B	4B	4B	4B	4B	4B	4B	4B	4B	4B	4B	4B	4B	4B	4B
				Wgt	Ba	Be	Co	Cs	Ga	Hf	Nb	Rb	Sn	Sr	Ta	Th	U	V	W	Zr
				kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
				0.01	1	1	0.2	0.1	0.5	0.1	0.1	0.1	1	0.5	0.1	0.2	0.1	8	0.5	0.1
DDH2 223.6M	Drill Core			0.03	9790	2	9.4	0.2	6.1	1.8	756.3	0.9	4	544.3	3.0	437.4	16.8	40	6.6	94.4
DDH2 232M	Drill Core			0.04	17091	4	11.7	<0.1	4.8	1.1	911.4	1.3	6	1898	5.1	484.5	16.5	118	5.5	37.8
DDH2 239.9M	Drill Core			0.05	10095	3	27.2	0.4	5.5	1.5	771.8	1.6	6	1413	4.4	835.2	10.1	226	7.2	68.9
DDH2 248M	Drill Core			0.03	10728	2	29.0	0.2	5.2	1.3	993.1	1.3	4	1125	5.4	455.4	15.8	62	8.1	30.8
DDH2 256M	Drill Core			0.02	6126	2	17.5	0.5	11.2	3.5	777.0	1.2	8	2577	3.9	673.2	16.5	82	4.5	142.2
DDH2 264M	Drill Core			0.01	762	<1	3.0	<0.1	<0.5	<0.1	182.4	0.8	2	838.7	0.3	615.5	10.5	37	1.1	16.8
DDH2 272M	Drill Core			0.02	627	<1	34.6	<0.1	6.4	2.5	817.2	0.6	8	500.8	4.0	51.3	2.5	121	13.3	34.5
DDH2 280M	Drill Core			0.05	4643	<1	7.0	<0.1	3.8	1.2	861.7	0.3	5	976.8	4.0	313.8	6.6	50	3.8	28.1
DDH2 288M	Drill Core			0.06	7201	3	13.7	2.4	4.2	2.5	468.0	20.6	4	1924	1.7	905.5	31.5	66	0.6	109.9
DDH2 295.8M	Drill Core			0.05	8561	4	11.6	2.3	6.7	2.9	547.4	10.9	5	2094	2.2	434.3	14.9	64	1.2	88.6
DDH2 304M	Drill Core			0.02	31510	2	6.7	8.8	9.1	3.7	588.9	33.3	24	1551	4.2	120.6	3.3	136	6.5	70.1
F1 1.5M	Drill Core			0.02	21404	2	16.4	0.2	4.1	4.4	919.9	1.6	6	1877	7.3	530.5	14.9	76	5.0	251.2
F1 10M	Drill Core			0.03	8249	14	60.9	7.2	13.9	5.7	241.5	32.7	2	1392	6.4	49.7	3.4	271	2.8	228.0
F1 20M	Drill Core			0.04	1043	3	53.6	0.6	4.4	3.9	689.9	2.7	9	657.2	6.5	467.3	5.0	70	2.2	132.2
F1 30M	Drill Core			0.02	9601	3	8.4	0.1	2.8	2.0	376.0	1.0	3	1589	1.3	714.6	11.2	72	1.7	58.4
F1 40M	Drill Core			0.03	20332	3	43.8	0.1	6.1	4.8	727.3	1.3	11	1841	4.8	240.2	6.4	142	5.9	98.8
F1 50M	Drill Core			0.02	>50000	11	20.9	0.4	<0.5	0.7	444.4	2.3	3	1900	1.3	2237	56.8	68	6.9	90.6
F1 70M	Drill Core			0.03	>50000	3	11.6	0.1	<0.5	5.3	621.0	0.7	30	2469	3.7	1459	15.9	147	4.6	164.2
F1 80M	Drill Core			0.02	7767	1	25.6	0.3	6.3	2.6	1482	3.6	6	1709	13.3	323.5	4.7	171	6.8	69.2
F1 90M	Drill Core			0.03	34632	3	19.2	<0.1	1.0	2.9	948.5	0.5	10	2018	13.3	443.3	13.3	55	3.1	150.7
F1 100M	Drill Core			0.02	21650	3	8.8	0.4	2.6	1.1	896.1	1.9	16	1108	3.6	505.0	6.1	127	9.9	62.0
F1 110M	Drill Core			0.02	1726	3	42.4	0.7	5.9	10.6	1573	8.2	3	903.9	6.5	1041	9.4	34	7.8	563.5
F1 120M	Drill Core			0.03	761	3	30.7	0.6	3.3	1.8	724.8	0.7	8	421.0	13.8	240.8	3.7	38	3.2	63.2
F1 130M	Drill Core			0.03	558	6	16.5	0.4	3.1	0.9	917.1	0.9	3	1018	4.2	885.3	22.3	63	3.9	101.6
F1 140M	Drill Core			0.03	37769	4	6.9	<0.1	<0.5	0.4	507.7	0.3	<1	994.5	1.4	419.4	2.6	21	1.7	51.7
F1 150M	Drill Core			0.03	2065	5	73.7	3.7	11.1	4.6	2012	44.1	5	364.7	14.1	569.7	14.6	92	11.7	240.2
F1 160M A	Drill Core			0.03	>50000	67	10.6	0.2	<0.5	2.2	1695	2.5	2	1683	18.8	907.5	12.2	44	8.5	101.3
F1 160M B	Drill Core			0.02	19692	1	11.4	0.2	2.3	0.7	907.5	2.2	3	961.0	1.6	400.0	82.2	52	2.7	35.4
F1 170M	Drill Core			0.03	>50000	71	7.4	0.3	1.8	3.4	172.1	1.6	3	7273	2.5	665.4	50.7	45	2.3	271.0
F1 180M	Drill Core			0.03	22836	3	3.2	0.2	1.1	0.6	716.5	1.0	3	1409	2.6	508.4	20.8	20	2.3	49.3



AcmeLabs

ACME ANALYTICAL LABORATORIES LTD.

852 E. Hastings St. Vancouver BC V6A 1R6 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client:

Bergfald & co AS

Kongensgate 3
Oslo 0153 Norway

Project:

Gruveaasen

Report Date:

April 08, 2008

Page:

3 of 5

Part 2

CERTIFICATE OF ANALYSIS

VAN08004700.1

Method	Analyte	Unit	MDL	4B Pr	4B Nd	4B Sm	4B Eu	4B Gd	4B Tb	4B Dy	4B Ho	4B Er	4B Tm	4B Yb	4B Lu	1DX Mo	1DX Cu	1DX Pb	1DX Zn	1DX Ag	1DX Ni	1DX As	1DX Au
				ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb
				0.02	0.3	0.05	0.02	0.05	0.01	0.05	0.02	0.03	0.01	0.05	0.01	0.1	0.1	0.1	1	0.1	0.1	0.5	0.5
DDH2 223.6M	Drill Core			185.0	736.2	96.83	24.31	75.61	12.33	69.88	13.13	32.22	4.25	21.60	2.78	9.8	13.5	29.6	197	0.2	27.7	3.0	19.8
DDH2 232M	Drill Core			355.4	1304	175.3	43.04	103.7	9.89	40.42	5.51	11.54	1.62	9.50	1.32	1.0	1.2	21.9	333	0.2	37.3	3.4	14.8
DDH2 239.9M	Drill Core			715.4	2626	345.9	85.46	215.1	19.56	76.67	10.06	20.88	2.75	15.28	1.96	11.4	1.8	41.0	226	0.3	54.8	18.6	26.1
DDH2 248M	Drill Core			408.1	1682	247.6	57.68	125.4	11.70	48.70	7.15	16.32	2.47	12.59	1.51	25.4	4.8	34.3	185	0.5	46.5	12.5	43.1
DDH2 256M	Drill Core			229.3	993.3	201.9	54.78	138.0	16.06	71.49	11.03	25.47	3.29	18.02	2.37	8.9	8.0	35.4	175	0.4	63.4	3.7	88.9
DDH2 264M	Drill Core			634.6	2173	236.1	49.95	133.7	10.19	34.16	3.61	6.48	1.16	6.94	0.93	24.8	20.9	30.1	79	0.4	11.3	8.1	40.6
DDH2 272M	Drill Core			28.09	104.5	18.03	5.27	12.38	1.47	6.57	1.07	2.97	0.44	2.72	0.42	8.7	1.8	7.4	118	<0.1	54.5	3.5	7.7
DDH2 280M	Drill Core			306.3	1065	130.1	32.05	73.19	6.04	22.16	2.72	6.05	1.01	5.77	0.77	9.4	4.3	16.8	142	0.2	18.4	4.8	13.6
DDH2 288M	Drill Core			414.0	1660	267.9	63.49	137.6	11.12	42.42	5.63	13.48	2.10	11.79	1.51	13.1	14.5	39.8	161	0.2	31.8	10.4	34.3
DDH2 295.8M	Drill Core			248.8	920.0	130.8	32.02	66.84	5.90	20.55	2.60	6.04	0.97	5.74	0.75	23.9	13.3	21.2	482	0.2	16.3	6.2	32.1
DDH2 304M	Drill Core			68.45	243.8	34.89	10.05	24.66	3.01	14.54	2.32	5.99	0.93	5.15	0.69	6.1	11.8	6.9	117	<0.1	37.3	1.3	9.0
F1 1.5M	Drill Core			340.6	1319	210.4	52.75	127.0	10.66	42.45	5.77	12.67	1.84	10.12	1.25	269.1	120.9	144.5	186	1.2	21.4	9.8	91.1
F1 10M	Drill Core			55.97	200.5	30.29	8.46	23.71	2.89	12.89	2.11	5.01	0.69	3.77	0.51	3.1	7.1	11.8	354	<0.1	343.2	1.2	6.7
F1 20M	Drill Core			186.4	747.9	150.3	38.02	87.34	9.19	42.86	7.12	18.68	2.75	15.69	2.16	2.5	2.9	45.5	233	0.4	80.8	76.1	49.1
F1 30M	Drill Core			623.9	2211	282.1	71.41	226.8	16.63	67.13	9.90	17.74	2.87	18.16	2.68	4.4	1.7	31.1	259	0.2	12.2	4.4	20.0
F1 40M	Drill Core			226.6	875.0	142.9	33.46	84.83	6.03	26.39	4.29	9.70	1.71	10.35	1.58	16.0	3.6	17.3	252	0.2	77.3	6.7	48.0
F1 50M	Drill Core			2184	7192	939.3	214.1	698.5	44.99	141.1	13.51	19.02	2.82	18.45	2.35	12.3	87.3	52.9	252	0.7	19.7	31.0	82.8
F1 70M	Drill Core			2348	7719	980.2	235.1	664.8	35.64	119.7	13.26	21.39	3.55	23.06	3.00	49.0	441.7	58.7	636	0.9	39.3	18.6	84.3
F1 80M	Drill Core			186.3	658.6	89.22	22.46	64.44	6.02	25.83	4.12	8.66	1.34	7.46	1.12	1.3	6.5	19.4	268	0.1	59.4	1.2	13.6
F1 90M	Drill Core			313.2	1154	150.2	35.72	106.0	8.18	35.03	5.78	12.44	2.06	12.34	1.81	1.3	5.9	26.4	200	0.1	7.8	6.6	18.8
F1 100M	Drill Core			234.7	866.9	131.1	33.23	100.5	9.37	42.71	7.03	15.11	2.33	12.85	1.96	0.7	1.3	46.2	284	<0.1	12.2	12.4	6.1
F1 110M	Drill Core			541.0	2519	404.0	87.47	220.8	16.94	74.09	11.75	23.44	4.01	25.84	3.85	2.9	1.0	41.9	287	<0.1	47.4	14.6	15.8
F1 120M	Drill Core			291.3	1137	143.2	31.02	78.17	5.03	21.39	3.09	5.81	1.10	7.03	1.10	1.4	3.8	50.3	444	<0.1	27.2	8.3	16.1
F1 130M	Drill Core			728.6	2959	463.8	107.1	310.3	25.13	109.3	15.64	28.06	3.99	20.62	2.70	1.3	0.9	43.5	373	0.1	26.3	7.7	10.6
F1 140M	Drill Core			608.8	2483	390.0	98.12	293.9	20.17	71.44	8.66	12.97	2.22	12.97	1.69	0.8	0.2	17.1	268	<0.1	3.3	3.5	34.2
F1 150M	Drill Core			330.2	1267	194.5	49.27	126.4	11.47	48.96	7.58	15.40	2.39	13.66	2.15	8.2	4.2	33.2	349	0.3	39.7	84.5	53.9
F1 160M A	Drill Core			911.2	3507	481.7	118.4	407.0	37.02	183.3	31.64	66.38	9.35	46.97	5.83	1.8	0.9	43.7	321	<0.1	21.5	8.3	53.4
F1 160M B	Drill Core			221.1	879.8	152.8	36.58	86.50	7.52	35.40	5.86	12.84	1.94	10.86	1.55	236.9	3.3	99.9	214	3.2	7.8	3.4	137.8
F1 170M	Drill Core			152.1	624.6	198.5	72.81	275.1	45.96	245.7	42.19	81.31	9.32	42.35	5.34	4.9	23.2	36.4	745	0.2	11.5	4.3	37.7
F1 180M	Drill Core			176.1	650.6	104.2	29.63	101.2	13.18	66.36	11.02	22.06	2.91	14.47	1.98	20.9	1.8	25.6	408	0.2	2.4	4.9	60.8



AcmeLabs

ACME ANALYTICAL LABORATORIES LTD.

852 E. Hastings St. Vancouver BC V6A 1R6 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client:

Bergfald & co AS

Kongensgate 3
Oslo 0153 Norway

Project:

Gruveaasen

Report Date:

April 08, 2008

Page:

3 of 5

Part 3

CERTIFICATE OF ANALYSIS

VAN08004700.1

		Method	1DX	1DX	1DX	1DX	1DX	1DX
		Analyte	Cd	Sb	Bi	Hg	Tl	Se
		Unit	ppm	ppm	ppm	ppm	ppm	ppm
		MDL	0.1	0.1	0.1	0.01	0.1	0.5
DDH2 223.6M	Drill Core		0.1	0.2	1.8	<0.01	<0.1	1.3
DDH2 232M	Drill Core		0.6	0.1	0.3	<0.01	<0.1	1.8
DDH2 239.9M	Drill Core		0.2	0.3	2.1	<0.01	<0.1	3.8
DDH2 248M	Drill Core		0.2	0.2	5.0	<0.01	<0.1	2.3
DDH2 256M	Drill Core		0.1	0.2	2.3	<0.01	<0.1	2.8
DDH2 264M	Drill Core		0.3	0.1	2.1	<0.01	<0.1	1.4
DDH2 272M	Drill Core		<0.1	<0.1	0.7	<0.01	<0.1	<0.5
DDH2 280M	Drill Core		0.2	<0.1	0.7	<0.01	<0.1	0.9
DDH2 288M	Drill Core		0.3	0.4	2.3	<0.01	0.5	2.5
DDH2 295.8M	Drill Core		1.0	0.2	1.5	<0.01	0.1	1.8
DDH2 304M	Drill Core		0.2	0.2	0.4	0.01	0.3	<0.5
F1 1.5M	Drill Core		0.5	0.3	19.2	0.04	0.2	3.1
F1 10M	Drill Core		0.3	0.2	0.4	0.02	0.3	0.8
F1 20M	Drill Core		0.4	1.6	9.1	0.04	<0.1	2.7
F1 30M	Drill Core		0.4	0.1	0.4	0.01	<0.1	2.5
F1 40M	Drill Core		0.2	<0.1	1.6	0.03	<0.1	1.0
F1 50M	Drill Core		0.3	0.6	6.8	0.04	<0.1	5.2
F1 70M	Drill Core		0.7	0.3	3.7	0.06	<0.1	1.3
F1 80M	Drill Core		0.2	<0.1	0.2	<0.01	<0.1	1.9
F1 90M	Drill Core		0.5	<0.1	0.7	0.01	<0.1	1.9
F1 100M	Drill Core		0.3	4.6	1.9	0.01	<0.1	2.2
F1 110M	Drill Core		0.2	0.5	1.4	<0.01	<0.1	1.7
F1 120M	Drill Core		1.0	2.3	1.1	<0.01	<0.1	0.7
F1 130M	Drill Core		0.2	1.0	3.3	<0.01	<0.1	2.0
F1 140M	Drill Core		1.9	0.4	0.2	<0.01	<0.1	1.6
F1 150M	Drill Core		0.7	1.7	12.2	<0.01	0.8	2.0
F1 160M A	Drill Core		1.1	0.4	3.6	<0.01	<0.1	3.8
F1 160M B	Drill Core		0.7	0.3	56.3	0.03	0.3	1.5
F1 170M	Drill Core		1.0	0.3	2.8	0.03	<0.1	9.1
F1 180M	Drill Core		0.7	0.2	1.7	<0.01	<0.1	2.4



AcmeLabs

ACME ANALYTICAL LABORATORIES LTD.

852 E. Hastings St. Vancouver BC V6A 1R6 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client:

Bergfald & co AS

Kongensgate 3
Oslo 0153 Norway

Project:

Gruveaasen

Report Date:

April 08, 2008

Page:

4 of 5

Part 1

CERTIFICATE OF ANALYSIS

VAN08004700.1

	Method	Analyte	Unit	MDL	WGHT	4B	4B	4B	4B	4B	4B	4B	4B	4B	4B	4B	4B	4B	4B	4B	4B			
					Wgt	Ba	Be	Co	Cs	Ga	Hf	Nb	Rb	Sn	Sr	Ta	Th	U	V	W	Zr	Y	La	Ce
					kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
					0.01	1	1	0.2	0.1	0.5	0.1	0.1	0.1	1	0.5	0.1	0.2	0.1	8	0.5	0.1	0.1	0.1	0.1
F1 190M	Drill Core	0.02	4966	3	44.5	0.2	<0.5	1.4	1979	0.6	11	3100	4.4	2824	98.5	50	4.7	206.3	1239	4836	10424			
F1 200M	Drill Core	0.03	26062	3	8.9	<0.1	2.9	2.2	488.7	0.4	2	4209	1.0	679.5	10.8	49	3.9	284.6	713.4	888.1	1774			
F1 210M	Drill Core	0.02	21497	<1	6.7	0.1	<0.5	0.7	928.7	2.4	1	2969	7.6	385.9	14.1	58	2.2	42.2	122.5	1667	2913			
F1 220M	Drill Core	0.02	1617	4	19.3	<0.1	<0.5	0.9	66.6	0.2	1	1307	<0.1	494.3	70.3	20	2.6	94.0	343.7	7942	15773			
F1 230M	Drill Core	0.02	12855	1	10.7	0.5	6.0	0.7	1866	4.5	13	1695	16.2	360.2	15.0	64	8.5	36.0	221.6	1626	2969			
F1 240M	Drill Core	0.02	21120	2	7.3	<0.1	<0.5	0.6	327.1	0.6	2	2228	0.9	242.0	4.8	32	2.1	29.9	145.6	1629	2896			
F1 250M	Drill Core	0.02	7124	2	15.8	0.2	<0.5	0.2	665.5	1.6	5	3723	1.4	648.9	8.8	58	6.5	36.9	238.1	2945	7439			
F2 180M	Drill Core	0.02	33064	3	4.2	<0.1	0.6	2.5	638.5	0.5	6	2204	1.6	325.2	8.0	68	7.6	122.9	423.7	1308	2638			
F2 190M	Drill Core	0.02	5078	4	45.2	0.1	7.0	6.6	1130	0.8	9	2596	9.8	415.5	4.4	99	13.6	265.7	383.6	669.5	1205			
F3 2M	Drill Core	0.03	1218	9	27.5	0.6	3.7	12.6	1328	9.9	9	475.0	2.7	918.0	5.9	118	45.5	324.7	238.2	871.9	2071			
F3 12.1M	Drill Core	0.02	422	8	53.7	<0.1	<0.5	3.9	1656	0.4	6	457.3	5.9	1653	28.5	80	13.9	292.6	439.5	4495	10679			
F3 22.2M	Drill Core	0.02	643	3	8.5	0.2	1.4	0.7	1178	4.5	2	706.3	4.0	819.1	5.8	66	7.1	45.1	416.3	1860	4153			
F3 25.8M	Drill Core	0.03	248	10	2.3	0.2	<0.5	9.8	1850	1.1	7	255.8	1.3	3941	7.8	124	186.1	820.5	572.2	8897	23976			
F3 30.5M	Drill Core	0.03	325	6	7.2	0.4	3.7	0.9	701.1	2.5	4	712.9	2.4	927.9	15.7	180	18.5	71.9	331.1	1307	2798			
F3 40.1M	Drill Core	0.02	4201	3	16.5	0.6	6.1	4.9	708.4	5.2	3	478.6	5.7	262.8	1.7	99	7.2	159.3	96.4	833.7	1258			
F3 49.7M	Drill Core	0.03	322	8	20.9	1.0	5.6	1.2	155.4	1.8	11	745.3	0.2	2732	18.7	230	21.7	103.1	281.9	2137	5740			
F3 59M	Drill Core	0.02	231	6	71.0	1.3	14.6	7.2	518.1	9.1	15	407.6	2.0	396.4	4.6	96	8.8	96.3	118.7	1026	2071			
F3 63.8M	Drill Core	0.02	1735	10	49.9	3.5	10.5	4.9	836.2	16.1	6	638.7	2.4	286.4	4.8	140	41.1	136.3	95.6	554.4	1081			
B2 2.4M	Drill Core	0.02	12028	5	11.6	0.4	<0.5	0.5	406.7	1.1	<1	693.0	0.5	1462	9.4	27	10.5	58.4	337.1	4018	10131			
B2 10M	Drill Core	0.02	3714	3	14.8	0.5	3.0	1.1	516.2	3.0	4	477.9	0.6	421.0	6.8	68	8.3	62.7	175.7	1045	1977			
B2 20M	Drill Core	0.03	25818	3	8.2	0.6	2.0	0.8	540.8	9.1	9	697.5	1.8	355.8	1.6	79	12.4	30.1	113.1	854.3	1681			
B2 30M	Drill Core	0.01	>50000	2	8.3	0.7	<0.5	0.8	913.7	5.5	1	1213	3.9	617.3	2.0	24	1.7	37.2	171.2	3814	7877			
B2 40M	Drill Core	0.03	3365	3	30.3	0.8	15.6	5.9	73.4	13.5	2	908.0	2.6	24.2	2.4	190	0.7	239.6	38.6	157.9	293.7			
B2 50M	Drill Core	0.02	22856	2	10.2	<0.1	2.7	4.8	636.3	0.6	2	688.7	2.8	391.6	5.9	13	1.5	275.9	331.3	2705	5236			
B2 60M	Drill Core	0.02	2617	2	13.2	1.2	10.4	9.7	1166	2.6	6	298.4	6.1	518.7	7.5	43	6.1	170.9	226.8	1088	2457			
B2 74M	Drill Core	0.02	3692	8	8.7	0.6	8.7	14.8	248.3	4.2	5	717.2	2.5	1607	20.6	49	7.8	279.7	440.2	1241	4345			
B2 82M	Drill Core	0.02	44942	3	6.8	0.1	2.5	0.6	339.6	0.5	2	1278	1.0	874.5	5.0	71	3.3	26.6	221.6	2507	5132			
BH7 2M	Drill Core	0.03	2372	7	47.3	4.6	14.5	8.4	958.5	14.7	3	253.7	10.6	163.2	5.0	145	21.8	277.2	64.6	857.1	1822			
BH7 4M	Drill Core	0.04	2167	14	55.7	6.5	12.8	13.5	1088	24.1	30	280.0	6.4	111.9	5.5	170	26.5	452.3	79.8	882.8	2088			
BH7 6M	Drill Core	0.02	2445	12	52.2	6.4	16.1	7.1	602.9	32.8	3	286.0	6.5	72.3	3.9	186	12.9	421.8	55.0	441.3	721.1			



AcmeLabs

ACME ANALYTICAL LABORATORIES LTD.

852 E. Hastings St. Vancouver BC V6A 1R6 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client:

Bergfald & co AS

Kongensgate 3

Oslo 0153 Norway

Project:

Gruveaasen

Report Date:

April 08, 2008

Page:

4 of 5

Part 2

CERTIFICATE OF ANALYSIS

VAN08004700.1

	Method	Analyte	Unit	MDL	4B	4B	4B	4B	4B	4B	4B	4B	4B	4B	4B	4B	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
					Pr	Nd	Sm	Eu	Gd	Tb	Dy	Ho	Er	Tm	Yb	Lu	Mo	Cu	Pb	Zn	Ag	Ni	As	Au
					ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb
					0.02	0.3	0.05	0.02	0.05	0.01	0.05	0.02	0.03	0.01	0.05	0.01	0.1	0.1	0.1	1	0.1	0.1	0.5	0.5
F1 190M	Drill Core				1101	4243	759.1	219.8	747.8	86.06	372.3	56.48	109.0	13.52	67.36	8.35	24.8	13.8	123.5	214	<0.1	15.0	25.8	254.2
F1 200M	Drill Core				267.4	1111	237.2	75.64	251.4	34.52	169.3	28.57	59.42	7.78	43.07	6.41	19.5	0.8	37.5	110	0.4	2.0	3.9	97.5
F1 210M	Drill Core				339.6	1099	114.5	24.30	82.37	5.99	25.98	3.94	7.77	1.33	7.72	1.17	18.8	0.5	18.5	87	0.3	0.4	2.7	27.1
F1 220M	Drill Core				1377	4339	479.5	114.3	416.1	27.55	104.3	13.25	18.63	2.85	16.47	2.12	90.5	0.6	56.9	92	1.1	1.8	5.6	51.4
F1 230M	Drill Core				344.5	1071	122.8	31.18	105.4	11.23	55.49	9.05	17.41	2.40	12.70	1.82	52.6	2.0	15.7	245	0.3	9.5	1.6	15.3
F1 240M	Drill Core				331.9	1029	103.0	24.70	78.45	5.96	28.27	4.39	8.45	1.36	7.45	1.09	8.2	1.6	15.8	256	0.2	10.8	3.2	12.7
F1 250M	Drill Core				832.1	3018	301.4	63.83	213.3	11.16	47.06	7.15	14.28	2.38	14.27	2.18	44.2	17.1	28.1	216	0.2	28.3	5.5	70.9
F2 180M	Drill Core				361.6	1349	194.9	55.34	154.9	15.20	78.72	14.08	27.25	3.64	18.01	2.39	13.0	1.5	19.2	75	<0.1	6.6	3.1	24.5
F2 190M	Drill Core				164.5	604.0	105.4	33.11	99.21	13.39	72.26	14.27	35.23	5.24	28.18	3.93	7.5	34.9	26.4	164	0.2	179.5	11.5	32.9
F3 2M	Drill Core				366.8	1677	248.0	52.25	120.0	8.51	38.10	6.68	16.15	2.85	16.66	2.44	15.8	1.7	82.4	314	<0.1	54.0	5.4	17.2
F3 12.1M	Drill Core				1164	4317	498.9	104.6	307.4	17.10	70.06	11.71	28.50	4.99	30.51	4.40	110.4	8.8	1192	1114	3.7	71.3	19.9	30.9
F3 22.2M	Drill Core				576.4	2248	309.9	71.05	197.6	17.03	79.96	13.18	27.10	4.17	22.97	3.09	12.5	1.5	133.5	338	0.2	16.1	7.9	17.8
F3 25.8M	Drill Core				2537	8586	1041	189.4	599.6	30.02	119.5	17.10	44.23	8.39	55.37	8.66	2.5	2.5	77.2	341	<0.1	5.2	5.3	23.8
F3 30.5M	Drill Core				390.1	1543	239.7	54.05	155.1	14.61	70.60	11.78	23.26	3.37	17.31	2.29	2.7	2.0	70.9	378	<0.1	46.8	9.2	15.8
F3 40.1M	Drill Core				142.9	445.7	61.16	16.62	48.69	3.98	16.57	2.70	6.13	0.99	6.28	0.99	3.0	2.9	19.9	118	<0.1	32.3	1.8	4.9
F3 49.7M	Drill Core				922.0	4767	864.9	153.4	336.3	16.46	59.39	6.49	14.88	2.89	17.25	2.20	5.8	0.4	125.6	325	<0.1	95.5	21.7	13.2
F3 59M	Drill Core				302.4	1286	208.2	42.65	102.2	6.34	25.18	3.67	7.61	1.34	8.33	1.15	1.7	0.5	51.0	651	<0.1	296.9	4.6	6.0
F3 63.8M	Drill Core				140.7	522.2	88.81	23.48	61.72	5.43	21.06	3.15	6.69	1.01	6.10	0.88	1.3	1.4	32.6	636	<0.1	260.4	3.3	4.6
B2 2.4M	Drill Core				1273	5282	678.2	120.9	318.0	13.98	55.01	7.55	17.45	3.46	20.05	2.77	11.4	0.5	73.6	132	<0.1	23.3	16.3	43.0
B2 10M	Drill Core				361.2	1462	193.3	41.16	108.9	6.56	27.43	4.38	9.77	1.72	10.56	1.54	42.5	0.8	56.8	705	0.1	23.5	6.7	16.4
B2 20M	Drill Core				235.2	959.3	122.8	23.02	58.53	3.77	16.06	2.71	6.62	1.21	7.40	1.10	2.0	0.2	33.6	93	<0.1	9.0	4.4	26.6
B2 30M	Drill Core				809.2	3154	371.2	71.41	199.6	8.71	30.61	3.05	6.28	1.38	9.36	1.24	3.7	0.5	47.8	168	<0.1	13.2	7.1	95.6
B2 40M	Drill Core				36.75	137.5	19.62	4.67	12.76	1.43	7.08	1.28	3.29	0.48	2.92	0.43	1.9	4.5	23.1	162	<0.1	4.0	2.5	1.9
B2 50M	Drill Core				618.5	2418	330.9	74.25	199.1	13.93	60.17	9.30	21.68	3.70	22.13	3.12	2.1	0.5	47.3	315	<0.1	4.9	5.5	103.3
B2 60M	Drill Core				332.1	1313	202.0	48.60	118.0	9.94	46.96	7.69	18.79	3.03	17.25	2.37	3.4	0.4	29.3	103	<0.1	14.1	3.2	7.9
B2 74M	Drill Core				753.8	3762	505.1	92.84	281.9	21.47	92.23	13.29	27.88	4.51	28.62	4.32	1.7	0.2	67.2	195	<0.1	16.7	21.4	18.1
B2 82M	Drill Core				621.7	2418	311.4	62.82	181.9	11.46	44.61	4.91	10.49	1.73	10.55	1.38	3.2	0.4	52.3	285	<0.1	5.0	9.5	45.8
BH7 2M	Drill Core				240.7	887.9	92.34	18.12	49.37	2.78	11.18	1.72	4.04	0.80	5.73	0.90	2.7	4.3	21.2	575	<0.1	213.5	4.7	1.9
BH7 4M	Drill Core				227.9	773.5	81.73	18.35	49.90	3.57	15.25	2.49	6.47	1.13	7.83	1.26	0.6	15.7	15.7	1266	<0.1	323.4	7.2	3.0
BH7 6M	Drill Core				99.19	331.2	34.07	7.22	20.28	1.34	6.30	1.16	3.30	0.54	3.46	0.51	1.6	10.0	16.5	648	<0.1	233.3	4.7	1.1

Client: **Bergfald & co AS**

Kongensgate 3
Oslo 0153 Norway

Project: Gruveaasen

Report Date: April 08, 2008

Page:

4 of 5

Part 3

CERTIFICATE OF ANALYSIS

VAN08004700.1

		Method	1DX	1DX	1DX	1DX	1DX	1DX
		Analyte	Cd	Sb	Bi	Hg	Tl	Se
		Unit	ppm	ppm	ppm	ppm	ppm	ppm
		MDL	0.1	0.1	0.1	0.01	0.1	0.5
F1 190M	Drill Core		0.4	0.6	2.3	<0.01	<0.1	8.8
F1 200M	Drill Core		0.4	0.1	2.2	0.03	<0.1	4.9
F1 210M	Drill Core		0.3	<0.1	1.0	<0.01	<0.1	<0.5
F1 220M	Drill Core		0.7	0.4	1.7	0.02	0.1	2.6
F1 230M	Drill Core		1.7	0.1	0.9	<0.01	0.2	1.5
F1 240M	Drill Core		1.4	<0.1	0.4	<0.01	<0.1	1.1
F1 250M	Drill Core		0.4	0.6	0.8	0.02	<0.1	1.1
F2 180M	Drill Core		0.1	0.2	0.4	<0.01	<0.1	1.8
F2 190M	Drill Core		0.2	0.2	1.1	0.01	<0.1	1.5
F3 2M	Drill Core		0.2	1.5	2.8	0.02	<0.1	1.4
F3 12.1M	Drill Core		0.6	1.6	23.9	0.38	<0.1	0.6
F3 22.2M	Drill Core		0.2	1.2	1.8	0.02	<0.1	0.6
F3 25.8M	Drill Core		0.2	1.6	1.9	<0.01	<0.1	3.8
F3 30.5M	Drill Core		0.2	2.2	1.0	<0.01	<0.1	1.9
F3 40.1M	Drill Core		0.2	0.9	0.3	<0.01	<0.1	<0.5
F3 49.7M	Drill Core		0.1	5.3	5.0	<0.01	<0.1	1.6
F3 59M	Drill Core		<0.1	0.8	0.7	<0.01	<0.1	1.2
F3 63.8M	Drill Core		0.2	1.1	8.8	<0.01	<0.1	0.8
B2 2.4M	Drill Core		0.4	0.6	2.4	<0.01	<0.1	<0.5
B2 10M	Drill Core		2.6	1.0	8.4	0.02	<0.1	1.2
B2 20M	Drill Core		0.3	1.4	1.6	<0.01	<0.1	<0.5
B2 30M	Drill Core		1.0	0.8	0.6	<0.01	0.1	<0.5
B2 40M	Drill Core		0.1	0.1	0.3	<0.01	<0.1	<0.5
B2 50M	Drill Core		1.9	0.4	0.7	<0.01	<0.1	1.6
B2 60M	Drill Core		0.4	0.3	1.8	<0.01	<0.1	1.0
B2 74M	Drill Core		2.8	2.6	0.9	0.01	<0.1	1.1
B2 82M	Drill Core		2.5	1.3	0.7	<0.01	<0.1	<0.5
BH7 2M	Drill Core		0.6	0.6	0.4	<0.01	0.2	<0.5
BH7 4M	Drill Core		0.6	0.8	0.3	<0.01	0.3	0.5
BH7 6M	Drill Core		0.6	0.5	0.2	0.01	0.2	<0.5

Client: **Bergfald & co AS**

Kongensgate 3
Oslo 0153 Norway

Project: Gruveaasen

Report Date: April 08, 2008

Page: 5 of 5 Part 1

CERTIFICATE OF ANALYSIS

VAN08004700.1

	Method	WGHT	4B	4B	4B	4B	4B	4B	4B	4B	4B	4B	4B	4B	4B	4B	4B	4B	4B	4B	
	Analyte	Wgt	Ba	Be	Co	Cs	Ga	Hf	Nb	Rb	Sn	Sr	Ta	Th	U	V	W	Zr	Y	La	Ce
	Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	MDL	0.01	1	1	0.2	0.1	0.5	0.1	0.1	0.1	1	0.5	0.1	0.2	0.1	8	0.5	0.1	0.1	0.1	0.1
BH7 8M	Drill Core	0.03	893	8	34.4	2.7	8.0	6.3	986.4	17.2	7	393.3	5.1	231.2	2.1	79	8.7	153.0	85.6	551.0	931.6
BH7 10M	Drill Core	0.03	25409	6	7.5	0.3	<0.5	0.7	139.2	1.2	4	762.9	0.6	397.6	4.6	40	8.9	44.9	76.2	8539	13139
BH7 12M	Drill Core	0.04	4533	3	8.7	0.2	3.0	1.1	150.0	0.9	<1	1683	0.2	234.3	1.9	18	5.4	142.7	150.4	541.1	786.9
BH7 14M	Drill Core	0.05	2145	8	2.7	0.2	2.7	0.4	529.2	0.3	3	143.1	0.1	1070	1.9	103	11.3	35.0	126.2	1046	1877
BH7 16M	Drill Core	0.02	12891	4	90.4	0.1	<0.5	1.6	340.9	0.1	2	634.5	0.4	971.5	11.4	118	5.9	114.5	195.5	4307	6023
BH7 16.7M	Drill Core	0.04	3709	9	24.4	0.5	<0.5	1.7	442.3	0.8	3	471.1	<0.1	2804	23.0	147	15.6	129.4	328.6	8898	14698
BH7 17.8M	Drill Core	0.02	3750	4	5.5	<0.1	<0.5	1.1	774.6	0.3	5	517.2	0.1	1736	4.7	94	28.0	136.8	287.6	14017	24169
BH7 20M	Drill Core	0.02	27732	6	4.8	0.1	<0.5	2.0	265.1	0.2	2	904.6	0.5	744.5	10.1	59	11.6	162.4	192.4	7622	11489



AcmeLabs

ACME ANALYTICAL LABORATORIES LTD.

852 E. Hastings St. Vancouver BC V6A 1R6 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client:

Bergfald & co AS

Kongensgate 3
Oslo 0153 Norway

Project:

Gruveaasen

Report Date:

April 08, 2008

Page:

5 of 5

Part 2

CERTIFICATE OF ANALYSIS

VAN08004700.1

	Method Analyte Unit MDL	4B	4B	4B	4B	4B	4B	4B	4B	4B	4B	4B	4B	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
		Pr	Nd	Sm	Eu	Gd	Tb	Dy	Ho	Er	Tm	Yb	Lu	Mo	Cu	Pb	Zn	Ag	Ni	As	Au
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb
		0.02	0.3	0.05	0.02	0.05	0.01	0.05	0.02	0.03	0.01	0.05	0.01	0.1	0.1	0.1	1	0.1	0.1	0.5	0.5
BH7 8M	Drill Core	119.9	436.9	63.78	17.81	44.16	4.17	17.83	2.69	6.39	1.03	6.70	0.99	11.7	3.6	31.2	723	0.1	174.5	2.9	5.8
BH7 10M	Drill Core	1021	2939	214.8	44.33	158.8	4.44	14.88	1.10	1.43	0.54	3.91	0.55	5.4	0.9	34.6	311	0.2	11.3	11.8	28.9
BH7 12M	Drill Core	102.2	344.4	58.90	16.75	42.11	4.16	20.31	3.66	10.14	1.69	10.28	1.50	13.7	1.7	25.3	246	0.2	11.8	13.9	19.0
BH7 14M	Drill Core	195.1	722.1	113.3	24.56	58.72	4.84	24.43	4.34	11.31	1.88	10.55	1.31	11.9	5.7	115.0	345	0.3	8.4	5.6	5.9
BH7 16M	Drill Core	555.9	1839	221.5	45.98	124.8	6.53	30.40	5.24	14.94	2.88	17.78	2.53	123.2	1.4	99.0	621	0.6	35.7	20.5	17.5
BH7 16.7M	Drill Core	1199	4167	545.8	102.4	279.9	14.15	59.29	8.21	22.85	4.24	25.00	3.33	35.2	1.3	126.2	1068	0.2	22.8	39.0	9.1
BH7 17.8M	Drill Core	1861	5700	687.9	140.2	391.5	17.39	64.27	6.72	17.66	3.44	22.44	2.94	5.5	0.5	58.1	263	0.3	2.9	12.5	36.8
BH7 20M	Drill Core	858.2	2651	263.5	59.68	188.3	7.75	27.22	3.66	9.25	2.01	14.40	2.22	4.1	0.3	35.0	201	0.3	1.8	14.2	36.2

Client: **Bergfald & co AS**

Kongensgate 3
 Oslo 0153 Norway

Project: Gruveaasen

Report Date: April 08, 2008

Page:

5 of 5

Part 3

CERTIFICATE OF ANALYSIS

VAN08004700.1

	Method Analyte Unit MDL	1DX	1DX	1DX	1DX	1DX	1DX
		Cd	Sb	Bi	Hg	Tl	Se
		ppm	ppm	ppm	ppm	ppm	ppm
		0.1	0.1	0.1	0.01	0.1	0.5
BH7 8M	Drill Core	1.5	0.8	0.8	<0.01	0.2	0.9
BH7 10M	Drill Core	0.8	0.7	0.8	<0.01	<0.1	<0.5
BH7 12M	Drill Core	0.5	0.5	1.7	<0.01	<0.1	0.8
BH7 14M	Drill Core	0.3	1.6	18.5	0.02	<0.1	1.4
BH7 16M	Drill Core	0.5	1.6	11.6	0.04	<0.1	0.9
BH7 16.7M	Drill Core	0.5	2.3	4.6	0.02	<0.1	0.7
BH7 17.8M	Drill Core	0.3	1.0	1.2	<0.01	<0.1	<0.5
BH7 20M	Drill Core	0.5	0.7	0.9	0.01	<0.1	<0.5

QUALITY CONTROL REPORT

VAN08004700.1

	Method Analyte Unit MDL	WGHT	4B	4B	4B	4B	4B	4B	4B	4B	4B	4B	4B	4B	4B	4B	4B	4B	4B	4B	4B
		Wgt	Ba	Be	Co	Cs	Ga	Hf	Nb	Rb	Sn	Sr	Ta	Th	U	V	W	Zr	Y	La	Ce
		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.01	1	1	0.2	0.1	0.5	0.1	0.1	0.1	1	0.5	0.1	0.2	0.1	8	0.5	0.1	0.1	0.1	0.1
Pulp Duplicates																					
F1 100M	Drill Core	0.02	21650	3	8.8	0.4	2.6	1.1	896.1	1.9	16	1108	3.6	505.0	6.1	127	9.9	62.0	223.2	789.0	1642
REP F1 100M	QC		21506	3	8.1	0.4	2.9	1.1	902.8	2.0	16	1114	3.7	498.4	6.0	125	9.7	66.2	226.3	794.1	1654
B2 60M	Drill Core	0.02	2617	2	13.2	1.2	10.4	9.7	1166	2.6	6	298.4	6.1	518.7	7.5	43	6.1	170.9	226.8	1088	2457
REP B2 60M	QC		2615	3	15.4	1.2	10.5	9.3	1174	2.7	5	297.4	6.0	523.2	7.4	40	6.0	168.9	225.6	1085	2459
Reference Materials																					
STD SO-18	Standard		529	1	35.1	7.2	17.9	9.8	30.0	29.8	16	422.5	7.2	13.5	17.5	213	15.0	296.1	33.3	15.3	31.9
STD SO-18	Standard		526	<1	34.7	7.3	18.1	10.0	28.8	30.1	16	429.2	7.2	13.7	17.6	215	15.2	300.5	33.6	13.6	29.1
STD SO-18	Standard		524	<1	29.4	7.2	17.9	9.9	22.5	29.4	16	423.5	7.2	10.4	17.3	214	15.0	296.9	32.8	12.6	27.6
STD SO-18	Standard		523	1	29.1	7.3	18.1	9.8	22.8	29.5	16	426.1	7.3	10.8	17.5	217	15.0	297.6	33.1	13.1	28.3
STD SO-18 Expected			514		26.2	7.1	17.6	9.8	20.9	28.7	15	407.4	7.4	9.9	16.4	200	15.1	280	33	12.3	27.1
BLK	Blank		5	<1	<0.2	<0.1	<0.5	<0.1	0.6	<0.1	<1	<0.5	<0.1	<0.2	<0.1	<8	<0.5	<0.1	<0.1	1.3	2.3
BLK	Blank		27	<1	<0.2	<0.1	<0.5	<0.1	<0.1	<0.1	<1	<0.5	<0.1	<0.2	<0.1	<8	<0.5	2.3	<0.1	<0.1	0.5
Prep Wash																					
G1	Prep Blank	<0.01	927	3	4.4	4.8	18.7	4.0	27.1	137.1	2	786.2	1.8	10.6	4.3	51	<0.5	123.8	21.3	36.0	64.9
G1	Prep Blank	<0.01	983	3	5.1	5.0	19.6	4.0	26.3	147.8	2	768.1	1.7	9.5	5.2	54	5.5	130.1	20.1	35.1	62.7

Client: **Bergfald & co AS**

Kongensgate 3
Oslo 0153 Norway

Project: Gruveaasen

Report Date: April 08, 2008

Page: 1 of 1 Part 2

QUALITY CONTROL REPORT

VAN08004700.1

		Method	4B	4B	4B	4B	4B	4B	4B	4B	4B	4B	4B	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
		Analyte	Pr	Nd	Sm	Eu	Gd	Tb	Dy	Ho	Er	Tm	Yb	Lu	Mo	Cu	Pb	Zn	Ag	Ni	As	Au
		Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb
		MDL	0.02	0.3	0.05	0.02	0.05	0.01	0.05	0.02	0.03	0.01	0.05	0.01	0.1	0.1	0.1	1	0.1	0.1	0.5	0.5
Pulp Duplicates																						
F1 100M	Drill Core		234.7	866.9	131.1	33.23	100.5	9.37	42.71	7.03	15.11	2.33	12.85	1.96	0.7	1.3	46.2	284	<0.1	12.2	12.4	6.1
REP F1 100M	QC		237.6	885.7	133.8	34.61	103.0	9.44	43.94	7.08	14.84	2.27	12.96	1.97								
B2 60M	Drill Core		332.1	1313	202.0	48.60	118.0	9.94	46.96	7.69	18.79	3.03	17.25	2.37	3.4	0.4	29.3	103	<0.1	14.1	3.2	7.9
REP B2 60M	QC		333.0	1314	202.1	47.89	116.8	9.72	44.90	7.58	18.68	3.01	17.09	2.34								
Reference Materials																						
STD SO-18	Standard		3.99	15.1	3.16	0.92	3.19	0.53	3.07	0.65	1.88	0.30	1.85	0.27								
STD SO-18	Standard		3.81	14.7	3.10	0.92	3.17	0.54	3.10	0.65	1.88	0.30	1.85	0.28								
STD SO-18	Standard		3.56	14.3	2.87	0.86	2.88	0.52	3.00	0.64	1.82	0.30	1.80	0.28								
STD SO-18	Standard		3.61	14.2	3.02	0.90	3.13	0.54	3.03	0.65	1.84	0.30	1.82	0.28								
STD SO-18 Expected			3.45	14	3	0.89	2.93	0.53	3	0.62	1.84	0.29	1.79	0.27								
BLK	Blank		0.32	<0.3	<0.05	<0.02	<0.05	<0.01	<0.05	<0.02	<0.03	<0.01	<0.05	<0.01								
BLK	Blank		<0.02	<0.3	<0.05	<0.02	<0.05	<0.01	<0.05	<0.02	<0.03	<0.01	<0.05	<0.01								
Prep Wash																						
G1	Prep Blank		7.98	30.1	4.91	1.31	4.10	0.61	3.28	0.70	2.07	0.35	2.28	0.34	<0.1	1.5	2.6	45	0.2	3.7	<0.5	1.4
G1	Prep Blank		7.75	29.0	4.52	1.17	3.64	0.55	3.17	0.62	1.98	0.34	2.16	0.33	<0.1	1.4	2.6	44	<0.1	3.4	<0.5	<0.5

Client: **Bergfald & co AS**

Kongensgate 3
 Oslo 0153 Norway

Project: Gruveaasen

Report Date: April 08, 2008

Page:

1 of 1

Part 3

QUALITY CONTROL REPORT

VAN08004700.1

Method	1DX	1DX	1DX	1DX	1DX	1DX
Analyte	Cd	Sb	Bi	Hg	Tl	Se
Unit	ppm	ppm	ppm	ppm	ppm	ppm
MDL	0.1	0.1	0.1	0.01	0.1	0.5
Pulp Duplicates						
F1 100M Drill Core	0.3	4.6	1.9	0.01	<0.1	2.2
REP F1 100M QC						
B2 60M Drill Core	0.4	0.3	1.8	<0.01	<0.1	1.0
REP B2 60M QC						
Reference Materials						
STD SO-18 Standard						
STD SO-18 Standard						
STD SO-18 Standard						
STD SO-18 Standard						
STD SO-18 Expected						
BLK Blank						
BLK Blank						
Prep Wash						
G1 Prep Blank	<0.1	<0.1	<0.1	<0.01	0.3	<0.5
G1 Prep Blank	<0.1	<0.1	<0.1	<0.01	0.3	<0.5



AcmeLabs

ACME ANALYTICAL LABORATORIES LTD.

852 E. Hastings St. Vancouver BC V6A 1R6 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client:

Bergfald & co AS

Kongensgate 3
Oslo 0153 Norway

Submitted By:

Kristina Skoog

Receiving Lab:

Acme Analytical Laboratories (Vancouver) Ltd.

Received:

March 17, 2008

Report Date:

April 18, 2008

Page:

1 of 8

CERTIFICATE OF ANALYSIS

VAN08004698.1

CLIENT JOB INFORMATION

Project: Tufestollen
Shipment ID:
P.O. Number
Number of Samples: 183

SAMPLE DISPOSAL

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status
R150	183	Crush split and pulverize drill core to 150mesh		
4B	183	LiBO2/Li2B4O7 fusion ICP-MS analysis	0.2	Completed

ADDITIONAL COMMENTS

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: Bergfald & co AS
Kongensgate 3
Oslo 0153
Norway

CC:



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only.

SKANNET

VEDLEGG
J.nr. 01/00.213-4

CERTIFICATE OF ANALYSIS

VAN08004698.1

Method	Analyte	Unit	MDL	4B Ba	4B Be	4B Co	4B Cs	4B Ga	4B Hf	4B Nb	4B Rb	4B Sn	4B Sr	4B Ta	4B Th	4B U	4B V	4B W	4B Zr	4B Y	4B La	4B Ce	4B Pr
				ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
				1	1	0.2	0.1	0.5	0.1	0.1	0.1	1	0.5	0.1	0.2	0.1	8	0.5	0.1	0.1	0.1	0.1	0.02
TS1 3.60	Drill Core			5183	3	9.4	0.2	1.4	<0.1	7.8	0.7	<1	704.7	<0.1	124.7	3.3	16	4.8	15.3	25.3	4158	6900	633.6
TS1 5.5	Drill Core			2118	<1	6.5	<0.1	1.2	0.3	4.7	0.3	<1	2762	<0.1	25.3	0.7	23	<0.5	11.5	6.2	381.0	579.6	64.74
TS1 7.60	Drill Core			6177	<1	7.0	1.1	3.5	0.3	802.4	9.6	2	3002	9.9	25.7	18.4	27	0.5	12.8	15.5	380.7	571.5	63.93
TS1 9.8	Drill Core			27566	2	4.0	<0.1	2.0	4.0	4670	0.2	5	2829	34.9	848.6	112.1	30	1.6	389.4	547.3	305.3	606.3	87.72
TS1 11.7	Drill Core			1156	<1	6.5	<0.1	2.0	<0.1	636.0	0.4	1	467.0	2.5	55.4	3.9	14	<0.5	8.8	12.2	1388	2034	214.4
TS1 13.7	Drill Core			6851	2	8.1	0.2	3.3	0.9	1256	1.6	2	1234	101.6	170.0	51.0	23	0.9	37.8	123.5	851.0	1633	193.6
TS1 15.7	Drill Core			15142	3	5.5	0.2	1.3	0.3	871.4	0.6	<1	1119	1.2	55.0	15.5	16	0.8	22.8	36.8	503.2	800.5	99.00
TS1 17.7	Drill Core			406	<1	2.6	<0.1	2.0	<0.1	315.9	0.4	<1	3775	3.2	137.1	117.7	12	1.2	12.5	273.1	437.6	883.9	138.9
TS1 19.5	Drill Core			782	5	6.5	0.3	1.9	<0.1	596.5	2.4	1	1134	80.9	98.3	80.0	11	<0.5	6.1	126.3	213.3	383.0	55.10
TS1 38	Drill Core			218	<1	6.4	0.1	1.5	0.2	163.8	1.0	1	911.8	10.6	17.6	36.9	20	<0.5	7.5	57.2	356.7	597.3	73.35
TS1 40.4	Drill Core			627	1	15.1	1.3	4.5	2.9	469.2	3.7	2	3151	15.6	58.6	29.8	70	2.3	208.7	73.7	268.2	495.3	65.57
TS1 42.4	Drill Core			3828	<1	40.5	0.6	2.5	0.3	33.2	4.0	<1	2857	0.8	397.6	20.3	24	<0.5	24.1	44.5	4332	6253	581.1
TS1 44.4	Drill Core			527	<1	6.2	1.2	2.6	3.8	104.9	2.5	1	857.8	6.9	44.9	50.6	39	1.1	336.6	56.4	331.3	605.9	78.54
TS1 46.4	Drill Core			402	<1	3.4	0.1	1.7	<0.1	134.0	0.9	<1	2193	0.5	148.5	2.9	12	<0.5	5.6	18.1	6090	9954	759.9
TS1 48.6	Drill Core			1656	<1	7.7	1.3	3.7	0.4	233.2	6.6	<1	4452	7.5	132.0	24.0	16	<0.5	38.5	95.1	925.9	1730	209.4
TS1 50	Drill Core			609	<1	3.7	0.3	2.4	0.2	92.7	2.1	<1	3275	0.8	99.0	5.1	18	<0.5	10.6	44.1	1399	2104	220.5
TS1 52	Drill Core			1909	<1	10.2	0.4	2.6	0.3	131.5	1.7	<1	3023	1.7	294.7	8.4	13	<0.5	21.2	56.5	1890	2975	317.4
TS1 54	Drill Core			8204	<1	6.8	<0.1	5.2	<0.1	41.0	0.7	<1	2478	0.4	255.6	17.8	17	<0.5	7.4	203.3	17148	31604	2678
TS1 56.0	Drill Core			1235	<1	2.7	<0.1	1.7	<0.1	111.2	0.9	<1	4498	1.7	24.1	3.4	13	0.7	4.5	16.9	817.0	1351	142.3
TS1 75.07	Drill Core			226	<1	2.7	<0.1	1.0	<0.1	16.4	0.3	<1	3518	0.2	9.8	4.5	14	<0.5	3.1	6.9	133.2	217.8	23.17
TS1 77	Drill Core			3546	<1	2.7	<0.1	0.8	<0.1	168.4	0.3	1	2537	0.4	161.3	3.6	14	<0.5	9.6	21.4	5967	9543	783.7
TS1 80	Drill Core			634	<1	3.2	<0.1	2.0	0.2	608.6	0.3	2	2204	1.2	14.4	15.1	12	1.4	13.7	9.8	738.6	1114	133.0
TS1 82.0	Drill Core			578	<1	2.6	<0.1	2.1	0.5	13.5	0.1	2	2437	0.1	26.8	0.8	16	<0.5	6.7	7.5	939.1	1479	160.0
TS1 84.0	Drill Core			208	<1	9.0	0.2	4.8	0.9	2115	0.4	11	1653	44.0	122.4	34.6	19	1.6	46.9	26.5	5150	7875	674.2
TS1 86.0	Drill Core			232	<1	6.4	0.2	2.2	<0.1	960.1	0.6	6	2262	7.0	131.3	11.3	16	0.6	20.1	14.8	5528	9851	810.1
TS1 87.7	Drill Core			178	<1	13.1	<0.1	3.1	1.5	166.5	0.4	8	1637	1.2	100.0	4.3	20	<0.5	31.1	14.0	7784	13853	1126
TS1 90	Drill Core			1398	<1	3.1	<0.1	<0.5	<0.1	19.2	<0.1	<1	2400	0.3	72.1	1.8	14	0.6	5.0	19.2	5172	9232	750.0
TS1 92.1	Drill Core			2959	<1	12.3	<0.1	2.3	<0.1	5.8	<0.1	<1	2366	0.1	24.6	0.8	15	<0.5	3.0	12.4	1599	2598	262.9
TS1 94	Drill Core			314	<1	4.0	<0.1	4.7	0.2	310.8	0.4	1	1747	2.1	113.4	4.0	16	0.6	24.8	15.3	4310	6770	615.5
TS1 96	Drill Core			283	<1	51.1	0.6	4.5	0.2	577.3	1.5	4	2249	4.9	50.8	6.0	31	1.1	20.0	17.5	1360	2123	226.6

CERTIFICATE OF ANALYSIS

VAN08004698.1

Method	Analyte	Unit	MDL	4B Nd	4B Sm	4B Eu	4B Gd	4B Tb	4B Dy	4B Ho	4B Er	4B Tm	4B Yb	4B Lu	1DX Mo	1DX Cu	1DX Pb	1DX Zn	1DX Ni	1DX As	1DX Cd	1DX Sb	1DX Bi
				ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
				0.3	0.05	0.02	0.05	0.01	0.05	0.02	0.03	0.01	0.05	0.01	0.1	0.1	0.1	1	0.1	0.5	0.1	0.1	0.1
TS1 3.60	Drill Core			1985	156.4	30.58	102.0	3.14	8.72	0.61	0.06	0.29	2.07	0.27	1.2	1.1	15.5	102	1.9	14.9	1.1	1.6	<0.1
TS1 5.5	Drill Core			199.1	19.96	4.14	12.10	0.63	1.83	0.19	0.34	0.10	0.59	0.10	15.0	0.1	4.5	60	1.3	0.8	1.0	<0.1	<0.1
TS1 7.60	Drill Core			200.2	20.56	4.91	14.48	1.29	5.10	0.68	1.31	0.21	1.31	0.21	20.7	0.7	3.9	71	0.9	1.0	0.9	<0.1	<0.1
TS1 9.8	Drill Core			355.8	88.51	42.56	150.9	27.29	138.7	24.48	54.40	7.73	43.90	6.55	0.4	0.2	35.7	22	1.0	23.1	0.3	0.8	<0.1
TS1 11.7	Drill Core			631.4	56.24	11.95	35.14	1.53	3.64	0.25	0.19	0.12	0.84	0.12	1.4	0.2	10.5	95	1.7	3.5	0.9	0.7	<0.1
TS1 13.7	Drill Core			644.2	82.14	23.57	73.30	7.47	31.61	4.65	9.89	1.48	8.88	1.26	0.8	0.9	15.9	80	3.6	6.3	0.9	1.2	<0.1
TS1 15.7	Drill Core			330.3	42.49	10.88	30.61	2.30	8.84	1.16	2.34	0.41	2.59	0.38	1.2	0.6	9.3	73	1.6	3.0	1.3	0.5	<0.1
TS1 17.7	Drill Core			550.4	105.5	34.56	108.5	13.69	65.90	10.84	24.19	3.82	26.23	4.47	0.3	0.2	10.7	32	2.7	13.0	0.6	0.6	<0.1
TS1 19.5	Drill Core			200.4	34.10	11.06	33.94	4.66	23.49	4.30	11.29	1.96	14.37	2.41	4.0	0.3	6.1	75	2.7	4.9	1.7	0.6	<0.1
TS1 38	Drill Core			247.6	32.75	9.31	26.02	2.61	12.01	2.01	5.12	0.89	7.02	1.28	0.4	1.3	4.8	105	2.7	2.2	2.0	0.3	<0.1
TS1 40.4	Drill Core			263.1	54.66	15.81	43.89	4.42	18.51	2.81	6.85	1.13	7.76	1.32	3.9	2.6	7.9	76	3.6	7.6	0.2	0.3	1.6
TS1 42.4	Drill Core			1775	158.8	31.88	101.7	4.07	11.96	1.25	1.86	0.45	3.05	0.42	47.1	3.1	13.8	61	3.4	27.4	0.9	0.1	0.2
TS1 44.4	Drill Core			284.7	40.35	11.86	30.32	3.01	12.81	2.14	5.60	1.07	8.38	1.50	0.6	5.4	3.0	55	2.2	4.3	<0.1	0.2	<0.1
TS1 46.4	Drill Core			2179	163.9	28.99	105.3	1.92	3.84	<0.02	<0.03	0.17	1.66	0.20	62.1	0.6	8.7	64	1.3	6.5	1.3	<0.1	<0.1
TS1 48.6	Drill Core			725.9	108.0	26.43	73.28	6.00	24.02	3.44	6.83	1.03	6.25	0.88	55.8	1.6	7.8	55	1.8	6.5	0.2	0.3	0.1
TS1 50	Drill Core			655.6	67.82	15.29	45.39	2.86	10.45	1.48	2.77	0.49	3.16	0.46	13.2	1.4	7.6	55	1.5	5.8	0.8	0.1	<0.1
TS1 52	Drill Core			988.2	100.5	21.39	67.72	3.89	14.76	1.86	3.44	0.66	4.36	0.63	86.5	1.2	9.7	59	2.3	7.5	1.0	0.2	0.1
TS1 54	Drill Core			7275	595.8	116.3	441.4	20.83	59.02	4.17	8.25	1.22	8.49	0.98	14.5	0.5	12.5	65	0.7	22.9	1.7	0.5	0.1
TS1 56.0	Drill Core			411.7	30.79	6.61	19.12	1.06	3.85	0.47	0.79	0.16	1.12	0.17	6.8	0.4	5.5	69	1.4	1.6	1.2	0.3	<0.1
TS1 75.07	Drill Core			74.2	7.78	1.77	4.83	0.34	1.50	0.24	0.56	0.10	0.58	0.09	72.0	0.5	3.3	61	1.3	1.1	1.4	<0.1	<0.1
TS1 77	Drill Core			2477	183.3	31.57	114.9	2.37	4.64	0.16	<0.03	0.17	1.31	0.13	130.7	0.3	18.6	56	1.0	17.1	1.3	0.1	<0.1
TS1 80	Drill Core			384.6	26.78	5.22	15.99	0.57	2.29	0.31	0.48	0.11	0.72	0.09	139.8	0.9	2.9	54	1.9	3.6	1.2	0.4	<0.1
TS1 82.0	Drill Core			463.3	33.45	6.27	20.22	0.67	1.62	0.19	0.20	0.09	0.67	0.09	53.1	0.4	8.8	52	1.1	4.4	1.5	<0.1	<0.1
TS1 84.0	Drill Core			2014	132.3	23.73	90.62	2.05	6.11	0.52	0.33	0.25	1.79	0.21	169.8	2.3	7.9	65	1.5	7.7	0.9	0.2	<0.1
TS1 86.0	Drill Core			2554	178.7	28.34	114.8	2.01	3.56	<0.02	<0.03	0.12	1.09	0.11	180.9	1.3	7.5	49	1.9	11.4	1.0	0.3	<0.1
TS1 87.7	Drill Core			3213	195.5	32.23	142.6	2.53	6.03	<0.02	<0.03	0.13	1.34	0.14	225.0	1.2	14.8	70	1.4	12.6	1.1	0.2	0.4
TS1 90	Drill Core			2228	133.8	23.40	100.2	2.19	6.46	0.36	<0.03	0.18	1.36	0.14	22.2	0.3	7.0	74	2.3	6.5	2.9	<0.1	<0.1
TS1 92.1	Drill Core			723.9	40.91	7.66	28.47	0.83	2.69	0.33	0.27	0.12	0.81	0.11	24.2	0.5	5.4	75	1.3	7.5	3.1	<0.1	0.2
TS1 94	Drill Core			1794	117.6	22.40	86.75	2.23	4.80	0.21	<0.03	0.15	1.29	0.25	264.3	1.5	22.5	88	2.2	6.0	1.9	0.2	0.3
TS1 96	Drill Core			646.6	43.87	7.65	28.51	1.34	4.88	0.58	0.90	0.21	1.78	0.27	68.2	6.8	16.1	194	12.7	60.2	2.5	0.2	0.5

Client: **Bergfald & co AS**

Kongensgate 3
Oslo 0153 Norway

Project: Tufestollen

Report Date: April 18, 2008

Page:

2 of 8

Part 3

CERTIFICATE OF ANALYSIS

VAN08004698.1

Method	Analyte	Unit	MDL	1DX Ag ppm	1DX Au ppb	1DX Hg ppm	1DX Ti ppm	1DX Se ppm
				0.1	0.5	0.01	0.1	0.5
TS1 3.60	Drill Core			0.1	4.4	<0.01	<0.1	<0.5
TS1 5.5	Drill Core			<0.1	2.9	<0.01	<0.1	<0.5
TS1 7.60	Drill Core			<0.1	5.6	<0.01	0.1	<0.5
TS1 9.8	Drill Core			0.7	295.9	<0.01	<0.1	8.0
TS1 11.7	Drill Core			0.1	19.1	<0.01	<0.1	<0.5
TS1 13.7	Drill Core			<0.1	45.5	<0.01	<0.1	2.3
TS1 15.7	Drill Core			<0.1	11.7	<0.01	<0.1	1.2
TS1 17.7	Drill Core			0.2	118.8	<0.01	<0.1	7.1
TS1 19.5	Drill Core			0.3	45.4	<0.01	<0.1	1.3
TS1 38	Drill Core			<0.1	17.4	<0.01	<0.1	1.4
TS1 40.4	Drill Core			0.2	57.1	<0.01	0.1	1.2
TS1 42.4	Drill Core			1.1	54.5	<0.01	0.1	<0.5
TS1 44.4	Drill Core			<0.1	6.6	<0.01	<0.1	0.7
TS1 46.4	Drill Core			0.6	22.2	<0.01	<0.1	<0.5
TS1 48.6	Drill Core			0.2	73.4	<0.01	0.2	1.6
TS1 50	Drill Core			0.5	17.1	<0.01	<0.1	0.8
TS1 52	Drill Core			0.2	29.2	<0.01	<0.1	0.9
TS1 54	Drill Core			0.3	30.4	<0.01	<0.1	<0.5
TS1 56.0	Drill Core			<0.1	7.3	<0.01	<0.1	<0.5
TS1 75.07	Drill Core			<0.1	5.0	<0.01	<0.1	<0.5
TS1 77	Drill Core			0.3	12.7	<0.01	<0.1	<0.5
TS1 80	Drill Core			0.2	15.0	<0.01	<0.1	<0.5
TS1 82.0	Drill Core			0.2	3.3	<0.01	<0.1	<0.5
TS1 84.0	Drill Core			0.7	24.2	<0.01	<0.1	<0.5
TS1 86.0	Drill Core			0.6	18.6	<0.01	0.1	<0.5
TS1 87.7	Drill Core			2.0	24.7	<0.01	<0.1	<0.5
TS1 90	Drill Core			0.2	5.7	<0.01	<0.1	<0.5
TS1 92.1	Drill Core			0.9	15.7	<0.01	<0.1	<0.5
TS1 94	Drill Core			1.0	29.0	<0.01	<0.1	<0.5
TS1 96	Drill Core			0.2	20.1	<0.01	0.1	<0.5

CERTIFICATE OF ANALYSIS

VAN08004698.1

Method	Analyte	Unit	MDL	4B Ba	4B Be	4B Co	4B Cs	4B Ga	4B Hf	4B Nb	4B Rb	4B Sn	4B Sr	4B Ta	4B Th	4B U	4B V	4B W	4B Zr	4B Y	4B La	4B Ce	4B Pr
				ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
				1	1	0.2	0.1	0.5	0.1	0.1	0.1	1	0.5	0.1	0.2	0.1	8	0.5	0.1	0.1	0.1	0.1	0.02
TS1 98	Drill Core			6131	<1	16.5	<0.1	<0.5	<0.1	43.2	<0.1	<1	3490	0.3	67.9	2.2	9	<0.5	4.9	21.0	7340	11550	880.6
TS1 100	Drill Core			904	<1	3.5	<0.1	3.6	0.2	627.5	0.2	2	3179	1.2	30.9	8.1	13	<0.5	15.9	12.4	3777	5844	534.9
TH12 2.3	Drill Core			940	<1	2.5	<0.1	0.8	<0.1	20.5	0.2	<1	5800	3.2	4.2	5.0	<8	<0.5	1.5	58.6	395.6	657.5	76.77
TH12 5	Drill Core			696	1	9.7	0.6	3.1	6.8	142.6	11.5	2	4196	9.8	71.6	4.2	159	0.9	910.9	114.3	371.1	661.7	85.10
TH12 10	Drill Core			708	<1	6.0	0.3	1.8	1.8	90.6	9.4	<1	5218	11.3	24.1	9.4	65	<0.5	211.3	58.7	315.9	596.2	70.76
TH12 18	Drill Core			721	<1	4.1	0.2	1.8	0.2	39.2	10.4	<1	6108	1.5	10.6	1.3	37	<0.5	29.4	66.8	310.0	593.7	70.70
TH12 26	Drill Core			580	2	3.6	0.5	4.2	1.9	3616	9.9	3	4818	6.1	141.4	1.7	446	0.9	119.6	91.8	356.2	707.2	81.64
TH12 34	Drill Core			729	<1	6.8	0.4	5.3	1.5	2015	9.2	1	5319	20.4	296.0	5.1	243	<0.5	88.3	67.5	354.1	721.8	87.77
TH12 42	Drill Core			802	<1	10.1	<0.1	1.9	1.5	2098	4.6	1	5851	8.5	298.5	4.1	132	<0.5	68.8	61.9	311.0	635.4	74.22
TH12 50	Drill Core			712	<1	3.1	<0.1	0.5	1.5	182.7	0.9	<1	5363	7.9	25.5	7.0	48	<0.5	170.2	67.3	335.8	643.9	79.07
TH12 58	Drill Core			765	<1	3.0	<0.1	0.6	2.1	63.7	1.4	<1	5070	3.0	23.4	2.1	30	<0.5	263.4	67.3	348.0	661.9	81.44
TH12 66	Drill Core			561	<1	12.5	1.0	1.5	2.8	93.9	7.1	1	2572	6.2	21.0	2.9	108	0.5	270.5	48.3	218.5	423.3	51.95
TH12 74	Drill Core			931	<1	10.2	0.4	1.9	1.4	32.7	28.8	<1	4818	2.7	17.4	1.2	18	<0.5	156.6	57.1	306.4	585.1	70.88
TH12 82	Drill Core			815	2	12.6	0.3	0.9	0.3	28.0	16.1	<1	4638	1.6	11.1	0.6	12	<0.5	40.5	57.0	276.6	516.1	61.54
TH12 90	Drill Core			644	1	4.3	0.7	1.9	3.6	69.9	8.2	2	3687	4.2	30.8	1.5	153	1.0	386.9	57.7	299.6	582.4	71.87
TH12 98	Drill Core			798	<1	5.8	<0.1	0.7	2.6	43.8	4.1	<1	4715	4.8	14.0	1.5	71	<0.5	294.3	58.7	287.7	556.1	68.15
TH12 106	Drill Core			1005	<1	1.1	0.2	3.5	0.6	1172	0.6	<1	4344	26.5	431.6	274.4	67	2.1	41.9	463.2	536.9	1132	158.6
TH12 114	Drill Core			795	<1	0.4	<0.1	<0.5	0.9	766.5	0.2	<1	4941	152.7	77.8	340.4	15	<0.5	73.6	84.5	321.1	630.4	76.71
TH12 122	Drill Core			694	<1	0.5	0.3	2.5	<0.1	31.0	25.4	<1	5220	13.9	2.9	6.6	<8	<0.5	4.6	62.3	213.7	407.6	47.91
TH12 130	Drill Core			662	7	8.7	1.9	2.1	1.9	426.8	6.7	10	2117	16.6	757.4	3.7	188	3.5	151.4	226.9	485.8	1216	179.7
TH12 138	Drill Core			672	<1	11.6	0.3	0.8	0.7	30.6	9.9	<1	4830	4.8	11.5	5.8	<8	<0.5	83.6	69.3	321.1	608.4	74.81
TH12 146	Drill Core			535	<1	22.8	1.7	2.0	16.2	130.4	5.7	3	2394	8.4	139.7	2.4	190	1.3	1772	95.6	370.3	753.3	97.89
TH12 154	Drill Core			1090	3	18.5	5.0	13.2	24.6	240.2	19.4	7	1854	18.4	75.5	9.7	345	0.9	2597	34.5	115.9	235.8	28.98
TH12 162	Drill Core			596	<1	13.1	0.5	2.3	4.4	126.2	3.1	2	3113	14.3	44.6	13.5	157	0.7	470.7	59.8	271.6	531.7	66.58
TH12 170	Drill Core			757	<1	0.6	0.5	1.6	1.7	34.8	15.0	<1	4904	6.7	25.7	6.9	13	<0.5	187.5	88.8	424.9	848.5	111.4
TH12 178	Drill Core			813	<1	1.8	<0.1	0.5	5.4	1312	0.8	1	6069	234.8	150.1	556.8	26	<0.5	585.4	73.5	353.5	697.2	87.75
TH12 186	Drill Core			601	<1	6.8	<0.1	0.5	1.4	166.7	0.8	<1	5099	33.6	23.1	49.2	33	<0.5	180.4	70.1	363.9	673.9	81.32
TH12 194	Drill Core			672	<1	2.8	0.2	0.8	0.1	101.5	1.7	<1	5693	13.3	32.5	8.9	<8	<0.5	12.7	70.8	314.1	587.4	70.49
TH12 201.5	Drill Core			682	2	9.6	0.5	3.6	0.9	176.6	17.7	3	3953	10.8	37.3	3.3	137	0.5	83.8	66.8	300.5	590.7	75.03
T13 29.30	Drill Core			10551	<1	7.3	<0.1	3.0	1.8	363.2	0.4	3	4924	9.2	785.2	13.7	81	3.5	142.4	178.4	379.9	799.7	125.7



Acme Labs

ACME ANALYTICAL LABORATORIES LTD.

852 E. Hastings St. Vancouver BC V6A 1R6 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client:

Bergfald & co AS

Kongensgate 3
Oslo 0153 Norway

Project:

Tuftestollen

Report Date:

April 18, 2008

Page:

3 of 8

Part 2

CERTIFICATE OF ANALYSIS

VAN08004698.1

Method	Analyte	Unit	MDL	4B Nd	4B Sm	4B Eu	4B Gd	4B Tb	4B Dy	4B Ho	4B Er	4B Tm	4B Yb	4B Lu	1DX Mo	1DX Cu	1DX Pb	1DX Zn	1DX Ni	1DX As	1DX Cd	1DX Sb	1DX Bi
				ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
				0.3	0.05	0.02	0.05	0.01	0.05	0.02	0.03	0.01	0.05	0.01	0.1	0.1	0.1	1	0.1	0.5	0.1	0.1	0.1
TS1 98	Drill Core			2606	165.4	27.60	115.0	1.91	4.45	0.16	<0.03	0.16	1.35	0.14	143.2	2.0	17.9	58	4.5	14.5	1.6	0.2	0.1
TS1 100	Drill Core			1511	87.23	14.42	61.01	1.15	2.36	0.21	<0.03	0.13	1.07	0.14	295.1	2.9	9.3	71	3.6	6.4	2.1	0.2	0.1
TH12 2.3	Drill Core			250.3	31.76	8.73	25.02	2.63	11.57	1.91	4.37	0.60	3.92	0.59	3.8	0.4	6.3	4	2.9	1.9	0.4	<0.1	<0.1
TH12 5	Drill Core			298.4	42.91	12.75	37.99	4.55	23.40	4.07	9.81	1.26	6.93	0.90	3.9	1.1	13.2	78	1.1	2.3	0.3	<0.1	<0.1
TH12 10	Drill Core			253.6	35.17	9.75	25.55	3.01	13.20	2.18	4.91	0.73	3.98	0.56	1.1	0.5	4.3	16	<0.1	<0.5	0.3	<0.1	<0.1
TH12 18	Drill Core			257.7	35.50	10.04	26.15	3.19	14.64	2.43	5.76	0.88	4.72	0.65	0.9	0.4	4.9	12	<0.1	<0.5	0.3	<0.1	<0.1
TH12 26	Drill Core			285.1	43.09	12.95	33.70	4.38	20.42	3.45	7.72	1.14	5.98	0.80	0.6	0.2	9.3	32	<0.1	2.0	0.3	0.2	<0.1
TH12 34	Drill Core			324.1	44.75	12.82	31.80	3.70	16.30	2.49	5.57	0.86	4.41	0.61	2.2	0.4	11.0	47	<0.1	4.7	0.4	0.1	0.1
TH12 42	Drill Core			269.3	36.87	10.41	26.87	3.17	14.09	2.24	5.16	0.80	4.26	0.60	0.4	0.4	9.8	24	<0.1	<0.5	0.3	<0.1	<0.1
TH12 50	Drill Core			286.2	40.66	11.30	29.63	3.45	15.08	2.36	5.66	0.80	4.39	0.61	0.3	0.3	4.6	16	<0.1	1.2	0.2	<0.1	<0.1
TH12 58	Drill Core			296.0	41.88	11.61	30.30	3.47	14.96	2.39	5.35	0.82	4.25	0.58	0.4	0.5	4.8	7	<0.1	1.5	0.2	<0.1	<0.1
TH12 66	Drill Core			192.4	27.86	7.81	20.67	2.43	10.45	1.72	3.99	0.57	2.84	0.38	0.5	1.2	3.8	6	<0.1	5.6	<0.1	0.2	<0.1
TH12 74	Drill Core			254.4	36.11	10.16	26.11	2.97	12.67	1.96	4.38	0.63	3.27	0.45	0.3	1.6	3.5	13	<0.1	<0.5	0.2	<0.1	<0.1
TH12 82	Drill Core			226.3	32.17	9.29	24.08	2.88	12.38	2.02	4.41	0.66	3.50	0.47	1.4	1.0	12.1	27	<0.1	1.9	0.2	<0.1	<0.1
TH12 90	Drill Core			265.3	37.95	10.71	27.53	3.21	13.58	2.10	4.56	0.64	3.36	0.46	0.1	0.3	3.6	18	<0.1	1.0	<0.1	<0.1	<0.1
TH12 98	Drill Core			245.7	35.01	9.92	26.03	3.00	13.03	2.11	4.73	0.70	3.53	0.48	0.2	0.2	4.0	13	<0.1	1.3	0.1	<0.1	<0.1
TH12 106	Drill Core			624.2	115.4	38.54	121.6	19.37	105.9	19.45	41.84	5.51	27.01	3.45	13.5	0.4	59.1	77	0.7	4.2	0.3	0.4	0.2
TH12 114	Drill Core			278.7	41.06	11.89	31.33	3.99	18.37	3.14	7.03	1.04	5.60	0.76	0.7	<0.1	7.2	6	<0.1	0.9	0.2	<0.1	<0.1
TH12 122	Drill Core			165.4	24.48	7.27	19.51	2.61	12.44	2.23	5.61	0.91	5.13	0.77	1.0	0.1	3.8	6	<0.1	<0.5	0.3	<0.1	<0.1
TH12 130	Drill Core			682.6	109.7	29.87	98.96	13.93	63.54	9.41	17.67	2.17	10.59	1.39	0.2	2.8	34.2	75	<0.1	5.1	0.1	0.1	0.2
TH12 138	Drill Core			277.2	39.30	11.01	29.33	3.40	15.49	2.42	5.44	0.78	4.29	0.58	1.6	2.6	23.3	97	<0.1	5.3	0.4	0.1	<0.1
TH12 146	Drill Core			367.1	56.23	16.34	45.90	5.33	23.95	3.71	7.69	1.03	5.44	0.72	0.3	0.9	9.6	23	<0.1	4.1	<0.1	0.1	<0.1
TH12 154	Drill Core			104.7	15.98	5.02	11.97	1.48	6.84	1.20	2.76	0.37	2.08	0.29	0.2	0.8	3.0	38	<0.1	2.3	0.1	<0.1	<0.1
TH12 162	Drill Core			249.5	36.03	9.90	26.57	3.00	12.92	2.10	4.73	0.66	3.69	0.51	0.4	1.6	4.5	29	<0.1	1.8	<0.1	<0.1	<0.1
TH12 170	Drill Core			419.6	60.16	16.80	44.92	4.86	21.23	3.29	7.02	0.98	5.28	0.71	0.1	0.1	4.2	8	<0.1	0.5	0.2	<0.1	<0.1
TH12 178	Drill Core			324.8	46.25	12.75	33.74	3.81	16.68	2.68	5.92	0.87	4.72	0.65	0.2	0.3	6.5	10	<0.1	1.8	0.2	<0.1	<0.1
TH12 186	Drill Core			286.4	38.78	10.71	29.55	3.52	15.71	2.54	5.81	0.81	4.78	0.68	0.3	1.3	8.9	37	<0.1	3.2	0.3	<0.1	<0.1
TH12 194	Drill Core			252.7	36.46	10.45	27.97	3.31	15.45	2.55	6.01	0.85	5.07	0.71	1.7	0.4	7.7	9	<0.1	1.4	0.3	<0.1	<0.1
TH12 201.5	Drill Core			282.6	41.11	11.76	31.93	3.59	15.60	2.49	5.30	0.73	3.93	0.54	0.1	0.4	4.0	32	<0.1	<0.5	0.2	<0.1	<0.1
T13 29.30	Drill Core			728.8	216.4	49.53	109.4	10.28	43.71	6.04	12.43	1.65	9.44	1.15	16.1	6.4	316.5	1277	<0.1	<0.5	4.0	0.1	2.7

CERTIFICATE OF ANALYSIS

VAN08004698.1

	Method Analyte Unit MDL	1DX	1DX	1DX	1DX	1DX
		Ag	Au	Hg	Tl	Se
		ppm	ppb	ppm	ppm	ppm
		0.1	0.5	0.01	0.1	0.5
TS1 98	Drill Core	0.5	10.7	<0.01	<0.1	<0.5
TS1 100	Drill Core	0.7	24.2	<0.01	<0.1	<0.5
TH12 2.3	Drill Core	<0.1	2.2	<0.01	<0.1	0.7
TH12 5	Drill Core	<0.1	13.3	<0.01	<0.1	1.6
TH12 10	Drill Core	0.1	4.1	<0.01	<0.1	1.0
TH12 18	Drill Core	0.2	5.7	<0.01	<0.1	1.0
TH12 26	Drill Core	1.2	42.9	<0.01	<0.1	1.7
TH12 34	Drill Core	1.0	44.1	<0.01	<0.1	1.1
TH12 42	Drill Core	0.5	13.0	<0.01	<0.1	1.1
TH12 50	Drill Core	0.4	16.7	<0.01	<0.1	1.3
TH12 58	Drill Core	0.2	9.8	<0.01	<0.1	1.4
TH12 66	Drill Core	0.2	5.2	<0.01	<0.1	<0.5
TH12 74	Drill Core	0.2	3.2	<0.01	<0.1	1.0
TH12 82	Drill Core	0.2	1.9	<0.01	<0.1	1.2
TH12 90	Drill Core	0.1	6.0	<0.01	<0.1	1.4
TH12 98	Drill Core	0.2	7.9	<0.01	<0.1	1.0
TH12 106	Drill Core	2.3	406.0	<0.01	<0.1	6.0
TH12 114	Drill Core	0.3	53.7	<0.01	<0.1	1.2
TH12 122	Drill Core	<0.1	4.4	<0.01	<0.1	0.8
TH12 130	Drill Core	0.6	60.3	<0.01	<0.1	3.9
TH12 138	Drill Core	0.3	7.0	<0.01	<0.1	1.2
TH12 146	Drill Core	0.3	16.4	<0.01	<0.1	1.6
TH12 154	Drill Core	0.1	3.3	<0.01	<0.1	<0.5
TH12 162	Drill Core	0.2	6.7	<0.01	<0.1	1.2
TH12 170	Drill Core	0.2	10.8	<0.01	<0.1	1.1
TH12 178	Drill Core	0.8	60.3	<0.01	<0.1	1.3
TH12 186	Drill Core	0.4	15.1	<0.01	<0.1	1.0
TH12 194	Drill Core	0.2	8.9	<0.01	<0.1	1.1
TH12 201.5	Drill Core	0.2	11.1	<0.01	<0.1	0.9
T13 29.30	Drill Core	1.8	85.5	0.01	<0.1	3.3

CERTIFICATE OF ANALYSIS

VAN08004698.1

Method	Analyte	Unit	MDL	4B Ba	4B Be	4B Co	4B Cs	4B Ga	4B Hf	4B Nb	4B Rb	4B Sn	4B Sr	4B Ta	4B Th	4B U	4B V	4B W	4B Zr	4B Y	4B La	4B Ce	4B Pr
				ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
				1	1	0.2	0.1	0.5	0.1	0.1	0.1	1	0.5	0.1	0.2	0.1	8	0.5	0.1	0.1	0.1	0.1	0.02
T13 34.75	Drill Core			1625	1	8.5	<0.1	2.2	1.0	353.8	1.3	4	2620	3.8	159.6	6.3	101	3.8	103.2	102.3	325.1	644.3	82.77
T13 39.8	Drill Core			1587	1	6.3	0.1	2.4	4.6	217.0	3.2	2	3017	3.1	62.2	3.8	189	2.4	432.5	68.1	363.0	703.2	89.84
T13 CA49	Drill Core			23831	<1	7.2	<0.1	2.7	2.6	151.8	0.7	2	5789	2.5	78.7	2.5	54	1.7	313.4	110.4	337.6	648.6	87.96
T13 CA54	Drill Core			1070	1	7.3	1.0	4.3	3.0	654.8	5.4	4	4787	3.3	116.3	5.7	70	1.9	409.1	143.5	364.3	697.0	89.33
T13 CA59	Drill Core			3078	<1	3.7	<0.1	2.3	0.5	109.3	0.5	2	2798	1.7	233.9	8.1	51	1.0	43.6	120.1	357.1	676.3	87.92
T13 64.2	Drill Core			11832	1	12.5	0.2	7.4	7.6	222.3	2.1	3	1666	6.7	227.1	4.8	106	1.2	1046	49.6	2185	3177	319.0
T13 69.0	Drill Core			3377	<1	2.7	<0.1	2.3	13.2	270.2	0.3	<1	3613	3.5	113.7	1.2	29	0.8	1627	91.9	258.0	487.5	59.93
T13 74	Drill Core			5463	<1	5.3	<0.1	1.0	2.1	2308	0.3	2	1615	0.5	356.7	26.6	56	3.0	162.8	76.7	559.5	976.1	120.0
T13 79	Drill Core			961	<1	6.3	0.4	3.8	11.2	1027	3.1	3	3330	113.8	250.9	126.7	187	1.2	1274	108.4	248.4	476.9	60.95
T13 84	Drill Core			862	<1	11.8	<0.1	1.7	<0.1	1479	<0.1	12	3224	5.5	164.6	3.7	168	26.6	10.2	32.8	283.4	557.1	70.30
T13 88.80	Drill Core			17878	1	5.6	0.1	20.7	13.3	1577	1.0	9	3428	65.1	207.7	26.9	379	8.9	1169	124.8	549.2	973.9	125.4
T13 CA94	Drill Core			267	<1	0.8	<0.1	0.8	1.5	1338	0.2	<1	5431	1.8	127.6	7.1	35	1.4	175.3	187.2	865.1	1881	264.5
T13 CA99	Drill Core			2023	<1	5.2	<0.1	3.1	0.8	553.0	0.5	2	3971	8.7	49.6	3.5	110	1.8	86.4	75.4	255.5	465.1	53.73
T13 102.5	Drill Core			477	1	8.6	0.5	3.5	9.0	2065	14.7	5	3076	8.1	60.9	2.5	204	0.8	1054	76.8	347.2	696.9	91.73
T13 112	Drill Core			330	<1	1.9	<0.1	1.8	0.1	65.4	0.2	<1	2470	1.0	245.0	6.4	20	0.5	20.2	82.2	109.8	206.0	24.84
T13 114	Drill Core			294	<1	7.8	<0.1	1.9	0.5	307.0	1.0	1	3107	2.5	70.8	1.4	37	1.0	35.1	25.6	503.3	734.4	79.95
T13 123.8	Drill Core			338	<1	5.6	0.3	2.1	1.3	474.7	4.7	3	4595	100.5	346.6	83.3	26	1.0	107.6	310.4	301.1	767.3	128.3
T13 128	Drill Core			2078	2	6.8	<0.1	4.0	<0.1	335.2	1.1	2	1928	13.4	1156	19.8	45	1.6	25.7	166.3	1168	2549	402.0
T13 132	Drill Core			290	<1	4.6	<0.1	1.3	0.7	2360	0.3	<1	4212	3.1	179.4	19.1	14	4.5	45.5	123.6	467.7	943.7	134.6
T16 50	Drill Core			12626	<1	22.6	0.2	<0.5	<0.1	144.1	1.0	2	1443	1.1	284.6	6.8	42	2.5	7.0	55.7	2495	4427	496.8
T16 55	Drill Core			6535	<1	10.6	<0.1	3.0	<0.1	509.5	0.2	3	1059	2.3	408.7	3.8	55	0.8	4.4	27.0	1511	3933	522.7
T16 60	Drill Core			6674	<1	1.0	<0.1	2.2	<0.1	132.4	0.2	<1	1477	0.7	176.2	1.0	34	<0.5	4.6	26.5	321.6	806.7	114.8
T16 70	Drill Core			2708	<1	5.1	<0.1	2.1	0.2	1160	0.2	1	3300	4.2	25.7	7.4	18	1.6	9.0	30.2	198.6	391.6	47.56
T16 75	Drill Core			13638	<1	6.0	<0.1	1.9	0.1	1255	0.2	2	2836	8.7	47.2	7.5	24	2.7	5.3	16.7	900.9	1302	155.8
T16 80	Drill Core			1616	<1	2.3	<0.1	1.0	<0.1	48.5	0.2	<1	3351	0.4	45.5	0.8	14	<0.5	2.1	12.2	651.6	1076	139.0
T16 90	Drill Core			826	<1	3.6	<0.1	1.0	<0.1	175.3	0.3	<1	1411	1.5	69.7	3.6	14	0.6	3.4	49.8	199.2	413.3	55.59
T16 95	Drill Core			162	<1	9.8	<0.1	1.8	<0.1	467.9	0.4	1	1487	2.6	75.7	4.4	13	0.9	18.6	35.7	203.7	406.3	52.44
T16 100	Drill Core			1685	<1	4.4	<0.1	2.2	0.1	1159	0.3	1	1340	7.4	35.9	14.4	13	2.1	8.5	54.2	327.3	543.0	66.17
T16 120	Drill Core			684	1	4.7	4.2	4.0	0.5	654.7	72.0	2	2522	4.7	179.6	3.1	32	1.7	66.2	51.6	190.9	417.9	57.89
T16 125	Drill Core			706	2	10.2	6.3	15.2	0.4	8287	113.9	5	2776	33.8	68.9	16.2	89	12.6	32.7	95.5	456.7	1121	197.6

CERTIFICATE OF ANALYSIS

VAN08004698.1

Method	Analyte	Unit	MDL	4B Nd	4B Sm	4B Eu	4B Gd	4B Tb	4B Dy	4B Ho	4B Er	4B Tm	4B Yb	4B Lu	1DX Mo	1DX Cu	1DX Pb	1DX Zn	1DX Ni	1DX As	1DX Cd	1DX Sb	1DX Bi
				ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
				0.3	0.05	0.02	0.05	0.01	0.05	0.02	0.03	0.01	0.05	0.01	0.1	0.1	0.1	1	0.1	0.5	0.1	0.1	0.1
T13 34.75	Drill Core			322.2	58.53	17.32	45.56	5.35	24.57	3.77	8.25	1.06	5.87	0.77	0.5	0.8	13.2	89	2.1	1.0	0.3	<0.1	<0.1
T13 39.8	Drill Core			347.0	53.09	13.62	35.44	3.76	16.36	2.46	5.28	0.68	4.05	0.53	1.3	0.9	19.2	117	<0.1	1.2	0.6	<0.1	0.2
T13 CA49	Drill Core			366.4	63.74	18.89	47.26	5.46	25.03	3.93	8.83	1.19	7.01	0.98	0.5	0.5	14.0	62	<0.1	2.9	0.2	<0.1	<0.1
T13 CA54	Drill Core			328.3	57.27	18.02	49.48	6.61	30.76	5.28	11.51	1.64	9.47	1.31	10.6	1.5	17.9	91	<0.1	4.5	0.5	0.1	0.3
T13 CA59	Drill Core			354.2	80.06	23.64	60.21	6.74	28.98	4.42	8.99	1.10	6.18	0.81	3.0	1.0	22.0	77	<0.1	0.7	0.2	<0.1	<0.1
T13 64.2	Drill Core			994.5	99.97	20.40	53.69	3.19	12.07	1.50	2.95	0.50	3.27	0.43	1.6	0.6	16.5	119	<0.1	1.8	0.2	<0.1	0.2
T13 69.0	Drill Core			222.2	39.66	12.06	31.87	4.38	21.55	3.61	7.92	0.93	4.84	0.58	0.6	0.5	6.5	58	<0.1	<0.5	0.4	<0.1	<0.1
T13 74	Drill Core			459.7	76.15	19.92	41.93	4.19	17.81	2.69	5.81	0.83	4.66	0.63	1.4	0.8	8.2	28	<0.1	1.1	0.1	<0.1	<0.1
T13 79	Drill Core			239.2	58.26	20.95	57.62	7.24	30.14	4.41	8.20	1.05	6.02	0.82	6.6	4.7	20.6	57	<0.1	7.1	0.2	0.2	<0.1
T13 84	Drill Core			283.5	53.94	11.76	27.75	2.49	9.12	1.13	2.21	0.29	1.68	0.21	52.2	1.9	19.2	252	<0.1	3.1	1.4	<0.1	0.3
T13 88.80	Drill Core			459.7	78.54	25.40	61.99	6.78	29.73	4.53	9.81	1.38	7.24	0.97	2.3	3.7	30.5	136	3.2	2.0	0.2	<0.1	0.2
T13 CA94	Drill Core			1011	148.0	40.84	110.2	11.38	48.37	7.25	14.10	1.92	9.51	1.15	3.2	0.1	9.8	21	<0.1	8.5	0.3	0.1	<0.1
T13 CA99	Drill Core			182.1	30.16	9.20	24.65	3.22	14.81	2.51	6.12	0.93	5.02	0.73	2.7	0.9	19.1	38	<0.1	1.6	0.4	<0.1	0.2
T13 102.5	Drill Core			337.5	49.92	14.37	37.06	4.04	17.15	2.72	5.94	0.86	4.56	0.64	0.5	0.3	7.3	45	<0.1	1.1	0.1	<0.1	<0.1
T13 112	Drill Core			93.2	25.37	9.07	23.90	3.53	16.83	2.89	7.09	1.08	6.26	0.95	5.8	0.5	12.6	34	<0.1	2.4	0.6	<0.1	0.1
T13 114	Drill Core			258.7	33.94	8.43	19.86	1.84	6.63	0.91	1.70	0.27	1.57	0.22	2.3	0.5	8.3	76	1.5	1.2	1.1	<0.1	0.2
T13 123.8	Drill Core			569.0	125.6	42.43	111.8	15.25	73.70	11.84	24.48	3.33	17.78	2.40	0.4	0.3	30.2	48	<0.1	5.1	0.3	0.2	0.4
T13 128	Drill Core			1885	378.6	84.80	195.9	13.29	44.79	5.10	9.91	1.77	10.28	1.25	2.3	2.3	118.5	100	0.3	1.7	0.3	0.1	3.3
T13 132	Drill Core			523.9	94.74	28.33	70.94	7.65	31.36	4.54	9.59	1.37	6.98	0.83	0.8	0.3	14.7	41	<0.1	6.1	0.5	<0.1	0.2
T16 50	Drill Core			1625	171.9	37.34	87.51	5.08	16.17	1.51	1.82	0.53	3.08	0.39	43.5	1.6	29.4	462	6.2	71.1	2.2	0.2	0.5
T16 55	Drill Core			1789	168.3	32.91	75.17	3.56	8.46	0.48	<0.03	0.24	1.75	0.18	213.9	1.2	34.6	546	4.4	4.9	2.4	0.2	3.2
T16 60	Drill Core			403.8	51.69	12.59	27.14	2.27	7.72	0.89	1.75	0.36	2.20	0.30	78.7	0.5	23.9	155	0.9	2.2	0.8	<0.1	1.8
T16 70	Drill Core			161.6	22.89	6.06	14.51	1.65	6.53	0.99	2.29	0.35	2.10	0.31	8.8	0.7	5.8	331	0.1	1.7	2.3	<0.1	0.1
T16 75	Drill Core			484.2	40.59	8.69	22.08	1.47	4.62	0.54	0.62	0.16	1.01	0.12	14.3	0.3	9.6	223	0.4	0.6	1.4	<0.1	0.2
T16 80	Drill Core			473.0	44.90	8.33	18.61	0.96	2.71	0.33	0.25	0.13	0.88	0.13	36.5	0.3	5.9	195	<0.1	0.7	1.4	<0.1	<0.1
T16 90	Drill Core			215.6	39.36	10.96	26.99	2.86	11.68	1.84	3.44	0.48	2.64	0.32	6.0	0.8	11.3	26	0.6	1.6	0.2	<0.1	0.3
T16 95	Drill Core			191.9	29.85	8.34	20.14	2.08	8.49	1.20	2.63	0.37	1.98	0.26	1.8	1.1	9.3	38	2.9	3.6	0.2	<0.1	0.2
T16 100	Drill Core			245.2	45.00	12.44	31.87	3.35	13.02	1.78	3.76	0.50	2.77	0.35	0.9	0.5	6.7	31	4.5	0.9	0.1	<0.1	<0.1
T16 120	Drill Core			228.9	49.95	16.95	37.90	4.06	15.01	1.95	3.74	0.50	2.55	0.33	8.5	0.3	20.0	87	<0.1	0.9	0.5	<0.1	0.3
T16 125	Drill Core			824.8	136.3	46.93	85.02	7.36	27.57	3.30	5.94	0.85	4.50	0.54	1.3	<0.1	7.9	201	0.5	1.1	0.2	<0.1	0.1

Client: Bergfald & co AS

Kongensgate 3
Oslo 0153 Norway

Project: Tufestollen

Report Date: April 18, 2008

Page:

4 of 8

Part 3

CERTIFICATE OF ANALYSIS

VAN08004698.1

		Method	1DX	1DX	1DX	1DX	1DX
		Analyte	Ag	Au	Hg	Tl	Se
		Unit	ppm	ppb	ppm	ppm	ppm
		MDL	0.1	0.5	0.01	0.1	0.5
T13 34.75	Drill Core		0.3	12.9	<0.01	<0.1	1.9
T13 39.8	Drill Core		0.3	13.4	<0.01	<0.1	1.3
T13 CA49	Drill Core		0.2	17.8	<0.01	<0.1	1.1
T13 CA54	Drill Core		0.7	36.3	<0.01	<0.1	2.0
T13 CA59	Drill Core		0.2	7.5	<0.01	<0.1	1.4
T13 64.2	Drill Core		<0.1	3.7	<0.01	<0.1	0.7
T13 69.0	Drill Core		0.3	15.3	<0.01	<0.1	1.2
T13 74	Drill Core		0.4	21.1	<0.01	<0.1	0.5
T13 79	Drill Core		0.5	87.1	<0.01	<0.1	1.7
T13 84	Drill Core		0.3	8.4	<0.01	<0.1	0.9
T13 88.80	Drill Core		0.1	33.7	0.02	<0.1	1.3
T13 CA94	Drill Core		0.7	333.7	0.01	<0.1	2.9
T13 CA99	Drill Core		0.1	15.5	<0.01	<0.1	0.9
T13 102.5	Drill Core		0.3	39.7	<0.01	<0.1	<0.5
T13 112	Drill Core		<0.1	8.3	<0.01	<0.1	0.8
T13 114	Drill Core		<0.1	13.0	<0.01	<0.1	<0.5
T13 123.8	Drill Core		0.5	733.9	<0.01	<0.1	5.1
T13 128	Drill Core		1.2	58.0	<0.01	<0.1	2.6
T13 132	Drill Core		0.4	96.4	<0.01	<0.1	1.8
T16 50	Drill Core		1.0	223.2	<0.01	<0.1	<0.5
T16 55	Drill Core		1.4	136.6	<0.01	0.1	<0.5
T16 60	Drill Core		0.4	28.3	<0.01	<0.1	0.8
T16 70	Drill Core		<0.1	20.8	<0.01	<0.1	<0.5
T16 75	Drill Core		0.2	8.9	<0.01	<0.1	0.6
T16 80	Drill Core		<0.1	6.2	<0.01	<0.1	<0.5
T16 90	Drill Core		<0.1	20.9	<0.01	<0.1	<0.5
T16 95	Drill Core		0.1	22.0	<0.01	<0.1	<0.5
T16 100	Drill Core		0.3	13.3	<0.01	<0.1	<0.5
T16 120	Drill Core		0.1	20.2	<0.01	0.6	0.7
T16 125	Drill Core		0.1	29.6	<0.01	1.1	0.6

CERTIFICATE OF ANALYSIS

VAN08004698.1

Method	Analyte	Unit	MDL	4B Ba	4B Be	4B Co	4B Cs	4B Ga	4B Hf	4B Nb	4B Rb	4B Sn	4B Sr	4B Ta	4B Th	4B U	4B V	4B W	4B Zr	4B Y	4B La	4B Ce	4B Pr
				ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
				1	1	0.2	0.1	0.5	0.1	0.1	0.1	1	0.5	0.1	0.2	0.1	8	0.5	0.1	0.1	0.1	0.1	0.02
T16 130	Drill Core			1005	<1	4.8	0.2	1.6	<0.1	883.0	4.8	<1	3008	9.2	260.2	6.5	15	2.4	11.4	48.7	654.2	994.8	118.3
T16 140	Drill Core			9263	6	6.7	1.7	8.5	0.4	217.4	25.4	3	1688	1.6	1026	6.4	74	4.2	42.6	113.7	700.0	1545	327.1
T16 145	Drill Core			451	<1	3.2	0.1	1.2	<0.1	3899	1.6	3	3374	3.5	60.7	4.8	13	6.5	5.7	42.8	177.4	377.9	48.71
T16 150	Drill Core			1000	<1	12.2	0.1	0.5	1.7	942.4	1.5	1	2196	120.1	291.7	76.5	12	1.6	187.7	105.3	387.2	656.9	82.79
T16 170	Drill Core			411	<1	14.4	1.9	10.6	12.9	519.8	13.3	3	972.1	15.5	103.2	2.4	182	2.5	1293	62.3	235.2	475.5	62.46
T16 175	Drill Core			133	<1	4.6	<0.1	1.1	1.8	120.3	0.6	1	1048	4.5	189.1	3.1	23	0.5	224.5	67.4	290.4	547.1	71.37
T17 20	Drill Core			70	<1	2.8	<0.1	1.6	0.1	461.2	0.3	<1	2885	23.2	32.4	16.1	10	<0.5	12.7	54.6	274.8	556.1	75.13
T17 25	Drill Core			654	<1	8.6	<0.1	2.2	0.2	124.3	0.2	4	1702	0.8	248.8	3.3	46	0.8	24.4	31.7	593.2	1332	200.6
T17 30	Drill Core			3357	<1	2.2	<0.1	1.8	0.4	140.4	0.3	2	2438	1.6	54.8	2.0	19	<0.5	29.0	39.4	507.6	1002	143.1
T17 35	Drill Core			2403	<1	2.0	<0.1	0.7	<0.1	35.8	0.1	<1	2691	0.3	97.0	0.7	20	<0.5	11.5	27.1	467.9	934.8	131.8
T17 40	Drill Core			3936	<1	2.1	<0.1	1.2	0.4	1026	0.2	2	2770	5.2	90.0	1.3	19	0.9	16.8	18.5	515.4	974.0	135.3
T17 45	Drill Core			1121	<1	20.3	0.1	<0.5	0.4	1571	1.0	4	1782	63.8	509.1	12.2	27	2.2	19.5	40.1	4049	10466	970.5
T17 50	Drill Core			16225	<1	1.8	<0.1	<0.5	1.5	3145	0.2	3	7089	31.9	272.2	8.5	11	3.3	63.6	125.7	283.9	650.1	98.83
T17 60	Drill Core			6996	1	5.2	<0.1	2.7	0.2	677.2	0.5	4	2177	11.6	220.4	2.9	44	1.5	11.4	24.0	1019	1992	252.4
T17 65	Drill Core			2095	1	7.2	<0.1	2.3	0.1	466.3	0.4	2	6324	3.7	234.3	5.2	23	0.9	15.8	216.3	771.8	1340	215.2
T17 70	Drill Core			4998	<1	3.9	<0.1	2.0	0.6	1652	0.4	2	2731	28.4	125.6	2.3	15	3.2	24.4	15.6	755.9	1291	180.0
T17 75	Drill Core			1318	<1	1.4	<0.1	0.8	0.3	968.7	0.4	2	1596	36.2	230.0	2.1	36	2.7	13.2	23.6	682.5	1249	155.4
T17 80	Drill Core			880	<1	2.6	<0.1	1.2	0.4	1083	0.3	1	3436	10.4	80.3	1.7	30	2.1	17.6	22.4	559.9	941.5	117.5
T17 90	Drill Core			791	<1	4.8	<0.1	1.6	1.7	1482	0.9	3	5368	27.0	86.7	244.8	38	7.3	75.6	130.0	670.9	1319	181.1
T17 95	Drill Core			1151	3	49.3	1.9	17.9	4.1	124.4	38.9	2	468.2	4.0	9.7	2.2	286	0.9	149.6	22.9	71.9	147.8	18.26
T17 100	Drill Core			5200	<1	1.5	<0.1	1.1	0.1	491.9	0.2	1	2714	14.5	138.1	14.2	24	1.2	5.7	17.0	945.0	1686	187.4
T17 105	Drill Core			2009	<1	7.9	<0.1	1.5	0.5	1325	1.7	2	2723	23.7	112.3	8.3	33	1.3	15.8	17.0	1123	2007	235.6
T17 110	Drill Core			1409	<1	3.6	<0.1	<0.5	0.1	561.6	0.6	<1	6150	6.8	96.9	9.5	16	0.7	10.6	87.3	1308	2457	296.9
T17 115	Drill Core			888	<1	5.7	<0.1	1.6	<0.1	56.0	0.5	<1	4756	0.9	31.4	1.8	18	<0.5	2.3	18.1	740.2	1265	157.8
T17 120	Drill Core			1915	<1	6.7	<0.1	2.7	0.4	1029	1.0	2	2472	13.9	83.5	4.7	29	0.9	10.2	13.2	698.4	1122	131.1
T17 125	Drill Core			624	<1	8.5	<0.1	1.9	0.1	749.5	1.3	2	2164	5.3	92.5	2.7	24	0.8	5.2	12.8	1882	3196	342.5
T17 130	Drill Core			15243	<1	6.5	<0.1	1.5	0.4	251.3	0.9	2	2137	2.4	25.1	3.3	25	0.6	5.4	14.3	1373	2094	223.4
T17 135	Drill Core			717	1	5.8	<0.1	<0.5	<0.1	253.9	1.0	2	2114	3.4	514.0	6.1	36	3.0	2.2	44.0	14239	28515	2381
T17 140	Drill Core			603	<1	5.1	<0.1	0.8	0.2	787.1	0.2	2	2374	6.9	131.8	2.5	20	1.3	7.0	11.3	1720	2890	303.9
T17 145	Drill Core			629	2	8.9	0.3	7.7	3.5	524.0	3.5	3	2197	16.2	110.9	5.5	88	0.9	280.3	51.6	563.5	871.8	101.2



AcmeLabs

ACME ANALYTICAL LABORATORIES LTD.

852 E. Hastings St. Vancouver BC V6A 1R6 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client:

Bergfald & co AS

Kongensgate 3
Oslo 0153 Norway

Project:

Tuftestollen

Report Date:

April 18, 2008

Page:

5 of 8

Part 2

CERTIFICATE OF ANALYSIS

VAN08004698.1

	Method	Analyte	4B	4B	4B	4B	4B	4B	4B	4B	4B	4B	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX		
			Nd	Sm	Eu	Gd	Tb	Dy	Ho	Er	Tm	Yb	Lu	Mo	Cu	Pb	Zn	Ni	As	Cd	Sb	Bi
			ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
			MDL	0.3	0.05	0.02	0.05	0.01	0.05	0.02	0.03	0.01	0.05	0.01	0.1	0.1	0.1	1	0.1	0.5	0.1	0.1
T16 130	Drill Core	391.4	49.76	11.92	27.17	2.37	9.88	1.53	3.47	0.56	3.06	0.40	20.2	0.8	14.6	77	0.6	1.4	0.7	<0.1	0.3	
T16 140	Drill Core	1858	354.8	70.11	166.1	10.59	31.65	2.75	4.38	1.04	6.92	0.85	19.6	0.2	58.2	142	<0.1	<0.5	0.1	<0.1	2.7	
T16 145	Drill Core	181.8	32.31	9.90	24.32	2.81	11.37	1.61	3.18	0.41	2.11	0.25	14.8	0.2	6.3	66	0.9	<0.5	0.5	<0.1	0.1	
T16 150	Drill Core	313.7	59.48	17.74	45.51	5.34	23.78	3.70	8.23	1.12	6.52	0.94	3.1	32.0	37.4	31	<0.1	4.5	0.3	0.2	0.9	
T16 170	Drill Core	240.3	39.47	12.30	27.97	3.05	13.45	2.16	4.96	0.72	4.20	0.62	1.2	2.2	13.2	140	<0.1	2.1	0.1	<0.1	0.3	
T16 175	Drill Core	271.9	44.39	11.61	29.68	3.38	14.74	2.34	5.09	0.70	4.36	0.62	1.1	3.1	10.0	12	<0.1	2.4	<0.1	<0.1	0.3	
T17 20	Drill Core	280.3	42.66	12.18	29.43	3.12	13.20	1.85	3.88	0.46	2.63	0.32	0.5	0.4	7.2	49	0.4	1.0	0.5	<0.1	<0.1	
T17 25	Drill Core	723.8	86.46	17.69	37.11	2.40	7.97	0.86	1.68	0.33	2.15	0.27	95.3	8.0	86.5	1410	3.4	3.1	4.6	0.1	5.1	
T17 30	Drill Core	517.6	62.98	15.28	35.59	2.89	10.49	1.36	2.43	0.36	2.10	0.26	4.4	0.3	11.1	179	<0.1	1.2	0.9	<0.1	0.1	
T17 35	Drill Core	480.3	60.87	13.64	31.94	2.32	7.23	0.82	1.31	0.26	1.72	0.22	112.6	0.6	95.2	351	0.3	0.7	1.1	<0.1	4.3	
T17 40	Drill Core	479.3	57.79	12.02	27.54	1.76	5.72	0.59	0.88	0.20	1.35	0.18	35.4	<0.1	1305	128	0.6	1.1	0.7	<0.1	0.7	
T17 45	Drill Core	3276	293.0	62.13	155.5	6.79	16.59	0.77	<0.03	0.31	2.58	0.26	6.5	2.4	37.0	2205	1.8	9.9	5.1	0.1	0.8	
T17 50	Drill Core	425.7	89.04	28.95	76.22	8.61	36.75	5.19	9.57	1.11	5.63	0.68	4.3	0.2	34.8	45	<0.1	3.2	0.3	<0.1	<0.1	
T17 60	Drill Core	864.8	92.39	20.84	46.31	2.55	7.27	0.62	0.81	0.21	1.54	0.18	43.0	0.4	10.7	224	1.1	1.7	0.7	<0.1	0.6	
T17 65	Drill Core	926.9	173.5	46.65	128.0	13.92	58.27	8.46	15.03	1.63	7.41	0.80	181.7	2.3	74.0	206	4.3	15.5	0.9	0.2	3.5	
T17 70	Drill Core	621.1	62.25	12.60	28.14	1.46	4.32	0.44	0.44	0.15	1.17	0.16	42.7	0.5	9.5	210	0.8	<0.5	0.8	<0.1	0.3	
T17 75	Drill Core	507.6	49.37	12.79	28.65	1.77	6.08	0.72	1.24	0.23	1.34	0.19	10.4	15.3	168.5	219	0.6	0.6	1.0	<0.1	2.4	
T17 80	Drill Core	414.1	50.09	10.92	28.26	1.87	6.19	0.72	1.21	0.23	1.32	0.17	13.5	2.3	8.4	175	0.5	0.5	0.8	<0.1	0.3	
T17 90	Drill Core	678.8	102.5	30.12	81.00	8.84	37.78	5.31	10.35	1.33	6.98	0.89	3.1	0.9	20.0	49	1.7	2.6	0.4	0.5	0.2	
T17 95	Drill Core	69.3	11.06	3.16	8.42	0.99	4.75	0.81	2.08	0.30	1.71	0.26	1.8	45.2	2.5	83	118.8	<0.5	<0.1	<0.1	<0.1	
T17 100	Drill Core	586.0	58.00	12.30	31.00	1.59	4.98	0.44	0.56	0.16	1.04	0.12	22.1	0.9	9.7	192	0.6	0.5	1.5	<0.1	0.1	
T17 105	Drill Core	786.7	76.42	16.13	39.05	1.84	5.04	0.34	0.22	0.15	1.02	0.14	111.7	1.9	20.3	328	6.5	15.0	1.6	<0.1	1.0	
T17 110	Drill Core	1048	137.7	34.92	86.14	6.80	25.11	2.94	4.85	0.64	3.66	0.42	19.4	0.7	528.3	178	<0.1	3.8	1.5	<0.1	4.5	
T17 115	Drill Core	528.9	49.86	10.56	26.75	1.40	4.20	0.44	0.58	0.16	1.00	0.13	30.0	0.4	11.1	292	1.3	0.9	2.4	<0.1	0.3	
T17 120	Drill Core	415.3	37.94	7.96	21.01	1.12	3.50	0.43	0.54	0.16	0.94	0.13	41.3	0.2	15.9	122	1.2	<0.5	0.5	<0.1	0.3	
T17 125	Drill Core	1071	83.15	15.63	42.80	1.51	3.23	0.16	<0.03	0.12	0.92	0.12	92.6	<0.1	7.7	159	2.2	1.2	1.4	<0.1	0.4	
T17 130	Drill Core	677.7	52.88	10.78	29.74	1.24	3.44	0.31	0.12	0.13	0.83	0.11	3.1	<0.1	8.2	849	0.8	<0.5	11.2	<0.1	<0.1	
T17 135	Drill Core	7120	574.4	102.7	290.3	9.66	22.98	<0.02	<0.03	0.27	3.11	0.24	11.7	1.4	14.7	69	4.8	6.1	1.2	<0.1	0.1	
T17 140	Drill Core	918.7	77.16	14.67	38.87	1.48	3.42	0.21	<0.03	0.14	0.93	0.12	57.4	0.4	8.5	166	2.4	<0.5	2.3	<0.1	0.2	
T17 145	Drill Core	348.3	45.97	12.80	30.75	2.82	11.04	1.59	3.35	0.47	2.82	0.38	4.9	0.2	17.2	102	4.6	<0.5	0.4	<0.1	0.2	

CERTIFICATE OF ANALYSIS

VAN08004698.1

	Method	1DX	1DX	1DX	1DX	1DX
	Analyte	Ag	Au	Hg	Tl	Se
	Unit	ppm	ppb	ppm	ppm	ppm
	MDL	0.1	0.5	0.01	0.1	0.5
T16 130	Drill Core	0.3	29.3	<0.01	<0.1	<0.5
T16 140	Drill Core	0.4	15.9	<0.01	0.3	1.4
T16 145	Drill Core	0.2	19.4	<0.01	<0.1	<0.5
T16 150	Drill Core	0.3	43.6	<0.01	<0.1	1.6
T16 170	Drill Core	0.1	4.2	<0.01	<0.1	<0.5
T16 175	Drill Core	0.1	18.1	<0.01	<0.1	1.6
T17 20	Drill Core	0.2	21.7	<0.01	<0.1	<0.5
T17 25	Drill Core	0.9	66.1	<0.01	<0.1	0.8
T17 30	Drill Core	<0.1	10.3	<0.01	<0.1	0.7
T17 35	Drill Core	1.0	13.9	<0.01	<0.1	<0.5
T17 40	Drill Core	0.4	10.5	<0.01	<0.1	<0.5
T17 45	Drill Core	0.5	19.2	<0.01	<0.1	0.5
T17 50	Drill Core	0.3	64.4	<0.01	<0.1	2.2
T17 60	Drill Core	0.2	14.5	<0.01	<0.1	<0.5
T17 65	Drill Core	0.7	54.1	<0.01	<0.1	3.2
T17 70	Drill Core	0.1	5.1	<0.01	<0.1	<0.5
T17 75	Drill Core	1.0	11.6	<0.01	<0.1	<0.5
T17 80	Drill Core	0.1	16.5	<0.01	<0.1	<0.5
T17 90	Drill Core	0.4	150.2	<0.01	<0.1	1.6
T17 95	Drill Core	<0.1	1.2	0.01	<0.1	<0.5
T17 100	Drill Core	<0.1	13.9	<0.01	<0.1	<0.5
T17 105	Drill Core	0.4	18.8	<0.01	<0.1	<0.5
T17 110	Drill Core	1.8	64.7	<0.01	<0.1	1.8
T17 115	Drill Core	0.1	4.2	<0.01	<0.1	<0.5
T17 120	Drill Core	<0.1	7.6	<0.01	<0.1	<0.5
T17 125	Drill Core	0.1	9.1	<0.01	<0.1	<0.5
T17 130	Drill Core	<0.1	8.4	<0.01	<0.1	<0.5
T17 135	Drill Core	<0.1	8.7	<0.01	<0.1	<0.5
T17 140	Drill Core	0.1	9.6	<0.01	<0.1	<0.5
T17 145	Drill Core	<0.1	14.6	<0.01	<0.1	0.9



Acme Labs

ACME ANALYTICAL LABORATORIES LTD.

852 E. Hastings St. Vancouver BC V6A 1R6 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client:

Bergfald & co AS

Kongensgate 3
Oslo 0153 Norway

Project:

Tuftestollen

Report Date:

April 18, 2008

Page:

6 of 8

Part 1

CERTIFICATE OF ANALYSIS

VAN08004698.1

Method	Analyte	Unit	MDL	4B Ba	4B Be	4B Co	4B Cs	4B Ga	4B Hf	4B Nb	4B Rb	4B Sn	4B Sr	4B Ta	4B Th	4B U	4B V	4B W	4B Zr	4B Y	4B La	4B Ce	4B Pr
				ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
				1	1	0.2	0.1	0.5	0.1	0.1	0.1	1	0.5	0.1	0.2	0.1	8	0.5	0.1	0.1	0.1	0.1	0.02
T17 150	Drill Core			99	<1	2.4	<0.1	1.5	<0.1	38.2	0.8	<1	2981	1.0	56.6	0.9	13	0.5	2.6	21.5	274.6	474.9	53.46
T17 155	Drill Core			1104	1	7.1	<0.1	8.8	0.4	243.2	1.0	2	4132	7.6	541.6	3.1	48	2.4	46.1	144.9	389.3	774.3	116.3
T17 160	Drill Core			120	1	16.8	0.1	19.8	3.8	350.9	0.8	5	2358	10.8	160.1	2.7	107	8.5	382.7	101.1	337.9	675.0	90.61
T17 165	Drill Core			234	<1	2.8	<0.1	2.5	0.2	43.0	0.2	<1	1663	0.8	170.7	1.0	14	0.8	17.9	46.5	181.1	314.6	39.39
T17 170	Drill Core			254	1	3.6	<0.1	3.0	1.7	46.2	1.0	1	2691	0.8	110.7	26.1	51	<0.5	163.3	132.5	286.6	602.6	81.78
T17 175	Drill Core			271	<1	8.6	<0.1	2.0	7.6	57.3	0.7	<1	2444	1.5	108.1	2.3	31	<0.5	682.4	116.3	249.1	485.4	59.18
T17 180	Drill Core			629	1	22.4	0.2	2.5	13.5	63.1	2.1	<1	2164	2.5	198.0	5.6	40	<0.5	1307	79.6	447.7	775.6	96.39
T18 15.5	Drill Core			>50000	1	1.9	0.2	1.4	1.0	31.9	1.8	<1	2976	1.9	18.1	1.9	26	<0.5	61.1	58.4	172.7	328.3	39.08
T18 19.5	Drill Core			2172	<1	7.5	1.1	1.4	1.6	316.3	28.2	2	3136	65.5	58.8	93.7	50	0.8	169.6	65.3	262.2	466.5	55.08
T18 23.5	Drill Core			3116	2	8.5	13.5	12.3	2.4	581.5	125.6	2	1586	26.3	82.5	2.4	158	1.5	269.8	40.2	321.5	608.0	79.21
T18 25.5	Drill Core			815	5	33.1	0.8	<0.5	0.2	163.4	6.9	2	691.7	4.1	1456	21.9	44	<0.5	77.3	130.6	1581.4	32708	2710
T18 27.5	Drill Core			219	2	27.3	1.7	19.3	11.7	827.4	19.2	3	914.7	25.0	63.0	3.2	221	2.8	1059	50.8	289.8	601.5	72.88
T18 31.5	Drill Core			407	4	8.5	6.1	6.2	0.7	263.8	110.8	2	1805	24.8	220.0	14.4	106	0.7	46.2	97.3	754.9	1286	158.2
T18 35.5	Drill Core			1446	2	8.2	1.1	7.4	1.3	195.0	36.3	1	2721	10.7	30.1	34.0	88	1.0	160.0	82.6	324.4	618.3	76.63
T18 39.5	Drill Core			1284	1	6.7	2.0	6.1	0.6	104.1	132.5	<1	3466	7.7	18.9	4.7	78	<0.5	75.1	62.0	345.5	610.9	71.64
T18 43.5	Drill Core			852	1	5.9	0.9	5.6	0.8	113.9	45.4	<1	4487	7.7	16.7	3.2	73	<0.5	95.7	70.4	337.6	618.3	76.03
T18 47.3	Drill Core			1389	2	11.9	9.0	11.2	5.7	127.1	191.2	2	2809	5.7	28.1	2.5	173	<0.5	560.9	55.2	371.0	677.4	81.95
T18 51	Drill Core			351	<1	6.4	0.9	2.1	2.5	1714	12.4	2	2312	0.9	143.3	11.4	78	1.4	236.9	58.4	266.5	538.9	64.86
T18 55	Drill Core			387	5	1.5	2.6	2.1	0.3	1608	54.3	2	1964	3.7	93.4	6.6	28	0.9	21.6	59.1	344.1	626.8	76.65
T18 136.7	Drill Core			279	<1	0.7	0.1	0.7	<0.1	121.3	1.1	<1	3375	1.4	25.7	0.9	20	<0.5	7.9	71.0	250.7	501.0	65.15
T18 145	Drill Core			502	<1	1.9	0.2	0.6	0.3	79.4	3.6	<1	3962	1.3	15.4	0.9	22	<0.5	26.4	62.5	296.7	573.1	71.19
T18 150	Drill Core			257	<1	9.9	<0.1	1.9	<0.1	55.3	0.5	<1	2542	2.7	9.2	1.1	38	0.6	5.5	56.1	178.9	385.3	51.16
T18 156.8	Drill Core			475	<1	1.4	0.4	0.6	0.2	44.3	2.8	<1	2067	1.8	65.7	1.2	23	<0.5	16.2	90.8	381.7	770.4	107.3
T18 181	Drill Core			184	3	22.0	3.8	22.6	8.8	240.8	17.9	6	655.9	17.1	84.9	8.9	210	3.2	756.1	105.2	465.1	976.6	131.9
T20 30	Drill Core			529	1	4.6	0.1	1.3	<0.1	75.5	0.6	1	369.9	0.5	18.3	3.0	33	1.7	7.0	15.6	341.7	434.0	41.74
T20 32	Drill Core			1720	2	12.2	0.3	14.2	0.7	235.7	2.0	3	740.1	1.9	78.5	4.2	71	0.8	60.3	56.2	1356	2079	233.0
T20 34	Drill Core			1642	1	6.9	0.2	<0.5	<0.1	165.4	0.3	<1	454.8	0.6	59.6	1.5	22	2.6	11.1	12.0	1913	2582	250.0
T20 57.5	Drill Core			516	<1	4.3	<0.1	<0.5	0.4	425.7	0.5	2	1724	0.8	461.1	43.1	33	0.7	84.1	95.3	11803	21839	1679
T20 60.5	Drill Core			236	<1	8.8	<0.1	<0.5	1.1	64.8	0.4	1	1878	0.2	129.1	8.7	22	0.7	95.8	38.8	9538	16758	1224
T20 63.5	Drill Core			252	<1	4.6	<0.1	<0.5	0.9	409.7	0.4	2	2392	5.5	127.0	6.5	28	1.0	72.3	50.9	2066	3034	307.6

CERTIFICATE OF ANALYSIS

VAN08004698.1

Method	Analyte	Unit	MDL	4B Nd	4B Sm	4B Eu	4B Gd	4B Tb	4B Dy	4B Ho	4B Er	4B Tm	4B Yb	4B Lu	1DX Mo	1DX Cu	1DX Pb	1DX Zn	1DX Ni	1DX As	1DX Cd	1DX Sb	1DX Bi
				ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
				0.3	0.05	0.02	0.05	0.01	0.05	0.02	0.03	0.01	0.05	0.01	0.1	0.1	0.1	1	0.1	0.5	0.1	0.1	0.1
T17 150	Drill Core			177.9	21.57	5.21	14.14	1.21	4.86	0.73	1.46	0.22	1.26	0.17	1.2	<0.1	4.6	55	<0.1	<0.5	0.4	<0.1	<0.1
T17 155	Drill Core			497.6	114.9	32.36	88.92	9.60	39.53	5.49	10.32	1.25	6.49	0.80	4.0	4.0	34.8	79	1.7	0.5	0.2	<0.1	<0.1
T17 160	Drill Core			360.3	64.40	19.57	52.63	5.69	23.76	3.55	7.46	1.02	5.98	0.82	0.6	0.4	15.6	208	5.0	2.5	0.2	<0.1	0.1
T17 165	Drill Core			153.0	29.59	7.97	23.30	2.57	10.03	1.48	3.16	0.46	2.65	0.37	4.9	0.2	11.7	36	0.5	0.7	0.2	<0.1	<0.1
T17 170	Drill Core			325.7	57.84	17.51	49.40	6.06	28.23	4.79	10.90	1.53	8.01	1.01	0.4	1.1	8.4	29	<0.1	4.6	0.1	<0.1	<0.1
T17 175	Drill Core			219.7	40.79	13.54	39.90	5.18	24.11	4.08	9.54	1.34	7.14	0.99	4.1	4.3	10.8	33	<0.1	3.1	0.4	<0.1	0.1
T17 180	Drill Core			374.3	68.57	19.67	48.82	4.83	19.23	2.70	5.98	0.84	4.60	0.60	8.1	13.8	27.5	65	<0.1	8.7	0.2	0.3	0.2
T18 15.5	Drill Core			142.7	23.32	6.71	19.83	2.54	12.78	2.01	4.92	0.73	4.03	0.57	2.5	2.0	7.8	24	0.7	0.5	0.2	0.1	<0.1
T18 19.5	Drill Core			191.8	29.77	8.75	24.16	2.86	12.84	2.17	5.28	0.79	4.64	0.69	1.2	2.0	13.4	19	<0.1	1.6	0.4	0.3	0.2
T18 23.5	Drill Core			298.5	35.88	7.81	19.31	1.70	7.54	1.32	3.41	0.60	3.66	0.53	2.0	10.2	6.9	179	2.2	0.5	0.4	<0.1	<0.1
T18 25.5	Drill Core			8044	645.2	129.6	365.9	13.44	35.43	1.89	1.35	0.78	6.03	0.64	28.2	6.6	17.0	43	4.9	4.2	0.3	0.3	0.8
T18 27.5	Drill Core			275.7	46.83	12.96	32.22	3.30	12.66	1.84	3.95	0.51	2.94	0.38	4.2	5.0	6.1	237	4.4	1.3	<0.1	<0.1	0.1
T18 31.5	Drill Core			572.6	100.3	24.33	67.41	6.46	24.86	3.47	6.90	0.96	5.47	0.70	4.2	2.2	10.3	42	1.5	4.2	<0.1	0.1	<0.1
T18 35.5	Drill Core			278.9	43.51	12.40	35.59	4.14	18.04	2.84	6.48	0.94	5.16	0.71	0.5	5.5	8.3	86	1.3	1.0	0.2	<0.1	0.1
T18 39.5	Drill Core			247.9	32.85	8.79	25.26	2.76	12.32	2.04	4.94	0.72	4.17	0.59	0.4	2.9	10.7	64	<0.1	1.1	0.2	<0.1	<0.1
T18 43.5	Drill Core			273.2	37.74	10.61	29.26	3.29	14.34	2.39	5.55	0.77	4.49	0.62	0.3	1.5	5.3	58	0.5	1.4	0.2	<0.1	<0.1
T18 47.3	Drill Core			287.0	39.14	10.99	29.28	3.11	12.91	1.98	4.30	0.61	3.61	0.49	0.3	4.9	7.8	108	0.6	2.3	0.2	<0.1	<0.1
T18 51	Drill Core			238.7	34.89	9.87	26.27	2.96	13.39	2.07	4.60	0.66	3.69	0.51	7.4	1.4	9.3	32	<0.1	3.9	0.3	0.1	0.4
T18 55	Drill Core			275.9	45.50	13.48	34.70	3.40	13.03	1.75	3.61	0.52	3.03	0.39	1.0	0.6	7.5	21	<0.1	0.6	0.1	0.1	<0.1
T18 136.7	Drill Core			247.9	37.66	10.59	30.39	3.55	15.37	2.40	5.28	0.74	4.01	0.52	1.2	0.4	4.0	7	<0.1	1.3	0.2	<0.1	<0.1
T18 145	Drill Core			269.8	39.49	11.06	30.29	3.34	14.22	2.12	4.59	0.61	3.32	0.43	1.7	0.3	5.8	8	<0.1	3.0	0.2	<0.1	<0.1
T18 150	Drill Core			200.7	32.15	9.12	24.85	2.84	12.38	1.86	3.94	0.52	2.93	0.37	1.9	2.8	8.3	26	<0.1	5.2	0.2	0.1	0.1
T18 156.8	Drill Core			409.3	70.59	20.74	54.50	5.89	23.69	3.22	6.71	0.82	4.47	0.59	2.0	0.8	9.3	14	0.2	1.8	0.1	<0.1	<0.1
T18 181	Drill Core			466.3	63.04	16.62	45.04	4.83	21.56	3.54	8.80	1.20	7.00	1.00	4.0	7.9	5.9	128	1.6	4.2	<0.1	0.1	0.2
T20 30	Drill Core			115.4	9.80	2.46	6.22	0.68	3.03	0.51	1.20	0.18	1.03	0.15	24.0	0.3	17.3	212	1.4	2.2	2.6	0.3	0.2
T20 32	Drill Core			741.3	72.64	16.93	40.20	3.54	14.66	1.92	3.75	0.53	3.03	0.38	0.8	0.6	165.8	399	3.4	0.9	0.8	<0.1	1.8
T20 34	Drill Core			697.2	56.20	11.82	27.27	1.38	3.77	0.27	0.22	0.13	0.84	0.11	5.1	0.1	13.9	127	0.7	3.5	1.3	0.5	0.2
T20 57.5	Drill Core			4843	357.5	71.77	205.4	12.32	40.62	3.35	3.85	0.69	4.50	0.50	138.1	0.6	20.4	68	0.2	3.1	0.8	0.1	0.7
T20 60.5	Drill Core			3821	235.3	40.32	122.8	3.82	11.05	0.68	<0.03	0.36	2.96	0.39	11.5	0.4	8.6	87	<0.1	1.3	1.7	<0.1	<0.1
T20 63.5	Drill Core			892.7	69.00	16.00	41.79	3.42	13.44	1.71	3.06	0.50	3.20	0.45	58.7	0.2	23.1	73	<0.1	2.3	1.2	<0.1	0.4

CERTIFICATE OF ANALYSIS

VAN08004698.1

	Method	1DX	1DX	1DX	1DX	1DX
	Analyte	Ag	Au	Hg	Tl	Se
	Unit	ppm	ppb	ppm	ppm	ppm
	MDL	0.1	0.5	0.01	0.1	0.5
T17 150	Drill Core	<0.1	5.0	<0.01	<0.1	<0.5
T17 155	Drill Core	<0.1	45.7	<0.01	<0.1	2.6
T17 160	Drill Core	<0.1	7.8	<0.01	<0.1	1.8
T17 165	Drill Core	<0.1	2.1	<0.01	<0.1	<0.5
T17 170	Drill Core	<0.1	8.0	<0.01	<0.1	1.4
T17 175	Drill Core	<0.1	9.0	<0.01	<0.1	2.1
T17 180	Drill Core	0.2	17.4	<0.01	<0.1	1.6
T18 15.5	Drill Core	<0.1	3.9	<0.01	<0.1	0.7
T18 19.5	Drill Core	<0.1	22.9	<0.01	0.2	0.8
T18 23.5	Drill Core	<0.1	4.2	<0.01	1.2	0.5
T18 25.5	Drill Core	0.1	15.2	<0.01	0.1	0.6
T18 27.5	Drill Core	<0.1	5.6	<0.01	<0.1	<0.5
T18 31.5	Drill Core	<0.1	21.5	<0.01	1.0	1.5
T18 35.5	Drill Core	<0.1	3.6	<0.01	<0.1	0.9
T18 39.5	Drill Core	<0.1	1.9	<0.01	0.1	0.7
T18 43.5	Drill Core	<0.1	1.2	<0.01	<0.1	0.8
T18 47.3	Drill Core	<0.1	1.8	<0.01	0.9	0.6
T18 51	Drill Core	0.2	21.6	<0.01	<0.1	0.8
T18 55	Drill Core	<0.1	7.4	<0.01	0.5	0.7
T18 136.7	Drill Core	<0.1	4.6	<0.01	<0.1	1.4
T18 145	Drill Core	<0.1	4.9	<0.01	<0.1	1.0
T18 150	Drill Core	0.2	6.2	<0.01	<0.1	1.2
T18 156.8	Drill Core	<0.1	8.9	0.01	<0.1	1.9
T18 181	Drill Core	<0.1	6.9	<0.01	0.2	1.1
T20 30	Drill Core	<0.1	10.2	<0.01	<0.1	0.7
T20 32	Drill Core	0.9	3.0	<0.01	<0.1	0.6
T20 34	Drill Core	<0.1	12.8	<0.01	<0.1	<0.5
T20 57.5	Drill Core	1.0	32.0	0.01	<0.1	1.1
T20 60.5	Drill Core	0.2	9.8	<0.01	<0.1	<0.5
T20 63.5	Drill Core	0.3	21.0	<0.01	<0.1	<0.5

CERTIFICATE OF ANALYSIS

VAN08004698.1

Method	Analyte	Unit	MDL	4B Ba	4B Be	4B Co	4B Cs	4B Ga	4B Hf	4B Nb	4B Rb	4B Sn	4B Sr	4B Ta	4B Th	4B U	4B V	4B W	4B Zr	4B Y	4B La	4B Ce	4B Pr
				ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
				1	1	0.2	0.1	0.5	0.1	0.1	0.1	1	0.5	0.1	0.2	0.1	8	0.5	0.1	0.1	0.1	0.1	0.02
T20 66.4	Drill Core			596	<1	4.8	<0.1	<0.5	0.8	215.6	0.3	4	2641	1.0	260.4	9.2	27	1.1	104.5	60.1	5657	10258	807.8
T20 100.5	Drill Core			329	<1	4.4	<0.1	1.7	1.5	6841	0.2	5	2601	15.1	144.6	32.7	23	4.0	73.3	65.7	959.0	1515	189.6
T20 108.5	Drill Core			285	<1	3.7	<0.1	1.7	0.8	2542	0.3	2	3339	7.7	100.6	2.1	20	3.2	38.2	26.0	524.1	707.5	72.56
T21 120	Drill Core			329	1	2.5	<0.1	<0.5	0.4	418.6	0.2	1	805.7	0.7	136.3	4.4	29	1.0	54.6	27.3	2061	3497	389.9
T21 125	Drill Core			656	2	9.1	<0.1	3.1	0.1	500.2	0.5	5	641.4	2.9	296.1	2.7	41	6.3	9.3	14.1	569.7	939.4	117.0
T21 130	Drill Core			871	2	9.2	0.2	1.7	0.8	2039	0.6	2	517.8	12.4	245.6	5.4	21	1.8	64.1	36.1	1741	3293	375.0
TS55 7	Drill Core			374	<1	10.9	<0.1	1.5	<0.1	56.7	0.2	<1	3269	0.3	119.0	1.7	18	0.5	4.2	50.3	110.4	222.4	28.43
TS55 12	Drill Core			2548	<1	11.6	0.2	2.6	0.2	1939	1.4	2	3922	31.5	75.2	11.1	19	1.7	8.9	45.4	264.6	547.1	71.66
TS55 17	Drill Core			15878	<1	3.8	0.8	2.7	0.2	599.0	5.6	<1	4413	4.9	131.4	4.1	18	0.8	7.4	130.1	350.5	741.5	105.9
TS55 35.5	Drill Core			1169	<1	4.3	0.2	1.9	0.5	298.5	0.6	3	3946	2.9	28.9	1.2	22	0.5	20.5	29.1	155.9	331.1	43.48
TS55 40.5	Drill Core			6439	1	13.7	<0.1	1.9	0.7	2018	0.6	3	2447	5.2	248.7	9.2	41	2.4	44.0	93.4	158.2	352.6	49.85
TS55 44	Drill Core			551	<1	12.6	<0.1	1.7	0.1	4716	0.4	3	3569	3.9	198.4	5.9	19	4.2	10.3	23.6	125.0	283.3	43.87
TS55 50-55	Drill Core			385	<1	6.2	<0.1	1.4	<0.1	65.8	0.2	<1	3827	0.2	54.5	1.2	11	<0.5	2.7	25.9	108.3	232.0	29.42
TS55 55-60	Drill Core			831	<1	1.8	<0.1	1.1	<0.1	152.7	<0.1	<1	2892	0.2	89.7	2.3	<8	<0.5	3.3	96.9	350.3	702.1	95.48
TS55 63.5	Drill Core			540	<1	6.6	2.3	3.3	0.1	718.3	22.6	2	2583	3.0	99.9	1.1	35	1.4	8.3	18.7	377.0	649.9	78.98
TS55 68.5	Drill Core			1363	<1	13.9	<0.1	0.8	<0.1	131.2	<0.1	<1	3343	0.2	263.8	1.4	36	<0.5	4.5	49.3	194.5	402.8	56.32
TS55 72.5	Drill Core			6968	<1	42.6	0.2	25.8	5.0	230.4	1.9	4	1219	3.4	13.5	2.3	179	14.5	203.6	38.9	46.8	95.3	11.89
TS55 90-95	Drill Core			1772	2	12.0	<0.1	3.2	0.7	312.6	0.6	3	1282	5.3	139.6	3.3	57	3.3	63.5	87.7	330.2	615.3	79.74
TS55 95-100	Drill Core			6153	11	10.2	0.5	4.8	0.9	213.7	3.7	2	1210	11.3	136.8	5.5	57	2.0	73.3	48.1	2043	3074	306.7
TS55 102.0	Drill Core			491	<1	8.0	<0.1	5.2	3.0	166.8	0.3	2	1749	4.2	53.1	3.1	50	1.3	243.4	78.4	600.8	1014	129.0
TS55 107.4	Drill Core			181	3	9.6	<0.1	6.2	1.1	377.7	<0.1	4	2055	8.8	82.4	4.1	222	7.2	101.2	98.8	370.3	735.8	103.1
TS55 111.5	Drill Core			293	2	28.3	2.1	32.1	8.1	358.4	4.8	3	1165	5.5	41.5	2.7	137	4.4	607.0	44.3	150.4	283.5	34.75
TS55 116.5	Drill Core			>50000	<1	7.7	<0.1	<0.5	0.4	69.5	0.2	<1	2959	1.4	246.4	6.4	34	0.9	20.9	27.7	2516	3093	280.4
TS55 121.5	Drill Core			8350	<1	5.8	0.3	6.5	2.5	120.9	0.7	<1	1610	3.9	123.2	2.4	38	0.6	293.6	65.7	763.4	1122	135.5
TS55 125.5	Drill Core			2347	1	11.0	0.8	19.6	0.8	914.6	2.2	5	1907	21.6	54.3	13.3	109	1.7	51.4	57.2	449.8	811.4	107.9
TS55 130-140	Drill Core			1262	<1	9.5	<0.1	2.7	0.8	591.3	0.3	2	3294	6.4	636.7	2.5	59	1.6	92.0	172.3	1959	3440	394.0
TS55 142	Drill Core			5671	1	11.4	0.2	20.3	0.4	2536	1.5	3	1544	21.7	60.6	23.7	133	3.2	33.1	53.5	249.0	485.9	65.27
TS55 147.4	Drill Core			8585	4	10.2	0.2	8.1	0.8	427.9	2.2	7	1886	6.3	1118	11.2	113	2.5	41.2	274.0	553.0	981.4	160.8
TS55 152.4	Drill Core			6242	<1	21.1	0.1	19.7	10.8	265.3	0.8	2	1582	25.0	63.9	3.1	137	12.4	1281	62.9	293.5	577.0	72.52
TS55 157.5	Drill Core			12302	<1	3.4	0.1	6.1	0.3	201.3	0.8	2	4180	5.0	654.5	3.7	41	2.2	66.2	784.5	346.2	737.6	108.7



ACME ANALYTICAL LABORATORIES LTD.
852 E. Hastings St. Vancouver BC V6A 1R6 Canada
Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client:

Bergfald & co AS

Kongensgate 3
Oslo 0153 Norway

Project:

Tuftestollen

Report Date:

April 18, 2008

Page:

7 of 8

Part 2

CERTIFICATE OF ANALYSIS

VAN08004698.1

	Method Analyte Unit MDL	4B	4B	4B	4B	4B	4B	4B	4B	4B	4B	4B	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
		Nd	Sm	Eu	Gd	Tb	Dy	Ho	Er	Tm	Yb	Lu	Mo	Cu	Pb	Zn	Ni	As	Cd	Sb	Bi
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.3	0.05	0.02	0.05	0.01	0.05	0.02	0.03	0.01	0.05	0.01	0.1	0.1	0.1	1	0.1	0.5	0.1	0.1	0.1
T20 66.4	Drill Core	2369	180.7	36.52	90.46	4.66	15.93	1.61	2.41	0.50	3.16	0.41	69.9	1.0	14.0	61	0.1	5.0	1.1	0.1	0.3
T20 100.5	Drill Core	615.0	73.44	17.94	42.90	4.11	16.28	2.32	4.73	0.69	3.83	0.53	17.8	<0.1	8.7	101	0.2	<0.5	1.5	<0.1	0.1
T20 108.5	Drill Core	215.0	20.38	4.77	11.73	1.15	4.97	0.79	1.93	0.31	1.81	0.27	9.3	<0.1	4.6	76	0.8	0.7	1.4	<0.1	<0.1
T21 120	Drill Core	1235	102.8	21.36	48.56	2.26	6.42	0.59	0.78	0.23	1.74	0.24	1.4	0.3	9.1	44	<0.1	2.2	0.5	<0.1	<0.1
T21 125	Drill Core	396.0	59.47	13.84	31.19	1.88	4.65	0.32	0.40	0.13	1.02	0.13	2.4	0.4	33.6	219	3.8	1.7	1.7	0.4	0.3
T21 130	Drill Core	1211	112.8	25.99	59.75	3.44	9.42	0.90	1.52	0.39	3.02	0.45	0.9	<0.1	23.2	157	4.7	2.8	1.4	0.3	0.2
TS55 7	Drill Core	114.6	27.72	9.15	24.45	3.32	13.98	1.98	3.76	0.39	2.04	0.27	4.1	2.7	28.5	65	2.7	1.9	0.8	<0.1	0.4
TS55 12	Drill Core	265.4	41.37	11.56	26.66	2.81	11.84	1.65	3.44	0.47	2.54	0.33	1.3	2.2	14.2	72	5.7	3.1	0.8	<0.1	0.3
TS55 17	Drill Core	418.5	76.12	24.41	67.33	7.93	34.28	5.01	10.11	1.22	6.21	0.75	4.0	1.4	34.2	89	1.9	2.0	0.9	<0.1	0.4
TS55 35.5	Drill Core	168.2	26.08	6.83	16.79	1.75	6.89	1.03	2.15	0.29	1.69	0.23	0.3	0.1	10.2	65	0.5	1.3	0.8	<0.1	<0.1
TS55 40.5	Drill Core	223.6	59.04	19.18	44.96	5.21	21.46	3.07	6.84	0.89	4.96	0.62	2.8	1.3	34.2	139	7.3	2.4	0.3	0.2	0.2
TS55 44	Drill Core	216.5	53.20	12.38	23.57	1.95	7.42	0.82	1.83	0.30	1.77	0.23	68.3	2.0	51.0	188	2.9	1.1	1.2	<0.1	1.1
TS55 50-55	Drill Core	114.6	21.27	5.52	13.58	1.54	6.38	0.93	1.97	0.26	1.43	0.19	3.9	1.3	9.5	57	<0.1	<0.5	1.0	<0.1	<0.1
TS55 55-60	Drill Core	377.8	70.20	21.47	55.46	5.98	26.07	3.76	7.99	1.04	5.99	0.80	4.9	0.5	20.6	58	<0.1	0.8	0.7	<0.1	0.3
TS55 63.5	Drill Core	276.6	31.49	7.21	15.43	1.27	4.77	0.57	1.05	0.19	1.10	0.16	12.0	2.0	19.8	363	<0.1	1.1	1.2	<0.1	<0.1
TS55 68.5	Drill Core	259.2	64.21	17.19	41.80	4.10	14.78	1.81	3.07	0.38	2.13	0.25	63.7	38.0	130.6	1109	1.7	4.9	3.6	<0.1	4.6
TS55 72.5	Drill Core	47.6	9.76	2.98	8.88	1.30	6.81	1.24	3.27	0.49	3.01	0.45	2.0	0.5	8.4	217	21.4	<0.5	0.2	<0.1	<0.1
TS55 90-95	Drill Core	295.8	49.95	14.78	38.69	4.59	20.20	3.15	7.12	1.17	5.19	0.71	1.3	1.2	12.5	56	0.4	2.8	0.4	0.2	0.2
TS55 95-100	Drill Core	895.5	71.96	17.70	38.99	2.60	10.36	1.42	2.73	0.51	3.18	0.40	0.4	2.0	17.1	191	1.9	2.7	0.5	0.1	<0.1
TS55 102.0	Drill Core	452.6	60.30	16.99	44.81	4.66	20.24	3.09	6.58	0.87	5.01	0.64	0.3	0.3	16.0	102	<0.1	2.0	0.3	<0.1	<0.1
TS55 107.4	Drill Core	398.4	61.95	18.27	49.60	5.51	24.62	3.80	8.14	1.06	5.85	0.75	0.4	1.1	11.8	96	0.4	4.8	0.2	<0.1	<0.1
TS55 111.5	Drill Core	127.1	21.33	6.66	16.83	2.16	9.80	1.60	3.65	0.51	2.89	0.40	0.5	34.2	40.7	405	5.5	<0.5	<0.1	<0.1	0.7
TS55 116.5	Drill Core	744.4	62.25	15.32	37.08	2.36	7.81	0.87	1.27	0.25	1.57	0.21	2.6	2.7	22.4	86	<0.1	2.3	1.0	<0.1	0.2
TS55 121.5	Drill Core	448.8	57.73	16.28	37.63	3.51	15.17	2.23	4.83	0.68	4.04	0.53	2.6	4.9	16.1	79	3.3	1.9	<0.1	0.1	0.3
TS55 125.5	Drill Core	399.7	63.20	19.09	40.99	3.90	15.10	2.07	4.11	0.63	3.40	0.48	1.8	1.3	17.9	553	7.6	1.6	0.8	<0.1	0.1
TS55 130-140	Drill Core	1321	165.3	43.31	112.5	9.93	40.11	5.95	12.67	1.80	9.82	1.21	49.6	18.7	90.9	160	2.2	2.2	0.5	<0.1	0.6
TS55 142	Drill Core	248.2	41.46	14.22	32.59	3.76	15.93	2.35	4.89	0.63	3.29	0.47	0.5	1.3	7.9	217	5.3	0.6	0.2	<0.1	<0.1
TS55 147.4	Drill Core	983.5	362.6	84.39	197.0	17.09	67.67	8.97	17.10	2.17	11.06	1.24	19.6	23.0	2343	313	7.0	<0.5	3.7	<0.1	24.5
TS55 152.4	Drill Core	276.5	47.87	13.19	36.10	3.79	16.51	2.31	4.97	0.70	3.78	0.53	0.5	5.7	23.2	247	26.3	<0.5	0.2	<0.1	0.2
TS55 157.5	Drill Core	529.1	179.3	68.98	241.3	41.37	218.8	35.81	65.78	6.92	27.73	3.17	3.5	2.2	142.0	88	4.1	2.6	0.4	<0.1	1.2



ACME ANALYTICAL LABORATORIES LTD.
852 E. Hastings St. Vancouver BC V6A 1R6 Canada
Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client:

Bergfald & co AS

Kongensgate 3
Oslo 0153 Norway

Project:

Tuftestollen

Report Date:

April 18, 2008

Page:

7 of 8

Part 3

CERTIFICATE OF ANALYSIS

VAN08004698.1

	Method	1DX	1DX	1DX	1DX	1DX
	Analyte	Ag	Au	Hg	Tl	Se
	Unit	ppm	ppb	ppm	ppm	ppm
	MDL	0.1	0.5	0.01	0.1	0.5
T20 66.4	Drill Core	0.4	58.2	<0.01	<0.1	<0.5
T20 100.5	Drill Core	0.2	19.5	<0.01	<0.1	0.8
T20 108.5	Drill Core	<0.1	10.8	<0.01	<0.1	0.5
T21 120	Drill Core	<0.1	20.0	<0.01	<0.1	<0.5
T21 125	Drill Core	0.2	69.2	<0.01	<0.1	<0.5
T21 130	Drill Core	0.1	10.6	<0.01	<0.1	<0.5
TS55 7	Drill Core	0.3	13.6	<0.01	<0.1	1.1
TS55 12	Drill Core	0.1	22.3	<0.01	<0.1	1.2
TS55 17	Drill Core	0.1	25.2	0.01	<0.1	2.5
TS55 35.5	Drill Core	<0.1	8.1	<0.01	<0.1	<0.5
TS55 40.5	Drill Core	0.3	41.5	<0.01	<0.1	1.9
TS55 44	Drill Core	0.3	15.7	<0.01	<0.1	1.0
TS55 50-55	Drill Core	<0.1	4.4	<0.01	<0.1	1.1
TS55 55-60	Drill Core	0.1	12.0	<0.01	<0.1	1.8
TS55 63.5	Drill Core	<0.1	22.2	<0.01	0.3	0.8
TS55 68.5	Drill Core	1.6	20.8	<0.01	<0.1	1.4
TS55 72.5	Drill Core	<0.1	<0.5	<0.01	<0.1	0.7
TS55 90-95	Drill Core	0.1	10.7	<0.01	<0.1	0.8
TS55 95-100	Drill Core	<0.1	7.3	<0.01	<0.1	<0.5
TS55 102.0	Drill Core	<0.1	12.8	0.02	<0.1	1.4
TS55 107.4	Drill Core	<0.1	15.5	0.03	<0.1	1.8
TS55 111.5	Drill Core	0.4	<0.5	<0.01	<0.1	1.0
TS55 116.5	Drill Core	0.1	7.2	<0.01	<0.1	0.7
TS55 121.5	Drill Core	0.1	10.4	<0.01	<0.1	1.2
TS55 125.5	Drill Core	<0.1	15.0	<0.01	<0.1	1.2
TS55 130-140	Drill Core	0.6	53.6	<0.01	<0.1	1.9
TS55 142	Drill Core	<0.1	13.5	0.01	<0.1	0.8
TS55 147.4	Drill Core	9.8	11.6	<0.01	<0.1	5.1
TS55 152.4	Drill Core	<0.1	3.5	<0.01	<0.1	1.3
TS55 157.5	Drill Core	0.6	29.7	<0.01	<0.1	16.3

CERTIFICATE OF ANALYSIS

VAN08004698.1

	Method	4B	4B	4B	4B	4B	4B	4B	4B	4B	4B	4B	4B	4B	4B	4B	4B	4B	4B	4B
	Analyte	Ba	Be	Co	Cs	Ga	Hf	Nb	Rb	Sn	Sr	Ta	Th	U	V	W	Zr	Y	La	Ce
	Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	MDL	1	1	0.2	0.1	0.5	0.1	0.1	0.1	1	0.5	0.1	0.2	0.1	8	0.5	0.1	0.1	0.1	0.1
TS55 162	Drill Core	9711	<1	11.6	<0.1	13.9	1.2	338.0	1.5	2	1445	21.4	310.2	64.5	112	3.7	135.1	79.9	4656	6200
TS55 167	Drill Core	11541	1	26.5	2.2	28.3	25.3	530.7	40.9	6	2029	23.3	48.9	12.7	264	20.0	2943	69.2	187.6	342.9
TS55 171	Drill Core	1357	<1	14.6	0.4	17.1	8.2	964.7	7.1	13	2079	62.7	402.3	14.0	241	7.6	1014	95.6	246.4	521.5

Client: **Bergfald & co AS**

Kongensgate 3
Oslo 0153 Norway

Project: Tufestollen

Report Date: April 18, 2008

Page: 8 of 8 Part 2

CERTIFICATE OF ANALYSIS

VAN08004698.1

Method	4B	4B	4B	4B	4B	4B	4B	4B	4B	4B	4B	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
Analyte	Nd	Sm	Eu	Gd	Tb	Dy	Ho	Er	Tm	Yb	Lu	Mo	Cu	Pb	Zn	Ni	As	Cd	Sb	Bi
Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
MDL	0.3	0.05	0.02	0.05	0.01	0.05	0.02	0.03	0.01	0.05	0.01	0.1	0.1	0.1	1	0.1	0.5	0.1	0.1	0.1
TS55 162	Drill Core	1578	137.7	31.17	87.67	5.58	19.93	2.38	4.56	0.69	3.89	0.50	17.9	2.5	20.6	147	4.6	0.9	0.2	0.1
TS55 167	Drill Core	156.1	28.74	8.98	24.70	3.37	16.15	2.54	5.30	0.67	3.38	0.47	1.5	3.7	35.1	416	33.8	<0.5	<0.1	<0.1
TS55 171	Drill Core	333.6	78.06	20.20	51.06	5.40	23.15	3.46	7.69	1.06	5.39	0.74	12.3	1.6	70.7	455	13.7	0.9	0.6	<0.1

Client: **Bergfald & co AS**

Kongensgate 3
 Oslo 0153 Norway

Project: Tufestollen

Report Date: April 18, 2008

Page: 8 of 8 Part 3

CERTIFICATE OF ANALYSIS

VAN08004698.1

	Method Analyte Unit MDL	1DX	1DX	1DX	1DX	1DX
		Ag	Au	Hg	Tl	Se
		ppm	ppb	ppm	ppm	ppm
		0.1	0.5	0.01	0.1	0.5
TS55 162	Drill Core	<0.1	12.5	<0.01	<0.1	0.7
TS55 167	Drill Core	0.1	1.7	<0.01	0.1	0.6
TS55 171	Drill Core	0.4	19.9	<0.01	<0.1	1.3

QUALITY CONTROL REPORT

VAN08004698.1

Method	Analyte	Unit	MDL	4B Ba ppm 1	4B Be ppm 1	4B Co ppm 0.2	4B Cs ppm 0.1	4B Ga ppm 0.5	4B Hf ppm 0.1	4B Nb ppm 0.1	4B Rb ppm 0.1	4B Sn ppm 1	4B Sr ppm 0.5	4B Ta ppm 0.1	4B Th ppm 0.2	4B U ppm 0.1	4B V ppm 8	4B W ppm 0.5	4B Zr ppm 0.1	4B Y ppm 0.1	4B La ppm 0.1	4B Ce ppm 0.1	4B Pr ppm 0.02
Pulp Duplicates																							
TS1 17.7	Drill Core			406	<1	2.6	<0.1	2.0	<0.1	315.9	0.4	<1	3775	3.2	137.1	117.7	12	1.2	12.5	273.1	437.6	883.9	138.9
REP TS1 17.7	QC			402	<1	3.1	<0.1	2.2	<0.1	313.7	0.5	<1	4012	3.1	145.7	122.0	12	1.2	12.6	275.7	445.2	898.5	140.8
TS1 44.4	Drill Core			527	<1	6.2	1.2	2.6	3.8	104.9	2.5	1	857.8	6.9	44.9	50.6	39	1.1	336.6	56.4	331.3	605.9	78.54
REP TS1 44.4	QC																						
TH12 42	Drill Core			802	<1	10.1	<0.1	1.9	1.5	2098	4.6	1	5851	8.5	298.5	4.1	132	<0.5	68.8	61.9	311.0	635.4	74.22
REP TH12 42	QC			775	<1	9.5	0.1	2.0	1.8	2232	4.3	1	5783	9.8	304.5	4.0	133	<0.5	84.7	62.1	306.5	629.0	73.80
TH12 201.5	Drill Core			682	2	9.6	0.5	3.6	0.9	176.6	17.7	3	3953	10.8	37.3	3.3	137	0.5	83.8	66.8	300.5	590.7	75.03
REP TH12 201.5	QC																						
T17 45	Drill Core			1121	<1	20.3	0.1	<0.5	0.4	1571	1.0	4	1782	63.8	509.1	12.2	27	2.2	19.5	40.1	4049	10466	970.5
REP T17 45	QC			1152	<1	19.2	0.1	<0.5	0.3	1606	1.1	5	1810	65.2	506.2	12.8	27	2.2	19.3	40.6	3980	10357	970.8
T17 70	Drill Core			4998	<1	3.9	<0.1	2.0	0.6	1652	0.4	2	2731	28.4	125.6	2.3	15	3.2	24.4	15.6	755.9	1291	180.0
REP T17 70	QC																						
T17 170	Drill Core			254	1	3.6	<0.1	3.0	1.7	46.2	1.0	1	2691	0.8	110.7	26.1	51	<0.5	163.3	132.5	286.6	602.6	81.78
REP T17 170	QC																						
T18 150	Drill Core			257	<1	9.9	<0.1	1.9	<0.1	55.3	0.5	<1	2542	2.7	9.2	1.1	38	0.6	5.5	56.1	178.9	385.3	51.16
REP T18 150	QC			261	<1	9.5	<0.1	1.9	<0.1	59.5	0.4	1	2538	2.7	10.1	1.0	39	0.6	4.7	57.1	180.2	381.1	50.81
T21 125	Drill Core			656	2	9.1	<0.1	3.1	0.1	500.2	0.5	5	641.4	2.9	296.1	2.7	41	6.3	9.3	14.1	569.7	939.4	117.0
REP T21 125	QC																						
TS55 35.5	Drill Core			1169	<1	4.3	0.2	1.9	0.5	298.5	0.6	3	3946	2.9	28.9	1.2	22	0.5	20.5	29.1	155.9	331.1	43.48
REP TS55 35.5	QC			1210	<1	4.5	0.1	1.9	0.5	300.9	0.7	1	3756	3.0	29.2	1.2	22	<0.5	20.1	28.1	157.6	331.9	43.07
TS55 157.5	Drill Core			12302	<1	3.4	0.1	6.1	0.3	201.3	0.8	2	4180	5.0	654.5	3.7	41	2.2	66.2	784.5	346.2	737.6	108.7
REP TS55 157.5	QC																						
Reference Materials																							
STD DS7	Standard																						
STD DS7	Standard																						
STD DS7	Standard																						
STD DS7	Standard																						
STD DS7	Standard																						

QUALITY CONTROL REPORT

VAN08004698.1

Method	Analyte	Unit	MDL	4B Nd	4B Sm	4B Eu	4B Gd	4B Tb	4B Dy	4B Ho	4B Er	4B Tm	4B Yb	4B Lu	1DX Mo	1DX Cu	1DX Pb	1DX Zn	1DX Ni	1DX As	1DX Cd	1DX Sb	1DX Bi
				ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
				0.3	0.05	0.02	0.05	0.01	0.05	0.02	0.03	0.01	0.05	0.01	0.1	0.1	0.1	1	0.1	0.5	0.1	0.1	0.1
Pulp Duplicates																							
TS1 17.7	Drill Core			550.4	105.5	34.56	108.5	13.69	65.90	10.84	24.19	3.82	26.23	4.47	0.3	0.2	10.7	32	2.7	13.0	0.6	0.6	<0.1
REP TS1 17.7	QC			557.6	107.5	35.66	110.8	14.25	67.66	11.37	25.63	4.14	27.90	4.80									
TS1 44.4	Drill Core			284.7	40.35	11.86	30.32	3.01	12.81	2.14	5.60	1.07	8.38	1.50	0.6	5.4	3.0	55	2.2	4.3	<0.1	0.2	<0.1
REP TS1 44.4	QC														0.7	3.2	3.2	54	2.3	3.6	<0.1	0.2	0.1
TH12 42	Drill Core			269.3	36.87	10.41	26.87	3.17	14.09	2.24	5.16	0.80	4.26	0.60	0.4	0.4	9.8	24	<0.1	<0.5	0.3	<0.1	<0.1
REP TH12 42	QC			264.9	37.21	10.35	26.74	3.16	14.03	2.27	5.08	0.77	4.14	0.60									
TH12 201.5	Drill Core			282.6	41.11	11.76	31.93	3.59	15.60	2.49	5.30	0.73	3.93	0.54	0.1	0.4	4.0	32	<0.1	<0.5	0.2	<0.1	<0.1
REP TH12 201.5	QC														0.1	0.4	3.9	31	<0.1	<0.5	0.2	<0.1	<0.1
T17 45	Drill Core			3276	293.0	62.13	155.5	6.79	16.59	0.77	<0.03	0.31	2.58	0.26	6.5	2.4	37.0	2205	1.8	9.9	5.1	0.1	0.8
REP T17 45	QC			3221	288.2	61.60	151.8	6.42	16.48	0.73	<0.03	0.28	2.55	0.26									
T17 70	Drill Core			621.1	62.25	12.60	28.14	1.46	4.32	0.44	0.44	0.15	1.17	0.16	42.7	0.5	9.5	210	0.8	<0.5	0.8	<0.1	0.3
REP T17 70	QC														43.4	0.4	9.3	210	0.7	<0.5	0.8	<0.1	0.3
T17 170	Drill Core			325.7	57.84	17.51	49.40	6.06	28.23	4.79	10.90	1.53	8.01	1.01	0.4	1.1	8.4	29	<0.1	4.6	0.1	<0.1	<0.1
REP T17 170	QC														0.4	1.0	8.4	30	0.8	4.1	0.1	<0.1	0.1
T18 150	Drill Core			200.7	32.15	9.12	24.85	2.84	12.38	1.86	3.94	0.52	2.93	0.37	1.9	2.8	8.3	26	<0.1	5.2	0.2	0.1	0.1
REP T18 150	QC			200.0	31.54	8.90	24.79	2.85	12.39	1.86	3.98	0.51	2.94	0.38									
T21 125	Drill Core			396.0	59.47	13.84	31.19	1.88	4.65	0.32	0.40	0.13	1.02	0.13	2.4	0.4	33.6	219	3.8	1.7	1.7	0.4	0.3
REP T21 125	QC														2.4	0.3	32.8	231	2.9	1.5	1.7	0.4	0.3
TS55 35.5	Drill Core			168.2	26.08	6.83	16.79	1.75	6.89	1.03	2.15	0.29	1.69	0.23	0.3	0.1	10.2	65	0.5	1.3	0.8	<0.1	<0.1
REP TS55 35.5	QC			163.0	25.99	6.68	16.50	1.74	7.06	1.01	2.11	0.29	1.69	0.23									
TS55 157.5	Drill Core			529.1	179.3	68.98	241.3	41.37	218.8	35.81	65.78	6.92	27.73	3.17	3.5	2.2	142.0	88	4.1	2.6	0.4	<0.1	1.2
REP TS55 157.5	QC														4.5	2.1	145.0	90	2.4	3.7	0.3	<0.1	1.3
Reference Materials																							
STD DS7	Standard														18.9	105.0	69.0	408	57.7	53.4	6.5	5.4	5.0
STD DS7	Standard														21.9	116.6	75.2	425	60.8	54.1	6.6	5.7	5.2
STD DS7	Standard														22.6	110.8	80.6	437	61.0	58.7	6.5	6.0	5.6
STD DS7	Standard														24.3	118.3	79.8	459	60.8	55.5	7.1	6.2	5.5
STD DS7	Standard														23.0	110.1	72.3	424	59.7	53.5	6.5	5.7	4.8

QUALITY CONTROL REPORT

VAN08004698.1

		Method	1DX	1DX	1DX	1DX	1DX
		Analyte	Ag	Au	Hg	Tl	Se
		Unit	ppm	ppb	ppm	ppm	ppm
		MDL	0.1	0.5	0.01	0.1	0.5
Pulp Duplicates							
TS1 17.7	Drill Core		0.2	118.8	<0.01	<0.1	7.1
REP TS1 17.7	QC						
TS1 44.4	Drill Core		<0.1	6.6	<0.01	<0.1	0.7
REP TS1 44.4	QC		<0.1	5.7	<0.01	<0.1	1.6
TH12 42	Drill Core		0.5	13.0	<0.01	<0.1	1.1
REP TH12 42	QC						
TH12 201.5	Drill Core		0.2	11.1	<0.01	<0.1	0.9
REP TH12 201.5	QC		0.2	10.0	<0.01	<0.1	1.2
T17 45	Drill Core		0.5	19.2	<0.01	<0.1	0.5
REP T17 45	QC						
T17 70	Drill Core		0.1	5.1	<0.01	<0.1	<0.5
REP T17 70	QC		0.2	8.1	<0.01	<0.1	<0.5
T17 170	Drill Core		<0.1	8.0	<0.01	<0.1	1.4
REP T17 170	QC		<0.1	8.1	<0.01	<0.1	1.1
T18 150	Drill Core		0.2	6.2	<0.01	<0.1	1.2
REP T18 150	QC						
T21 125	Drill Core		0.2	69.2	<0.01	<0.1	<0.5
REP T21 125	QC		0.2	87.7	<0.01	<0.1	<0.5
TS55 35.5	Drill Core		<0.1	8.1	<0.01	<0.1	<0.5
REP TS55 35.5	QC						
TS55 157.5	Drill Core		0.6	29.7	<0.01	<0.1	16.3
REP TS55 157.5	QC		0.7	33.8	<0.01	<0.1	19.2
Reference Materials							
STD DS7	Standard		0.8	56.7	0.20	4.3	3.3
STD DS7	Standard		1.0	69.1	0.20	4.5	3.9
STD DS7	Standard		1.2	111.1	0.22	4.8	3.8
STD DS7	Standard		0.9	59.3	0.23	5.1	3.9
STD DS7	Standard		0.8	57.2	0.20	4.3	3.7

QUALITY CONTROL REPORT

VAN08004698.1

		4B Ba ppm 1	4B Be ppm 1	4B Co ppm 0.2	4B Cs ppm 0.1	4B Ga ppm 0.5	4B Hf ppm 0.1	4B Nb ppm 0.1	4B Rb ppm 0.1	4B Sn ppm 1	4B Sr ppm 0.5	4B Ta ppm 0.1	4B Th ppm 0.2	4B U ppm 0.1	4B V ppm 8	4B W ppm 0.5	4B Zr ppm 0.1	4B Y ppm 0.1	4B La ppm 0.1	4B Ce ppm 0.1	4B Pr ppm 0.02
STD DS7	Standard																				
STD DS7	Standard																				
STD DS7	Standard																				
STD DS7	Standard																				
STD DS7	Standard																				
STD DS7	Standard																				
STD DS7	Standard																				
STD SO-18	Standard	505	<1	27.8	6.9	17.3	9.5	21.8	29.0	15	412.6	7.0	10.4	16.8	207	14.6	284.9	32.2	12.2	26.5	3.39
STD SO-18	Standard	513	1	28.3	7.0	17.6	9.7	22.3	29.6	16	415.8	7.0	10.5	16.9	211	14.8	288.0	32.4	12.3	27.0	3.44
STD SO-18	Standard	516	1	27.9	7.1	17.5	9.9	22.5	28.9	16	415.9	7.1	10.4	17.2	209	15.1	290.7	32.8	11.9	27.1	3.36
STD SO-18	Standard	519	<1	28.3	7.2	17.5	9.9	22.0	28.8	16	420.6	7.1	10.4	17.2	208	15.0	290.6	32.6	13.0	28.0	3.52
STD SO-18	Standard	520	<1	28.6	7.3	17.9	10.0	22.1	29.4	16	422.1	7.2	10.5	17.2	207	15.2	296.3	32.5	12.3	27.3	3.43
STD SO-18	Standard	536	<1	28.4	7.2	18.2	10.0	22.1	29.6	16	424.2	7.2	10.6	17.1	206	15.0	295.1	32.8	12.5	27.4	3.45
STD SO-18	Standard	515	<1	27.3	7.0	17.6	9.6	21.7	28.9	15	412.1	7.0	10.3	16.8	201	14.7	289.3	32.2	12.4	27.0	3.43
STD SO-18	Standard	516	1	27.8	7.1	17.6	9.8	22.1	29.3	16	416.2	7.0	10.5	16.9	203	14.7	292.9	32.5	12.4	27.1	3.46
STD SO-18	Standard	520	<1	28.7	7.2	17.8	9.8	28.8	29.8	16	419.5	7.2	13.4	17.3	214	15.1	294.0	33.0	13.1	28.0	3.57
STD SO-18	Standard	520	<1	28.8	7.1	17.6	9.8	26.1	29.7	16	417.6	7.2	12.4	17.3	212	15.0	292.7	33.2	13.2	28.2	3.57
STD SO-18	Standard	507	<1	26.3	6.8	17.0	9.7	20.9	28.0	15	402.4	7.1	10.3	16.6	200	14.7	280.2	31.5	12.0	26.2	3.38
STD SO-18	Standard	520	<1	27.4	7.0	17.2	9.9	21.3	28.6	15	410.7	7.2	10.5	16.8	201	14.9	284.7	31.6	12.2	26.7	3.42
STD DS7 Expected																					
STD SO-18 Expected		514		26.2	7.1	17.6	9.8	20.9	28.7	15	407.4	7.4	9.9	16.4	200	15.1	280	33	12.3	27.1	3.45
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank	<1	<1	<0.2	<0.1	<0.5	<0.1	0.7	<0.1	<1	<0.5	<0.1	<0.2	<0.1	<8	<0.5	<0.1	<0.1	<0.1	<0.1	<0.02
BLK	Blank																				
BLK	Blank	<1	<1	<0.2	<0.1	<0.5	<0.1	0.6	<0.1	<1	<0.5	<0.1	<0.2	<0.1	<8	<0.5	<0.1	<0.1	<0.1	<0.1	<0.02

Client: **Bergfald & co AS**

Kongensgate 3
Oslo 0153 Norway

Project: Tufestollen

Report Date: April 18, 2008

Page: 2 of 3 Part 2

QUALITY CONTROL REPORT

VAN08004698.1

		4B	4B	4B	4B	4B	4B	4B	4B	4B	4B	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
		Nd	Sm	Eu	Gd	Tb	Dy	Ho	Er	Tm	Yb	Lu	Mo	Cu	Pb	Zn	Ni	As	Cd
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.3	0.05	0.02	0.05	0.01	0.05	0.02	0.03	0.01	0.05	0.01	0.1	0.1	0.1	1	0.1	0.5	0.1
STD DS7	Standard												21.7	121.8	73.5	434	61.0	54.8	6.3
STD DS7	Standard												21.8	112.4	71.4	433	60.3	51.0	6.7
STD DS7	Standard												22.0	130.1	71.6	451	61.3	56.8	7.0
STD DS7	Standard												22.2	112.1	56.6	396	57.6	56.4	6.0
STD DS7	Standard												23.3	120.7	58.8	402	60.9	53.7	6.0
STD DS7	Standard												21.8	111.0	70.6	401	56.4	53.8	6.1
STD DS7	Standard												22.0	107.3	76.2	408	56.6	53.1	6.3
STD SO-18	Standard	14.0	2.91	0.88	2.93	0.51	2.96	0.63	1.79	0.28	1.76	0.27							
STD SO-18	Standard	13.9	2.96	0.88	2.99	0.52	2.99	0.63	1.82	0.29	1.80	0.27							
STD SO-18	Standard	13.7	3.03	0.89	2.94	0.53	3.01	0.64	1.87	0.30	1.85	0.29							
STD SO-18	Standard	14.1	3.04	0.89	3.03	0.53	3.00	0.63	1.80	0.29	1.83	0.29							
STD SO-18	Standard	14.2	3.01	0.89	2.96	0.52	3.03	0.63	1.82	0.28	1.80	0.28							
STD SO-18	Standard	14.1	2.97	0.89	2.97	0.53	3.02	0.63	1.85	0.30	1.80	0.28							
STD SO-18	Standard	13.8	2.90	0.87	2.86	0.51	2.96	0.62	1.79	0.29	1.77	0.27							
STD SO-18	Standard	14.0	2.93	0.89	2.92	0.51	2.98	0.63	1.81	0.29	1.78	0.28							
STD SO-18	Standard	14.4	2.97	0.89	2.99	0.52	3.02	0.64	1.83	0.30	1.83	0.28							
STD SO-18	Standard	14.5	3.00	0.89	3.01	0.52	3.01	0.63	1.82	0.29	1.80	0.28							
STD SO-18	Standard	13.7	2.94	0.87	2.97	0.51	2.92	0.62	1.79	0.29	1.77	0.28							
STD SO-18	Standard	13.9	2.97	0.88	3.01	0.52	3.01	0.63	1.80	0.29	1.78	0.28							
STD DS7 Expected													20.92	109	70.6	411	56	48.2	6.38
STD SO-18 Expected		14	3	0.89	2.93	0.53	3	0.62	1.84	0.29	1.79	0.27							
BLK	Blank												<0.1	<0.1	<0.1	<1	<0.1	<0.5	<0.1
BLK	Blank												<0.1	<0.1	<0.1	<1	<0.1	<0.5	<0.1
BLK	Blank												<0.1	<0.1	<0.1	<1	<0.1	<0.5	<0.1
BLK	Blank												<0.1	<0.1	<0.1	<1	<0.1	<0.5	<0.1
BLK	Blank												<0.1	<0.1	<0.1	<1	<0.1	<0.5	<0.1
BLK	Blank	<0.3	<0.05	<0.02	<0.05	<0.01	<0.05	<0.02	<0.03	<0.01	<0.05	<0.01							
BLK	Blank												<0.1	<0.1	<0.1	<1	<0.1	<0.5	<0.1
BLK	Blank	<0.3	<0.05	<0.02	<0.05	<0.01	<0.05	<0.02	<0.03	<0.01	<0.05	<0.01							

Client: **Bergfald & co AS**

Kongensgate 3
Oslo 0153 Norway

Project: Tufestollen

Report Date: April 18, 2008

Page:

2 of 3

Part 3

QUALITY CONTROL REPORT

VAN08004698.1

		1DX Ag ppm 0.1	1DX Au ppb 0.5	1DX Hg ppm 0.01	1DX Tl ppm 0.1	1DX Se ppm 0.5
STD DS7	Standard	0.8	51.6	0.20	4.6	4.2
STD DS7	Standard	0.8	55.1	0.21	4.5	3.1
STD DS7	Standard	1.2	50.8	0.21	4.5	3.8
STD DS7	Standard	0.8	50.8	0.21	4.5	3.9
STD DS7	Standard	2.6	4500	0.24	4.6	3.8
STD DS7	Standard	0.8	55.0	0.20	4.2	3.8
STD DS7	Standard	0.8	64.9	0.21	4.6	4.0
STD SO-18	Standard					
STD SO-18	Standard					
STD SO-18	Standard					
STD SO-18	Standard					
STD SO-18	Standard					
STD SO-18	Standard					
STD SO-18	Standard					
STD SO-18	Standard					
STD SO-18	Standard					
STD SO-18	Standard					
STD SO-18	Standard					
STD DS7 Expected		0.89	70	0.2	4.19	3.5
STD SO-18 Expected						
BLK	Blank	<0.1	<0.5	<0.01	<0.1	<0.5
BLK	Blank	<0.1	<0.5	<0.01	<0.1	<0.5
BLK	Blank	<0.1	<0.5	<0.01	<0.1	<0.5
BLK	Blank	<0.1	<0.5	<0.01	<0.1	<0.5
BLK	Blank	<0.1	<0.5	<0.01	<0.1	<0.5
BLK	Blank	<0.1	<0.5	<0.01	<0.1	<0.5
BLK	Blank	<0.1	<0.5	<0.01	<0.1	<0.5
BLK	Blank	<0.1	<0.5	<0.01	<0.1	<0.5
BLK	Blank	<0.1	<0.5	<0.01	<0.1	<0.5

Client: **Bergfald & co AS**
Kongensgate 3
Oslo 0153 Norway

Project: Tufestollen
Report Date: April 18, 2008

Page: 3 of 3 Part 1

QUALITY CONTROL REPORT

VAN08004698.1

		4B Ba ppm 1	4B Be ppm 1	4B Co ppm 0.2	4B Cs ppm 0.1	4B Ga ppm 0.5	4B Hf ppm 0.1	4B Nb ppm 0.1	4B Rb ppm 0.1	4B Sn ppm 1	4B Sr ppm 0.5	4B Ta ppm 0.1	4B Th ppm 0.2	4B U ppm 0.1	4B V ppm 8	4B W ppm 0.5	4B Zr ppm 0.1	4B Y ppm 0.1	4B La ppm 0.1	4B Ce ppm 0.1	4B Pr ppm 0.02
BLK	Blank	<1	<1	<0.2	<0.1	<0.5	<0.1	0.6	<0.1	<1	2.7	<0.1	<0.2	<0.1	<8	<0.5	<0.1	<0.1	<0.1	<0.1	<0.02
BLK	Blank	<1	<1	<0.2	<0.1	<0.5	<0.1	<0.1	<0.1	<1	<0.5	<0.1	<0.2	<0.1	<8	<0.5	<0.1	<0.1	<0.1	<0.1	<0.02
BLK	Blank	<1	<1	<0.2	<0.1	<0.5	<0.1	<0.1	<0.1	<1	<0.5	<0.1	<0.2	<0.1	<8	<0.5	<0.1	<0.1	0.7	1.2	0.12
BLK	Blank	<1	<1	<0.2	<0.1	<0.5	<0.1	<0.1	<0.1	<1	<0.5	<0.1	<0.2	<0.1	<8	<0.5	<0.1	<0.1	<0.1	<0.1	<0.02
Prep Wash																					
G1	Prep Blank	1037	3	4.9	5.1	18.6	3.9	30.2	135.5	2	741.9	1.5	19.4	3.8	60	<0.5	133.8	19.5	108.4	163.2	18.47
G1	Prep Blank	1117	3	4.4	5.0	16.9	4.5	27.3	134.6	2	704.1	1.4	15.1	4.5	58	<0.5	153.0	18.4	73.1	105.6	12.13

Client: **Bergfald & co AS**

Kongensgate 3
Oslo 0153 Norway

Project: Tufestollen

Report Date: April 18, 2008

Page: 3 of 3 Part 2

QUALITY CONTROL REPORT

VAN08004698.1

		4B	4B	4B	4B	4B	4B	4B	4B	4B	4B	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	
		Nd	Sm	Eu	Gd	Tb	Dy	Ho	Er	Tm	Yb	Lu	Mo	Cu	Pb	Zn	Ni	As	Cd	Sb	Bi
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.3	0.05	0.02	0.05	0.01	0.05	0.02	0.03	0.01	0.05	0.01	0.1	0.1	0.1	1	0.1	0.5	0.1	0.1	0.1
BLK	Blank	<0.3	<0.05	<0.02	<0.05	<0.01	<0.05	<0.02	<0.03	<0.01	<0.05	<0.01									
BLK	Blank	<0.3	<0.05	<0.02	<0.05	<0.01	<0.05	<0.02	<0.03	<0.01	<0.05	<0.01									
BLK	Blank	<0.3	<0.05	<0.02	<0.05	<0.01	<0.05	<0.02	<0.03	<0.01	<0.05	<0.01									
BLK	Blank	<0.3	<0.05	<0.02	<0.05	<0.01	<0.05	<0.02	<0.03	<0.01	<0.05	<0.01									
Prep Wash																					
G1	Prep Blank	60.7	8.17	2.03	5.95	0.67	3.46	0.66	1.76	0.35	2.05	0.36	0.2	1.8	2.9	47	4.2	<0.5	<0.1	<0.1	<0.1
G1	Prep Blank	40.0	5.66	1.48	4.59	0.58	3.09	0.60	1.75	0.30	1.98	0.34	0.1	1.4	2.9	47	3.6	<0.5	<0.1	<0.1	<0.1

Client: **Bergfald & co AS**

Kongensgate 3
 Oslo 0153 Norway

Project: Tufestollen

Report Date: April 18, 2008

Page: 3 of 3 Part 3

QUALITY CONTROL REPORT

VAN08004698.1

		1DX Ag ppm 0.1	1DX Au ppb 0.5	1DX Hg ppm 0.01	1DX Tl ppm 0.1	1DX Se ppm 0.5
BLK	Blank					
BLK	Blank					
BLK	Blank					
BLK	Blank					
Prep Wash						
G1	Prep Blank	<0.1	6.0	<0.01	0.3	<0.5
G1	Prep Blank	<0.1	<0.5	<0.01	0.3	<0.5