



# Bergvesenet

Postboks 3021, 7002 Trondheim

## Rapportarkivet

|                                         |                    |                                   |                                   |                          |
|-----------------------------------------|--------------------|-----------------------------------|-----------------------------------|--------------------------|
| Bergvesenet rapport nr<br><b>BV 556</b> | Intern Journal nr  | Internt arkiv nr                  | Rapport lokalisering<br>Trondheim | Gradering<br><b>Åpen</b> |
| Kommer fra ..arkiv<br>Nordlandske       | Ekstern rapport nr | Oversendt fra<br>Terra Mining A/S | Fortrolig pga                     | Fortrolig fra dato:      |

### Tittel

**Edelmetallanalyser fra Helgeland 1978-1983**

### Forfatter

### Dato

1983

### Bedrift

**Sulfidmalm A/S**

### Kommune

### Fylke

**Nordland**

### Bergdistrikt

**Nordlandske**

1: 50 000 kartblad

1: 250 000 kartblad

### Fagområde

**Kjemiske analyser**

### Dokument type

### Forekomster

### Råstofftype

**Malm/metall**

### Emneord

**Au Ag Sn As W Zn Pb**

### Sammendrag

Dette er en ringperm med edelmetall analyse-resultater fra Sulfidmalms virksomhet i Helgeland i årene 1978-83. Mappen er gitt rapportstatus i Bergvesenet.



# SWASTIKA LABORATORIES LIMITED

P.O. BOX 10, SWASTIKA, ONTARIO P0K 1T0

TELEPHONE: (705) 642-3244

ANALYTICAL CHEMISTS • ASSAYERS • CONSULTANTS

## Certificate of Analysis

Certificate No. 56443

Date: December 9, 1983

Received October 20, 1983 117 Samples of Stream Sediments


Submitted by A/S Sulfidmalm, Norway

Attn: Mr. R. Sivertsen

Page 1 of 6

| SAMPLE NO. | GOLD<br>PPB | SILVER<br>PPM | LEAD<br>PPM | ZINC<br>PPM |
|------------|-------------|---------------|-------------|-------------|
| 3003       | Nil         | <0.2          | 14          | 26          |
| 3004       | Nil         | <0.2          | 11          | 15          |
| 3005       | Nil         | <0.2          | 10          | 13          |
| 3006       | 20          | <0.2          | 17          | 23          |
| 3007       | Nil         | <0.2          | 16          | 42          |
| 3008       | 10          | <0.2          | 13          | 25          |
| 3009       | Nil         | <0.2          | 12          | 28          |
| 3010       | 15          | <0.2          | 14          | 23          |
| 3011       | 10          | <0.2          | 13          | 25          |
| 3012       | 10          | <0.2          | 10          | 173         |
| 3013       | 10          | <0.2          | 26          | 71          |
| 3014       | Nil         | <0.2          | 14          | 32          |
| 3015       | Nil         | <0.2          | 12          | 25          |
| 3016       | Nil         | <0.2          | 13          | 17          |
| 3017       | Nil         | <0.2          | 26          | 26          |
| 3018       | Nil         | <0.2          | 31          | 29          |
| 3019       | Nil         | <0.2          | 20          | 26          |
| 3020       | 5           | <0.2          | 14          | 12          |
| 3021       | Nil         | <0.2          | 11          | 11          |
| 3022       | Nil         | <0.2          | 10          | 10          |

Per

  
G. Lebel - Manager



# SWASTIKA LABORATORIES LIMITED

P.O. BOX 10, SWASTIKA, ONTARIO P0K 1T0

TELEPHONE: (705) 642-3244

ANALYTICAL CHEMISTS • ASSAYERS • CONSULTANTS

## Certificate of Analysis

Certificate No. 56443

Date: December 9, 1983

Received October 20, 1983 117 Samples of Stream Sediments

Submitted by A/S Sulfidmalm, Norway

Attn: Mr. R. Sivertsen

Page 2 of 6

| SAMPLE NO. | GOLD<br>PPB | SILVER<br>PPM | LEAD<br>PPM | ZINC<br>PPM |
|------------|-------------|---------------|-------------|-------------|
| 3023       | 20          | <0.2          | 6           | 15          |
| 3024       | 35<br>30    | <0.2          | 10          | 29          |
| 3025       | 20          | <0.2          | 7           | 14          |
| 4001       | 25          | <0.2          | 9           | 24          |
| 4002       | 35          | <0.2          | 7           | 19          |
| 4003       | 55          | <0.2          | 8           | 13          |
| 4004       | 15          | <0.2          | 6           | 4           |
| 4005       | 65          | <0.2          | 9           | 27          |
| 4006       | 50          | <0.2          | 14          | 49          |
| 4007       | 60          | <0.2          | 10          | 35          |
| 4008       | 10          | <0.2          | 16          | 34          |
| 4009       | 15          | <0.2          | 13          | 28          |
| 4010       | 30          | <0.2          | 19          | 34          |
| 4011       | 65          | <0.2          | 18          | 35          |
| 4012       | 35          | <0.2          | 10          | 12          |
| 4013       | 15          | <0.2          | 10          | 14          |
| 4014       | Nil         | <0.2          | 9           | 12          |
| 4015       | 10          | <0.2          | 10          | 14          |
| 4016       | Nil         | <0.2          | 10          | 16          |
| 4017       | 25          | <0.2          | 9           | 16          |

Per

G. Lebel - Manager



# SWASTIKA LABORATORIES LIMITED

P.O. BOX 10, SWASTIKA, ONTARIO P0K 1T0  
TELEPHONE: (705) 642-3244  
ANALYTICAL CHEMISTS • ASSAYERS • CONSULTANTS

## Certificate of Analysis

Certificate No. 56443

Date: December 9, 1983

Received October 20, 1983 117 Samples of Stream Sediments

Submitted by A/S Sulfidmalm, Norway

Attn: Mr. R. Sivertsen

Page 3 of 6

| SAMPLE NO. | GOLD<br>PPB | SILVER<br>PPM | LEAD<br>PPM | ZINC<br>PPM |
|------------|-------------|---------------|-------------|-------------|
| 4018       | 60          | <0.2          | 6           | 22          |
| 4019       | 50          | <0.2          | 11          | 25          |
| 4020       | Nil         | <0.2          | 11          | 16          |
| 4021       | Nil         | <0.2          | 10          | 19          |
| 4022       | 45          | <0.2          | 12          | 28          |
| 4023       | 30          | <0.2          | 13          | 36          |
| 4024       | 35          | <0.2          | 15          | 40          |
| 5001       | 35          | <0.2          | 19          | 41          |
| 5002       | 5           | <0.2          | 20          | 43          |
| 5003       | 20          | <0.2          | 15          | 47          |
| 5004       | 30          | <0.2          | 14          | 46          |
| 5005       | 15          | <0.2          | 16          | 37          |
| 5006       | 10          | <0.2          | 18          | 37          |
| 5007       | Nil         | <0.2          | 13          | 21          |
| 5008       | 35          | <0.2          | 12          | 20          |
| 5009       | Nil         | <0.2          | 6           | 13          |
| 5010       | 55          | <0.2          | 9           | 20          |
| 5011       | 35          | <0.2          | 16          | 47          |
| 5012       | 30          | <0.2          | 14          | 45          |
| 5013       | 50          | <0.2          | 9           | 20          |
|            | 50          |               |             |             |

Per

  
G. Lebel - Manager



# SWASTIKA LABORATORIES LIMITED

P.O. BOX 10, SWASTIKA, ONTARIO P0K 1T0

TELEPHONE: (705) 642-3244

ANALYTICAL CHEMISTS • ASSAYERS • CONSULTANTS

## Certificate of Analysis

Certificate No. 56443

Date: December 9, 1983

Received October 20, 1983 117 Samples of Stream Sediments

Submitted by A/S Sulfidmalm, Norway

Attn: Mr. R. Sivertsen

Page 4 of 6

| SAMPLE NO. | GOLD<br>PPB | SILVER<br>PPM | LEAD<br>PPM | ZINC<br>PPM |
|------------|-------------|---------------|-------------|-------------|
| 5014       | 15          | 1.1           | 8           | 14          |
| 5015       | Nil         | 0.7           | 10          | 19          |
| 5016       | Nil         | 0.5           | 9           | 21          |
| 5017       | Nil         | 0.3           | 12          | 17          |
| 5018       | 10          | <0.2          | 10          | 17          |
| 5019       | 30          | 0.4           | 13          | 48          |
| 5020       | 10          | <0.2          | 12          | 38          |
| 5021       | 10          | <0.2          | 13          | 36          |
| 5022       | 10          | <0.2          | 13          | 46          |
| 5023       | Nil         | <0.2          | 10          | 25          |
| 5024       | 20          | <0.2          | 14          | 45          |
| 6001       | Nil         | <0.2          | 10          | 15          |
| 6002       | Nil         | <0.2          | 20          | 50          |
| 6003       | Nil         | <0.2          | 9           | 27          |
| 6004       | Nil         | <0.2          | 14          | 32          |
| 6005       | Nil         | <0.2          | 10          | 33          |
| 6006       | Nil         | <0.2          | 11          | 37          |
| 6007       | Nil         | <0.2          | 13          | 32          |
| 6008       | Nil<br>5    | <0.2          | 12          | 44          |
| 6009       | Nil         | <0.2          | 9           | 21          |

Per G. Lebel  
G. Lebel - Manager



# SWASTIKA LABORATORIES LIMITED

P.O. BOX 10, SWASTIKA, ONTARIO P0K 1T0

TELEPHONE: (705) 642-3244

ANALYTICAL CHEMISTS • ASSAYERS • CONSULTANTS

## Certificate of Analysis

Certificate No. 56443

Date: December 9, 1983

Received October 20, 1983 117 Samples of Stream Sediments


Submitted by A/S Sulfidmalm, Norway

Attn: Mr. R. Sivertsen

Page 5 of 6

| SAMPLE NO. | GOLD<br>PPB | SILVER<br>PPM | LEAD<br>PPM | ZINC<br>PPM |
|------------|-------------|---------------|-------------|-------------|
| 6010       | 5           | 0.2           | 11          | 31          |
| 6011       | Nil         | 0.2           | 12          | 45          |
| 6012       | Nil         | <0.2          | 11          | 42          |
| 6013       | 25          | <0.2          | 16          | 54          |
| 6014       | 15          | 0.3           | 19          | 55          |
| 6015       | 10          | <0.2          | 18          | 41          |
| 6016       | 5           | <0.2          | 24          | 48          |
| 6017       | Nil<br>Nil  | <0.2          | 13          | 27          |
| 6018       | 5           | <0.2          | 18          | 36          |
| 6019       | Nil         | <0.2          | 15          | 37          |
| 6020       | Nil         | <0.2          | 12          | 34          |
| 6021       | 5           | <0.2          | 13          | 60          |
| 6022       | Nil         | <0.2          | 16          | 49          |
| 6023       | Nil         | <0.2          | 16          | 53          |
| 6024       | Nil         | <0.2          | 22          | 41          |
| 6025       | 10          | <0.2          | 16          | 61          |
| 6026       | 10          | <0.2          | 7           | 22          |
| 6027       | Nil         | <0.2          | 3           | 11          |
| 6028       | Nil         | <0.2          | 9           | 34          |
| 6029       | Nil         | <0.2          | 11          | 39          |

Per

  
G. Lebel - Manager



# SWASTIKA LABORATORIES LIMITED

P.O. BOX 10, SWASTIKA, ONTARIO P0K 1T0

TELEPHONE: (705) 642-3244

ANALYTICAL CHEMISTS • ASSAYERS • CONSULTANTS

## Certificate of Analysis

Certificate No. 56443

Date: December 9, 1983

Received October 20, 1983 117 Samples of Stream Sediments

Submitted by A/S Sulfidmalm, Norway

Attn: Mr. R. Sivertsen


Page 6 of 6

| SAMPLE NO. | GOLD<br>PPB | SILVER<br>PPM | LEAD<br>PPM | ZINC<br>PPM |
|------------|-------------|---------------|-------------|-------------|
| 6030       | Nil         | <0.2          | 17          | 21          |
| 6031       | 5           | 0.2           | 21          | 44          |
| 7001       | 10          | <0.2          | 14          | 35          |
| 7002       | 20          | <0.2          | 14          | 34          |
| 7003       | 5           | <0.2          | 12          | 30          |
| 7004       | 15          | 0.2           | 14          | 40          |
| 7005       | 10<br>5     | <0.2          | 11          | 27          |
| 7006       | 10          | <0.2          | 14          | 36          |
| 7007       | 5           | <0.2          | 13          | 33          |
| 7008       | Nil         | 0.4           | 18          | 30          |
| 7009       | 5           | <0.2          | 9           | 22          |
| 7010       | *335        | <0.2          | 12          | 51          |
| 7011       | 10          | <0.2          | 15          | 31          |
| 7012       | Nil         | <0.2          | 13          | 67          |
| 7013       | Nil         | <0.2          | 15          | 40          |
| 7014       | Nil         | <0.2          | 16          | 51          |
| 7015       | Nil         | <0.2          | 10          | 23          |

Note: Tin, Arsenic, Tungsten results to follow.

\* Insufficient sample for reassay.

Per

  
G. Lebel - Manager



# SWASTIKA LABORATORIES LIMITED

P.O. BOX 10, SWASTIKA, ONTARIO P0K 1T0

TELEPHONE: (705) 642-3244

ANALYTICAL CHEMISTS • ASSAYERS • CONSULTANTS

## Certificate of Analysis

Certificate No. 56443 - A

Date: December 23, 1983

Received October 20, 1983 117 Samples of Stream Sediment


Submitted by A/S Sulfidmalm, Norway

Attn: Mr. R. Sivertsen

Page 1 of 6

| SAMPLE NO. | TIN<br>PPM | ARSENIC<br>PPM | TUNGSTEN<br>PPM |
|------------|------------|----------------|-----------------|
| 3003       | 18         | 1              | 3               |
| 3004       | 14         | 1              | 8               |
| 3005       | I.S.       | 1              | 8               |
| 3006       | 20         | 1              | 4               |
| 3007       | 25         | 2              | <1              |
| 3008       | 5          | 2              | 6               |
| 3009       | 9          | 1              | 1               |
| 3010       | 14         | 2              | 23              |
| 3011       | 6          | 1              | 1               |
| 3012       | 10         | 7              | 3               |
| 3013       | 23         | 2              | 3               |
| 3014       | 12         | 3              | 2               |
| 3015       | <5         | 1              | 2               |
| 3016       | <5         | <1             | 4               |
| 3017       | I.S.       | I.S.           | I.S.            |
| 3018       | I.S.       | 2              | 13              |
| 3019       | 7          | 2              | <1              |
| 3020       | <5         | <1             | 1               |
| 3021       | <5         | 1              | 4               |
| 3022       | <5         | 1              | <1              |

\* I.S. - Insufficient sample

Per   
G. Lebel - Manager



# SWASTIKA LABORATORIES LIMITED

P.O. BOX 10, SWASTIKA, ONTARIO P0K 1T0

TELEPHONE: (705) 642-3244

ANALYTICAL CHEMISTS • ASSAYERS • CONSULTANTS

## Certificate of Analysis

Certificate No. 56443 - A

Date: December 23, 1983

Received October 20, 1983 117 Samples of Stream Sediments


Submitted by A/S Sulfidmalm, Norway

Attn: Mr. R. Sivertsen

Page 2 of 6

| SAMPLE NO. | TIN<br>PPM | ARSENIC<br>PPM | TUNGSTEN<br>PPM |
|------------|------------|----------------|-----------------|
| 3023       | <5         | 2              | 2               |
| 3024       | 5          | 1              | 4               |
| 3025       | <5         | 1              | 3               |
| 4001       | <5         | 1              | <1              |
| 4002       | <5         | 2              | 1               |
| 4003       | I.S.       | I.S.           | I.S.            |
| 4004       | <5         | 1              | 14              |
| 4005       | I.S.       | I.S.           | I.S.            |
| 4006       | I.S.       | 1              | <1              |
| 4007       | I.S.       | 6              | 30              |
| 4008       | <5         | 2              | 1               |
| 4009       | I.S.       | 1              | 3               |
| 4010       | <5         | 6              | 4               |
| 4011       | <5         | <1             | 3               |
| 4012       | <5         | 1              | <1              |
| 4013       | <5         | 1              | 1               |
| 4014       | 5          | 1              | 3               |
| 4015       | 5          | 1              | <1              |
| 4016       | <5         | 2              | <1              |
| 4017       | <5         | 3              | 5               |

Per

  
G. Lebel - Manager



# SWASTIKA LABORATORIES LIMITED

P.O. BOX 10, SWASTIKA, ONTARIO P0K 1T0  
TELEPHONE: (705) 642-3244  
ANALYTICAL CHEMISTS • ASSAYERS • CONSULTANTS

## Certificate of Analysis

Certificate No. 56443 - A

Date: December 23, 1983


Received October 20, 1983 117 Samples of Stream Sediment

Submitted by A/S Sulfidmalm, Norway

Attn: Mr. R. Sivertsen

Page 3 of 6

| SAMPLE NO. | TIN<br>PPM | ARSENIC<br>PPM | TUNGSTEN<br>PPM |
|------------|------------|----------------|-----------------|
| 4018       | I.S.       | 1              | 2               |
| 4019       | <5         | 2              | <1              |
| 4020       | <5         | 1              | <1              |
| 4021       | 8          | 2              | <1              |
| 4022       | 5          | 1              | 3               |
| 4023       | 9          | 6              | 2               |
| 4024       | 11         | 2              | 1               |
| 5001       | 9          | 3              | <1              |
| 5002       | 5          | 4              | 2               |
| 5003       | 8          | 3              | <1              |
| 5004       | <5         | 2              | <1              |
| 5005       | I.S.       | 2              | <1              |
| 5006       | <5         | 1              | 3               |
| 5007       | <5         | <1             | <1              |
| 5008       | <5         | 1              | <1              |
| 5009       | <5         | 2              | 9               |
| 5010       | <5         | 3              | 1               |
| 5011       | <5         | 4              | 3               |
| 5012       | <5         | 1              | 4               |
| 5013       | <5         | 1              | 5               |

Per   
G. Lebel - Manager

ESTABLISHED 1928



# SWASTIKA LABORATORIES LIMITED

P.O. BOX 10, SWASTIKA, ONTARIO P0K 1T0

TELEPHONE: (705) 642-3244

ANALYTICAL CHEMISTS • ASSAYERS • CONSULTANTS

## Certificate of Analysis

Certificate No. 56443 - A

Date: December 23, 1983

Received October 20, 1983 117 Samples of Stream Sediments


Submitted by A/S Sulfidmalm, Norway

Attn: Mr. R. Sivertsen

Page 4 of 6

| SAMPLE NO. | TIN<br>PPM | ARSENIC<br>PPM | TUNGSTEN<br>PPM |
|------------|------------|----------------|-----------------|
| 5014       | 5          | <1             | <1              |
| 5015       | <5         | 1              | <1              |
| 5016       | <5         | 2              | <1              |
| 5017       | <5         | <1             | <1              |
| 5018       | <5         | 1              | 2               |
| 5019       | 10         | 1              | <1              |
| 5020       | <5         | 4              | 31              |
| 5021       | <5         | 2              | <1              |
| 5022       | <5         | 1              | <1              |
| 5023       | I.S.       | 2              | <1              |
| 5024       | <5         | 1              | 2               |
| 6001       | <5         | 1              | 3               |
| 6002       | <5         | 4              | <1              |
| 6003       | <5         | 3              | <1              |
| 6004       | <5         | 9              | 130             |
| 6005       | <5         | 1              | <1              |
| 6006       | <5         | 3              | 1               |
| 6007       | <5         | 1              | <1              |
| 6008       | <5         | 2              | 3               |
| 6009       | <5         | 1              | 2               |

Per

  
G. Lebel - Manager

ESTABLISHED 1928



# SWASTIKA LABORATORIES LIMITED

P.O. BOX 10, SWASTIKA, ONTARIO P0K 1T0

TELEPHONE: (705) 642-3244

ANALYTICAL CHEMISTS • ASSAYERS • CONSULTANTS

## Certificate of Analysis

Certificate No. 56443 - A

Date: December 23, 1983

Received October 20, 1983 117 Samples of Stream Sediment

Submitted by A/S Sulfidmalm, Norway

Attn: Mr. R. Sivertsen

Page 5 of 6

| SAMPLE NO. | TIN<br>PPM | ARSENIC<br>PPM | TUNGSTEN<br>PPM |
|------------|------------|----------------|-----------------|
| 6010       | <5         | 2              | 5               |
| 6011       | <5         | 2              | 1               |
| 6012       | <5         | 1              | 24              |
| 6013       | <5         | 2              | 2               |
| 6014       | 16         | 1              | 4               |
| 6015       | <5         | 1              | <1              |
| 6016       | 10         | 35             | 54              |
| 6017       | 5          | 2              | 3               |
| 6018       | <5         | 1              | <1              |
| 6019       | <5         | 2              | 23              |
| 6020       | <5         | 1              | 3               |
| 6021       | <5         | I.S.           | I.S.            |
| 6022       | <5         | 2              | 1               |
| 6023       | <5         | 4              | <1              |
| 6024       | <5         | 6              | 12              |
| 6025       | <5         | 1              | <1              |
| 6026       | <5         | 1              | 2               |
| 6027       | <5         | 1              | 2               |
| 6028       | <5         | 1              | 4               |
| 6029       | <5         | 1              | <1              |

Per

  
G. Lebel - Manager



# SWASTIKA LABORATORIES LIMITED

P.O. BOX 10, SWASTIKA, ONTARIO P0K 1T0

TELEPHONE: (705) 642-3244

ANALYTICAL CHEMISTS • ASSAYERS • CONSULTANTS

## Certificate of Analysis

Certificate No. 56443 - A

Date: December 23, 1983

Received October 20, 1983 117 Samples of Stream Sediment

Submitted by A/S Sulfidmalm, Norway

Attn: Mr. R. Sivertsen

Page 6 of 6

| SAMPLE NO. | TIN<br>PPM | ARSENIC<br>PPM | TUNGSTEN<br>PPM |
|------------|------------|----------------|-----------------|
| 6030       | I.S.       | <1             | <1              |
| 6031       | <5         | 2              | 1               |
| 7001       | <5         | 3              | 8               |
| 7002       | <5         | 2              | 4               |
| 7003       | <5         | 4              | <1              |
| 7004       | 7          | 4              | 2               |
| 7005       | <5         | 1              | 5               |
| 7006       | <5         | 11             | 16              |
| 7007       | <5         | 2              | <1              |
| 7008       | 22         | 2              | 1               |
| 7009       | <5         | 3              | <1              |
| 7010       | I.S.       | 2              | 8               |
| 7011       | I.S.       | 2              | 2               |
| 7012       | <5         | 1              | <1              |
| 7013       | <5         | 3              | 5               |
| 7014       | <5         | 2              | 4               |
| 7015       | <5         | 1              | <1              |

Per

  
G. Lebel - Manager

ESTABLISHED 1928



# SWASTIKA LABORATORIES LIMITED

P.O. BOX 10, SWASTIKA, ONTARIO P0K 1T0  
TELEPHONE: (705) 642-3244  
ANALYTICAL CHEMISTS • ASSAYERS • CONSULTANTS

## Certificate of Analysis

Certificate No. 54193 Date: December 8 1982

Received Oct./82 141 Samples of stream sediments

Submitted by Sulfidmalm, Norway Att'n: Mr. F. Nixon

Page #1 of 7

| SAMPLE NO. | GOLD<br>PPB | SILVER<br>PPM | LEAD<br>PPM | ZINC<br>PPM | TIN<br>PPM | ARSENIC<br>PPM | TUNGSTEN<br>PPM |
|------------|-------------|---------------|-------------|-------------|------------|----------------|-----------------|
| 35/82/5001 | 10          | Nil           | 34          | 132         | 8          | 4              | 10              |
| 5002       | 20          | Nil           | 25          | 36          | 2          | 4              | 2               |
| 5003       | 20          | Nil           | 48          | 4200        | 7          | 12             | 7               |
| 5004       | Nil         | 1.1           | 750         | 980         | 6          | 400            | 3               |
| 5005       | 15          | Nil           | 55          | 205         | 5          | 26             | 4.1             |
| 5006       | 10          | Nil           | 57          | 135         | 5          | 20             | 6               |
| 5007       | Nil         | Nil           | 63          | 144         | 4          | 25             | 4.1             |
| 5008       | Nil         | Nil           | 36          | 149         | 6          | 6              | 2               |
| 5009       | Nil         | Nil           | 28          | 105         | 5          | 7              | 1               |
| 5010       | **          | 0.4           | 162         | 820         | 7          | 37             | 4               |
| 5011       | Nil         | Nil           | 83          | 239         | 5          | 43             | 1               |
| 5012       | Nil         | Nil           | 10          | 19          | 3          | 1              | 3               |
| 5017       | Nil         | Nil           | 23          | 50          | 4          | 15             | 2               |
| 5018       | 10          | Nil           | 26          | 62          | 5          | 17             | 4.1             |
| 5019       | Nil         | Nil           | 290         | 109         | 5          | 15             | 4.1             |
| 5101       | 30          | Nil           | 20          | 75          | 6          | 5              | 6               |
| 5102       | Nil         | Nil           | 19          | 90          | 6          | 5              | 4               |
| 5103       | Nil         | Nil           | 33          | 65          | 4          | 3              | 3               |
| 5104       | Nil         | Nil           | 20          | 113         | 5          | 8              | 8               |
| 5105       | Nil         | Nil           | 139         | 417         | 5          | 100            | 4               |
| 5106       | Nil         | Nil           | 130         | 302         | 3          | 82             | 4.1             |

Cont'd.....

Per

G. Lebel - Manager



# SWASTIKA LABORATORIES LIMITED

P.O. BOX 10, SWASTIKA, ONTARIO P0K 1T0  
TELEPHONE: (705) 642-3244  
ANALYTICAL CHEMISTS • ASSAYERS • CONSULTANTS

## Certificate of Analysis

Certificate No. 54193

Date: December 8 1982

Received Oct./82 141 Samples of stream sediments

Submitted by Sulfidmalm, Norway Att'n: Mr. F. Nixon

Page 2 of 7

| SAMPLE NO. | GOLD<br>PPB | SILVER<br>PPM | LEAD<br>PPM | ZINC<br>PPM | TIN<br>PPM | ARSENIC<br>PPM | TUNGSTEN<br>PPM |
|------------|-------------|---------------|-------------|-------------|------------|----------------|-----------------|
| 35/82/5107 | Nil         | Nil           | 15          | 25          | 1          | 3              | 4.1             |
| 5109       | 10          | Nil           | 16          | 61          | 5          | 4              | 7               |
| 5110       | Nil         | Nil           | 16          | 65          | 5          | 1              | 8               |
| 5111       | Nil         | Nil           | 15          | 54          | 3          | 3              | 7               |
| 5112       | Nil         | Nil           | 23          | 75          | 5          | 3              | 4               |
| 7001       | Nil         | Nil           | 15          | 62          | 4          | 3              | 2               |
| 7002       | Nil         | Nil           | 10          | 15          | 1          | 2              | 5               |
| 7003       | Nil         | Nil           | 23          | 1800        | 3          | 5              | 100             |
| 7004       | Nil         | 0.5           | 435         | 475         | 4          | 430            | 1               |
| 7005       | Nil         | Nil           | 31          | 115         | 2          | 18             | 6               |
| 7006       | Nil         | Nil           | 35          | 111         | 1          | 9              | 9               |
| 7007       | Nil         | Nil           | 19          | 80          | 3          | 2              | 4               |
| 7008       | Nil         | Nil           | 21          | 82          | 5          | 4              | 4.1             |
| 7009       | Nil         | Nil           | 56          | 329         | 4          | 6              | 2               |
| 7010       | Nil         | Nil           | 55          | 218         | 5          | 31             | 2               |
| 7011       | Nil         | Nil           | 14          | 25          | 2          | 2              | 1               |
| 7014       | Nil         | Nil           | 20          | 56          | 4          | 9              | 6               |
| 7015       | Nil         | Nil           | 135         | 82          | 5          | 11             | 4               |
| 7020       | Nil         | Nil           | 15          | 40          | 3          | 11             | 14              |
| 7038       | Nil         | Nil           | 23          | 41          | 3          | 21             | 4.1             |

Cont'd.....

Per

G. Lebel - Manager



# SWASTIKA LABORATORIES LIMITED

P.O. BOX 10, SWASTIKA, ONTARIO P0K 1T0

TELEPHONE: (705) 642-3244

ANALYTICAL CHEMISTS • ASSAYERS • CONSULTANTS

## Certificate of Analysis

Certificate No. 54193

Date: December 8 1982

Received Oct./82 141 Samples of stream sediments

Submitted by Sulfidmalm, Norway Att'n: Mr. F. Nixon

Page 3 of 7

| SAMPLE NO. | GOLD<br>PPB | SILVER<br>PPM | LEAD<br>PPM | ZINC<br>PPM | TIN<br>PPM | ARSENIC<br>PPM | TUNGSTEN<br>PPM |
|------------|-------------|---------------|-------------|-------------|------------|----------------|-----------------|
| 35/82/7039 | Nil         | Nil           | 14          | 33          | 2          | 2              | 7               |
| 7040       | Nil         | Nil           | 21          | 167         | 2          | 3              | 1               |
| 7042       | Nil         | Nil           | 10          | 20          | 2          | 2              | < 1             |
| 7043       | **          | 0.3           | 31          | 69          | 8          | 8              | < 1             |
| 7044       | Nil         | Nil           | 14          | 25          | 1          | 4              | < 1             |
| 7045       | **          | Nil           | 20          | 82          | 1          | 11             | 15              |
| 7046       | Nil         | Nil           | 39          | 49          | 4          | 52             | 65              |
| 7101       | Nil         | Nil           | 17          | 50          | 1          | 1              | 5               |
| 7102       | Nil         | Nil           | 15          | 53          | 2          | 3              | 9               |
| 7103       | Nil         | Nil           | 19          | 66          | 1          | 7              | 3               |
| 7104       | Nil         | Nil           | 88          | 210         | 2          | 64             | 19              |
| 7105       | **          | 0.3           | 198         | 480         | 2          | 560            | < 1             |
| 7106       | Nil         | Nil           | 12          | 22          | 1          | 2              | 3               |
| 7107       | Nil         | Nil           | 11          | 36          | 1          | 2              | 11              |
| 7108       | Nil         | Nil           | 12          | 31          | 2          | 1              | 30              |
| 7109       | Nil         | Nil           | 14          | 38          | 2          | 1              | 21              |
| 7110       | Nil         | Nil           | 21          | 63          | 4          | 2              | 8               |
| 7112       | Nil         | Nil           | 14          | 45          | 2          | 3              | 10              |
| 7113       | Nil         | Nil           | 22          | 52          | 2          | 4              | 2               |
| 7114       | Nil         | Nil           | 35          | 79          | 3          | 11             | 33              |

Cont'd.....

Per

G. Lebel - Manager



# SWASTIKA LABORATORIES LIMITED

P.O. BOX 10, SWASTIKA, ONTARIO P0K 1T0

TELEPHONE: (705) 642-3244

ANALYTICAL CHEMISTS • ASSAYERS • CONSULTANTS

## Certificate of Analysis

Certificate No. 54193

Date: December 8 1982

Received Oct./82 141 Samples of stream sediments

Submitted by Sulfidmalm, Norway Att'n: Mr. F. Nixon

Page 4 of 7

| SAMPLE NO. | GOLD<br>PPB         | SILVER<br>PPM | LEAD<br>PPM | ZINC<br>PPM | TIN<br>PPM | ARSENIC<br>PPM | TUNGSTEN<br>PPM |
|------------|---------------------|---------------|-------------|-------------|------------|----------------|-----------------|
| 35/82/7119 | Sample missing      |               |             |             |            |                |                 |
| 7218       | **                  | Nil           | 20          | 41          | **         | 5              | 14              |
| 7225       | **                  | Nil           | 10          | 20          | 1          | 5              | 1               |
| 7226       | Nil                 | Nil           | 24          | 57          | 2          | 10             | 83              |
| 7227       | **                  | Nil           | 21          | 38          | **         | 7              | 76              |
| 7228       | **                  | **            | 18          | 27          | **         | 2              | 21              |
| 7231       | **                  | Nil           | 20          | 39          | 2          | 24             | 38              |
| 7235       | Nil                 | Nil           | 19          | 88          | 3          | 1              | 2               |
| 7236       | Nil                 | Nil           | 20          | 81          | 1          | 2              | 19              |
| 7237       | Nil                 | Nil           | 13          | 27          | 1          | 2              | 14              |
| 7238       | Nil                 | Nil           | 21          | 50          | 1          | 1              | 1               |
| 7239       | Nil                 | Nil           | 10          | 24          | 1          | 3              | 5               |
| 7308       | Nil                 | Nil           | 21          | 36          | 4          | 9              | 2               |
| 7309       | **                  | **            | 43          | 101         | **         | **             | **              |
| 7319       | Nil                 | Nil           | 25          | 81          | 2          | 6              | 1               |
| 7321       | **                  | Nil           | 14          | 24          | 2          | 3              | 41              |
| 7405       | Insufficient Sample |               |             |             |            |                |                 |
| 7415       | Nil                 | Nil           | 14          | 35          | 2          | 2              | 5               |
| 7416       | **                  | Nil           | 11          | 30          | 1          | 41             | 41              |
| 7417       | Nil                 | Nil           | 14          | 30          | 1          | 2              | 3               |
| 7504       | Nil                 | Nil           | 32          | 45          | 1          | 3              | 1               |
| 7514       | Nil                 | Nil           | 14          | 27          | 1          | 2              | 1               |

Cont'd.....

Per

G. Lebel - Manager



# SWASTIKA LABORATORIES LIMITED

P.O. BOX 10, SWASTIKA, ONTARIO P0K 1T0  
TELEPHONE: (705) 642-3244  
ANALYTICAL CHEMISTS • ASSAYERS • CONSULTANTS

## Certificate of Analysis

Certificate No. 54193

Date: December 8 1982

Received Oct./82 141 Samples of stream sediments

Submitted by Sulfidmalm, Norway Att'n: Mr. F. Nixon

Page 5 of 7

| SAMPLE NO. | GOLD<br>PPB | SILVER<br>PPM | LEAD<br>PPM | ZINC<br>PPM | TIN<br>PPM | ARSENIC<br>PPM | TUNGSTEN<br>PPM |
|------------|-------------|---------------|-------------|-------------|------------|----------------|-----------------|
| 35/82/7515 | **          | Nil           | 23          | 64          | 2          | 8              | < 1             |
| 7519       | Nil         | Nil           | 35          | 83          | 3          | 7              | 17              |
| 7520       | **          | Nil           | 31          | 89          | 2          | 5              | 5               |
| 7521       | **          | Nil           | 26          | 72          | **         | 5              | 49              |
| 7524       | Nil         | Nil           | 10          | 46          | 1          | 2              | 9               |
| 7525       | Nil         | Nil           | 21          | 66          | 1          | 2              | 12              |
| 36/82/8801 | Nil         | Nil           | 21          | 74          | 3          | 4              | 1               |
| 8802       | Nil         | Nil           | 15          | 32          | 2          | 8              | 4               |
| 8803       | Nil         | Nil           | 13          | 35          | 2          | 4              | 3               |
| 8804       | Nil         | Nil           | 14          | 29          | 2          | 2              | 81              |
| 8805       | Nil         | Nil           | 15          | 43          | 2          | 4              | 5               |
| 8806       | Nil         | Nil           | 16          | 43          | 2          | 6              | 3               |
| 8807       | Nil         | Nil           | 13          | 17          | 1          | 3              | 3               |
| 8808       | Nil         | Nil           | 16          | 50          | 2          | 7              | 5               |
| 8809       | Nil         | Nil           | 11          | 45          | 1          | 2              | 4               |
| 8810       | Nil         | Nil           | 14          | 41          | 1          | 6              | < 1             |
| 8811       | Nil         | Nil           | 15          | 46          | 1          | 8              | < 1             |
| 8813       | Nil         | Nil           | 22          | 72          | 1          | 4              | 5               |
| 8814       | Nil         | Nil           | 10          | 28          | 1          | 2              | < 1             |
| 8815       | Nil         | Nil           | 17          | 46          | 1          | 6              | 2               |

Cont'd.....

Per G. Lebel

G. Lebel - Manager



# SWASTIKA LABORATORIES LIMITED

P.O. BOX 10, SWASTIKA, ONTARIO P0K 1T0

TELEPHONE: (705) 642-3244

ANALYTICAL CHEMISTS • ASSAYERS • CONSULTANTS

## Certificate of Analysis

Certificate No. 54193

Date: December 9 1982

Received Oct./82 141 Samples of stream sediments

Submitted by Sulfidmalm, Norway Att'n: Mr. F. Nixon

Page 6 of 7

| SAMPLE NO. | GOLD<br>PPB | SILVER<br>PPM | LEAD<br>PPM | ZINC<br>PPM | TIN<br>PPM | ARSENIC<br>PPM | TUNGSTEN<br>PPM |
|------------|-------------|---------------|-------------|-------------|------------|----------------|-----------------|
| 36/82/8816 | Nil         | Nil           | 18          | 55          | 3          | 15             | 1               |
| 8817       | Nil         | Nil           | 15          | 54          | 4          | 13             | 3               |
| 8818       | (10)        | Nil           | 15          | 46          | 2          | (10)           | 2               |
| 8819       | Nil         | Nil           | 14          | 25          | 1          | 5              | < 1             |
| 8820       | Nil         | Nil           | 11          | 27          | 2          | 8              | < 1             |
| 8821       | Nil         | Nil           | 16          | 39          | 2          | 9              | 7               |
| 8822       | Nil         | Nil           | 17          | 43          | 1          | 10             | < 1             |
| 8823       | Nil         | Nil           | 19          | 67          | 3          | 18             | 1               |
| 8824       | Nil         | Nil           | 18          | 33          | 2          | 12             | 3               |
| 8825       | Nil         | Nil           | 17          | 45          | 1          | 34             | < 1             |
| 8826       | Nil         | Nil           | 15          | 36          | 2          | 10             | 3               |
| 8827       | Nil         | Nil           | 23          | 44          | 1          | 13             | 3               |
| 8828       | Nil         | Nil           | 21          | 51          | 1          | 6              | 3               |
| 8829       | Nil         | Nil           | 12          | 22          | 1          | 5              | 1               |
| 8830       | Nil         | Nil           | 11          | 23          | 1          | 2              | 2               |
| 8901       | Nil         | Nil           | 10          | 46          | 1          | 4              | 1               |
| 8902       | Nil         | Nil           | 17          | 49          | 1          | 4              | 4               |
| 8903       | Nil         | Nil           | 16          | 30          | 1          | 4              | 3               |
| 8904       | Nil         | Nil           | 15          | 49          | 1          | 6              | 17              |
| 8905       | Nil         | Nil           | 11          | 21          | 1          | 4              | 1               |

Cont'd.....

Per G. Lebel  
G. Lebel - Manager



# SWASTIKA LABORATORIES LIMITED

P.O. BOX 10, SWASTIKA, ONTARIO P0K 1T0  
TELEPHONE: (705) 642-3244  
ANALYTICAL CHEMISTS • ASSAYERS • CONSULTANTS

## Certificate of Analysis

Certificate No. 54193

Date: December 8 1982

Received Oct./82 141 Samples of stream sediments


Submitted by Salfidmalm, Norway Att'n: Mr. F. Nixon

Page 7 of 7

| SAMPEL NO. | GOLD<br>PPB | SILVER<br>PPM | LEAD<br>PPM | ZINC<br>PPM | TIN<br>PPM | ARSENIC<br>PPM | TUNGSTEN<br>PPM |
|------------|-------------|---------------|-------------|-------------|------------|----------------|-----------------|
| 36/82/8906 | Nil         | Nil           | 13          | 17          | 1          | 3              | 1               |
| 8907       | Nil         | Nil           | 19          | 60          | 1          | 4              | < 1             |
| 8908       | Nil         | Nil           | 17          | 46          | 1          | 8              | < 1             |
| 8909       | Nil         | Nil           | 13          | 44          | 2          | 6              | < 1             |
| 8910       | Nil         | Nil           | 10          | 34          | 2          | 5              | < 1             |
| 8911       | Nil         | Nil           | 17          | 73          | 2          | 3              | 4               |
| 8912       | 10          | Nil           | 15          | 42          | 2          | 3              | 1               |
| 8913       | 5           | Nil           | 14          | 42          | 1          | 4              | 3               |
| 8914       | Nil         | Nil           | 17          | 36          | 1          | 5              | 2               |
| 8915       | Nil         | Nil           | 14          | 39          | 1          | 3              | < 1             |
| 8951       | Nil         | Nil           | 13          | 19          | 1          | 5              | 4               |
| 8952       | Nil         | Nil           | 15          | 28          | 1          | 3              | 2               |
| 8953       | 5           | Nil           | 25          | 49          | 2          | 10             | < 1             |
| 8954       | Nil         | Nil           | 14          | 43          | 1          | 5              | 10              |
| 8955       | Nil         | Nil           | 21          | 85          | 3          | 4              | 7               |
| 8956       | Nil         | Nil           | 15          | 46          | 1          | 9              | 1               |
| 8957       | Nil         | Nil           | 16          | 60          | 3          | 8              | 4               |
| 8958       | Nil         | Nil           | 17          | 58          | 2          | 9              | < 1             |
| 9801       | Nil         | Nil           | 14          | 43          | 1          | 8              | 14              |
| 9802       | Nil         | Nil           | 16          | 41          | 1          | 7              | 2               |

NOTE \*\* Indicates where there was insufficient sample to perform analysis.

Per

  
G. Lebel - Manager



# SWASTIKA LABORATORIES LIMITED

P.O. BOX 10, SWASTIKA, ONTARIO P0K 1T0

TELEPHONE: (705) 642-3244

ANALYTICAL CHEMISTS • ASSAYERS • CONSULTANTS

## Certificate of Analysis

Certificate No. 54194

Date: December 8 1982

Received Oct./82 164 Samples of stream sediments

Submitted by Sulfidmalm, Norway Att'n: Mr. F. Nixon

Page 1 of 8

| SAMPLE NO. | GOLD<br>PPB | TIN<br>PPM | ARSENIC<br>PPM | TUNGSTEN<br>PPM | <i>Scheelite ions</i> |
|------------|-------------|------------|----------------|-----------------|-----------------------|
| 35/82/5013 | Nil         | 4          | 8              | 7               |                       |
| 5014       | Nil         | 4          | 5              | < 1             |                       |
| 5015       | Nil         | 5          | 22             | 3               |                       |
| 5016       | 10          | 3          | 4              | 3               |                       |
| 5020       | Nil         | 5          | 7              | < 1             |                       |
| 5021       | Nil         | 5          | 5              | < 1             |                       |
| 5022       | Nil         | 4          | < 1            | 2               |                       |
| 5023       | Nil         | 4          | 9              | 2               |                       |
| 5024       | Nil         | 3          | 34             | 2               |                       |
| 5025       | Nil         | 5          | 44             | 6               |                       |
| 5026       | Nil         | 4          | 49             | 7               |                       |
| 5027       | Nil         | 2          | 26             | 6               |                       |
| 5108       | Nil         | 5          | 4              | 1               |                       |
| 5113       | Nil         | 2          | 1              | < 1             |                       |
| 5201       | Nil         | 2          | 2              | 1               |                       |
| 5202       | Nil         | 3          | 1              | 1               |                       |
| 5203       | Nil         | 3          | 7              | 4               |                       |
| 5204       | Nil         | 5          | 1              | 4               |                       |
| 5205       | 20          | 4          | 2              | 3               |                       |
| 5206       | 10          | 3          | 4              | 2               |                       |
| 5207       | Nil         | 1          | 3              | 4               | Cont'd.....           |

Per

*G. Lebel*  
G. Lebel - Manager

ESTABLISHED 1928



# SWASTIKA LABORATORIES LIMITED

P.O. BOX 10, SWASTIKA, ONTARIO P0K 1T0  
TELEPHONE: (705) 642-3244  
ANALYTICAL CHEMISTS • ASSAYERS • CONSULTANTS

## Certificate of Analysis

Certificate No. 54194 Date: December 9 1982

Received Oct./82 164 Samples of stream sediments

Submitted by Sulfidmalm, Norway Att'n: Mr. F. Nixon

Page 2 of 8

| SAMPLE NO. | GOLD<br>PPB | TIN<br>PPM | ARSENIC<br>PPM | TUNGSTEN<br>PPM |
|------------|-------------|------------|----------------|-----------------|
| 35/82/5208 | **          | 2          | 2              | 2               |
| 5209       | **          | 2          | 3              | 3               |
| 5210       | Nil         | 3          | 2              | <1              |
| 5211       | Nil         | 1          | 2              | 2               |
| 5212       | Nil         | 1          | 2              | 2               |
| 5213       | Nil         | 1          | 2              | 4               |
| 5214       | Nil         | 5          | 5              | <1              |
| 5215       | Nil         | 4          | 5              | 9               |
| 5216       | Nil         | 4          | 4              | 3               |
| 5217       | Nil         | 4          | 15             | 1               |
| 5218       | Nil         | 4          | 130            | 3               |
| 5219       | Nil         | 5          | 55             | 1               |
| 5220       | Nil         | 4          | 22             | 2               |
| 5221       | **          | 5          | 100            | <1              |
| 5222       | Nil         | 4          | 45             | 5               |
| 5223       | Nil         | 2          | 6              | 18              |
| 5224       | **          | 4          | 5              | 3               |
| 5301       | Nil         | 1          | 6              | 1               |
| 5302       | Nil         | 2          | 1              | 6               |
| 5303       | **          | 2          | 20             | 4               |
| 5304       | **          | 3          | 11             | 5               |

Cont'd.....

Per

  
G. Lebel - Manager

ESTABLISHED 1928



# SWASTIKA LABORATORIES LIMITED

P.O. BOX 10, SWASTIKA, ONTARIO P0K 1T0  
TELEPHONE: (705) 642-3244  
ANALYTICAL CHEMISTS • ASSAYERS • CONSULTANTS

## Certificate of Analysis

Certificate No. 54194 Date: December 9 1982

Received Oct./82 164 Samples of stream sediments

Submitted by Sulfidmalm, Norway Att'n: Mr. F. Nixon

Page 3 of 8

| SAMPLE NO.             | GOLD<br>PPB | TIN<br>PPM | ARSENIC<br>PPM | TUNGSTEN<br>PPM |
|------------------------|-------------|------------|----------------|-----------------|
| <i>Holm</i> 35/82/5305 | 10          | 5          | 140            | 3               |
| 5306                   | **          | 5          | 150            | 2               |
| 5307                   | **          | 4          | 3              | 3               |
| 5308                   | **          | 4          | 5              | 2               |
| 5401                   | **          | 1          | 3              | 4               |
| 5402                   | **          | 3          | 13             | 2               |
| 5403                   | **          | 5          | 18             | 18              |
| 5404                   | Nil         | 4          | 16             | 2 1             |
| 5405                   | **          | 4          | 70             | 17              |
| <i>Holm</i> 5406       | 10          | 4          | 36             | 16              |
| 5407                   | Nil         | 3          | 57             | 7               |
| 5408                   | **          | 7          | 130            | 3               |
| 5409                   | **          | 2          | 4              | 1               |
| 5501                   | **          | 6          | 5              | 6               |
| 5502                   | Nil         | 6          | 7              | 6               |
| 5503                   | Nil         | 2          | 9              | 1               |
| 5504                   | Nil         | 4          | 56             | 1               |
| 5505                   | Nil         | 6          | 8              | 45              |
| 5506                   | Nil         | 6          | 8              | 12              |
| 5507                   | **          | 7          | 8              | 8               |
| <i>Shofjord</i> 5508   | 5           | 6          | 7              | 37              |

Cont'd.....

Per

G. Lebel - Manager



# SWASTIKA LABORATORIES LIMITED

P.O. BOX 10, SWASTIKA, ONTARIO P0K 1T0

TELEPHONE: (705) 642-3244

ANALYTICAL CHEMISTS • ASSAYERS • CONSULTANTS

## Certificate of Analysis

Certificate No. 54194

Date: December 9 1982

Received Oct./82 164 Samples of stream sediments

Submitted by Sulfidmalm, Norway Att'n: Mr. F. Nixon

Page 4 of 8

| SAMPLE NO. | GOLD<br>PPB | TIN<br>PPM | ARSENIC<br>PPM | TUNGSTEN<br>PPM | <i>Scheelite horn</i> |
|------------|-------------|------------|----------------|-----------------|-----------------------|
| 35/82/7012 | **          | 3          | 2              | < 1             | 1                     |
| 7013       | Nil         | 2          | 2              | 14              | 2                     |
| 7016       | Nil         | 2          | 58             | < 1             | 11                    |
| 7017       | Nil         | 5          | 84             | 21              | 64                    |
| 7018       | Nil         | 3          | 31             | 4               | 209 ✓                 |
| 7019       | Nil         | 4          | 10             | 9               | 12                    |
| 7021       | **          | 2          | 4              | 5               | 9                     |
| 7022       | Nil         | 3          | 30             | < 1             | 14                    |
| 7023       | **          | 5          | 4              | 4               | 2                     |
| 7024       | Nil         | 2          | 2              | 1               | 2                     |
| 7025       | Nil         | 5          | 2              | 20              | 48                    |
| 7026       | **          | 2          | < 1            | 19              | 21                    |
| 7027       | Nil         | 2          | 2              | 2               | 27                    |
| 7028       | **          | 2          | 8              | 13              |                       |
| 7029       | **          | 2          | 10             | 5               | 6                     |
| 7030       | **          | 2          | 4              | 1               | 7                     |
| 7031       | Nil         | 3          | 4              | 1               | 2                     |
| 7032       | **          | 4          | 1              | 34              | 9                     |
| 7033       | **          | 4          | 6              | 3               | 9                     |
| 7034       | Nil         | 2          | < 1            | 4               | 41                    |
| 7035       | **          | 2          | 6              | 5               | Cont'd. 21...         |

Per G. Lebel

G. Lebel - Manager

ESTABLISHED 1928



# SWASTIKA LABORATORIES LIMITED

P.O. BOX 10, SWASTIKA, ONTARIO P0K 1T0  
TELEPHONE: (705) 642-3244  
ANALYTICAL CHEMISTS • ASSAYERS • CONSULTANTS

## Certificate of Analysis

Certificate No. 54194 Date: December 9 1982

Received Oct./82 164 Samples of stream sediments

Submitted by Sulfidmalm, Norway Att'n: Mr. F. Nixon

Page 5 of 8

| SAMPLE NO.       | GOLD<br>PPB | TIN<br>PPM | ARSENIC<br>PPM | TUNGSTEN<br>PPM | <i>Schedliff from</i> |
|------------------|-------------|------------|----------------|-----------------|-----------------------|
| 35/82/7036       | Nil         | 4          | 8              | 9               | 39                    |
| 7037             | Nil         | 5          | 3              | 3               | 5                     |
| 7041             | **          | 2          | 3              | 2               | 2                     |
| 7111             | **          | 2          | 3              | 3               | 12                    |
| 7201             | **          | 2          | 2              | < 1             | 8                     |
| 7202             | Nil         | 3          | 93             | 2               | 4                     |
| 7203             | **          | 3          | 1              | 5               | 4                     |
| 7204             | **          | 2          | 2              | 39              | 41                    |
| 7205             | **          | 2          | 2              | 2               | 1                     |
| 7206             | **          | 4          | < 1            | < 1             | 3                     |
| 7207             | **          | 2          | 11             | 3               | 3                     |
| 7208             | Nil         | 1          | 26             | 11              | 26                    |
| 7209             | **          | **         | 54             | 94              |                       |
| 7210             | **          | 1          | 2              | 2               | 2                     |
| 7211             | Nil         | 1          | 2              | < 1             | 2                     |
| 7212             | Nil         | 2          | 2              | 2               | 2                     |
| 7213             | Nil         | 1          | 1              | 2               | 3                     |
| 7214             | Nil         | 1          | 3              | 2               | 1                     |
| 7215             | Nil         | 2          | 4              | 5               | 29                    |
| 7216             | Nil         | 3          | 1              | 70              | 333                   |
| 7217             | Nil         | 3          | 2              | 74              | 42                    |
| <i>G/dm</i> 7219 | 5           | 2          | < 1            | < 1             | Cont'd...2....        |

Per

*G. Lebel*  
G. Lebel - Manager



# SWASTIKA LABORATORIES LIMITED

P.O. BOX 10, SWASTIKA, ONTARIO P0K 1T0  
TELEPHONE: (705) 642-3244  
ANALYTICAL CHEMISTS • ASSAYERS • CONSULTANTS

## Certificate of Analysis

Certificate No. 54194

Date: December 9 1982

Received Oct. 9/82 164 Samples of stream sediments

Submitted by Sulfidmalm, Norway Att'n: Mr. F. Nixon

Page 6 of 8

| SAMPLE NO. | GOLD<br>PPB         | TIN<br>PPM | ARSENIC<br>PPM | TUNGSTEN<br>PPM |
|------------|---------------------|------------|----------------|-----------------|
| 35/82/7220 | **                  | 3          | 3              | 70              |
| 7221       | Insufficient sample |            |                |                 |
| 7222       | **                  | 4          | 2              | 44              |
| 7223       | **                  | **         | 1              | 290             |
| 7224       | **                  | 4          | 1              | 1               |
| 7229       | **                  | 3          | 2              | 52              |
| 7230       | Missing sample      |            |                |                 |
| 7232       | **                  | 4          | 2              | 4               |
| 7233       | **                  | 2          | 5              | 420             |
| 7234       | **                  | 3          | 59             | 210             |
| 7301       | Nil                 | 3          | 100            | < 1             |
| 7302       | Nil                 | 3          | 11             | 4               |
| 7303       | **                  | 2          | 3              | < 1             |
| 7304       | Nil                 | 3          | 16             | 21              |
| 7305       | Nil                 | 2          | 6              | 1               |
| 7306       | Nil                 | 3          | 4              | 3               |
| 7307       | Nil                 | 2          | 1              | 1               |
| 7310       | Nil                 | 3          | 2              | 10              |
| 7311       | **                  | 3          | 1              | 1               |
| 7312       | Nil                 | 4          | 2              | 15              |

Cont'd.....

Per

  
G. Lebel - Manager

ESTABLISHED 1928



# SWASTIKA LABORATORIES LIMITED

P.O. BOX 10, SWASTIKA, ONTARIO P0K 1T0  
TELEPHONE: (705) 642-3244  
ANALYTICAL CHEMISTS • ASSAYERS • CONSULTANTS

## Certificate of Analysis

Certificate No. 54194 Date: December 9 1982

Received Oct. 9/82 164 Samples of stream sediments

Submitted by Sulfidmalm, Norway Att'n: Mr. F. Nixon

Page 7 of 8

| SAMPLE NO. | GOLD<br>PPB | TIN<br>PPM | ARSENIC<br>PPM | TUNGSTEN<br>PPM |             |
|------------|-------------|------------|----------------|-----------------|-------------|
| 35/82/7313 | **          | 2          | 4              | 120             |             |
| 7314       | **          | 5          | 5              | 95              |             |
| 7315       | **          | 2          | 1              | 2               |             |
| 7316       | Nil         | 5          | 1              | < 1             |             |
| 7317       | Nil         | 5          | 6              | 17              |             |
| 7318       | **          | 2          | 3              | 3               |             |
| 7320       | Nil         | 1          | 4              | 3               |             |
| 7324       | **          | 4          | 1              | 3               |             |
| 7325       | **          | 5          | 11             | 3               |             |
| 7401       | Nil         | 5          | 58             | 3               |             |
| 7402       | Nil         | 3          | 1              | 3               |             |
| 7403       | Nil         | 4          | 2              | 4               |             |
| 7404       | Nil         | 3          | 2              | 5               |             |
| 7406       | **          | 2          | 48             | 14              |             |
| 7407       | Nil         | 2          | 66             | 8               |             |
| 7408       | **          | 2          | 2              | < 1             |             |
| 7409       | **          | 2          | 5              | 5               |             |
| 7410       | Nil         | 1          | 2              | 1               |             |
| 7411       | **          | 1          | 1              | 4               |             |
| 7412       | Nil         | 3          | 30             | 28              |             |
| 7413       | Nil         | 3          | 5              | 1               | Cont'd..... |

Per   
G. Lebel - Manager

ESTABLISHED 1928



# SWASTIKA LABORATORIES LIMITED

P.O. BOX 10, SWASTIKA, ONTARIO P0K 1T0

TELEPHONE: (705) 642-3244

ANALYTICAL CHEMISTS • ASSAYERS • CONSULTANTS

## Certificate of Analysis

Certificate No. 54194

Date: December 9 1982

Received Oct./82 164 Samples of stream sediments

Submitted by Sulfidmalm, Norway Att'n: Mr. F. Nixon

Page 8 of 8

| SAMPLE NO. | GOLD<br>PPB         | TIN<br>PPM | ARSENIC<br>PPM | TUNGSTEN<br>PPM |
|------------|---------------------|------------|----------------|-----------------|
| 35/82/7414 | Nil                 | 1          | 12             | < 1             |
| 7501       | **                  | 2          | 51             | 8               |
| 7502       | Insufficient sample |            |                |                 |
| 7503       | **                  | 1          | 1              | 9               |
| 7505       | **                  | 2          | 930            | 14              |
| 7506       | Nil                 | 2          | 68             | 4               |
| 7507       | Nil                 | 3          | 3              | 15              |
| 7508       | Insufficient sample |            |                |                 |
| 7509       | Nil                 | 3          | 2              | 3               |
| 7510       | **                  | 4          | 3              | 11              |
| 7511       | Nil                 | 3          | 2              | 2               |
| 7512       | Nil                 | 5          | 4              | 1               |
| 7513       | **                  | 2          | 4              | 2               |
| 7516       | Nil                 | 1          | 3              | 37              |
| 7517       | **                  | 2          | 4              | 1               |
| 7518       | Nil                 | 3          | 18             | 110             |
| 7522       | **                  | 2          | 23             | 84              |
| 7523       | **                  | 2          | 8              | 90              |
| 7526       | Nil                 | 3          | 4              | 3               |
| 7601       | **                  | 1          | 5              | 14              |
| 7602       | Nil                 | 2          | < 1            | 3               |

Per

G. Lebel - Manager

ESTABLISHED 1928



# SWASTIKA LABORATORIES LIMITED

P.O. BOX 10, SWASTIKA, ONTARIO P0K 1T0

TELEPHONE: (705) 642-3244

ANALYTICAL CHEMISTS • ASSAYERS • CONSULTANTS

## Certificate of Analysis

Fert på Kart 20/3

Certificate No. 54561

Date: March 11 1983

Received Feb. 16/83 24 Samples of stream sediments


Submitted by Sulfidmalm, Norway Att'n: Mr. F. Nixon

Page 1 of 2

| SAMPLE NO. | GOLD<br>PPB | SILVER<br>PPM | LEAD<br>PPM | ZINC<br>PPM | TIN<br>PPM |
|------------|-------------|---------------|-------------|-------------|------------|
| 35/82/7047 | Nil         | Nil           | 12          | 30          | 3          |
| 7111       | I.S.        | I.S.          | 22          | 26          | I.S.       |
| 7115       | Nil         | Nil           | 28          | 136         | 5          |
| 7116       | Nil         | Nil           | 29          | 91          | 3          |
| 7117       | Nil         | Nil           | 18          | 54          | 5          |
| 7118       | Nil         | Nil           | 17          | 59          | 4          |
| 7119       | 10          | Nil           | 34          | 117         | 4          |
| 7120       | Nil         | Nil           | 20          | 46          | 3          |
| 7121       | Nil         | Nil           | 16          | 88          | 3          |
| 7122       | Nil         | Nil           | 9           | 36          | 2          |
| 7123       | Nil         | Nil           | 5           | 15          | 2          |
| 7322       | Nil         | Nil           | 20          | 58          | 4          |
| 7323       | Nil         | Nil           | 20          | 63          | 2          |
| 7327       | Nil         | Nil           | 8           | 18          | 1          |
| 7328       | Nil         | Nil           | 14          | 36          | 2          |
| 7329       | Nil         | Nil           | 14          | 37          | 3          |
| 7330       | I.S.        | Nil           | 18          | 42          | I.S.       |
| 7331       | Nil         | Nil           | 8           | 18          | 2          |
| 7332       | Nil         | Nil           | 6           | 10          | 1          |

Cont'd.....

NOTE: I.S. indicates insufficient sample.

Per 



# SWASTIKA LABORATORIES LIMITED

P.O. BOX 10, SWASTIKA, ONTARIO P0K 1T0  
TELEPHONE: (705) 642-3244  
ANALYTICAL CHEMISTS • ASSAYERS • CONSULTANTS

## Certificate of Analysis

Certificate No. 54561 Date: March 11 1983

Received Feb. 16/83 24 Samples of stream sediments

Submitted by Sulfidmalm, Norway Att'n: Mr. F. Nixon


Page 2 of 2

| SAMPLE NO. | GOLD<br>PPB | SILVER<br>PPM | LEAD<br>PPM | ZINC<br>PPM | TIN<br>PPM |
|------------|-------------|---------------|-------------|-------------|------------|
| 35/82/7334 | I.S.        | Nil           | 15          | 30          | I.S.       |
| 7335       | Nil         | Nil           | 15          | 36          | 3          |
| 7336       | Nil         | Nil           | 12          | 40          | 2          |
| 7337       | Nil         | Nil           | 13          | 46          | 2          |
| 7338       | Nil         | Nil           | 12          | 40          | 1          |

NOTE: Arsenic and Tungsten to follow.

NOTE: I.S. indicates insufficient sample.

Per

  
G. Lebel - Manager

ESTABLISHED 1928



# SWASTIKA LABORATORIES LIMITED

P.O. BOX 10, SWASTIKA, ONTARIO P0K 1T0  
TELEPHONE: (705) 642-3244  
ANALYTICAL CHEMISTS • ASSAYERS • CONSULTANTS

## Certificate of Analysis

Fert på Kart  
25/3

Certificate No. 54561-A


Date: March 17 1983

Received Feb. 16/83 24 Samples of stream sediments

Submitted by Sulfidmalm, Norway Att'n: Mr. F. Nixon

| SAMPLE NO. | ARSENIC<br>PPM      | TUNGSTEN<br>PPM | SAMPLE NO. | ARSENIC<br>PPM | TUNGSTEN<br>PPM |
|------------|---------------------|-----------------|------------|----------------|-----------------|
| 35/82/7047 | 2                   | < 1             | 35/82/7330 | 4              | 2               |
| 7111       | insufficient sample |                 | 7331       | 5              | 50              |
| 7115       | 6                   | < 1             | 7332       | 3              | 120             |
| 7116       | 3                   | 3               | 7334       | 7              | 5               |
| 7117       | 3                   | 3               | 7335       | 2              | 3               |
| 7118       | 4                   | 1               | 7336       | 2              | 2               |
| 7119       | 5                   | 1               | 7337       | 2              | < 1             |
| 7120       | < 1                 | 3               | 7338       | 2              | 3               |
| 7121       | 1                   | 4               |            |                |                 |
| 7122       | 2                   | 2               |            |                |                 |
| 7123       | < 1                 | 2               |            |                |                 |
| 7322       | 2                   | 30              |            |                |                 |
| 7323       | 1                   | 2               |            |                |                 |
| 7327       | 1                   | 85              |            |                |                 |
| 7328       | 3                   | 23              |            |                |                 |
| 7329       | 6                   | < 1             |            |                |                 |

Per

  
G. Lebel - Manager



# SWASTIKA LABORATORIES LIMITED

P.O. BOX 10, SWASTIKA, ONTARIO P0K 1T0  
TELEPHONE: (705) 642-3244  
ANALYTICAL CHEMISTS • ASSAYERS • CONSULTANTS

## Certificate of Analysis

Certificate No. 50857 Date: March 9 1981

Received Feb. 3/81 218 Samples of Stream Sediments

Submitted by Sulfdmalm, Norway Att'n: Mr. R. Sivertsen

| SAMPLE NO. | ARSENIC<br>PPM | SAMPLE NO. | ARSENIC<br>PPM |
|------------|----------------|------------|----------------|
| 5001       | <1             | 5041       | 58             |
| 5002       | <1             | 5055       | 1              |
| 5003       | <1             | 5057       | 1              |
| 5004       | <1             | 5059       | 1              |
| 5005       | <1             | 5060       | 2              |
| 5006       | 1              | 5063       | 1              |
| 5007       | 1              | 5065       | 1              |
| 5008       | 1              | 5067       | <1             |
| 5009       | 1              | 5068       | 1              |
| 5010       | 2              | 5069       | 1              |
| 5011       | 2              | 5070       | 1              |
| 5012       | 1              | 5071       | 1              |
| 5013       | <1             | 5072       | 2              |
| 5014       | <1             | 5073       | <1             |
| 5015       | <1             | 5075       | 1              |
| 5016       | <1             | 5501       | <1             |
| 5017       | <1             | 5502       | <1             |
| 5018       | <1             | 5503       | <1             |
| 5019       | <1             | 5504       | <1             |
| 5020       | <1             | 5505       | <1             |
| 5021       | 1              | 5506       | <1             |
| 5022       | <1             | 5507       | 1              |
| 5024       | <1             | 5508       | <1             |
| 5025       | <1             | 5509       | <1             |
| 5026       | <1             | 5510       | 1              |
| 5027       | <1             | 5511       | 1              |
| 5029       | <1             | 5512       | 1              |
| 5030       | <1             | 5513       | 1              |
| 5039       | <1             | 5514       | 1              |
| 5040       | 43             | 5515       | 3              |

Cont'd.....

Per

G. Lebel - Manager

ESTABLISHED 1928





# SWASTIKA LABORATORIES LIMITED

P.O. BOX 10, SWASTIKA, ONTARIO P0K 1T0

TELEPHONE: (705) 642-3244

ANALYTICAL CHEMISTS • ASSAYERS • CONSULTANTS

## Certificate of Analysis

Certificate No. 50857

Date: March 9 1981

Received Feb. 3/81 218 Samples of Stream Sediments

Submitted by Sulfidnalm, Norway Att'n: Mr. R. Sivertsen


Page #2

| SAMPLE NO. | ARSENIC<br>PPM | SAMPLE NO. | ARSENIC<br>PPM |
|------------|----------------|------------|----------------|
| 5516       | 11             | 5532       | < 1            |
| 5517       | < 1            | 5533       | < 1            |
| 5518       | < 1            | 5548       | < 1            |
| 5519       | 1              | 6001       | 1              |
| 5520       | 2              | 6002       | < 1            |
| 5521       | < 1            | 6003       | < 1            |
| 5522       | < 1            | 6005       | < 1            |
| 5523       | < 1            | 6006       | < 1            |
| 5524       | 1              | 6007       | < 1            |
| 5525       | 1              | 6008       | < 1            |
| 5529       | < 1            | 6009       | < 1            |
| 5530       | < 1            | 6010       | < 1            |
| 5531       | 2              | 6011       | < 1            |
| 5532       | 1              | 6012       | < 1            |
| 5533       | 2              | 6013       | 1              |
| 5535       | < 1            | 6014       | < 1            |
| 5536       | < 1            | 6015       | < 1            |
| 5537       | < 1            | 6016       | < 1            |
| 5540       | < 1            | 6017       | < 1            |
| 5550       | 1              | 6018       | < 1            |
| 5565       | 4              | 6019       | < 1            |
| 5566       | 20             | 6020       | < 1            |
| 5582       | < 1            | 6021       | < 1            |
| 5583       | < 1            | 6022       | 1              |
| 5584       | < 1            | 6023       | 2              |
| 5585       | < 1            | 6024       | 3              |
| 5597       | 1              | 6031       | 1              |
| 5598       | 2              | 6033       | 6              |
| 5611       | 3              | 6035       | 12             |
| 5625       | 320            | 6038       | 1              |
|            |                | 6048       | 1              |

Cont'd.....

Per G. Lebel  
G. Lebel - Manager

ESTABLISHED 1928





# SWASTIKA LABORATORIES LIMITED

P.O. BOX 10, SWASTIKA, ONTARIO P0K 1T0

TELEPHONE: (705) 642-3244

ANALYTICAL CHEMISTS • ASSAYERS • CONSULTANTS

## Certificate of Analysis

Certificate No. 50857

Date: March 9 1981

Received Feb. 3/81 218 Samples of Stream Sediments

Submitted by Sulfdalm, Norway Att'n: Mr. R. Sivertsen

Page #3

| SAMPLE NO. | ARSENIC<br>PPM | SAMPLE NO. | ARSENIC<br>PPM |
|------------|----------------|------------|----------------|
| 6049       | 1              | 6532       | 1              |
| 6056       | 1              | 6535       | 20             |
| 6063       | 3              | 6544       | 3              |
| 6073       | 2              | 6555       | 2              |
| 6074       | 1              | 6567       | 2              |
| 6075       | 1              | 7012       | 2              |
| 6076       | < 1            | 7015       | 5              |
| 6077       | 2              | 7023       | 3              |
| 6078       | 1              | 7027       | 1              |
| 6100       | 3              | 7030       | < 1            |
| 6105       | 1              | 7038       | 1              |
| 6106       | 1              | 7044       | 1              |
| 6107       | 2              | 7045       | 24             |
| 6118       | 4              | 7046       | 1              |
| 6301       | 2              | 7047       | 1              |
| 6502       | 72             | 7048       | 4              |
| 6503       | 10             | 7049       | 63             |
| 6504       | < 1            | 7050       | 7              |
| 6506       | 10             | 7051       | 23             |
| 6507       | 2              | 7052       | 70             |
| 6508       | < 1            | 7501       | 330            |
| 6509       | 1              | 7502       | 187            |
| 6510       | 2              | 7503       | 10             |
| 6511       | 1              | 7504       | 10             |
| 6512       | 1              | 7505       | 9              |
| 6517       | 4              | 7509       | 40             |
| 6518       | < 1            | 7510       | 77             |
| 6521       | 1              | 7511       | 32             |
| 6529       | < 1            | 7512       | 38             |

Cont'd.....

Per

G. Lebel - Manager



# SWASTIKA LABORATORIES LIMITED

P.O. BOX 10, SWASTIKA, ONTARIO P0K 1T0  
TELEPHONE: (705) 642-3244  
ANALYTICAL CHEMISTS • ASSAYERS • CONSULTANTS

## Certificate of Analysis

Certificate No. 50857 Date: March 9 1981

Received Feb. 3/81 218 Samples of Stream Sediments


Submitted by Sulfdmalm, Norway Att'n: Mr. R. Sivertsen

Page #4

| SAMPLE NO. | ARSENIC PPM | SAMPLE NO. | ARSENIC PPM |
|------------|-------------|------------|-------------|
| 7513       | 17          | 8021       | 1           |
| 7514       | 21          | 8022       | 3           |
| 7515       | 2           | 8028       | 1           |
| 7516       | 1           | 8029       | 2           |
| 7517       | < 1         | 8030       | 2           |
| 7518       | < 1         | 8031       | 3           |
| 7519       | < 1         | 8032       | 1           |
| 7520       | 7           | 8034       | < 1         |
| 7521       | 10          | 8035       | 1           |
| 7526       | 2           | 8038       | 1           |
| 7542       | 1           | 8041       | 1           |
| 8001       | 25          | 8048       | 1           |
| 8002       | 4           |            |             |
| 8003       | 54          |            |             |
| 8004       | 7           |            |             |
| 8005       | 2           |            |             |
| 8006       | 8           |            |             |
| 8007       | 8           |            |             |
| 8008       | 9           |            |             |
| 8009       | 14          |            |             |
| 8010       | 1           |            |             |
| 8011       | 3           |            |             |
| 8012       | 2           |            |             |
| 8013       | 2           |            |             |
| 8018       | 3           |            |             |
| 8019       | < 1         |            |             |
| 8020       | 1           |            |             |

Per G. Lebel  
G. Lebel - Manager

ESTABLISHED 1928



D. 8. 19-9

Projekt nr.

**Dato**

**Innsendt av:**

[illegible]

**Anmerkungen:**

Shipment No. \_\_\_\_\_

1  
2  
3  
4  
5  
6  
7  
8  
9  
10  
11  
12  
13  
14  
15  
16  
17  
18  
19  
20  
21  
22  
23  
24  
25  
26  
27  
28  
29  
30  
31  
32  
33  
34  
35  
36  
37  
38  
39  
40  
41  
42  
43  
44  
45  
46  
47  
48  
49  
50  
51  
52  
53  
54  
55  
56  
57  
58  
59  
60  
61  
62  
63  
64  
65  
66  
67  
68  
69  
70  
71  
72  
73  
74  
75  
76  
77  
78  
79  
80  
81  
82  
83  
84  
85  
86  
87  
88  
89  
90  
91  
92  
93  
94  
95  
96  
97  
98  
99  
100

•

•

101  
102  
103  
104  
105  
106  
107  
108  
109  
110  
111  
112  
113  
114  
115  
116  
117  
118  
119  
120  
121  
122  
123  
124  
125  
126  
127  
128  
129  
130  
131  
132  
133  
134  
135  
136  
137  
138  
139  
140  
141  
142  
143  
144  
145  
146  
147  
148  
149  
150  
151  
152  
153  
154  
155  
156  
157  
158  
159  
160  
161  
162  
163  
164  
165  
166  
167  
168  
169  
170  
171  
172  
173  
174  
175  
176  
177  
178  
179  
180  
181  
182  
183  
184  
185  
186  
187  
188  
189  
190  
191  
192  
193  
194  
195  
196  
197  
198  
199  
200

•

•