

Analysert  
 75  
 8.8m  
 0.5%  
**RAS I KASSA!**  
 DBH 216

25  
 A: 2m @ 0.5%  
 (I.A.)  
 3m  
 0.5%  
 106  
 20  
 A: 1.5m @ 0.5%  
 (I.A.)

30  
 ANTATT  
 2.5m @ 0.5%  
 (IKKE ANALYSERT)

180  
 12.5m  
 0.5%  
 165  
 3.2m  
 1.5%  
 (2.5m)  
 0.8%  
 (2.7m)  
 A: 10m  
 0.6%  
 (I.A.)  
 4.4m  
 0.7%

A: 2.5m, 0.2%

292  
 3.9m  
 2.1%

178  
 9.8m  
 0.6%

Aussen zone!  
 56m  
 0.6%  
 83  
 6.1m  
 0.5%  
 15  
 2m  
 0.3%

Aussen zone!  
 5m  
 0.2%  
 25  
 6m  
 0.8%

$400 \cdot 175 \text{ m} = 70000 \text{ m}^2$   
 $\times 14 \text{ t/m}^2$   
 $\approx 1 \text{ mill t.}$

54  
 46  
 6  
 0.3m @ 0.6%  
 99

SIGRIDFELTET Borhullsoversikt, kjemnebeskrivelse	Målestokk	Tegn. G.5.82	T.S.H.
	1:1000	Trac.	
Erstatning for:			
Erstattet av:			

BVK 2815